



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/12, C07K 14/47, 16/18, C12Q 1/68		A2	(11) International Publication Number: WO 00/18916
			(43) International Publication Date: 6 April 2000 (06.04.00)
(21) International Application Number: PCT/US99/22226			
(22) International Filing Date: 23 September 1999 (23.09.99)			
(30) Priority Data:			
60/102,161	28 September 1998 (28.09.98)	US	
60/102,180	28 September 1998 (28.09.98)	US	
60/102,380	29 September 1998 (29.09.98)	US	
60/103,815	8 October 1998 (08.10.98)	US	
60/105,877	27 October 1998 (27.10.98)	US	
(71) Applicants: CHIRON CORPORATION [US/US]; 4560 Horton Street - R440, Emeryville, CA 94608 (US). HYSEQ INC. [US/US]; 675 Almanor Avenue, Sunnyvale, CA 94086 (US).			
(72) Inventors: WILLIAMS, Lewis, T.; 3 Miroflores, Tiburon, CA 94920 (US). ESCOBEDO, Jaime; 1470 Lavoma Road, Alamo, CA 94507 (US). INNIS, Michael, A.; 315 Constance Place, Moraga, CA 94556 (US). GARCIA, Pablo, Dominguez; 882 Chenery Street, San Francisco, CA 94131 (US). SUDDUTH-KLINGER, Julie; 280 Lexington Road, Kensington, CA 94707 (US). REINHARD, Christoph; 1633 Clinton Avenue, Alameda, CA 94501 (US). GIESE, Klaus; Chausseetrase 92, D-10115 Berlin (DE). RANDAZZO, Filippo; Apartment 403, 690 Chestnut Street, San Francisco, CA 94133 (US). KENNEDY, Giulia, C.; 360 Castenada Avenue, San Francisco, CA 94116 (US). POT, David; 1565 5th Avenue, #102, San Francisco, CA 94112 (US). KASSAM, Altaf; 2659 Harold Street, Oakland, CA 94602 (US). LAMSON, George; 232 Sandringham Drive, Moraga, CA 94556 (US). DRMANAC, Radoje; 850 East Greenwich Place, Palo Alto, CA 94303 (US). CRKVENJAKOV, Radomir; 762 Haverhill Drive, Sunnyvale, CA 94068 (US). DICKSON, Mark; 1411 Gabilan Drive, #B, Hollister, CA 95025 (US). DRMANAC, Snezana; 850 East Greenwich Place, Palo Alto, CA 94303 (US). LABAT, Ivan; 140 Acalanes Drive, Sunnyvale, CA 94086 (US). LESHKOWITZ, Dena; 678 Durshire Way, Sunnyvale, CA 94087 (US). KITA, David; 899 Bounty Drive, Foster City, CA 94404 (US). GARCIA, Veronica; Apartment 412, 396 Ano Nuevo, Sunnyvale, CA 94086 (US). JONES, Lee, William; 396 Ano Nuevo #412, Sunnyvale, CA 94086 (US). STACHE-CRAIN, Birgit; 345 South Mary Avenue, Sunnyvale, CA 94086 (US).			
		(74) Agent: BLACKBURN, Robert, P.; Chiron Corporation, P.O. Box 8097, Emeryville, CA 94662-8097 (US).	
		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
		Published <i>Without international search report and to be republished upon receipt of that report.</i> <i>With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.</i>	
(54) Title: HUMAN GENES AND GENE EXPRESSION PRODUCTS			
(57) Abstract			
<p>This invention relates to novel human polynucleotides and variants thereof, their encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides and to proteins expressed by the genes. The invention also relates to diagnostic and therapeutic agents employing such novel human polynucleotides, their corresponding genes or gene products, e.g., these genes and proteins, including probes, antisense constructs, and antibodies.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

HUMAN GENES AND GENE EXPRESSION PRODUCTS

Field of the Invention

The present invention relates to polynucleotides of human origin and the encoded gene products.

5 Background of the Invention

Identification of novel polynucleotides, particularly those that encode an expressed gene product, is important in the advancement of drug discovery, diagnostic technologies, and the understanding of the progression and nature of complex diseases such as cancer. Identification of genes expressed in different cell types isolated from sources that differ in disease state or stage, developmental stage, exposure to various environmental factors, the tissue of origin, the species from which the tissue was isolated, and the like is key to identifying the genetic factors that are responsible for the phenotypes associated with these various differences.

This invention provides novel human polynucleotides, the polypeptides encoded by these polynucleotides, and the genes and proteins corresponding to these novel polynucleotides.

15 Summary of the Invention

This invention relates to novel human polynucleotides and variants thereof, their encoded polypeptides and variants thereof, to genes corresponding to these polynucleotides and to proteins expressed by the genes. The invention also relates to diagnostics and therapeutics comprising such novel human polynucleotides, their corresponding genes or gene products, including probes, antisense nucleotides, and antibodies. The polynucleotides of the invention correspond to a polynucleotide comprising the sequence information of at least one of SEQ ID NOS:1-1079.

Various aspects and embodiments of the invention will be readily apparent to the ordinarily skilled artisan upon reading the description provided herein.

Detailed Description of the Invention

25 The invention relates to polynucleotides comprising the disclosed nucleotide sequences, to full length cDNA, mRNA genomic sequences, and genes corresponding to these sequences and degenerate variants thereof, and to polypeptides encoded by the polynucleotides of the invention and polypeptide variants. The following detailed description describes the polynucleotide compositions encompassed by the invention, methods for obtaining cDNA or genomic DNA encoding a full-length gene product, expression of these polynucleotides and genes, identification of structural motifs of the polynucleotides and genes, identification of the function of a gene product encoded by a gene corresponding to a polynucleotide of the invention, use of the provided polynucleotides as probes and in mapping and in tissue profiling, use of the corresponding polypeptides and other gene products to raise antibodies, and use of the polynucleotides and their encoded gene products for therapeutic and diagnostic purposes.

Polynucleotide Compositions

The scope of the invention with respect to polynucleotide compositions includes, but is not necessarily limited to, polynucleotides having a sequence set forth in any one of SEQ ID NOS:1-1079; polynucleotides obtained from the biological materials described herein or other biological sources (particularly human sources) by hybridization under stringent conditions (particularly conditions of high stringency); genes corresponding to the provided polynucleotides; variants of the provided polynucleotides and their corresponding genes, particularly those variants that retain a biological activity of the encoded gene product (e.g., a biological activity ascribed to a gene product corresponding to the provided polynucleotides as a result of the assignment of the gene product to a protein family(ies) and/or identification of a functional domain present in the gene product). Other nucleic acid compositions contemplated by and within the scope of the present invention will be readily apparent to one of ordinary skill in the art when provided with the disclosure here. "Polynucleotide" and "nucleic acid" as used herein with reference to nucleic acids of the composition is not intended to be limiting as to the length or structure of the nucleic acid unless specifically indicted.

The invention features polynucleotides that are expressed in human tissue, specifically human colon, breast, and/or lung tissue. Novel nucleic acid compositions of the invention of particular interest comprise a sequence set forth in any one of SEQ ID NOS:1-1079 or an identifying sequence thereof. An "identifying sequence" is a contiguous sequence of residues at least about 10 nt to about 20 nt in length, usually at least about 50 nt to about 100 nt in length, that uniquely identifies a polynucleotide sequence, e.g., exhibits less than 90%, usually less than about 80% to about 85% sequence identity to any contiguous nucleotide sequence of more than about 20 nt. Thus, the subject novel nucleic acid compositions include full length cDNAs or mRNAs that encompass an identifying sequence of contiguous nucleotides from any one of SEQ ID NOS: 1-1079.

The polynucleotides of the invention also include polynucleotides having sequence similarity or sequence identity. Nucleic acids having sequence similarity are detected by hybridization under low stringency conditions, for example, at 50°C and 10XSSC (0.9 M saline/0.09 M sodium citrate) and remain bound when subjected to washing at 55°C in 1XSSC. Sequence identity can be determined by hybridization under stringent conditions, for example, at 50°C or higher and 0.1XSSC (9 mM saline/0.9 mM sodium citrate). Hybridization methods and conditions are well known in the art, see, e.g., USPN 5,707,829. Nucleic acids that are substantially identical to the provided polynucleotide sequences, e.g. allelic variants, genetically altered versions of the gene, *etc.*, bind to the provided polynucleotide sequences (SEQ ID NOS:1-1079) under stringent hybridization conditions. By using probes, particularly labeled probes of DNA sequences, one can isolate homologous or related genes. The source of homologous genes can be any species, e.g. primate

species, particularly human; rodents, such as rats and mice; canines, felines, bovines, ovines, equines, yeast, nematodes, *etc.*

Preferably, hybridization is performed using at least 15 contiguous nucleotides (nt) of at least one of SEQ ID NOS:1-1079. That is, when at least 15 contiguous nt of one of the disclosed SEQ ID NOS. is used as a probe, the probe will preferentially hybridize with a nucleic acid comprising the complementary sequence, allowing the identification and retrieval of the nucleic acids that uniquely hybridize to the selected probe. Probes from more than one SEQ ID NO. can hybridize with the same nucleic acid if the cDNA from which they were derived corresponds to one mRNA. Probes of more than 15 nt can be used, e.g., probes of from about 18 nt to about 100 nt, but 15 nt represents sufficient sequence for unique identification.

The polynucleotides of the invention also include naturally occurring variants of the nucleotide sequences (*e.g.*, degenerate variants, allelic variants, *etc.*). Variants of the polynucleotides of the invention are identified by hybridization of putative variants with nucleotide sequences disclosed herein, preferably by hybridization under stringent conditions. For example, by using appropriate wash conditions, variants of the polynucleotides of the invention can be identified where the allelic variant exhibits at most about 25-30% base pair (bp) mismatches relative to the selected polynucleotide probe. In general, allelic variants contain 15-25% bp mismatches, and can contain as little as even 5-15%, or 2-5%, or 1-2% bp mismatches, as well as a single bp mismatch.

The invention also encompasses homologs corresponding to the polynucleotides of SEQ ID NOS:1-1079, where the source of homologous genes can be any mammalian species, *e.g.*, primate species, particularly human; rodents, such as rats; canines, felines, bovines, ovines, equines, yeast, nematodes, *etc.* Between mammalian species, *e.g.*, human and mouse, homologs generally have substantial sequence similarity, *e.g.*, at least 75% sequence identity, usually at least 90%, more usually at least 95% between nucleotide sequences. Sequence similarity is calculated based on a reference sequence, which may be a subset of a larger sequence, such as a conserved motif, coding region, flanking region, *etc.* A reference sequence will usually be at least about 18 contiguous nt long, more usually at least about 30 nt long, and may extend to the complete sequence that is being compared. Algorithms for sequence analysis are known in the art, such as gapped BLAST, described in Altschul, et al. *Nucleic Acids Res.* (1997) 25:3389-3402.

In general, variants of the invention have a sequence identity greater than at least about 65%, preferably at least about 75%, more preferably at least about 85%, and can be greater than at least about 90% or more as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular). For the purposes of this invention, a preferred method of calculating percent identity is the Smith-Waterman algorithm, using the following. Global DNA sequence identity must be greater than 65% as determined by the Smith-

Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular) using an affine gap search with the following search parameters: gap open penalty, 12; and gap extension penalty, 1.

The subject nucleic acids can be cDNAs or genomic DNAs, as well as fragments thereof, particularly fragments that encode a biologically active gene product and/or are useful in the methods disclosed herein (*e.g.*, in diagnosis, as a unique identifier of a differentially expressed gene of interest, *etc.*). The term "cDNA" as used herein is intended to include all nucleic acids that share the arrangement of sequence elements found in native mature mRNA species, where sequence elements are exons and 3' and 5' non-coding regions. Normally mRNA species have contiguous exons, with the intervening introns, when present, being removed by nuclear RNA splicing, to create a continuous open reading frame encoding a polypeptide of the invention.

A genomic sequence of interest comprises the nucleic acid present between the initiation codon and the stop codon, as defined in the listed sequences, including all of the introns that are normally present in a native chromosome. It can further include the 3' and 5' untranslated regions found in the mature mRNA. It can further include specific transcriptional and translational regulatory sequences, such as promoters, enhancers, *etc.*, including about 1 kb, but possibly more, of flanking genomic DNA at either the 5' and 3' end of the transcribed region. The genomic DNA can be isolated as a fragment of 100 kbp or smaller; and substantially free of flanking chromosomal sequence. The genomic DNA flanking the coding region, either 3' and 5', or internal regulatory sequences as sometimes found in introns, contains sequences required for proper tissue, stage-specific, or disease-state specific expression.

The nucleic acid compositions of the subject invention can encode all or a part of the subject polypeptides. Double or single stranded fragments can be obtained from the DNA sequence by chemically synthesizing oligonucleotides in accordance with conventional methods, by restriction enzyme digestion, by PCR amplification, *etc.* Isolated polynucleotides and polynucleotide fragments of the invention comprise at least about 10, about 15, about 20, about 35, about 50, about 100, about 150 to about 200, about 250 to about 300, or about 350 contiguous nt selected from the polynucleotide sequences as shown in SEQ ID NOS:1-1079. For the most part, fragments will be of at least 15 nt, usually at least 18 nt or 25 nt, and up to at least about 50 contiguous nt in length or more. In a preferred embodiment, the polynucleotide molecules comprise a contiguous sequence of at least 12 nt selected from the group consisting of the polynucleotides shown in SEQ ID NOS:1-1079.

Probes specific to the polynucleotides of the invention can be generated using the polynucleotide sequences disclosed in SEQ ID NOS:1-1079. The probes are preferably at least about a 12, 15, 16, 18, 20, 22, 24, or 25 nt fragment of a corresponding contiguous sequence of SEQ ID

NOS:1-1079, and can be less than 2, 1, 0.5, 0.1, or 0.05 kb in length. The probes can be synthesized chemically or can be generated from longer polynucleotides using restriction enzymes. The probes can be labeled, for example, with a radioactive, biotinylated, or fluorescent tag. Preferably, probes are designed based upon an identifying sequence of a polynucleotide of one of SEQ ID NOS:1-1079.

5 More preferably, probes are designed based on a contiguous sequence of one of the subject polynucleotides that remain unmasked following application of a masking program for masking low complexity (*e.g.*, XBLAST) to the sequence., *i.e.*, one would select an unmasked region, as indicated by the polynucleotides outside the poly-n stretches of the masked sequence produced by the masking program.

10 The polynucleotides of the subject invention are isolated and obtained in substantial purity, generally as other than an intact chromosome. Usually, the polynucleotides, either as DNA or RNA, will be obtained substantially free of other naturally-occurring nucleic acid sequences, generally being at least about 50%, usually at least about 90% pure and are typically "recombinant", *e.g.*, flanked by one or more nucleotides with which it is not normally associated on a naturally occurring
15 chromosome.

The polynucleotides of the invention can be provided as a linear molecule or within a circular molecule, and can be provided within autonomously replicating molecules (vectors) or within molecules without replication sequences. Expression of the polynucleotides can be regulated by their own or by other regulatory sequences known in the art. The polynucleotides of the invention can be
20 introduced into suitable host cells using a variety of techniques available in the art, such as transferrin polycation-mediated DNA transfer, transfection with naked or encapsulated nucleic acids, liposome-mediated DNA transfer, intracellular transportation of DNA-coated latex beads, protoplast fusion, viral infection, electroporation, gene gun, calcium phosphate-mediated transfection, and the like.

The subject nucleic acid compositions can be used to, for example, produce polypeptides, as
25 probes for the detection of mRNA of the invention in biological samples (*e.g.*, extracts of human cells) to generate additional copies of the polynucleotides, to generate ribozymes or antisense oligonucleotides, and as single stranded DNA probes or as triple-strand forming oligonucleotides. The probes described herein can be used to, for example, determine the presence or absence of the polynucleotide sequences as shown in SEQ ID NOS:1-1079 or variants thereof in a sample. These
30 and other uses are described in more detail below.

Use of Polynucleotides to Obtain Full-Length cDNA, Gene, and Promoter Region

Full-length cDNA molecules comprising the disclosed polynucleotides are obtained as follows. A polynucleotide having a sequence of one of SEQ ID NOS:1-1079, or a portion thereof comprising at least 12, 15, 18, or 20 nt, is used as a hybridization probe to detect hybridizing
35 members of a cDNA library using probe design methods, cloning methods, and clone selection

techniques such as those described in USPN 5,654,173. Libraries of cDNA are made from selected tissues, such as normal or tumor tissue, or from tissues of a mammal treated with, for example, a pharmaceutical agent. Preferably, the tissue is the same as the tissue from which the polynucleotides of the invention were isolated, as both the polynucleotides described herein and the cDNA represent expressed genes. Most preferably, the cDNA library is made from the biological material described herein in the Examples. The choice of cell type for library construction can be made after the identity of the protein encoded by the gene corresponding to the polynucleotide of the invention is known. This will indicate which tissue and cell types are likely to express the related gene, and thus represent a suitable source for the mRNA for generating the cDNA. Where the provided polynucleotides are isolated from cDNA libraries, the libraries are prepared from mRNA of human colon cells, more preferably, human colon cancer cells, even more preferably, from a highly metastatic colon cell, Km12L4-A.

Techniques for producing and probing nucleic acid sequence libraries are described, for example, in Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. The cDNA can be prepared by using primers based on sequence from SEQ ID NOS:1-1079. In one embodiment, the cDNA library can be made from only poly-adenylated mRNA. Thus, poly-T primers can be used to prepare cDNA from the mRNA.

Members of the library that are larger than the provided polynucleotides, and preferably that encompass the complete coding sequence of the native message, are obtained. In order to confirm that the entire cDNA has been obtained, RNA protection experiments are performed as follows. Hybridization of a full-length cDNA to an mRNA will protect the RNA from RNase degradation. If the cDNA is not full length, then the portions of the mRNA that are not hybridized will be subject to RNase degradation. This is assayed, as is known in the art, by changes in electrophoretic mobility on polyacrylamide gels, or by detection of released monoribonucleotides. Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY. In order to obtain additional sequences 5' to the end of a partial cDNA, 5' RACE (*PCR Protocols: A Guide to Methods and Applications*, (1990) Academic Press, Inc.) can be performed.

Genomic DNA is isolated using the provided polynucleotides in a manner similar to the isolation of full-length cDNAs. Briefly, the provided polynucleotides, or portions thereof, are used as probes to libraries of genomic DNA. Preferably, the library is obtained from the cell type that was used to generate the polynucleotides of the invention, but this is not essential. Most preferably, the genomic DNA is obtained from the biological material described herein in the Examples. Such libraries can be in vectors suitable for carrying large segments of a genome, such as P1 or YAC, as described in detail in Sambrook *et al.*, 9.4-9.30. In addition, genomic sequences can be isolated from human BAC libraries, which are commercially available from Research Genetics, Inc., Huntsville,

Alabama, USA, for example. In order to obtain additional 5' or 3' sequences, chromosome walking is performed, as described in Sambrook *et al.*, such that adjacent and overlapping fragments of genomic DNA are isolated. These are mapped and pieced together, as is known in the art, using restriction digestion enzymes and DNA ligase.

5 Using the polynucleotide sequences of the invention, corresponding full-length genes can be isolated using both classical and PCR methods to construct and probe cDNA libraries. Using either method, Northern blots, preferably, are performed on a number of cell types to determine which cell lines express the gene of interest at the highest level. Classical methods of constructing cDNA libraries are taught in Sambrook *et al.*, *supra*. With these methods, cDNA can be produced from
10 mRNA and inserted into viral or expression vectors. Typically, libraries of mRNA comprising poly(A) tails can be produced with poly(T) primers. Similarly, cDNA libraries can be produced using the instant sequences as primers.

 PCR methods are used to amplify the members of a cDNA library that comprise the desired insert. In this case, the desired insert will contain sequence from the full length cDNA that
15 corresponds to the instant polynucleotides. Such PCR methods include gene trapping and RACE methods. Gene trapping entails inserting a member of a cDNA library into a vector. The vector then is denatured to produce single stranded molecules. Next, a substrate-bound probe, such a biotinylated oligo, is used to trap cDNA inserts of interest. Biotinylated probes can be linked to an avidin-bound solid substrate. PCR methods can be used to amplify the trapped cDNA. To trap
20 sequences corresponding to the full length genes, the labeled probe sequence is based on the polynucleotide sequences of the invention. Random primers or primers specific to the library vector can be used to amplify the trapped cDNA. Such gene trapping techniques are described in Gruber *et al.*, WO 95/04745 and Gruber *et al.*, USPN 5,500,356. Kits are commercially available to perform gene trapping experiments from, for example, Life Technologies, Gaithersburg, Maryland, USA.

25 "Rapid amplification of cDNA ends," or RACE, is a PCR method of amplifying cDNAs from a number of different RNAs. The cDNAs are ligated to an oligonucleotide linker, and amplified by PCR using two primers. One primer is based on sequence from the instant polynucleotides, for which full length sequence is desired, and a second primer comprises sequence that hybridizes to the oligonucleotide linker to amplify the cDNA. A description of this methods is reported in WO
30 97/19110. In preferred embodiments of RACE, a common primer is designed to anneal to an arbitrary adaptor sequence ligated to cDNA ends (Apte and Siebert, *Biotechniques* (1993) 15:890-893; Edwards *et al.*, *Nuc. Acids Res.* (1991) 19:5227-5232). When a single gene-specific RACE primer is paired with the common primer, preferential amplification of sequences between the single gene specific primer and the common primer occurs. Commercial cDNA pools modified for use in
35 RACE are available.

Another PCR-based method generates full-length cDNA library with anchored ends without needing specific knowledge of the cDNA sequence. The method uses lock-docking primers (I-VI), where one primer, poly TV (I-III) locks over the polyA tail of eukaryotic mRNA producing first strand synthesis and a second primer, polyGH (IV-VI) locks onto the polyC tail added by terminal deoxynucleotidyl transferase (TdT)(see, e.g., WO 96/40998).

The promoter region of a gene generally is located 5' to the initiation site for RNA polymerase II. Hundreds of promoter regions contain the "TATA" box, a sequence such as TATTA or TATAA, which is sensitive to mutations. The promoter region can be obtained by performing 5' RACE using a primer from the coding region of the gene. Alternatively, the cDNA can be used as a probe for the genomic sequence, and the region 5' to the coding region is identified by "walking up." If the gene is highly expressed or differentially expressed, the promoter from the gene can be of use in a regulatory construct for a heterologous gene.

Once the full-length cDNA or gene is obtained, DNA encoding variants can be prepared by site-directed mutagenesis, described in detail in Sambrook *et al.*, 15.3-15.63. The choice of codon or nucleotide to be replaced can be based on disclosure herein on optional changes in amino acids to achieve altered protein structure and/or function.

As an alternative method to obtaining DNA or RNA from a biological material, nucleic acid comprising nucleotides having the sequence of one or more polynucleotides of the invention can be synthesized. Thus, the invention encompasses nucleic acid molecules ranging in length from 15 nt (corresponding to at least 15 contiguous nt of one of SEQ ID NOS:1-1079) up to a maximum length suitable for one or more biological manipulations, including replication and expression, of the nucleic acid molecule. The invention includes but is not limited to (a) nucleic acid having the size of a full gene, and comprising at least one of SEQ ID NOS:1-1079; (b) the nucleic acid of (a) also comprising at least one additional gene, operably linked to permit expression of a fusion protein; (c) an expression vector comprising (a) or (b); (d) a plasmid comprising (a) or (b); and (e) a recombinant viral particle comprising (a) or (b). Once provided with the polynucleotides disclosed herein, construction or preparation of (a) - (e) are well within the skill in the art.

The sequence of a nucleic acid comprising at least 15 contiguous nt of at least any one of SEQ ID NOS:1-1079, preferably the entire sequence of at least any one of SEQ ID NOS:1-1079, is not limited and can be any sequence of A, T, G, and/or C (for DNA) and A, U, G, and/or C (for RNA) or modified bases thereof, including inosine and pseudouridine. The choice of sequence will depend on the desired function and can be dictated by coding regions desired, the intron-like regions desired, and the regulatory regions desired. Where the entire sequence of any one of SEQ ID NOS:1-1079 is within the nucleic acid, the nucleic acid obtained is referred to herein as a polynucleotide comprising the sequence of any one of SEQ ID NOS:1-1079.

Expression of Polypeptide Encoded by Full-Length cDNA or Full-Length Gene

The provided polynucleotides (e.g., a polynucleotide having a sequence of one of SEQ ID NOS:1-1079), the corresponding cDNA, or the full-length gene is used to express a partial or complete gene product. Constructs of polynucleotides having sequences of SEQ ID NOS:1-1079 can also be generated synthetically. Alternatively, single-step assembly of a gene and entire plasmid from large numbers of oligodeoxyribonucleotides is described by, e.g., Stemmer *et al.*, *Gene (Amsterdam)* (1995) 164(1):49-53. In this method, assembly PCR (the synthesis of long DNA sequences from large numbers of oligodeoxyribonucleotides (oligos)) is described. The method is derived from DNA shuffling (Stemmer, *Nature* (1994) 370:389-391), and does not rely on DNA ligase, but instead relies on DNA polymerase to build increasingly longer DNA fragments during the assembly process.

Appropriate polynucleotide constructs are purified using standard recombinant DNA techniques as described in, for example, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual, 2nd Ed.*, (1989) Cold Spring Harbor Press, Cold Spring Harbor, NY, and under current regulations described in United States Dept. of HHS, National Institute of Health (NIH) Guidelines for Recombinant DNA Research. The gene product encoded by a polynucleotide of the invention is expressed in any expression system, including, for example, bacterial, yeast, insect, amphibian and mammalian systems. Vectors, host cells and methods for obtaining expression in same are well known in the art. Suitable vectors and host cells are described in USPN 5,654,173.

Polynucleotide molecules comprising a polynucleotide sequence provided herein are generally propagated by placing the molecule in a vector. Viral and non-viral vectors are used, including plasmids. The choice of plasmid will depend on the type of cell in which propagation is desired and the purpose of propagation. Certain vectors are useful for amplifying and making large amounts of the desired DNA sequence. Other vectors are suitable for expression in cells in culture. Still other vectors are suitable for transfer and expression in cells in a whole animal or person. The choice of appropriate vector is well within the skill of the art. Many such vectors are available commercially. Methods for preparation of vectors comprising a desired sequence are well known in the art.

The polynucleotides set forth in SEQ ID NOS:1-1079 or their corresponding full-length polynucleotides are linked to regulatory sequences as appropriate to obtain the desired expression properties. These can include promoters (attached either at the 5' end of the sense strand or at the 3' end of the antisense strand), enhancers, terminators, operators, repressors, and inducers. The promoters can be regulated or constitutive. In some situations it may be desirable to use conditionally active promoters, such as tissue-specific or developmental stage-specific promoters.

These are linked to the desired nucleotide sequence using the techniques described above for linkage to vectors. Any techniques known in the art can be used.

When any of the above host cells, or other appropriate host cells or organisms, are used to replicate and/or express the polynucleotides or nucleic acids of the invention, the resulting replicated nucleic acid, RNA, expressed protein or polypeptide, is within the scope of the invention as a product of the host cell or organism. The product is recovered by any appropriate means known in the art.

Once the gene corresponding to a selected polynucleotide is identified, its expression can be regulated in the cell to which the gene is native. For example, an endogenous gene of a cell can be regulated by an exogenous regulatory sequence as disclosed in USPN 5,641,670.

10 Identification of Functional and Structural Motifs of Novel Genes Screening Against Publicly Available Databases

Translations of the nucleotide sequence of the provided polynucleotides, cDNAs or full genes can be aligned with individual known sequences. Similarity with individual sequences can be used to determine the activity of the polypeptides encoded by the polynucleotides of the invention. Also, sequences exhibiting similarity with more than one individual sequence can exhibit activities that are characteristic of either or both individual sequences.

The full length sequences and fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence corresponding to provided polynucleotides. The nearest neighbors can indicate a tissue or cell type to be used to construct a library for the full-length sequences corresponding to the provided polynucleotides.

Typically, a selected polynucleotide is translated in all six frames to determine the best alignment with the individual sequences. The sequences disclosed herein in the Sequence Listing are in a 5' to 3' orientation and translation in three frames can be sufficient (with a few specific exceptions as described in the Examples). These amino acid sequences are referred to, generally, as query sequences, which will be aligned with the individual sequences. Databases with individual sequences are described in "Computer Methods for Macromolecular Sequence Analysis" *Methods in Enzymology* (1996) 266, Doolittle, Academic Press, Inc., a division of Harcourt Brace & Co., San Diego, California, USA. Databases include GenBank, EMBL, and DNA Database of Japan (DDBJ).

Query and individual sequences can be aligned using the methods and computer programs described above, and include BLAST 2.0, available over the world wide web at <http://www.ncbi.nlm.nih.gov/BLAST/>. See also Altschul, et al. *Nucleic Acids Res.* (1997) 25:3389-3402. Another alignment algorithm is Fasta, available in the Genetics Computing Group (GCG) package, Madison, Wisconsin, USA, a wholly owned subsidiary of Oxford Molecular Group, Inc. Other techniques for alignment are described in Doolittle, *supra*. Preferably, an alignment program

that permits gaps in the sequence is utilized to align the sequences. The Smith-Waterman is one type of algorithm that permits gaps in sequence alignments. See *Meth. Mol. Biol.* (1997) 70: 173-187. Also, the GAP program using the Needleman and Wunsch alignment method can be utilized to align sequences. An alternative search strategy uses MPSRCH software, which runs on a MASPAR
5 computer. MPSRCH uses a Smith-Waterman algorithm to score sequences on a massively parallel computer. This approach improves ability to identify sequences that are distantly related matches, and is especially tolerant of small gaps and nucleotide sequence errors. Amino acid sequences encoded by the provided polynucleotides can be used to search both protein and DNA databases. Incorporated herein by reference are all sequences that have been made public as of the filing date of
10 this application by any of the DNA or protein sequence databases, including the patent databases (e.g., GeneSeq). Also incorporated by reference are those sequences that have been submitted to these databases as of the filing date of the present application but not made public until after the filing date of the present application.

Results of individual and query sequence alignments can be divided into three categories:
15 high similarity, weak similarity, and no similarity. Individual alignment results ranging from high similarity to weak similarity provide a basis for determining polypeptide activity and/or structure. Parameters for categorizing individual results include: percentage of the alignment region length where the strongest alignment is found, percent sequence identity, and p value. The percentage of the alignment region length is calculated by counting the number of residues of the individual sequence
20 found in the region of strongest alignment, e.g., contiguous region of the individual sequence that contains the greatest number of residues that are identical to the residues of the corresponding region of the aligned query sequence. This number is divided by the total residue length of the query sequence to calculate a percentage. For example, a query sequence of 20 amino acid residues might be aligned with a 20 amino acid region of an individual sequence. The individual sequence might be
25 identical to amino acid residues 5, 9-15, and 17-19 of the query sequence. The region of strongest alignment is thus the region stretching from residue 9-19, an 11 amino acid stretch. The percentage of the alignment region length is: 11 (length of the region of strongest alignment) divided by (query sequence length) 20 or 55%.

Percent sequence identity is calculated by counting the number of amino acid matches
30 between the query and individual sequence and dividing total number of matches by the number of residues of the individual sequences found in the region of strongest alignment. Thus, the percent identity in the example above would be 10 matches divided by 11 amino acids, or approximately, 90.9%

P value is the probability that the alignment was produced by chance. For a single alignment,
35 the p value can be calculated according to Karlin *et al.*, *Proc. Natl. Acad. Sci.* (1990) 87:2264 and

Karlin *et al.*, *Proc. Natl. Acad. Sci.* (1993) 90. The p value of multiple alignments using the same query sequence can be calculated using an heuristic approach described in Altschul *et al.*, *Nat. Genet.* (1994) 6:119. Alignment programs such as BLAST program can calculate the p value. See also Altschul *et al.*, *Nucleic Acids Res.* (1997) 25:3389-3402.

5 Another factor to consider for determining identity or similarity is the location of the similarity or identity. Strong local alignment can indicate similarity even if the length of alignment is short. Sequence identity scattered throughout the length of the query sequence also can indicate a similarity between the query and profile sequences. The boundaries of the region where the sequences align can be determined according to Doolittle, *supra*; BLAST 2.0 (see, *e.g.*, Altschul, et al. *Nucleic Acids Res.* (1997) 25:3389-3402) or FAST programs; or by determining the area where
10 sequence identity is highest.

High Similarity. In general, in alignment results considered to be of high similarity, the percent of the alignment region length is typically at least about 55% of total length query sequence; more typically, at least about 58%; even more typically; at least about 60% of the total residue length
15 of the query sequence. Usually, percent length of the alignment region can be as much as about 62%; more usually, as much as about 64%; even more usually, as much as about 66%. Further, for high similarity, the region of alignment, typically, exhibits at least about 75% of sequence identity; more typically, at least about 78%; even more typically; at least about 80% sequence identity. Usually, percent sequence identity can be as much as about 82%; more usually, as much as about 84%; even
20 more usually, as much as about 86%.

 The p value is used in conjunction with these methods. If high similarity is found, the query sequence is considered to have high similarity with a profile sequence when the p value is less than or equal to about 10^{-2} ; more usually; less than or equal to about 10^{-3} ; even more usually; less than or equal to about 10^{-4} . More typically, the p value is no more than about 10^{-5} ; more typically; no more
25 than or equal to about 10^{-10} ; even more typically; no more than or equal to about 10^{-15} for the query sequence to be considered high similarity.

Weak Similarity. In general, where alignment results considered to be of weak similarity, there is no minimum percent length of the alignment region nor minimum length of alignment. A better showing of weak similarity is considered when the region of alignment is, typically, at least
30 about 15 amino acid residues in length; more typically, at least about 20; even more typically; at least about 25 amino acid residues in length. Usually, length of the alignment region can be as much as about 30 amino acid residues; more usually, as much as about 40; even more usually, as much as about 60 amino acid residues. Further, for weak similarity, the region of alignment, typically,

exhibits at least about 35% of sequence identity; more typically, at least about 40%; even more typically; at least about 45% sequence identity. Usually, percent sequence identity can be as much as about 50%; more usually, as much as about 55%; even more usually, as much as about 60%.

If low similarity is found, the query sequence is considered to have weak similarity with a profile sequence when the p value is usually less than or equal to about 10^{-2} ; more usually; less than or equal to about 10^{-3} ; even more usually; less than or equal to about 10^{-4} . More typically, the p value is no more than about 10^{-5} ; more usually; no more than or equal to about 10^{-10} ; even more usually; no more than or equal to about 10^{-15} for the query sequence to be considered weak similarity.

Similarity Determined by Sequence Identity Alone. Sequence identity alone can be used to determine similarity of a query sequence to an individual sequence and can indicate the activity of the sequence. Such an alignment, preferably, permits gaps to align sequences. Typically, the query sequence is related to the profile sequence if the sequence identity over the entire query sequence is at least about 15%; more typically, at least about 20%; even more typically, at least about 25%; even more typically, at least about 50%. Sequence identity alone as a measure of similarity is most useful when the query sequence is usually, at least 80 residues in length; more usually, 90 residues; even more usually, at least 95 amino acid residues in length. More typically, similarity can be concluded based on sequence identity alone when the query sequence is preferably 100 residues in length; more preferably, 120 residues in length; even more preferably, 150 amino acid residues in length.

Alignments with Profile and Multiple Aligned Sequences. Translations of the provided polynucleotides can be aligned with amino acid profiles that define either protein families or common motifs. Also, translations of the provided polynucleotides can be aligned to multiple sequence alignments (MSA) comprising the polypeptide sequences of members of protein families or motifs. Similarity or identity with profile sequences or MSAs can be used to determine the activity of the gene products (e.g., polypeptides) encoded by the provided polynucleotides or corresponding cDNA or genes. For example, sequences that show an identity or similarity with a chemokine profile or MSA can exhibit chemokine activities.

Profiles can be designed manually by (1) creating an MSA, which is an alignment of the amino acid sequence of members that belong to the family and (2) constructing a statistical representation of the alignment. Such methods are described, for example, in Birney *et al.*, *Nucl. Acid Res.* (1996) 24(14): 2730-2739. MSAs of some protein families and motifs are publicly available. For example, <http://genome.wustl.edu/Pfam/> includes MSAs of 547 different families and motifs. These MSAs are described also in Sonnhammer *et al.*, *Proteins* (1997) 28: 405-420. Other sources over the world

wide web include the site at <http://www.embl-heidelberg.de/argos/ali/ali.html>; alternatively, a message can be sent to ALI@EMBL-HEIDELBERG.DE for the information. A brief description of these MSAs is reported in Pascarella *et al.*, *Prot. Eng.* (1996) 9(3):249-251. Techniques for building profiles from MSAs are described in Sonnhammer *et al.*, *supra*; Birney *et al.*, *supra*; and "Computer
5 Methods for Macromolecular Sequence Analysis," *Methods in Enzymology* (1996) 266, Doolittle, Academic Press, Inc., San Diego, California, USA.

Similarity between a query sequence and a protein family or motif can be determined by (a) comparing the query sequence against the profile and/or (b) aligning the query sequence with the members of the family or motif. Typically, a program such as Searchwise is used to compare the
10 query sequence to the statistical representation of the multiple alignment, also known as a profile (see Birney *et al.*, *supra*). Other techniques to compare the sequence and profile are described in Sonnhammer *et al.*, *supra* and Doolittle, *supra*.

Next, methods described by Feng *et al.*, *J. Mol. Evol.* (1987) 25:351 and Higgins *et al.*, *CABIOS* (1989) 5:151 can be used align the query sequence with the members of a family or motif,
15 also known as a MSA. Sequence alignments can be generated using any of a variety of software tools. Examples include PileUp, which creates a multiple sequence alignment, and is described in Feng *et al.*, *J. Mol. Evol.* (1987) 25:351. Another method, GAP, uses the alignment method of Needleman *et al.*, *J. Mol. Biol.* (1970) 48:443. GAP is best suited for global alignment of sequences. A third method, BestFit, functions by inserting gaps to maximize the number of matches using the
20 local homology algorithm of Smith *et al.*, *Adv. Appl. Math.* (1981) 2:482. In general, the following factors are used to determine if a similarity between a query sequence and a profile or MSA exists: (1) number of conserved residues found in the query sequence, (2) percentage of conserved residues found in the query sequence, (3) number of frameshifts, and (4) spacing between conserved residues.

Some alignment programs that both translate and align sequences can make any number of
25 frameshifts when translating the nucleotide sequence to produce the best alignment. The fewer frameshifts needed to produce an alignment, the stronger the similarity or identity between the query and profile or MSAs. For example, a weak similarity resulting from no frameshifts can be a better indication of activity or structure of a query sequence, than a strong similarity resulting from two frameshifts. Preferably, three or fewer frameshifts are found in an alignment; more preferably two or
30 fewer frameshifts; even more preferably, one or fewer frameshifts; even more preferably, no frameshifts are found in an alignment of query and profile or MSAs.

Conserved residues are those amino acids found at a particular position in all or some of the family or motif members. Alternatively, a position is considered conserved if only a certain class of amino acids is found in a particular position in all or some of the family members. For example, the

N-terminal position can contain a positively charged amino acid, such as lysine, arginine, or histidine.

Typically, a residue of a polypeptide is conserved when a class of amino acids or a single amino acid is found at a particular position in at least about 40% of all class members; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

A residue is considered conserved when three unrelated amino acids are found at a particular position in the some or all of the members; more usually, two unrelated amino acids. These residues are conserved when the unrelated amino acids are found at particular positions in at least about 40% of all class member; more typically, at least about 50%; even more typically, at least about 60% of the members. Usually, a residue is conserved when a class or single amino acid is found in at least about 70% of the members of a family or motif; more usually, at least about 80%; even more usually, at least about 90%; even more usually, at least about 95%.

A query sequence has similarity to a profile or MSA when the query sequence comprises at least about 25% of the conserved residues of the profile or MSA; more usually, at least about 30%; even more usually; at least about 40%. Typically, the query sequence has a stronger similarity to a profile sequence or MSA when the query sequence comprises at least about 45% of the conserved residues of the profile or MSA; more typically, at least about 50%; even more typically; at least about 55%.

Identification of Secreted & Membrane-Bound Polypeptides

Both secreted and membrane-bound polypeptides of the present invention are of particular interest. For example, levels of secreted polypeptides can be assayed in body fluids that are convenient, such as blood, plasma, serum, and other body fluids such as urine, prostatic fluid and semen. Membrane-bound polypeptides are useful for constructing vaccine antigens or inducing an immune response. Such antigens would comprise all or part of the extracellular region of the membrane-bound polypeptides. Because both secreted and membrane-bound polypeptides comprise a fragment of contiguous hydrophobic amino acids, hydrophobicity predicting algorithms can be used to identify such polypeptides.

A signal sequence is usually encoded by both secreted and membrane-bound polypeptide genes to direct a polypeptide to the surface of the cell. The signal sequence usually comprises a stretch of hydrophobic residues. Such signal sequences can fold into helical structures. Membrane-bound polypeptides typically comprise at least one transmembrane region that possesses a stretch of hydrophobic amino acids that can transverse the membrane. Some transmembrane regions also

exhibit a helical structure. Hydrophobic fragments within a polypeptide can be identified by using computer algorithms. Such algorithms include Hopp & Woods, *Proc. Natl. Acad. Sci. USA* (1981) 78:3824-3828; Kyte & Doolittle, *J. Mol. Biol.* (1982) 157: 105-132; and RAOAR algorithm, Degli Esposti *et al.*, *Eur. J. Biochem.* (1990) 190: 207-219.

5 Another method of identifying secreted and membrane-bound polypeptides is to translate the polynucleotides of the invention in all six frames and determine if at least 8 contiguous hydrophobic amino acids are present. Those translated polypeptides with at least 8; more typically, 10; even more typically, 12 contiguous hydrophobic amino acids are considered to be either a putative secreted or membrane bound polypeptide. Hydrophobic amino acids include alanine, glycine, histidine,
10 isoleucine, leucine, lysine, methionine, phenylalanine, proline, threonine, tryptophan, tyrosine, and valine

Identification of the Function of an Expression Product of a Full-Length Gene

Ribozymes, antisense constructs, and dominant negative mutants can be used to determine function of the expression product of a gene corresponding to a polynucleotide provided herein.
15 These methods and compositions are particularly useful where the provided novel polynucleotide exhibits no significant or substantial homology to a sequence encoding a gene of known function. Antisense molecules and ribozymes can be constructed from synthetic polynucleotides. Typically, the phosphoramidite method of oligonucleotide synthesis is used. See Beaucage *et al.*, *Tet. Lett.* (1981) 22:1859 and USPN 4,668,777. Automated devices for synthesis are available to create
20 oligonucleotides using this chemistry. Examples of such devices include Biosearch 8600, Models 392 and 394 by Applied Biosystems, a division of Perkin-Elmer Corp., Foster City, California, USA; and Expedite by Perceptive Biosystems, Framingham, Massachusetts, USA. Synthetic RNA, phosphate analog oligonucleotides, and chemically derivatized oligonucleotides can also be produced, and can be covalently attached to other molecules. RNA oligonucleotides can be
25 synthesized, for example, using RNA phosphoramidites. This method can be performed on an automated synthesizer, such as Applied Biosystems, Models 392 and 394, Foster City, California, USA.

Phosphorothioate oligonucleotides can also be synthesized for antisense construction. A sulfurizing reagent, such as tetraethylthiuram disulfide (TETD) in acetonitrile can be used to convert
30 the internucleotide cyanoethyl phosphite to the phosphorothioate triester within 15 minutes at room temperature. TETD replaces the iodine reagent, while all other reagents used for standard phosphoramidite chemistry remain the same. Such a synthesis method can be automated using Models 392 and 394 by Applied Biosystems, for example.

Oligonucleotides of up to 200 nt can be synthesized, more typically, 100 nt, more typically
35 50 nt; even more typically 30 to 40 nt. These synthetic fragments can be annealed and ligated

together to construct larger fragments. See, for example, Sambrook *et al.*, *supra*. Trans-cleaving catalytic RNAs (ribozymes) are RNA molecules possessing endoribonuclease activity. Ribozymes are specifically designed for a particular target, and the target message must contain a specific nucleotide sequence. They are engineered to cleave any RNA species site-specifically in the background of cellular RNA. The cleavage event renders the mRNA unstable and prevents protein expression. Importantly, ribozymes can be used to inhibit expression of a gene of unknown function for the purpose of determining its function in an in vitro or in vivo context, by detecting the phenotypic effect. One commonly used ribozyme motif is the hammerhead, for which the substrate sequence requirements are minimal. Design of the hammerhead ribozyme, as well as therapeutic uses of ribozymes, are disclosed in Usman *et al.*, *Current Opin. Struct. Biol.* (1996) 6:527. Methods for production of ribozymes, including hairpin structure ribozyme fragments, methods of increasing ribozyme specificity, and the like are known in the art.

The hybridizing region of the ribozyme can be modified or can be prepared as a branched structure as described in Horn and Urdea, *Nucleic Acids Res.* (1989) 17:6959. The basic structure of the ribozymes can also be chemically altered in ways familiar to those skilled in the art, and chemically synthesized ribozymes can be administered as synthetic oligonucleotide derivatives modified by monomeric units. In a therapeutic context, liposome mediated delivery of ribozymes improves cellular uptake, as described in Birikh *et al.*, *Eur. J. Biochem.* (1997) 245:1.

Antisense nucleic acids are designed to specifically bind to RNA, resulting in the formation of RNA-DNA or RNA-RNA hybrids, with an arrest of DNA replication, reverse transcription or messenger RNA translation. Antisense polynucleotides based on a selected polynucleotide sequence can interfere with expression of the corresponding gene. Antisense polynucleotides are typically generated within the cell by expression from antisense constructs that contain the antisense strand as the transcribed strand. Antisense polynucleotides based on the disclosed polynucleotides will bind and/or interfere with the translation of mRNA comprising a sequence complementary to the antisense polynucleotide. The expression products of control cells and cells treated with the antisense construct are compared to detect the protein product of the gene corresponding to the polynucleotide upon which the antisense construct is based. The protein is isolated and identified using routine biochemical methods.

Given the extensive background literature and clinical experience in antisense therapy, one skilled in the art can use selected polynucleotides of the invention as additional potential therapeutics. The choice of polynucleotide can be narrowed by first testing them for binding to "hot spot" regions of the genome of cancerous cells. If a polynucleotide is identified as binding to a "hot spot", testing the polynucleotide as an antisense compound in the corresponding cancer cells is warranted.

As an alternative method for identifying function of the gene corresponding to a polynucleotide disclosed herein, dominant negative mutations are readily generated for corresponding proteins that are active as homomultimers. A mutant polypeptide will interact with wild-type polypeptides (made from the other allele) and form a non-functional multimer. Thus, a mutation is in a substrate-binding domain, a catalytic domain, or a cellular localization domain. Preferably, the mutant polypeptide will be overproduced. Point mutations are made that have such an effect. In addition, fusion of different polypeptides of various lengths to the terminus of a protein can yield dominant negative mutants. General strategies are available for making dominant negative mutants (see, e.g., Herskowitz, *Nature* (1987) 329:219). Such techniques can be used to create loss of function mutations, which are useful for determining protein function.

Polypeptides and Variants Thereof

The polypeptides of the invention include those encoded by the disclosed polynucleotides, as well as nucleic acids that, by virtue of the degeneracy of the genetic code, are not identical in sequence to the disclosed polynucleotides. Thus, the invention includes within its scope a polypeptide encoded by a polynucleotide having the sequence of any one of SEQ ID NOS:1-1079 or a variant thereof.

In general, the term "polypeptide" as used herein refers to both the full length polypeptide encoded by the recited polynucleotide, the polypeptide encoded by the gene represented by the recited polynucleotide, as well as portions or fragments thereof. "Polypeptides" also includes variants of the naturally occurring proteins, where such variants are homologous or substantially similar to the naturally occurring protein, and can be of an origin of the same or different species as the naturally occurring protein (e.g., human, murine, or some other species that naturally expresses the recited polypeptide, usually a mammalian species). In general, variant polypeptides have a sequence that has at least about 80%, usually at least about 90%, and more usually at least about 98% sequence identity with a differentially expressed polypeptide of the invention, as measured by BLAST 2.0 using the parameters described above. The variant polypeptides can be naturally or non-naturally glycosylated, i.e., the polypeptide has a glycosylation pattern that differs from the glycosylation pattern found in the corresponding naturally occurring protein.

The invention also encompasses homologs of the disclosed polypeptides (or fragments thereof) where the homologs are isolated from other species, i.e. other animal or plant species, where such homologs, usually mammalian species, e.g. rodents, such as mice, rats; domestic animals, e.g., horse, cow, dog, cat; and humans. By "homolog" is meant a polypeptide having at least about 35%, usually at least about 40% and more usually at least about 60% amino acid sequence identity to a particular differentially expressed protein as identified above, where sequence identity is determined using the BLAST 2.0 algorithm, with the parameters described *supra*.

In general, the polypeptides of the subject invention are provided in a non-naturally occurring environment, *e.g.* are separated from their naturally occurring environment. In certain embodiments, the subject protein is present in a composition that is enriched for the protein as compared to a control. As such, purified polypeptide is provided, where by purified is meant that the protein is present in a composition that is substantially free of non-differentially expressed polypeptides, where by substantially free is meant that less than 90%, usually less than 60% and more usually less than 50% of the composition is made up of non-differentially expressed polypeptides.

Also within the scope of the invention are variants; variants of polypeptides include mutants, fragments, and fusions. Mutants can include amino acid substitutions, additions or deletions. The amino acid substitutions can be conservative amino acid substitutions or substitutions to eliminate non-essential amino acids, such as to alter a glycosylation site, a phosphorylation site or an acetylation site, or to minimize misfolding by substitution or deletion of one or more cysteine residues that are not necessary for function. Conservative amino acid substitutions are those that preserve the general charge, hydrophobicity/ hydrophilicity, and/or steric bulk of the amino acid substituted. Variants can be designed so as to retain or have enhanced biological activity of a particular region of the protein (*e.g.*, a functional domain and/or, where the polypeptide is a member of a protein family, a region associated with a consensus sequence). Selection of amino acid alterations for production of variants can be based upon the accessibility (interior vs. exterior) of the amino acid (see, *e.g.*, Go *et al.*, *Int. J. Peptide Protein Res.* (1980) 15:211), the thermostability of the variant polypeptide (see, *e.g.*, Querol *et al.*, *Prot. Eng.* (1996) 9:265), desired glycosylation sites (see, *e.g.*, Olsen and Thomsen, *J. Gen. Microbiol.* (1991) 137:579), desired disulfide bridges (see, *e.g.*, Clarke *et al.*, *Biochemistry* (1993) 32:4322; and Wakarchuk *et al.*, *Protein Eng.* (1994) 7:1379), desired metal binding sites (see, *e.g.*, Toma *et al.*, *Biochemistry* (1991) 30:97, and Haezebrouck *et al.*, *Protein Eng.* (1993) 6:643), and desired substitutions with in proline loops (see, *e.g.*, Masul *et al.*, *Appl. Env. Microbiol.* (1994) 60:3579). Cysteine-depleted muteins can be produced as disclosed in USPN 4,959,314.

Variants also include fragments of the polypeptides disclosed herein, particularly biologically active fragments and/or fragments corresponding to functional domains. Fragments of interest will typically be at least about 10 aa to at least about 15 aa in length, usually at least about 50 aa in length, and can be as long as 300 aa in length or longer, but will usually not exceed about 1000 aa in length, where the fragment will have a stretch of amino acids that is identical to a polypeptide encoded by a polynucleotide having a sequence of any SEQ ID NOS:1-1079, or a homolog thereof. The protein variants described herein are encoded by polynucleotides that are

within the scope of the invention. The genetic code can be used to select the appropriate codons to construct the corresponding variants.

Computer-Related Embodiments

In general, a library of polynucleotides is a collection of sequence information, which
5 information is provided in either biochemical form (*e.g.*, as a collection of polynucleotide molecules), or in electronic form (*e.g.*, as a collection of polynucleotide sequences stored in a computer-readable form, as in a computer system and/or as part of a computer program). The sequence information of the polynucleotides can be used in a variety of ways, *e.g.*, as a resource for gene discovery, as a representation of sequences expressed in a selected cell type (*e.g.*, cell type
10 markers), and/or as markers of a given disease or disease state. In general, a disease marker is a representation of a gene product that is present in all cells affected by disease either at an increased or decreased level relative to a normal cell (*e.g.*, a cell of the same or similar type that is not substantially affected by disease). For example, a polynucleotide sequence in a library can be a polynucleotide that represents an mRNA, polypeptide, or other gene product encoded by the
15 polynucleotide, that is either overexpressed or underexpressed in a breast ductal cell affected by cancer relative to a normal (*i.e.*, substantially disease-free) breast cell.

The nucleotide sequence information of the library can be embodied in any suitable form, *e.g.*, electronic or biochemical forms. For example, a library of sequence information embodied in electronic form comprises an accessible computer data file (or, in biochemical form, a collection of
20 nucleic acid molecules) that contains the representative nucleotide sequences of genes that are differentially expressed (*e.g.*, overexpressed or underexpressed) as between, for example, i) a cancerous cell and a normal cell; ii) a cancerous cell and a dysplastic cell; iii) a cancerous cell and a cell affected by a disease or condition other than cancer; iv) a metastatic cancerous cell and a normal cell and/or non-metastatic cancerous cell; v) a malignant cancerous cell and a non-malignant
25 cancerous cell (or a normal cell) and/or vi) a dysplastic cell relative to a normal cell. Other combinations and comparisons of cells affected by various diseases or stages of disease will be readily apparent to the ordinarily skilled artisan. Biochemical embodiments of the library include a collection of nucleic acids that have the sequences of the genes in the library, where the nucleic acids can correspond to the entire gene in the library or to a fragment thereof, as described in greater detail
30 below.

The polynucleotide libraries of the subject invention generally comprise sequence information of a plurality of polynucleotide sequences, where at least one of the polynucleotides has a sequence of any of SEQ ID NOS:1-1079. By plurality is meant at least 2, usually at least 3 and can include up to all of SEQ ID NOS:1-1079. The length and number of polynucleotides in the

library will vary with the nature of the library, *e.g.*, if the library is an oligonucleotide array, a cDNA array, a computer database of the sequence information, etc.

Where the library is an electronic library, the nucleic acid sequence information can be present in a variety of media. "Media" refers to a manufacture, other than an isolated nucleic acid molecule, that contains the sequence information of the present invention. Such a manufacture provides the genome sequence or a subset thereof in a form that can be examined by means not directly applicable to the sequence as it exists in a nucleic acid. For example, the nucleotide sequence of the present invention, *e.g.* the nucleic acid sequences of any of the polynucleotides of SEQ ID NOS:1-1079, can be recorded on computer readable media, *e.g.* any medium that can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as a floppy disc, a hard disc storage medium, and a magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media. One of skill in the art can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture comprising a recording of the present sequence information. "Recorded" refers to a process for storing information on computer readable medium, using any such methods as known in the art. Any convenient data storage structure can be chosen, based on the means used to access the stored information. A variety of data processor programs and formats can be used for storage, *e.g.* word processing text file, database format, *etc.* In addition to the sequence information, electronic versions of the libraries of the invention can be provided in conjunction or connection with other computer-readable information and/or other types of computer-readable files (*e.g.*, searchable files, executable files, *etc.*), including, but not limited to, for example, search program software, *etc.*).

By providing the nucleotide sequence in computer readable form, the information can be accessed for a variety of purposes. Computer software to access sequence information is publicly available. For example, the gapped BLAST (Altschul *et al. Nucleic Acids Res.* (1997) 25:3389-3402) and BLAZE (Brutlag *et al. Comp. Chem.* (1993) 17:203) search algorithms on a Sybase system can be used to identify open reading frames (ORFs) within the genome that contain homology to ORFs from other organisms.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based system are suitable for use in the present invention. The data storage means can comprise any manufacture comprising a

recording of the present sequence information as described above, or a memory access means that can access such a manufacture.

"Search means" refers to one or more programs implemented on the computer-based system, to compare a target sequence or target structural motif, or expression levels of a polynucleotide in a sample, with the stored sequence information. Search means can be used to identify fragments or regions of the genome that match a particular target sequence or target motif. A variety of known algorithms are publicly known and commercially available, *e.g.* MacPattern (EMBL), BLASTN and BLASTX (NCBI). A "target sequence" can be any polynucleotide or amino acid sequence of six or more contiguous nucleotides or two or more amino acids, preferably from about 10 to 100 amino acids or from about 30 to 300 nt. A variety of comparing means can be used to accomplish comparison of sequence information from a sample (*e.g.*, to analyze target sequences, target motifs, or relative expression levels) with the data storage means. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer based systems of the present invention to accomplish comparison of target sequences and motifs. Computer programs to analyze expression levels in a sample and in controls are also known in the art.

A "target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration that is formed upon the folding of the target motif, or on consensus sequences of regulatory or active sites. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, hairpin structures, promoter sequences and other expression elements such as binding sites for transcription factors.

A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. One format for an output means ranks the relative expression levels of different polynucleotides. Such presentation provides a skilled artisan with a ranking of relative expression levels to determine a gene expression profile.

As discussed above, the "library" of the invention also encompasses biochemical libraries of the polynucleotides of SEQ ID NOS:1-1079, *e.g.*, collections of nucleic acids representing the provided polynucleotides. The biochemical libraries can take a variety of forms, *e.g.*, a solution of cDNAs, a pattern of probe nucleic acids stably associated with a surface of a solid support (*i.e.*, an array) and the like. Of particular interest are nucleic acid arrays in which one or more of SEQ ID NOS:1-1079 is represented on the array. By array is meant an article of manufacture that has at least a substrate with at least two distinct nucleic acid targets on one of its surfaces, where the number of distinct nucleic acids can be considerably higher, typically being at least 10 nt, usually at

least 20 nt and often at least 25 nt. A variety of different array formats have been developed and are known to those of skill in the art. The arrays of the subject invention find use in a variety of applications, including gene expression analysis, drug screening, mutation analysis and the like, as disclosed in the above-listed exemplary patent documents.

- 5 In addition to the above nucleic acid libraries, analogous libraries of polypeptides are also provided, where the where the polypeptides of the library will represent at least a portion of the polypeptides encoded by SEQ ID NOS:1-1079.

Utilities

Use of Polynucleotide Probes in Mapping, and in Tissue Profiling

- 10 Polynucleotide probes, generally comprising at least 12 contiguous nt of a polynucleotide as shown in the Sequence Listing, are used for a variety of purposes, such as chromosome mapping of the polynucleotide and detection of transcription levels. Additional disclosure about preferred regions of the disclosed polynucleotide sequences is found in the Examples. A probe that hybridizes specifically to a polynucleotide disclosed herein should provide a detection signal at least 5-, 10-, or
15 20-fold higher than the background hybridization provided with other unrelated sequences.

- Detection of Expression Levels. Nucleotide probes are used to detect expression of a gene corresponding to the provided polynucleotide. In Northern blots, mRNA is separated electrophoretically and contacted with a probe. A probe is detected as hybridizing to an mRNA species of a particular size. The amount of hybridization is quantitated to determine relative amounts
20 of expression, for example under a particular condition. Probes are used for in situ hybridization to cells to detect expression. Probes can also be used *in vivo* for diagnostic detection of hybridizing sequences. Probes are typically labeled with a radioactive isotope. Other types of detectable labels can be used such as chromophores, fluors, and enzymes. Other examples of nucleotide hybridization assays are described in WO92/02526 and USPN 5,124,246.

- 25 Alternatively, the Polymerase Chain Reaction (PCR) is another means for detecting small amounts of target nucleic acids (see, *e.g.*, Mullis *et al.*, *Meth. Enzymol.* (1987) 155:335; USPN 4,683,195; and USPN 4,683,202). Two primer polynucleotides nucleotides that hybridize with the target nucleic acids are used to prime the reaction. The primers can be composed of sequence within or 3' and 5' to the polynucleotides of the Sequence Listing. Alternatively, if the primers are 3' and 5'
30 to these polynucleotides, they need not hybridize to them or the complements. After amplification of the target with a thermostable polymerase, the amplified target nucleic acids can be detected by methods known in the art, *e.g.*, Southern blot. mRNA or cDNA can also be detected by traditional blotting techniques (*e.g.*, Southern blot, Northern blot, etc.) described in Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" (New York, Cold Spring Harbor Laboratory, 1989) (*e.g.*, without
35 PCR amplification). In general, mRNA or cDNA generated from mRNA using a polymerase enzyme

can be purified and separated using gel electrophoresis, and transferred to a solid support, such as nitrocellulose. The solid support is exposed to a labeled probe, washed to remove any unhybridized probe, and duplexes containing the labeled probe are detected.

Mapping. Polynucleotides of the present invention can be used to identify a chromosome on which the corresponding gene resides. Such mapping can be useful in identifying the function of the polynucleotide-related gene by its proximity to other genes with known function. Function can also be assigned to the polynucleotide-related gene when particular syndromes or diseases map to the same chromosome. For example, use of polynucleotide probes in identification and quantification of nucleic acid sequence aberrations is described in USPN 5,783,387. An exemplary mapping method is fluorescence in situ hybridization (FISH), which facilitates comparative genomic hybridization to allow total genome assessment of changes in relative copy number of DNA sequences (see, e.g., Valdes *et al.*, *Methods in Molecular Biology* (1997) 68:1). Polynucleotides can also be mapped to particular chromosomes using, for example, radiation hybrids or chromosome-specific hybrid panels. See Leach *et al.*, *Advances in Genetics*, (1995) 33:63-99; Walter *et al.*, *Nature Genetics* (1994) 7:22; Walter and Goodfellow, *Trends in Genetics* (1992) 9:352. Panels for radiation hybrid mapping are available from Research Genetics, Inc., Huntsville, Alabama, USA. Databases for markers using various panels are available via the world wide web at <http://F/shgc-www.stanford.edu>; and <http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl>. The statistical program RHMAP can be used to construct a map based on the data from radiation hybridization with a measure of the relative likelihood of one order versus another. RHMAP is available via the world wide web at <http://www.sph.umich.edu/group/statgen/software>. In addition, commercial programs are available for identifying regions of chromosomes commonly associated with disease, such as cancer.

Tissue Typing or Profiling. Expression of specific mRNA corresponding to the provided polynucleotides can vary in different cell types and can be tissue-specific. This variation of mRNA levels in different cell types can be exploited with nucleic acid probe assays to determine tissue types. For example, PCR, branched DNA probe assays, or blotting techniques utilizing nucleic acid probes substantially identical or complementary to polynucleotides listed in the Sequence Listing can determine the presence or absence of the corresponding cDNA or mRNA.

Tissue typing can be used to identify the developmental organ or tissue source of a metastatic lesion by identifying the expression of a particular marker of that organ or tissue. If a polynucleotide is expressed only in a specific tissue type, and a metastatic lesion is found to express that polynucleotide, then the developmental source of the lesion has been identified. Expression of a particular polynucleotide can be assayed by detection of either the corresponding mRNA or the protein product. As would be readily apparent to any forensic scientist, the sequences disclosed herein are useful in differentiating human tissue from non-human tissue. In particular, these

sequences are useful to differentiate human tissue from bird, reptile, and amphibian tissue, for example.

Use of Polymorphisms. A polynucleotide of the invention can be used in forensics, genetic analysis, mapping, and diagnostic applications where the corresponding region of a gene is polymorphic in the human population. Any means for detecting a polymorphism in a gene can be used, including, but not limited to electrophoresis of protein polymorphic variants, differential sensitivity to restriction enzyme cleavage, and hybridization to allele-specific probes.

Antibody Production

Expression products of a polynucleotide of the invention, as well as the corresponding mRNA, cDNA, or complete gene, can be prepared and used for raising antibodies for experimental, diagnostic, and therapeutic purposes. For polynucleotides to which a corresponding gene has not been assigned, this provides an additional method of identifying the corresponding gene. The polynucleotide or related cDNA is expressed as described above, and antibodies are prepared. These antibodies are specific to an epitope on the polypeptide encoded by the polynucleotide, and can precipitate or bind to the corresponding native protein in a cell or tissue preparation or in a cell-free extract of an in vitro expression system.

Methods for production of antibodies that specifically bind a selected antigen are well known in the art. Immunogens for raising antibodies can be prepared by mixing a polypeptide encoded by a polynucleotide of the invention with an adjuvant, and/or by making fusion proteins with larger immunogenic proteins. Polypeptides can also be covalently linked to other larger immunogenic proteins, such as keyhole limpet hemocyanin. Immunogens are typically administered intradermally, subcutaneously, or intramuscularly to experimental animals such as rabbits, sheep, and mice, to generate antibodies. Monoclonal antibodies can be generated by isolating spleen cells and fusing myeloma cells to form hybridomas. Alternatively, the selected polynucleotide is administered directly, such as by intramuscular injection, and expressed in vivo. The expressed protein generates a variety of protein-specific immune responses, including production of antibodies, comparable to administration of the protein.

Preparations of polyclonal and monoclonal antibodies specific for polypeptides encoded by a selected polynucleotide are made using standard methods known in the art. The antibodies specifically bind to epitopes present in the polypeptides encoded by polynucleotides disclosed in the Sequence Listing. Typically, at least 6, 8, 10, or 12 contiguous amino acids are required to form an epitope. Epitopes that involve non-contiguous amino acids may require a longer polypeptide, e.g., at least 15, 25, or 50 amino acids. Antibodies that specifically bind to human polypeptides encoded by the provided polypeptides should provide a detection signal at least 5-, 10-, or 20-fold higher than a detection signal provided with other proteins when used in Western blots or other immunochemical

assays. Preferably, antibodies that specifically polypeptides of the invention do not bind to other proteins in immunochemical assays at detectable levels and can immunoprecipitate the specific polypeptide from solution.

5 The invention also contemplates naturally occurring antibodies specific for a polypeptide of the invention. For example, serum antibodies to a polypeptide of the invention in a human population can be purified by methods well known in the art, e.g., by passing antiserum over a column to which the corresponding selected polypeptide or fusion protein is bound. The bound antibodies can then be eluted from the column, for example using a buffer with a high salt concentration.

10 In addition to the antibodies discussed above, the invention also contemplates genetically engineered antibodies, antibody derivatives (e.g., single chain antibodies, antibody fragments (e.g., Fab, etc.)), according to methods well known in the art.

Polynucleotides or Arrays for Diagnostics

15 Polynucleotide arrays provide a high throughput technique that can assay a large number of polynucleotide sequences in a sample. This technology can be used as a diagnostic and as a tool to test for differential expression, e.g., to determine function of an encoded protein. Arrays can be created by spotting polynucleotide probes onto a substrate (e.g., glass, nitrocellulose, etc.) in a two-dimensional matrix or array having bound probes. The probes can be bound to the substrate by either covalent bonds or by non-specific interactions, such as hydrophobic interactions. Samples of
20 polynucleotides can be detectably labeled (e.g., using radioactive or fluorescent labels) and then hybridized to the probes. Double stranded polynucleotides, comprising the labeled sample polynucleotides bound to probe polynucleotides, can be detected once the unbound portion of the sample is washed away. Techniques for constructing arrays and methods of using these arrays are described in EP 799 897; WO 97/29212; WO 97/27317; EP 785 280; WO 97/02357; USPN
25 5,593,839; USPN 5,578,832; EP 728 520; USPN 5,599,695; EP 721 016; USPN 5,556,752; WO 95/22058; and USPN 5,631,734. Arrays can be used to, for example, examine differential expression of genes and can be used to determine gene function. For example, arrays can be used to detect differential expression of a polynucleotide between a test cell and control cell (e.g., cancer cells and normal cells). For example, high expression of a particular message in a cancer cell, which is not
30 observed in a corresponding normal cell, can indicate a cancer specific gene product. Exemplary uses of arrays are further described in, for example, Pappalarado *et al.*, *Sem. Radiation Oncol.* (1998) 8:217; and Ramsay *Nature Biotechnol.* (1998) 16:40.

Differential Expression in Diagnosis

35 The polynucleotides of the invention can also be used to detect differences in expression levels between two cells, e.g., as a method to identify abnormal or diseased tissue in a human. For

polynucleotides corresponding to profiles of protein families, the choice of tissue can be selected according to the putative biological function. In general, the expression of a gene corresponding to a specific polynucleotide is compared between a first tissue that is suspected of being diseased and a second, normal tissue of the human. The tissue suspected of being abnormal or diseased can be
5 derived from a different tissue type of the human, but preferably it is derived from the same tissue type; for example an intestinal polyp or other abnormal growth should be compared with normal intestinal tissue. The normal tissue can be the same tissue as that of the test sample, or any normal tissue of the patient, especially those that express the polynucleotide-related gene of interest (*e.g.*, brain, thymus, testis, heart, prostate, placenta, spleen, small intestine, skeletal muscle, pancreas, and
10 the mucosal lining of the colon). A difference between the polynucleotide-related gene, mRNA, or protein in the two tissues which are compared, for example in molecular weight, amino acid or nucleotide sequence, or relative abundance, indicates a change in the gene, or a gene which regulates it, in the tissue of the human that was suspected of being diseased. Examples of detection of differential expression and its use in diagnosis of cancer are described in USPNs 5,688,641 and
15 5,677,125.

A genetic predisposition to disease in a human can also be detected by comparing expression levels of an mRNA or protein corresponding to a polynucleotide of the invention in a fetal tissue with levels associated in normal fetal tissue. Fetal tissues that are used for this purpose include, but are not limited to, amniotic fluid, chorionic villi, blood, and the blastomere of an in vitro-fertilized
20 embryo. The comparable normal polynucleotide-related gene is obtained from any tissue. The mRNA or protein is obtained from a normal tissue of a human in which the polynucleotide-related gene is expressed. Differences such as alterations in the nucleotide sequence or size of the same product of the fetal polynucleotide-related gene or mRNA, or alterations in the molecular weight, amino acid sequence, or relative abundance of fetal protein, can indicate a germline mutation in the
25 polynucleotide-related gene of the fetus, which indicates a genetic predisposition to disease. In general, diagnostic, prognostic, and other methods of the invention based on differential expression involve detection of a level or amount of a gene product, particularly a differentially expressed gene product, in a test sample obtained from a patient suspected of having or being susceptible to a disease (*e.g.*, breast cancer, lung cancer, colon cancer and/or metastatic forms thereof), and comparing the
30 detected levels to those levels found in normal cells (*e.g.*, cells substantially unaffected by cancer) and/or other control cells (*e.g.*, to differentiate a cancerous cell from a cell affected by dysplasia). Furthermore, the severity of the disease can be assessed by comparing the detected levels of a differentially expressed gene product with those levels detected in samples representing the levels of differentially gene product associated with varying degrees of severity of disease. It should be noted

that use of the term "diagnostic" herein is not necessarily meant to exclude "prognostic" or "prognosis," but rather is used as a matter of convenience.

The term "differentially expressed gene" is generally intended to encompass a polynucleotide that can, for example, include an open reading frame encoding a gene product (*e.g.*, a polypeptide), and/or introns of such genes and adjacent 5' and 3' non-coding nucleotide sequences involved in the regulation of expression, up to about 20 kb beyond the coding region, but possibly further in either direction. The gene can be introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome. In general, a difference in expression level associated with a decrease in expression level of at least about 25%, usually at least about 50% to 75%, more usually at least about 90% or more is indicative of a differentially expressed gene of interest, *i.e.*, a gene that is underexpressed or down-regulated in the test sample relative to a control sample. Furthermore, a difference in expression level associated with an increase in expression of at least about 25%, usually at least about 50% to 75%, more usually at least about 90% and can be at least about 1 1/2-fold, usually at least about 2-fold to about 10-fold, and can be about 100-fold to about 1,000-fold increase relative to a control sample is indicative of a differentially expressed gene of interest, *i.e.*, an overexpressed or up-regulated gene.

"Differentially expressed polynucleotide" as used herein means a nucleic acid molecule (RNA or DNA) comprising a sequence that represents a differentially expressed gene, *e.g.*, the differentially expressed polynucleotide comprises a sequence (*e.g.*, an open reading frame encoding a gene product) that uniquely identifies a differentially expressed gene so that detection of the differentially expressed polynucleotide in a sample is correlated with the presence of a differentially expressed gene in a sample. "Differentially expressed polynucleotides" is also meant to encompass fragments of the disclosed polynucleotides, *e.g.*, fragments retaining biological activity, as well as nucleic acids homologous, substantially similar, or substantially identical (*e.g.*, having about 90% sequence identity) to the disclosed polynucleotides.

"Diagnosis" as used herein generally includes determination of a subject's susceptibility to a disease or disorder, determination as to whether a subject is presently affected by a disease or disorder, as well as to the prognosis of a subject affected by a disease or disorder (*e.g.*, identification of pre-metastatic or metastatic cancerous states, stages of cancer, or responsiveness of cancer to therapy). The present invention particularly encompasses diagnosis of subjects in the context of breast cancer (*e.g.*, carcinoma in situ (*e.g.*, ductal carcinoma in situ), estrogen receptor (ER)-positive breast cancer, ER-negative breast cancer, or other forms and/or stages of breast cancer), lung cancer (*e.g.*, small cell carcinoma, non-small cell carcinoma, mesothelioma, and other forms and/or stages of lung cancer), and colon cancer (*e.g.*, adenomatous polyp, colorectal carcinoma, and other forms and/or stages of colon cancer).

"Sample" or "biological sample" as used throughout here are generally meant to refer to samples of biological fluids or tissues, particularly samples obtained from tissues, especially from cells of the type associated with the disease for which the diagnostic application is designed (*e.g.*, ductal adenocarcinoma), and the like. "Samples" is also meant to encompass derivatives and
5 fractions of such samples (*e.g.*, cell lysates). Where the sample is solid tissue, the cells of the tissue can be dissociated or tissue sections can be analyzed.

Methods of the subject invention useful in diagnosis or prognosis typically involve comparison of the abundance of a selected differentially expressed gene product in a sample of interest with that of a control to determine any relative differences in the expression of the gene
10 product, where the difference can be measured qualitatively and/or quantitatively. Quantitation can be accomplished, for example, by comparing the level of expression product detected in the sample with the amounts of product present in a standard curve. A comparison can be made visually; by using a technique such as densitometry, with or without computerized assistance; by preparing a representative library of cDNA clones of mRNA isolated from a test sample, sequencing the clones
15 in the library to determine that number of cDNA clones corresponding to the same gene product, and analyzing the number of clones corresponding to that same gene product relative to the number of clones of the same gene product in a control sample; or by using an array to detect relative levels of hybridization to a selected sequence or set of sequences, and comparing the hybridization pattern to that of a control. The differences in expression are then correlated with the presence or absence of an
20 abnormal expression pattern. A variety of different methods for determining the nucleic acid abundance in a sample are known to those of skill in the art (see, *e.g.*, WO 97/27317).

In general, diagnostic assays of the invention involve detection of a gene product of a the polynucleotide sequence (*e.g.*, mRNA or polypeptide) that corresponds to a sequence of SEQ ID NOS:1-1079. The patient from whom the sample is obtained can be apparently healthy, susceptible to
25 disease (*e.g.*, as determined by family history or exposure to certain environmental factors), or can already be identified as having a condition in which altered expression of a gene product of the invention is implicated.

Diagnosis can be determined based on detected gene product expression levels of a gene product encoded by at least one, preferably at least two or more, at least 3 or more, or at least 4 or
30 more of the polynucleotides having a sequence set forth in SEQ ID NOS:1-1079, and can involve detection of expression of genes corresponding to all of SEQ ID NOS:1-1079 and/or additional sequences that can serve as additional diagnostic markers and/or reference sequences. Where the diagnostic method is designed to detect the presence or susceptibility of a patient to cancer, the assay preferably involves detection of a gene product encoded by a gene corresponding to a polynucleotide
35 that is differentially expressed in cancer. Examples of such differentially expressed polynucleotides

are described in the Examples below. Given the provided polynucleotides and information regarding their relative expression levels provided herein, assays using such polynucleotides and detection of their expression levels in diagnosis and prognosis will be readily apparent to the ordinarily skilled artisan.

5 Any of a variety of detectable labels can be used in connection with the various embodiments of the diagnostic methods of the invention. Suitable detectable labels include fluorochromes, (e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein, 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-hexachlorofluorescein (HEX), 5-carboxyfluorescein
10 (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA)), radioactive labels, (e.g. ^{32}P , ^{35}S , ^3H , *etc.*), and the like. The detectable label can involve a two stage systems (e.g., biotin-avidin, hapten-anti-hapten antibody, *etc.*)

Reagents specific for the polynucleotides and polypeptides of the invention, such as antibodies and nucleotide probes, can be supplied in a kit for detecting the presence of an expression
15 product in a biological sample. The kit can also contain buffers or labeling components, as well as instructions for using the reagents to detect and quantify expression products in the biological sample. Exemplary embodiments of the diagnostic methods of the invention are described below in more detail.

Polypeptide detection in diagnosis. In one embodiment, the test sample is assayed for the
20 level of a differentially expressed polypeptide. Diagnosis can be accomplished using any of a number of methods to determine the absence or presence or altered amounts of the differentially expressed polypeptide in the test sample. For example, detection can utilize staining of cells or histological sections with labeled antibodies, performed in accordance with conventional methods. Cells can be permeabilized to stain cytoplasmic molecules. In general, antibodies that specifically
25 bind a differentially expressed polypeptide of the invention are added to a sample, and incubated for a period of time sufficient to allow binding to the epitope, usually at least about 10 minutes. The antibody can be detectably labeled for direct detection (e.g., using radioisotopes, enzymes, fluorescers, chemilumescers, and the like), or can be used in conjunction with a second stage antibody or reagent to detect binding (e.g., biotin with horseradish peroxidase-conjugated avidin, a
30 secondary antibody conjugated to a fluorescent compound, e.g. fluorescein, rhodamine, Texas red, *etc.*). The absence or presence of antibody binding can be determined by various methods, including flow cytometry of dissociated cells, microscopy, radiography, scintillation counting, *etc.* Any suitable alternative methods can of qualitative or quantitative detection of levels or amounts of differentially expressed polypeptide can be used, for example ELISA, western blot,
35 immunoprecipitation, radioimmunoassay, *etc.*

mRNA detection. The diagnostic methods of the invention can also or alternatively involve detection of mRNA encoded by a gene corresponding to a differentially expressed polynucleotides of the invention. Any suitable qualitative or quantitative methods known in the art for detecting specific mRNAs can be used. mRNA can be detected by, for example, *in situ* hybridization in tissue sections, by reverse transcriptase-PCR, or in Northern blots containing poly A+ mRNA. One of skill in the art can readily use these methods to determine differences in the size or amount of mRNA transcripts between two samples. mRNA expression levels in a sample can also be determined by generation of a library of expressed sequence tags (ESTs) from the sample, where the EST library is representative of sequences present in the sample (Adams, et al., (1991) *Science* 252:1651). Enumeration of the relative representation of ESTs within the library can be used to approximate the relative representation of the gene transcript within the starting sample. The results of EST analysis of a test sample can then be compared to EST analysis of a reference sample to determine the relative expression levels of a selected polynucleotide, particularly a polynucleotide corresponding to one or more of the differentially expressed genes described herein. Alternatively, gene expression in a test sample can be performed using serial analysis of gene expression (SAGE) methodology (e.g., Velculescu et al., *Science* (1995) 270:484) or differential display (DD) methodology (see, e.g., U.S. 5,776,683; and U.S. 5,807,680).

Alternatively, gene expression can be analyzed using hybridization analysis. Oligonucleotides or cDNA can be used to selectively identify or capture DNA or RNA of specific sequence composition, and the amount of RNA or cDNA hybridized to a known capture sequence determined qualitatively or quantitatively, to provide information about the relative representation of a particular message within the pool of cellular messages in a sample. Hybridization analysis can be designed to allow for concurrent screening of the relative expression of hundreds to thousands of genes by using, for example, array-based technologies having high density formats, including filters, microscope slides, or microchips, or solution-based technologies that use spectroscopic analysis (e.g., mass spectrometry). One exemplary use of arrays in the diagnostic methods of the invention is described below in more detail.

Use of a single gene in diagnostic applications. The diagnostic methods of the invention can focus on the expression of a single differentially expressed gene. For example, the diagnostic method can involve detecting a differentially expressed gene, or a polymorphism of such a gene (e.g., a polymorphism in an coding region or control region), that is associated with disease. Disease-associated polymorphisms can include deletion or truncation of the gene, mutations that alter expression level and/or affect activity of the encoded protein, *etc.*

A number of methods are available for analyzing nucleic acids for the presence of a specific sequence, e.g. a disease associated polymorphism. Where large amounts of DNA are available,

genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. Cells that express a differentially expressed gene can be used as a source of mRNA, which can be assayed directly or reverse transcribed into cDNA for analysis. The nucleic acid can be amplified by conventional techniques, such as the polymerase
5 chain reaction (PCR), to provide sufficient amounts for analysis, and a detectable label can be included in the amplification reaction (*e.g.*, using a detectably labeled primer or detectably labeled oligonucleotides) to facilitate detection. Alternatively, various methods are also known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, see *e.g.*, Riley *et al.*, *Nucl. Acids Res.* (1990) 18:2887; and Delahunty *et al.*, *Am. J. Hum. Genet.* (1996) 58:1239.

10 The amplified or cloned sample nucleic acid can be analyzed by one of a number of methods known in the art. The nucleic acid can be sequenced by dideoxy or other methods, and the sequence of bases compared to a selected sequence, *e.g.*, to a wild-type sequence. Hybridization with the polymorphic or variant sequence can also be used to determine its presence in a sample (*e.g.*, by Southern blot, dot blot, *etc.*). The hybridization pattern of a polymorphic or variant sequence and a
15 control sequence to an array of oligonucleotide probes immobilized on a solid support, as described in US 5,445,934, or in WO 95/35505, can also be used as a means of identifying polymorphic or variant sequences associated with disease. Single strand conformational polymorphism (SSCP) analysis, denaturing gradient gel electrophoresis (DGGE), and heteroduplex analysis in gel matrices are used to detect conformational changes created by DNA sequence variation as alterations in
20 electrophoretic mobility. Alternatively, where a polymorphism creates or destroys a recognition site for a restriction endonuclease, the sample is digested with that endonuclease, and the products size fractionated to determine whether the fragment was digested. Fractionation is performed by gel or capillary electrophoresis, particularly acrylamide or agarose gels.

Screening for mutations in a gene can be based on the functional or antigenic characteristics
25 of the protein. Protein truncation assays are useful in detecting deletions that can affect the biological activity of the protein. Various immunoassays designed to detect polymorphisms in proteins can be used in screening. Where many diverse genetic mutations lead to a particular disease phenotype, functional protein assays have proven to be effective screening tools. The activity of the encoded protein can be determined by comparison with the wild-type protein.

30 Pattern matching in diagnosis using arrays. In another embodiment, the diagnostic and/or prognostic methods of the invention involve detection of expression of a selected set of genes in a test sample to produce a test expression pattern (TEP). The TEP is compared to a reference expression pattern (REP), which is generated by detection of expression of the selected set of genes in a reference sample (*e.g.*, a positive or negative control sample). The selected set of genes includes
35 at least one of the genes of the invention, which genes correspond to the polynucleotide sequences of

SEQ ID NOS:1-1079. Of particular interest is a selected set of genes that includes gene differentially expressed in the disease for which the test sample is to be screened.

"Reference sequences" or "reference polynucleotides" as used herein in the context of differential gene expression analysis and diagnosis/prognosis refers to a selected set of polynucleotides, which selected set includes at least one or more of the differentially expressed polynucleotides described herein. A plurality of reference sequences, preferably comprising positive and negative control sequences, can be included as reference sequences. Additional suitable reference sequences are found in GenBank, Unigene, and other nucleotide sequence databases (including, *e.g.*, expressed sequence tag (EST), partial, and full-length sequences).

"Reference array" means an array having reference sequences for use in hybridization with a sample, where the reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described herein. Usually such an array will include at least 3 different reference sequences, and can include any one or all of the provided differentially expressed sequences. Arrays of interest can further comprise sequences, including polymorphisms, of other genetic sequences, particularly other sequences of interest for screening for a disease or disorder (*e.g.*, cancer, dysplasia, or other related or unrelated diseases, disorders, or conditions). The oligonucleotide sequence on the array will usually be at least about 12 nt in length, and can be of about the length of the provided sequences, or can extend into the flanking regions to generate fragments of 100 nt to 200 nt in length or more. Reference arrays can be produced according to any suitable methods known in the art. For example, methods of producing large arrays of oligonucleotides are described in U.S. 5,134,854, and U.S. 5,445,934 using light-directed synthesis techniques. Using a computer controlled system, a heterogeneous array of monomers is converted, through simultaneous coupling at a number of reaction sites, into a heterogeneous array of polymers. Alternatively, microarrays are generated by deposition of pre-synthesized oligonucleotides onto a solid substrate, for example as described in PCT published application no. WO 95/35505.

A "reference expression pattern" or "REP" as used herein refers to the relative levels of expression of a selected set of genes, particularly of differentially expressed genes, that is associated with a selected cell type, *e.g.*, a normal cell, a cancerous cell, a cell exposed to an environmental stimulus, and the like. A "test expression pattern" or "TEP" refers to relative levels of expression of a selected set of genes, particularly of differentially expressed genes, in a test sample (*e.g.*, a cell of unknown or suspected disease state, from which mRNA is isolated).

REPs can be generated in a variety of ways according to methods well known in the art. For example, REPs can be generated by hybridizing a control sample to an array having a selected set of polynucleotides (particularly a selected set of differentially expressed polynucleotides), acquiring the hybridization data from the array, and storing the data in a format that allows for ready comparison of

the REP with a TEP. Alternatively, all expressed sequences in a control sample can be isolated and sequenced, *e.g.*, by isolating mRNA from a control sample, converting the mRNA into cDNA, and sequencing the cDNA. The resulting sequence information roughly or precisely reflects the identity and relative number of expressed sequences in the sample. The sequence information can then be
5 stored in a format (*e.g.*, a computer-readable format) that allows for ready comparison of the REP with a TEP. The REP can be normalized prior to or after data storage, and/or can be processed to selectively remove sequences of expressed genes that are of less interest or that might complicate analysis (*e.g.*, some or all of the sequences associated with housekeeping genes can be eliminated from REP data).

10 TEPs can be generated in a manner similar to REPs, *e.g.*, by hybridizing a test sample to an array having a selected set of polynucleotides, particularly a selected set of differentially expressed polynucleotides, acquiring the hybridization data from the array, and storing the data in a format that allows for ready comparison of the TEP with a REP. The REP and TEP to be used in a comparison can be generated simultaneously, or the TEP can be compared to previously generated and stored
15 REPs.

In one embodiment of the invention, comparison of a TEP with a REP involves hybridizing a test sample with a reference array, where the reference array has one or more reference sequences for use in hybridization with a sample. The reference sequences include all, at least one of, or any subset of the differentially expressed polynucleotides described herein. Hybridization data for the test
20 sample is acquired, the data normalized, and the produced TEP compared with a REP generated using an array having the same or similar selected set of differentially expressed polynucleotides. Probes that correspond to sequences differentially expressed between the two samples will show decreased or increased hybridization efficiency for one of the samples relative to the other.

Methods for collection of data from hybridization of samples with a reference arrays are well
25 known in the art. For example, the polynucleotides of the reference and test samples can be generated using a detectable fluorescent label, and hybridization of the polynucleotides in the samples detected by scanning the microarrays for the presence of the detectable label using, for example, a microscope and light source for directing light at a substrate. A photon counter detects fluorescence from the substrate, while an x-y translation stage varies the location of the substrate. A
30 confocal detection device that can be used in the subject methods is described in USPN 5,631,734. A scanning laser microscope is described in Shalon et al., *Genome Res.* (1996) 6:639. A scan, using the appropriate excitation line, is performed for each fluorophore used. The digital images generated from the scan are then combined for subsequent analysis. For any particular array element, the ratio of the fluorescent signal from one sample (*e.g.*, a test sample) is compared to the fluorescent signal
35 from another sample (*e.g.*, a reference sample), and the relative signal intensity determined.

Methods for analyzing the data collected from hybridization to arrays are well known in the art. For example, where detection of hybridization involves a fluorescent label, data analysis can include the steps of determining fluorescent intensity as a function of substrate position from the data collected, removing outliers, *i.e.* data deviating from a predetermined statistical distribution, and calculating the relative binding affinity of the targets from the remaining data. The resulting data can be displayed as an image with the intensity in each region varying according to the binding affinity between targets and probes.

In general, the test sample is classified as having a gene expression profile corresponding to that associated with a disease or non-disease state by comparing the TEP generated from the test sample to one or more REPs generated from reference samples (*e.g.*, from samples associated with cancer or specific stages of cancer, dysplasia, samples affected by a disease other than cancer, normal samples, *etc.*). The criteria for a match or a substantial match between a TEP and a REP include expression of the same or substantially the same set of reference genes, as well as expression of these reference genes at substantially the same levels (*e.g.*, no significant difference between the samples for a signal associated with a selected reference sequence after normalization of the samples, or at least no greater than about 25% to about 40% difference in signal strength for a given reference sequence. In general, a pattern match between a TEP and a REP includes a match in expression, preferably a match in qualitative or quantitative expression level, of at least one of, all or any subset of the differentially expressed genes of the invention.

Pattern matching can be performed manually, or can be performed using a computer program. Methods for preparation of substrate matrices (*e.g.*, arrays), design of oligonucleotides for use with such matrices, labeling of probes, hybridization conditions, scanning of hybridized matrices, and analysis of patterns generated, including comparison analysis, are described in, for example, U.S. 5,800,992.

Diagnosis, Prognosis and Management of Cancer

The polynucleotides of the invention and their gene products are of particular interest as genetic or biochemical markers (*e.g.*, in blood or tissues) that will detect the earliest changes along the carcinogenesis pathway and/or to monitor the efficacy of various therapies and preventive interventions. For example, the level of expression of certain polynucleotides can be indicative of a poorer prognosis, and therefore warrant more aggressive chemo- or radio-therapy for a patient or vice versa. The correlation of novel surrogate tumor specific features with response to treatment and outcome in patients can define prognostic indicators that allow the design of tailored therapy based on the molecular profile of the tumor. These therapies include antibody targeting and gene therapy. Determining expression of certain polynucleotides and comparison of a patients profile with known expression in normal tissue and variants of the disease allows a determination of the best possible

treatment for a patient, both in terms of specificity of treatment and in terms of comfort level of the patient. Surrogate tumor markers, such as polynucleotide expression, can also be used to better classify, and thus diagnose and treat, different forms and disease states of cancer. Two classifications widely used in oncology that can benefit from identification of the expression levels of the polynucleotides of the invention are staging of the cancerous disorder, and grading the nature of the cancerous tissue.

The polynucleotides of the invention can be useful to monitor patients having or susceptible to cancer to detect potentially malignant events at a molecular level before they are detectable at a gross morphological level. Furthermore, a polynucleotide of the invention identified as important for one type of cancer can also have implications for development or risk of development of other types of cancer, e.g., where a polynucleotide is differentially expressed across various cancer types. Thus, for example, expression of a polynucleotide that has clinical implications for metastatic colon cancer can also have clinical implications for stomach cancer or endometrial cancer.

Staging. Staging is a process used by physicians to describe how advanced the cancerous state is in a patient. Staging assists the physician in determining a prognosis, planning treatment and evaluating the results of such treatment. Staging systems vary with the types of cancer, but generally involve the following "TNM" system: the type of tumor, indicated by T; whether the cancer has metastasized to nearby lymph nodes, indicated by N; and whether the cancer has metastasized to more distant parts of the body, indicated by M. Generally, if a cancer is only detectable in the area of the primary lesion without having spread to any lymph nodes it is called Stage I. If it has spread only to the closest lymph nodes, it is called Stage II. In Stage III, the cancer has generally spread to the lymph nodes in near proximity to the site of the primary lesion. Cancers that have spread to a distant part of the body, such as the liver, bone, brain or other site, are Stage IV, the most advanced stage.

The polynucleotides of the invention can facilitate fine-tuning of the staging process by identifying markers for the aggressivity of a cancer, e.g. the metastatic potential, as well as the presence in different areas of the body. Thus, a Stage II cancer with a polynucleotide signifying a high metastatic potential cancer can be used to change a borderline Stage II tumor to a Stage III tumor, justifying more aggressive therapy. Conversely, the presence of a polynucleotide signifying a lower metastatic potential allows more conservative staging of a tumor.

Grading of cancers. Grade is a term used to describe how closely a tumor resembles normal tissue of its same type. The microscopic appearance of a tumor is used to identify tumor grade based on parameters such as cell morphology, cellular organization, and other markers of differentiation. As a general rule, the grade of a tumor corresponds to its rate of growth or aggressiveness, with undifferentiated or high-grade tumors being more aggressive than well differentiated or low-grade tumors. The following guidelines are generally used for grading tumors: 1) GX Grade cannot be

assess d; 2) G1 Well differentiated; G2 Moderately well differentiated; 3) G3 Poorly differentiated; 4) G4 Undifferentiated. The polynucleotides of the invention can be especially valuable in determining the grade of the tumor, as they not only can aid in determining the differentiation status of the cells of a tumor, they can also identify factors other than differentiation that are valuable in determining the aggressiveness of a tumor, such as metastatic potential.

Detection of lung cancer. The polynucleotides of the invention can be used to detect lung cancer in a subject. Although there are more than a dozen different kinds of lung cancer, the two main types of lung cancer are small cell and nonsmall cell, which encompass about 90% of all lung cancer cases. Small cell carcinoma (also called oat cell carcinoma) usually starts in one of the larger bronchial tubes, grows fairly rapidly, and is likely to be large by the time of diagnosis. Nonsmall cell lung cancer (NSCLC) is made up of three general subtypes of lung cancer. Epidermoid carcinoma (also called squamous cell carcinoma) usually starts in one of the larger bronchial tubes and grows relatively slowly. The size of these tumors can range from very small to quite large.

Adenocarcinoma starts growing near the outside surface of the lung and can vary in both size and growth rate. Some slowly growing adenocarcinomas are described as alveolar cell cancer. Large cell carcinoma starts near the surface of the lung, grows rapidly, and the growth is usually fairly large when diagnosed. Other less common forms of lung cancer are carcinoid, cylindroma, mucoepidermoid, and malignant mesothelioma.

The polynucleotides of the invention, e.g., polynucleotides differentially expressed in normal cells versus cancerous lung cells (e.g., tumor cells of high or low metastatic potential) or between types of cancerous lung cells (e.g., high metastatic versus low metastatic), can be used to distinguish types of lung cancer as well as identifying traits specific to a certain patient's cancer and selecting an appropriate therapy. For example, if the patient's biopsy expresses a polynucleotide that is associated with a low metastatic potential, it may justify leaving a larger portion of the patient's lung in surgery to remove the lesion. Alternatively, a smaller lesion with expression of a polynucleotide that is associated with high metastatic potential may justify a more radical removal of lung tissue and/or the surrounding lymph nodes, even if no metastasis can be identified through pathological examination.

Detection of breast cancer. The majority of breast cancers are adenocarcinomas subtypes, which can be summarized as follows: 1) ductal carcinoma in situ (DCIS), including comedocarcinoma; 2) infiltrating (or invasive) ductal carcinoma (IDC); 3) lobular carcinoma in situ (LCIS); 4) infiltrating (or invasive) lobular carcinoma (ILC); 5) inflammatory breast cancer; 6) medullary carcinoma; 7) mucinous carcinoma; 8) Paget's disease of the nipple; 9) Phyllodes tumor; and 10) tubular carcinoma;

The expression of polynucleotides of the invention can be used in the diagnosis and management of breast cancer, as well as to distinguish between types of breast cancer. Detection of breast cancer can be determined using expression levels of any of the appropriate polynucleotides of the invention, either alone or in combination. Determination of the aggressive nature and/or the metastatic potential of a breast cancer can also be determined by comparing levels of one or more polynucleotides of the invention and comparing levels of another sequence known to vary in cancerous tissue, *e.g.* ER expression. In addition, development of breast cancer can be detected by examining the ratio of expression of a differentially expressed polynucleotide to the levels of steroid hormones (*e.g.*, testosterone or estrogen) or to other hormones (*e.g.*, growth hormone, insulin). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous breast tissue, to discriminate between breast cancers with different cells of origin, to discriminate between breast cancers with different potential metastatic rates, etc.

Detection of colon cancer. The polynucleotides of the invention exhibiting the appropriate expression pattern can be used to detect colon cancer in a subject. Colorectal cancer is one of the most common neoplasms in humans and perhaps the most frequent form of hereditary neoplasia. Prevention and early detection are key factors in controlling and curing colorectal cancer. Colorectal cancer begins as polyps, which are small, benign growths of cells that form on the inner lining of the colon. Over a period of several years, some of these polyps accumulate additional mutations and become cancerous. Multiple familial colorectal cancer disorders have been identified, which are summarized as follows: 1) Familial adenomatous polyposis (FAP); 2) Gardner's syndrome; 3) Hereditary nonpolyposis colon cancer (HNPCC); and 4) Familial colorectal cancer in Ashkenazi Jews. The expression of appropriate polynucleotides of the invention can be used in the diagnosis, prognosis and management of colorectal cancer. Detection of colon cancer can be determined using expression levels of any of these sequences alone or in combination with the levels of expression. Determination of the aggressive nature and/or the metastatic potential of a colon cancer can be determined by comparing levels of one or more polynucleotides of the invention and comparing total levels of another sequence known to vary in cancerous tissue, *e.g.*, expression of p53, DCC ras, or FAP (see, *e.g.*, Fearon ER, *et al.*, *Cell* (1990) 61(5):759; Hamilton SR *et al.*, *Cancer* (1993) 72:957; Bodmer W, *et al.*, *Nat Genet.* (1994) 4(3):217; Fearon ER, *Ann N Y Acad Sci.* (1995) 768:101). For example, development of colon cancer can be detected by examining the ratio of any of the polynucleotides of the invention to the levels of oncogenes (*e.g.* ras) or tumor suppressor genes (*e.g.* FAP or p53). Thus expression of specific marker polynucleotides can be used to discriminate between normal and cancerous colon tissue, to discriminate between colon cancers with different cells of origin, to discriminate between colon cancers with different potential metastatic rates, etc.

Detection of prostate cancer. The polynucleotides and their corresponding genes and gene

products exhibiting the appropriate differential expression pattern can be used to detect prostate cancer in a subject. Over 95% of primary prostate cancers are adenocarcinomas. Signs and symptoms may include: frequent urination, especially at night, inability to urinate, trouble starting or holding back urination, a weak or interrupted urine flow and frequent pain or stiffness in the lower back, hips or upper thighs.

Many of the signs and symptoms of prostate cancer can be caused by a variety of other non-cancerous conditions. For example, one common cause of many of these signs and symptoms is a condition called benign prostatic hypertrophy, or BPH. In BPH, the prostate gets bigger and may block the flow of urine or interfere with sexual function. The methods and compositions of the invention can be used to distinguish between prostate cancer and such non-cancerous conditions. The methods of the invention can be used in conjunction with conventional methods of diagnosis, e.g., digital rectal exam and/or detection of the level of prostate specific antigen (PSA), a substance produced and secreted by the prostate.

Use of Polynucleotides to Screen for Peptide Analogs and Antagonists

Polypeptides encoded by the instant polynucleotides and corresponding full length genes can be used to screen peptide libraries to identify binding partners, such as receptors, from among the encoded polypeptides. Peptide libraries can be synthesized according to methods known in the art (see, e.g., USPN 5,010,175, and WO 91/17823). Agonists or antagonists of the polypeptides of the invention can be screened using any available method known in the art, such as signal transduction, antibody binding, receptor binding, mitogenic assays, chemotaxis assays, etc. The assay conditions ideally should resemble the conditions under which the native activity is exhibited *in vivo*, that is, under physiologic pH, temperature, and ionic strength. Suitable agonists or antagonists will exhibit strong inhibition or enhancement of the native activity at concentrations that do not cause toxic side effects in the subject. Agonists or antagonists that compete for binding to the native polypeptide can require concentrations equal to or greater than the native concentration, while inhibitors capable of binding irreversibly to the polypeptide can be added in concentrations on the order of the native concentration.

Such screening and experimentation can lead to identification of a novel polypeptide binding partner, such as a receptor, encoded by a gene or a cDNA corresponding to a polynucleotide of the invention, and at least one peptide agonist or antagonist of the novel binding partner. Such agonists and antagonists can be used to modulate, enhance, or inhibit receptor function in cells to which the receptor is native, or in cells that possess the receptor as a result of genetic engineering. Further, if the novel receptor shares biologically important characteristics with a known receptor, information about agonist/antagonist binding can facilitate development of improved agonists/antagonists of the known receptor.

Pharmaceutical Compositions and Therapeutic Uses

Pharmaceutical compositions of the invention can comprise polypeptides, antibodies, or polynucleotides (including antisense nucleotides and ribozymes) of the claimed invention in a therapeutically effective amount. The term "therapeutically effective amount" as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. Thus, it is not useful to specify an exact effective amount in advance. However, the effective amount for a given situation is determined by routine experimentation and is within the judgment of the clinician. For purposes of the present invention, an effective dose will generally be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents. The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which can be administered without undue toxicity. Suitable carriers can be large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art. Pharmaceutically acceptable carriers in therapeutic compositions can include liquids such as water, saline, glycerol and ethanol. Auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, can also be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection can also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier. Pharmaceutically acceptable salts can also be present in the pharmaceutical composition, e.g., mineral acid salts such as hydrochlorides, hydrobromides, phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in *Remington's Pharmaceutical Sciences* (Mack Pub. Co., N.J. 1991).

Delivery Methods. Once formulated, the compositions of the invention can be (1) administered directly to the subject (e.g., as polynucleotide or polypeptides); or (2) delivered ex

vivo, to cells derived from the subject (e.g., as in *ex vivo* gene therapy). Direct delivery of the compositions will generally be accomplished by parenteral injection, e.g., subcutaneously, intraperitoneally, intravenously or intramuscularly, intratumoral or to the interstitial space of a tissue. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal applications, needles, and gene guns or hyposprays. Dosage treatment can be a single dose schedule or a multiple dose schedule.

Methods for the *ex vivo* delivery and reimplantation of transformed cells into a subject are known in the art and described in e.g., International Publication No. WO 93/14778. Examples of cells useful in *ex vivo* applications include, for example, stem cells, particularly hematopoietic, lymph cells, macrophages, dendritic cells, or tumor cells. Generally, delivery of nucleic acids for both *ex vivo* and *in vitro* applications can be accomplished by, for example, dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

Once a gene corresponding to a polynucleotide of the invention has been found to correlate with a proliferative disorder, such as neoplasia, dysplasia, and hyperplasia, the disorder can be amenable to treatment by administration of a therapeutic agent based on the provided polynucleotide, corresponding polypeptide or other corresponding molecule (e.g., antisense, ribozyme, etc.).

The dose and the means of administration of the inventive pharmaceutical compositions are determined based on the specific qualities of the therapeutic composition, the condition, age, and weight of the patient, the progression of the disease, and other relevant factors. For example, administration of polynucleotide therapeutic compositions agents of the invention includes local or systemic administration, including injection, oral administration, particle gun or catheterized administration, and topical administration. Preferably, the therapeutic polynucleotide composition contains an expression construct comprising a promoter operably linked to a polynucleotide of at least 12, 22, 25, 30, or 35 contiguous nt of the polynucleotide disclosed herein. Various methods can be used to administer the therapeutic composition directly to a specific site in the body. For example, a small metastatic lesion is located and the therapeutic composition injected several times in several different locations within the body of tumor. Alternatively, arteries which serve a tumor are identified, and the therapeutic composition injected into such an artery, in order to deliver the composition directly into the tumor. A tumor that has a necrotic center is aspirated and the composition injected directly into the now empty center of the tumor. The antisense composition is directly administered to the surface of the tumor, for example, by topical application of the composition. X-ray imaging is used to assist in certain of the above delivery methods.

Receptor-mediated targeted delivery of therapeutic compositions containing an antisense polynucleotide, subgenomic polynucleotides, or antibodies to specific tissues can also be used.

Receptor-mediated DNA delivery techniques are described in, for example, Findeis *et al.*, *Trends*

Biotechnol. (1993) 11:202; Chiou *et al.*, *Gene Therapeutics: Methods And Applications Of Direct*

5 *Gene Transfer* (J.A. Wolff, ed.) (1994); Wu *et al.*, *J. Biol. Chem.* (1988) 263:621; Wu *et al.*, *J. Biol. Chem.* (1994) 269:542; Zenke *et al.*, *Proc. Natl. Acad. Sci. (USA)* (1990) 87:3655; Wu *et al.*, *J. Biol. Chem.* (1991) 266:338. Therapeutic compositions containing a polynucleotide are administered in a range of about 100 ng to about 200 mg of DNA for local administration in a gene therapy protocol.

10 Concentration ranges of about 500 ng to about 50 mg, about 1 µg to about 2 mg, about 5 µg to about 500 µg, and about 20 µg to about 100 µg of DNA can also be used during a gene therapy protocol.

Factors such as method of action (e.g., for enhancing or inhibiting levels of the encoded gene product) and efficacy of transformation and expression are considerations which will affect the dosage required for ultimate efficacy of the antisense subgenomic polynucleotides. Where greater expression is desired over a larger area of tissue, larger amounts of antisense subgenomic

15 polynucleotides or the same amounts readministered in a successive protocol of administrations, or several administrations to different adjacent or close tissue portions of, for example, a tumor site, may be required to effect a positive therapeutic outcome. In all cases, routine experimentation in clinical trials will determine specific ranges for optimal therapeutic effect. For polynucleotide related genes encoding polypeptides or proteins with anti-inflammatory activity, suitable use, doses, and administration are described in USPN 5,654,173.

The therapeutic polynucleotides and polypeptides of the present invention can be delivered using gene delivery vehicles. The gene delivery vehicle can be of viral or non-viral origin (see generally, Jolly, *Cancer Gene Therapy* (1994) 1:51; Kimura, *Human Gene Therapy* (1994) 5:845; Connelly, *Human Gene Therapy* (1995) 1:185; and Kaplitt, *Nature Genetics* (1994) 6:148).

25 Expression of such coding sequences can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence can be either constitutive or regulated.

Viral-based vectors for delivery of a desired polynucleotide and expression in a desired cell are well known in the art. Exemplary viral-based vehicles include, but are not limited to,

30 recombinant retroviruses (see, e.g., WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; USPN 5, 219,740; WO 93/11230; WO 93/10218; USPN 4,777,127; GB Patent No. 2,200,651; EP 0 345 242; and WO 91/02805), alphavirus-based vectors (e.g., Sindbis virus vectors, Semliki forest virus (ATCC VR-67; ATCC VR-1247), Ross River virus (ATCC VR-373; ATCC VR-1246) and Venezuelan equine encephalitis virus (ATCC VR-923; ATCC VR-1250; ATCC VR 1249; ATCC VR-532), and adeno-associated virus (AAV) vectors (see, e.g., WO 94/12649, WO 93/03769; WO

35

93/19191; WO 94/28938; WO 95/11984 and WO 95/00655). Administration of DNA linked to killed adenovirus as described in Curiel, *Hum. Gene Ther.* (1992) 3:147 can also be employed.

Non-viral delivery vehicles and methods can also be employed, including, but not limited to, polycationic condensed DNA linked or unlinked to killed adenovirus alone (see, e.g., Curiel, *Hum. Gene Ther.* (1992) 3:147); ligand-linked DNA (see, e.g., Wu, *J. Biol. Chem.* (1989) 264:16985); eukaryotic cell delivery vehicles (see, e.g., USPN 5,814,482; WO 95/07994; WO 96/17072; WO 95/30763; and WO 97/42338) and nucleic charge neutralization or fusion with cell membranes. Naked DNA can also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and USPN 5,580,859. Liposomes that can act as gene delivery vehicles are described in USPN 5,422,120; WO 95/13796; WO 94/23697; WO 91/14445; and EP 0524968. Additional approaches are described in Philip, *Mol. Cell Biol.* (1994) 14:2411, and in Woffendin, *Proc. Natl. Acad. Sci.* (1994) 91:1581

Further non-viral delivery suitable for use includes mechanical delivery systems such as the approach described in Woffendin *et al.*, *Proc. Natl. Acad. Sci. USA* (1994) 91(24):11581. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials or use of ionizing radiation (see, e.g., USPN 5,206,152 and WO 92/11033). Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun (see, e.g., USPN 5,149,655); use of ionizing radiation for activating transferred gene (see, e.g., USPN 5,206,152 and WO 92/11033).

The present invention will now be illustrated by reference to the following examples which set forth particularly advantageous embodiments. However, it should be noted that these embodiments are illustrative and are not to be construed as restricting the invention in any way.

EXAMPLES

The following examples are offered primarily for purposes of illustration. It will be readily apparent to those skilled in the art that the formulations, dosages, methods of administration, and other parameters of this invention may be further modified or substituted in various ways without departing from the spirit and scope of the invention.

Example 1: Source of Biological Materials and Overview of Novel Polynucleotides Expressed by the Biological Materials

cDNA libraries were constructed from either human colon cancer cell line Km12L4-A (Morikawa, *et al.*, *Cancer Research* (1988) 48:6863), KM12C (Morikawa *et al.* *Cancer Res.* (1988) 48:1943-1948), or MDA-MB-231 (Brinkley *et al.* *Cancer Res.* (1980) 40:3118-3129) was used to

construct a cDNA library from mRNA isolated from the cells. Sequences expressed by these cell lines were isolated and analyzed; most sequences were about 275-300 nucleotides in length. The KM12L4-A cell line is derived from the KM12C cell line. The KM12C cell line, which is poorly metastatic (low metastatic) was established in culture from a Dukes' stage B₂ surgical specimen
5 (Morikawa *et al. Cancer Res.* (1988) 48:6863). The KML4-A is a highly metastatic subline derived from KM12C (Yeatman *et al. Nucl. Acids. Res.* (1995) 23:4007; Bao-Ling *et al. Proc. Annu. Meet. Am. Assoc. Cancer. Res.* (1995) 21:3269). The KM12C and KM12C-derived cell lines (*e.g.*, KM12L4, KM12L4-A, *etc.*) are well-recognized in the art as a model cell line for the study of colon cancer (see, *e.g.*, Moriakawa *et al., supra*; Radinsky *et al. Clin. Cancer Res.* (1995) 1:19; Yeatman *et al.*, (1995) *supra*; Yeatman *et al. Clin. Exp. Metastasis* (1996) 14:246). The MDA-MB-231 cell line
10 was originally isolated from pleural effusions (Cailleau, *J. Natl. Cancer. Inst.* (1974) 53:661), is of high metastatic potential, and forms poorly differentiated adenocarcinoma grade II in nude mice consistent with breast carcinoma.

The sequences of the isolated polynucleotides were first masked to eliminate low complexity
15 sequences using the XBLAST masking program (Claverie "Effective Large-Scale Sequence Similarity Searches," In: Computer Methods for Macromolecular Sequence Analysis, Doolittle, ed., *Meth. Enzymol.* 266:212-227 Academic Press, NY, NY (1996); see particularly Claverie, in "Automated DNA Sequencing and Analysis Techniques" Adams *et al.*, eds., Chap. 36, p. 267 Academic Press, San Diego, 1994 and Claverie *et al. Comput. Chem.* (1993) 17:191). Generally,
20 masking does not influence the final search results, except to eliminate sequences of relative little interest due to their low complexity, and to eliminate multiple "hits" based on similarity to repetitive regions common to multiple sequences, *e.g.*, Alu repeats. Masking resulted in the elimination of 43 sequences. The remaining sequences were then used in a BLASTN vs. GenBank search; sequences that exhibited greater than 70% overlap, 99% identity, and a p value of less than 1×10^{-40} were
25 discarded. Sequences from this search also were discarded if the inclusive parameters were met, but the sequence was ribosomal or vector-derived.

The resulting sequences from the previous search were classified into three groups (1, 2 and 3 below) and searched in a BLASTX vs. NRP (non-redundant proteins) database search: (1) unknown (no hits in the GenBank search), (2) weak similarity (greater than 45% identity and p value
30 of less than 1×10^{-5}), and (3) high similarity (greater than 60% overlap, greater than 80% identity, and p value less than 1×10^{-5}). Sequences having greater than 70% overlap, greater than 99% identity, and p value of less than 1×10^{-40} were discarded.

The remaining sequences were classified as unknown (no hits), weak similarity, and high similarity (parameters as above). Two searches were performed on these sequences. First, a BLAST vs. EST database search was performed and sequences with greater than 99% overlap, greater than 99% similarity and a p value of less than 1×10^{-40} were discarded. Sequences with a p value of less than 1×10^{-65} when compared to a database sequence of human origin were also excluded. Second, a BLASTN vs. Patent GeneSeq database was performed and sequences having greater than 99% identity, p value less than 1×10^{-40} , and greater than 99% overlap were discarded.

The remaining sequences were subjected to screening using other rules and redundancies in the dataset. Sequences with a p value of less than 1×10^{-111} in relation to a database sequence of human origin were specifically excluded. The final result provided the 982 sequences listed as SEQ ID NOS:1-982 in the accompanying Sequence Listing and summarized in Table 1A (inserted prior to claims). Each identified polynucleotide represents sequence from at least a partial mRNA transcript.

Table 1A provides: 1) the SEQ ID NO assigned to each sequence for use in the present specification; 2) the filing date of the U.S. priority application in which the sequence was first filed; 3) the attorney docket number assigned to the priority application (for internal use); 4) the SEQ ID NO assigned to the sequence in the priority application; 5) the sequence name used as an internal identifier of the sequence; and 6) the name assigned to the clone from which the sequence was isolated. Because the provided polynucleotides represent partial mRNA transcripts, two or more polynucleotides of the invention may represent different regions of the same mRNA transcript and the same gene. Thus, if two or more SEQ ID NOS: are identified as belonging to the same clone, then either sequence can be used to obtain the full-length mRNA or gene.

In order to confirm the sequences of SEQ ID NOS:1-982, the clones were retrieved from a library using a robotic retrieval system, and the inserts of the retrieved clones re-sequenced. These "validation" sequences are provided as SEQ ID NOS:983-996 in the Sequence Listing, and a summary of the "validation" sequences provided in Table 1B (inserted prior to claims). Table 1B provides: 1) the SEQ ID NO assigned to each sequence for use in the present specification; 2) the sample name assigned to the "validation" sequence obtained; and 3) the name of the clone that contains the indicated "validation" sequence. "Validation" sequences can be correlated with the original sequences they validate by referring to Table 1A. Because the "validation" sequences are often longer than the original polynucleotide sequences and thus provide additional sequence information. All validation sequences can be obtained either from the corresponding clone or from a cDNA library described herein (*e.g.*, using primers designed from the sequence provided in the sequence listing).

Example 2: Results of Public Database Search to Identify Function of Gene Products

SEQ ID NOS:1-1079 were translated in all three reading frames, and the nucleotide sequences and translated amino acid sequences used as query sequences to search for homologous sequences in either the GenBank (nucleotide sequences) or Non-Redundant Protein (amino acid sequences) databases. Query and individual sequences were aligned using the BLAST 2.0 programs, available over the world wide web at <http://www.ncbi.nlm.nih.gov/BLAST/>. (see also Altschul, et al. *Nucleic Acids Res.* (1997) 25:3389-3402). The sequences were masked to various extents to prevent searching of repetitive sequences or poly-A sequences, using the XBLAST program for masking low complexity as described above in Example 1.

Tables 2A and 2B (inserted before the claims) provide the alignment summaries having a p value of 1×10^{-2} or less indicating substantial homology between the sequences of the present invention and those of the indicated public databases. Table 2A provides the SEQ ID NO of the query sequence, the accession number of the GenBank database entry of the homologous sequence, and the p value of the alignment. Table 2A provides the SEQ ID NO of the query sequence, the accession number of the Non-Redundant Protein database entry of the homologous sequence, and the p value of the alignment. The alignments provided in Tables 2A and 2B are the best available alignment to a DNA or amino acid sequence at a time just prior to filing of the present specification. The activity of the polypeptide encoded by the SEQ ID NOS listed in Tables 2A and 2B can be extrapolated to be substantially the same or substantially similar to the activity of the reported nearest neighbor or closely related sequence. The accession number of the nearest neighbor is reported, providing a publicly available reference to the activities and functions exhibited by the nearest neighbor. The public information regarding the activities and functions of each of the nearest neighbor sequences is incorporated by reference in this application. Also incorporated by reference is all publicly available information regarding the sequence, as well as the putative and actual activities and functions of the nearest neighbor sequences listed in Table 2 and their related sequences. The search program and database used for the alignment, as well as the calculation of the p value are also indicated.

Full length sequences or fragments of the polynucleotide sequences of the nearest neighbors can be used as probes and primers to identify and isolate the full length sequence of the corresponding polynucleotide. The nearest neighbors can indicate a tissue or cell type to be used to construct a library for the full-length sequences of the corresponding polynucleotides.

Example 3: Identification of Contiguous Sequences Having a Polynucleotide of the Invention

The novel polynucleotides were used to screen publicly available and proprietary databases

to determine if any of the polynucleotides of SEQ ID NOS:1-982 would facilitate identification of a contiguous sequence, *e.g.*, the polynucleotides would provide sequence that would result in 5' extension of another DNA sequence, resulting in production of a longer contiguous sequence composed of the provided polynucleotide and the other DNA sequence(s). Contigging was performed
5 using the Gelmerge application (default settings) of GCG from the Univ. of Wisconsin.

Using these parameters, 83 contigged sequences were generated. These contigged sequences are provided as SEQ ID NOS:997-1079 (see Table 1C). Table 1C provides the SEQ ID NO of the contig sequence, the name of the sequence used to create the contig, and the accession number of the publicly available tentative human consensus (THC) sequence used with the sequence of the
10 corresponding sequence name to provide the contig. The sequence name of Table 1C can be correlated with the SEQ ID NO: of the polynucleotide used to generate the contig by referring to Tables 1A and 1B.

The contigged sequences (SEQ ID NOS:997-1079) represent longer sequences that encompass another of the polynucleotide sequence of the invention. The contigged sequences were then
15 translated in all three reading frames to determine the best alignment with individual sequences using the BLAST programs as described above. The sequences were masked using the XBLAST program for masking low complexity as described above in Example 1. As described in more detail below, several of the contigged sequences were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein families (and thus represent new members of these protein
20 families) and/or comprising a known functional domain (see Example 4 and Table 3 below). Thus the invention encompasses fragments, fusions, and variants of such polynucleotides that retain biological activity associated with the protein family and/or functional domain identified herein.

Example 4: Members of Protein Families

25 SEQ ID NOS:1-1079 were used to conduct a profile search as described in the specification above. Several of the polynucleotides of the invention were found to encode polypeptides having characteristics of a polypeptide belonging to a known protein family (and thus represent nmembers of these protein families) and/or comprising a known functional domain. Table 3 (inserted before claims) provides the SEQ ID NO: of the query sequence, a brief description of the profile hit, the
30 position of the query sequence within the individual sequence (indicated as "start" and "stop"), and the orientation (Direction, "Dir") of the query sequence with respect to the individual sequence, where forward (for) indicates that the alignment is in the same direction (left to right) as the sequence provided in the Sequence Listing and reverse (rev) indicates that the alignment is with a sequence complementary to the sequence provided in the Sequence Listing.

Some polynucleotides exhibited multiple profile hits where the query sequence contains overlapping profile regions, and/or where the sequence contains two different functional domains. Each of the profile hits of Table 3 are described in more detail below. The acronyms for the profiles (provided in parentheses) are those used to identify the profile in the Pfam and Prosite databases.

- 5 The Pfam database can be accessed through any of the following URLs:

<http://pfam.wustl.edu/index.html>; [http://www.sanger.ac.uk/ Software/Pfam/](http://www.sanger.ac.uk/Software/Pfam/); and <http://www.cgr.ki.se/Pfam/>. The Prosite database can be accessed at <http://www.expasy.ch/prosite/>.

- The public information available on the Pfam and Prosite databases regarding the various profiles, including but not limited to the activities, function, and consensus sequences of various proteins families and protein domains, is incorporated herein by reference.

14-3-3 Family (14 3 3; Pfam Pfam Accession No. PF00244). SEQ ID NO:1053

- corresponds to a sequence encoding a 14-3-3 protein family member. The 14-3-3 protein family includes a group of closely related acidic homodimeric proteins of about 30 kD first identified as very abundant in mammalian brain tissues and located preferentially in neurons (Aitken et al. *Trends* 15 *Biochem. Sci.* (1995) 20:95-97; Morrison *Science* (1994) 266:56-57; and Xiao et al. *Nature* (1995) 376:188-191). The 14-3-3 proteins have multiple biological activities, including a key role in signal transduction pathways and the cell cycle. 14-3-3 proteins interact with kinases (e.g., PKC or Raf-1), and can also function as protein-kinase dependent activators of tyrosine and tryptophan hydroxylases. The 14-3-3 protein sequences are extremely well conserved, and include two highly conserved 20 regions: the first is a peptide of 11 residues located in the N-terminal section; the second, a 20 amino acid region located in the C-terminal section. The consensus patterns are as follows: 1) R-N-L-[LIV]-S-[VG]-[GA]-Y-[KN]-N-[IVA]; 2) Y-K-[DE]-S-T-L-I-[IM]-Q-L-[LF]-[RHC]-D-N-[LF]-T-[LS]-W-[TAN]-[SAD].

Ank Repeats (ANK; Pfam Accession No. PF0023). SEQ ID NO:311, represents a

- 25 polynucleotide encoding an Ank repeat-containing protein. The ankyrin motif is a 33 amino acid sequence named after the protein ankyrin which has 24 tandem 33-amino-acid motifs. Ank repeats were originally identified in the cell-cycle-control protein cdc10 (Breedon et al., *Nature* (1987) 329:651). Proteins containing ankyrin repeats include ankyrin, myotropin, I-kappaB proteins, cell cycle protein cdc10, the Notch receptor (Matsuno et al., *Development* (1997) 124(21):4265); G9a (or 30 BAT8) of the class III region of the major histocompatibility complex (Biochem J. 290:811-818, 1993), FABP, GABP, 53BP2, Lin12, glp-1, SW14, and SW16. The functions of the ankyrin repeats are compatible with a role in protein-protein interactions (Bork, *Proteins* (1993) 17(4):363; Lambert and Bennet, *Eur. J. Biochem.* (1993) 211:1; Kerr et al., *Current Op. Cell Biol.* (1992) 4:496; Bennet et al., *J. Biol. Chem.* (1980) 255:6424).

ATPases Associated with Various Cellular Activities (ATPases; Pfam Accession No. PF0004). SEQ ID NOS:1035, 1058, and 1072 correspond to a sequence that encodes a member of a family of ATPases Associated with diverse cellular Activities (AAA). The AAA protein family is composed of a large number of ATPases that share a conserved region of about 220 amino acids containing an ATP-binding site (Froehlich *et al.*, *J. Cell Biol.* (1991) 114:443; Erdmann *et al.* *Cell* (1991) 64:499; Peters *et al.*, *EMBO J.* (1990) 9:1757; Kunau *et al.*, *Biochimie* (1993) 75:209-224; Confalonieri *et al.*, *BioEssays* (1995) 17:639; <http://yeamob.pci.chemie.uni-tuebingen.de/AAA/Description.html>). The AAA domain, which can be present in one or two copies, acts as an ATP-dependent protein clamp (Confalonieri *et al.* (1995) *BioEssays* 17:639) and contains a highly conserved region located in the central part of the domain. The consensus pattern is: [LIVMT]-x-[LIVMT]-[LIVMF]-x-[GATMC]-[ST]-[NS]-x(4)-[LIVM]-D-x-A-[LIFA]-x-R.

Basic Region Plus Leucine Zipper Transcription Factors (BZIP; Pfam Accession No. PF00170). SEQ ID NO:918 represents a polynucleotide encoding a novel member of the family of basic region plus leucine zipper transcription factors. The bZIP superfamily (Hurst, *Protein Prof.* (1995) 2:105; and Ellenberger, *Curr. Opin. Struct. Biol.* (1994) 4:12) of eukaryotic DNA-binding transcription factors encompasses proteins that contain a basic region mediating sequence-specific DNA-binding followed by a leucine zipper required for dimerization. The consensus pattern for this protein family is: [KR]-x(1,3)-[RKSAQ]-N-x(2)-[SAQ](2)-x-[RKTAENQ]-x-R-x-[RK].

EF Hand (Efhand; Pfam Accession No. PF00036). SEQ ID NO:242 corresponds to a polynucleotide encoding a member of the EF-hand protein family, a calcium binding domain shared by many calcium-binding proteins belonging to the same evolutionary family (Kawasaki *et al.*, *Protein. Prof.* (1995) 2:305-490). The domain is a twelve residue loop flanked on both sides by a twelve residue alpha-helical domain, with a calcium ion coordinated in a pentagonal bipyramidal configuration. The six residues involved in the binding are in positions 1, 3, 5, 7, 9 and 12; these residues are denoted by X, Y, Z, -Y, -X and -Z. The invariant Glu or Asp at position 12 provides two oxygens for liganding Ca (bidentate ligand). The consensus pattern includes the complete EF-hand loop as well as the first residue which follows the loop and which seem to always be hydrophobic: D-x-[DNS]-{ILVFYW}-[DENSTG]-[DNQGHRK]-{GP}-[LIVMC]-[DENQSTAGC]-x(2)-[DE]-[LIVMFYW].

Ets Domain (Ets Nterm; Pfam Accession No. PF110178). SEQ ID NO:547, and thus the sequence it validates, represents a polynucleotide encoding a polypeptide with N-terminal homology in ETS domain. Proteins of this family contain a conserved domain, the "ETS-domain," that is involved in DNA binding. The domain appears to recognize purine-rich sequences; it is about 85 to 90 amino acids in length, and is rich in aromatic and positively charged residues (Wasylyk, *et al.*, *Eur. J. Biochem.* (1993) 211:718). The *ets* gene family encodes a novel class of DNA-binding

proteins, each of which binds a specific DNA sequence and comprises an *ets* domain that specifically interacts with sequences containing the common core tri-nucleotide sequence GGA. In addition to an *ets* domain, native *ets* proteins comprise other sequences which can modulate the biological specificity of the protein. *Ets* genes and proteins are involved in a variety of essential biological processes including cell growth, differentiation and development, and three members are implicated in oncogenic process.

(FKH; Pfam Accession No. PF00250). SEQ ID NO:925 corresponds to a gene encoding a polypeptide comprising a forkhead domain. The forkhead domain (also known as a "winged helix") is present in a family of eukaryotic transcription factors, and is a conserved domain of about 100 amino acid residues that is involved in DNA-binding (Weigel *et al. Cell* (1990) 63:455-456; Clark *et al. Nature* (1993) 364:412-420). Mammalian genes that comprise a forkhead domain include those encoding: 1) transcriptional activators (e.g., HNF-3-alpha, -beta, and -gamma proteins, which interact with the cis-acting regulatory regions of a number of liver genes); 2) interleukin-enhancer binding factor (ILF), which binds to purine-rich NFAT-like motifs in the HIV-1 LTR and the interleukin-2 promoter and is involved in both positive and negative regulation of important viral and cellular promoter elements; 3) transcription factor BF-1, which plays an important role in the establishment of the regional subdivision of the developing brain and in the development of the telencephalon; 4) human HTLF, which binds to the purine-rich region in human T-cell leukemia virus long terminal repeat (HTLV-1 LTR); 5) transcription factors FREAC-1 (FKHL5, HFH-8), FREAC-2 (FKHL6), FREAC-3 (FKHL7, FKH-1), FREAC-4 (FKHL8), FREAC-5 (FKHL9, FKH-2, HFH-6), FREAC-6 (FKHL10, HFH-5), FREAC-7 (FKHL11), FREAC-8 (FKHL12, HFH-7), FKH-3, FKH-4, FKH-5, HFH-1 and HFH-4; 6) human AFX1 which is involved in a chromosomal translocation that causes acute leukemia; and 7) human FKHR which is involved in a chromosomal translocation that causes rhabdomyosarcoma. The fork domain is highly conserved, and is detected by two consensus patterns: the first corresponding to the N-terminal section of the domain; the second corresponding to a heptapeptide located in the central section of the domain. The consensus patterns are as follows: 1) [KR]-P-[PTQ]-[FYLVQH]-S-[FY]-x(2)-[LIVM]-x(3,4)-[AC]-[LIM]; and 2) W-[QKR]-[NS]-S-[LIV]-R-H.

Helicases conserved C-terminal domain (helicase C; Pfam Accession No. PF00271). SEQ ID NOS:227 and 1058 represent polynucleotides encoding novel members of the DEAD/H helicase family. The DEAD box family comprises a number of eukaryotic and prokaryotic proteins involved in ATP-dependent, nucleic-acid unwinding. All DEAD box family members of the above proteins share a number of conserved sequence motifs, some of which are specific to the DEAD family while others are shared by other ATP-binding proteins or by proteins belonging to the helicases 'superfamily' (Hodgman, *Nature* (1988) 333:22 and *Nature* (1988) 333:578;

http://www.expasy.ch/www/linder/HELICASES_TEXT.html). One of these motifs, called the 'D-E-A-D-box', represents a special version of the B motif of ATP-binding proteins. Some other proteins belong to a subfamily which have His instead of the second Asp and are thus said to be 'D-E-A-H-box' proteins (Wassarman D.A., et al., *Nature* (1991) 349:463; Harosh I., et al., *Nucleic Acids Res.* (1991) 19:6331; Koonin E.V., et al., *J. Gen. Virol.* (1992) 73:989; http://www.expasy.ch/www/linder/HELICASES_TEXT.html). The following signature patterns are used to identify member for both subfamilies: 1) [LIVMF](2)-D-E-A-D-[RKEN]-x-[LIVMFYGSTN]; and 2) [GSAH]-x-[LIVMF](3)-D-E-[ALIV]-H-[NECR].

Kazal serine protease inhibitors family signature (Kazal; Pfam Accession No. PF00050).

10 SEQ ID NO:97 corresponds to a polynucleotide of a gene encoding a serine protease inhibitor of the Kazal inhibitor family (Laskowski *et al. Annu. Rev. Biochem.* (1980) 49:593-626). The basic structure of Kazal serine protease inhibitors such a type of inhibitor is described at Pfam Accession No. PF00050. Exemplary proteins known to belong to this family include: pancreatic secretory trypsin inhibitor (PSTI), whose physiological function is to prevent the trypsin-catalyzed premature
15 activation of zymogens within the pancreas; mammalian seminal acrosin inhibitors; canidae and felidae submandibular gland double-headed protease inhibitors, which contain two Kazal-type domains, the first one inhibits trypsin and the second one elastase; a mouse prostatic secretory glycoprotein, induced by androgens, and which exhibits anti-trypsin activity; avian ovomucoids; chicken ovoinhibitor; and the leech trypsin inhibitor Bdellin B-3. The consensus pattern is as
20 follows: C-x(7)-C-x(6)-Y-x(3)-C-x(2,3)-C, where the four C's are involved in disulfide bonds.

MAP kinase kinase (mkk). SEQ ID NOS:635 and 992 represent members of the MAP kinase kinase (mkk) family. MAP kinases (MAPK) are involved in signal transduction, and are important in cell cycle and cell growth controls. The MAP kinase kinases (MAPKK) are dual-specificity protein kinases which phosphorylate and activate MAP kinases. MAPKK homologues have been found in
25 yeast, invertebrates, amphibians, and mammals. Moreover, the MAPKK/MAPK phosphorylation switch constitutes a basic module activated in distinct pathways in yeast and in vertebrates. MAPKKs are essential transducers through which signals must pass before reaching the nucleus. For review, see, *e.g.*, Biologie *Biol Cell* (1993) 79:193-207; Nishida *et al.*, *Trends Biochem Sci* (1993) 18:128-31; Ruderman *Curr Opin Cell Biol* (1993) 5:207-13; Dhanasekaran *et al.*, *Oncogene* (1998) 17:1447-55; Kiefer *et al.*, *Biochem Soc Trans* (1997) 25:491-8; and Hill, *Cell Signal* (1996) 8:533-44.
30

Neurotransmitter-Gated Ion-Channel (neur_chan; Pfam Accession No. PF00065). SEQ ID NO:1078 corresponds to a sequence encoding a neurotransmitter-gated ion channel. Neurotransmitter-gated ion-channels, which provide the molecular basis for rapid signal transmission at chemical synapses, are post-synaptic oligomeric transmembrane complexes that transiently form a
35 ionic channel upon the binding of a specific neurotransmitter. Five types of neurotransmitter-gated

receptors are known: 1) nicotinic acetylcholine receptor (AChR); 2) glycine receptor; 3) gamma-aminobutyric-acid (GABA) receptor; 4) serotonin 5HT3 receptor; and 5) glutamate receptor. All known sequences of subunits from neurotransmitter-gated ion-channels are structurally related, and are composed of a large extracellular glycosylated N-terminal ligand-binding domain, followed by three hydrophobic transmembrane regions that form the ionic channel, followed by an intracellular region of variable length. A fourth hydrophobic region is found at the C-terminal of the sequence. The consensus pattern is: C-x-[LIVMFQ]-x-[LIVMF]-x(2)-[FY]-P-x-D-x(3)-C, where the two C's are linked by a disulfide bond.

PDZ Domain (PDZ: Pfam Accession No. PF00595.) SEQ ID NOS:523 and 980 correspond to a gene comprising a PDZ domain (also known as DHR or GLGF domain). PDZ domains comprise 80-100 residue repeats, several of which interact with the C-terminal tetrapeptide motifs X-Ser/Thr-X-Val-COO- of ion channels and/or receptors, and are found in mammalian proteins as well as in bacteria, yeast, and plants (Pontig *et al. Protein Sci* (1997) 6(2):464-8). Proteins comprising one or more PDZ domains are found in diverse membrane-associated proteins, including members of the MAGUK family of guanylate kinase homologues, several protein phosphatases and kinases, neuronal nitric oxide synthase, and several dystrophin-associated proteins, collectively known as syntrophins (Ponting *et al. Bioessays* (1997) 19(6):469-79). Many PDZ domain-containing proteins are localised to highly specialised submembranous sites, suggesting their participation in cellular junction formation, receptor or channel clustering, and intracellular signalling events. For example, PDZ domains of several MAGUKs interact with the C-terminal polypeptides of a subset of NMDA receptor subunits and/or with Shaker-type K⁺ channels. Other PDZ domains have been shown to bind similar ligands of other transmembrane receptors. In cell junction-associated proteins, the PDZ mediates the clustering of membrane ion channels by binding to their C-terminus. The X-ray crystallographic structure of some proteins comprising PDZ domains have been solved (see, *e.g.*, Doyle *et al. Cell* (1996) 85(7):1067-76).

Protein phosphatase 2A regulatory subunit PR55 signatures (PR55; Pfam Accession No. PF01240). SEQ ID NO:1028 corresponds to a gene encoding a protein phosphatase 2A regulatory subunit. Protein phosphatase 2A (PP2A) is a serine/threonine phosphatase involved in many aspects of cellular function including the regulation of metabolic enzymes and proteins involved in signal transduction. PP2A is a trimeric enzyme that consists of a core composed of a catalytic subunit associated with a 65 Kd regulatory subunit (PR65), also called subunit A; this complex then associates with a third variable subunit (subunit B), which confers distinct properties to the holoenzyme (Mayer *et al. Trends Cell Biol.* (1994) 4:287-291). One of the forms of the variable subunit is a 55 Kd protein (PR55) which is highly conserved in mammals (where three isoforms are known to exist). This subunit may perform a substrate recognition function or be responsible for

targeting the enzyme complex to the appropriate subcellular compartment. Two perfectly conserved sequences of 15 residues, one located the N-terminal region, the other in the center of the protein, serve as the basis for the consensus patterns: 1) E-F-D-Y-L-K-S-L-E-I-E-E-K-I-N; 2) N-[AG]-H-[TA]-Y-H-I-N-S-I-S-[LIVM]-N-S-D

- 5 Protein Kinase (prot kinase: Pfam Accession No. PF00069). SEQ ID NOS:635, 992, and 1078 represent polynucleotides encoding protein kinases, which catalyze phosphorylation of proteins in a variety of pathways, and are implicated in cancer. Eukaryotic protein kinases (Hanks, *et al.*, *FASEB J.* (1995) 9:576; Hunter, *Meth. Enzymol.* (1991) 200:3; Hanks, *et al.*, *Meth. Enzymol.* (1991) 200:38; Hanks, *Curr. Opin. Struct. Biol.* (1991) 1:369; Hanks *et al.*, *Science* (1988) 241:42) belong to
- 10 a very extensive family of proteins that share a conserved catalytic core common to both serine/threonine and tyrosine protein kinases. There are a number of conserved regions in the catalytic domain of protein kinases. The first region, located in the N-terminal extremity of the catalytic domain, is a glycine-rich stretch of residues in the vicinity of a lysine residue, which has been shown to be involved in ATP binding. The second region, located in the central part of the
- 15 catalytic domain, contains a conserved an aspartic acid residue that is important for the catalytic activity of the enzyme (Knighton, *et al.*, *Science* (1991) 253:407).

The protein kinase profile includes two signature patterns for this second region: one specific for serine/threonine kinases and the other for tyrosine kinases. A third profile is based on the alignment in (Hanks, *et al.*, *FASEB J.* (1995) 9:576) and covers the entire catalytic domain. The

20 consensus patterns are as follows: 1) [LIV]-G-{P}-G-{P}-[FYWMGSTNH]-[SGA]-{PW}-[LIVCAT]-{PD}-x-[GSTACLIVMFY]-x(5,18)-[LIVMFYWCSTAR]-[AIVP]-[LIVMFAGCKR]-K, where K binds ATP; 2) [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-K-x(2)-N-[LIVMFYCT](3), where D is an active site residue; and 3) [LIVMFYC]-x-[HY]-x-D-[LIVMFY]-[RSTAC]-x(2)-N-[LIVMFYC], where D is an active site residue.

- 25 Ras family proteins (ras; Pfam Accession No. PF00071). SEQ ID NO:527 represents polynucleotides encoding the ras family of small GTP/GDP-binding proteins (Valencia *et al.*, 1991, *Biochemistry* 30:4637-4648). Ras family members generally require a specific guanine nucleotide exchange factor (GEF) and a specific GTPase activating protein (GAP) as stimulators of overall GTPase activity. Among ras-related proteins, the highest degree of sequence conservation is found
- 30 in four regions that are directly involved in guanine nucleotide binding. The first two constitute most of the phosphate and Mg²⁺ binding site (PM site) and are located in the first half of the G-domain. The other two regions are involved in guanosine binding and are located in the C-terminal half of the molecule. Motifs and conserved structural features of the ras-related proteins are described in Valencia *et al.*, 1991, *Biochemistry* 30:4637-4648. A major consensus pattern of ras proteins is: D-
- 35 T-A-G-Q-E-K-[LF]-G-G-L-R-[DE]-G-Y-Y.

Src homology domain 3 (SH3; Pfam Accession No. PF00018). SEQ IDNO:450 corresponds to a gene comprising a Src homology domain. The Src homology 3 (SH3) domain is a small protein domain of about 60 amino acid residues first identified as a conserved sequence in the non-catalytic part of several cytoplasmic protein tyrosine kinases (e.g. Src, Abl, Lck) (Mayer *et al. Nature* (1988) 332:272-275). Since then, it has been found in a great variety of other intracellular or membrane-associated proteins (Musacchio *et al. FEBS Lett.* (1992) 307:55-61; Pawson *et al. Curr. Biol.* (1993) 3:434-442; Mayer *et al. Trends Cell Biol.* (1993) 3:8-13; Pawson *Nature* (1995) 373:573-580). The SH3 domain has a characteristic fold which consists of five or six beta-strands arranged as two tightly packed anti-parallel beta sheets. The linker regions may contain short helices (Kuriyan *et al. Curr. Opin. Struct. Biol.* (1993) 3:828-837). The SH3 domain is thought to mediate assembly of specific protein complexes via binding to proline-rich peptides (Morton *et al. Curr. Biol.* (1994) 4:615-617). In general SH3 domains are found as single copies in a given protein, but there a significant number of proteins comprise two SH3 domains and a few comprise 3 or 4 copies. The profile to detect SH3 domains is based on a structural alignment consisting of 5 gap-free blocks and 4 linker regions totaling 62 match positions.

Trypsin (trypsin; Pfam Accession No. PF00089). SEQ ID NOS:635, 995, and 984 correspond to novel serine proteases of the trypsin family. The catalytic activity of the serine proteases from the trypsin family is provided by a charge relay system involving an aspartic acid residue hydrogen-bonded to a histidine, which itself is hydrogen-bonded to a serine. The sequences in the vicinity of the active site serine and histidine residues are well conserved (Brenner *Nature* (1988) 334:528). The consensus patterns for the trypsin protein family are: 1) [LIVM]-[ST]-A-[STAG]-H-C, where H is the active site residue; and 2) [DNSTAGC]-[GSTAPIMVQH]-x(2)-G-[DE]-S-G-[GS]-[SAPHV]-[LIVMFYWH]-[LIVMFYSTANQH], where S is the active site residue. All sequences known to belong to this family are detected by the above consensus sequences, except for 18 different proteases which have lost the first conserved glycine. If a protein includes both the serine and the histidine active site signatures, the probability of it being a trypsin family serine protease is 100%.

WD Domain, G-Beta Repeats (WD domain; Pfam Accession No. PF00400). SEQ ID NOS:505, 721, and 1018 represent a members of the WD domain/G-beta repeat family. Beta-transducin (G-beta) is one of the three subunits (alpha, beta, and gamma) of the guanine nucleotide-binding proteins (G proteins) which act as intermediaries in the transduction of signals generated by transmembrane receptors (Gilman, *Annu. Rev. Biochem.* (1987) 56:615). The alpha subunit binds to and hydrolyzes GTP; the beta and gamma subunits are required for the replacement of GDP by GTP as well as for membrane anchoring and receptor recognition. In higher eukaryotes, G-beta exists as a small multigene family of highly conserved proteins of about 340 amino acid residues. Structurally, G-beta has eight tandem repeats of about 40 residues, each containing a central Trp-Asp motif (this

type of repeat is sometimes called a WD-40 repeat). The consensus pattern for the WD domain/G-Beta repeat family is: [LIVMSTAC]-[LIVMFYWSTAGC]-[LIMSTAG]-[LIVMSTAGC]-x(2)-[DN]-x(2)-[LIVMWSTAC]-x-[LIVMFSTAG]-W-[DEN]-[LIVMFSTAGCN].

WW/rsp5/WWP domain signature and profile (WW domain; Pfam Accession No. PF00397).

- 5 SEQ ID NO:606 corresponds to a gene encoding a protein comprising a WW domain. The WW domain (Bork *et al. Trends Biochem. Sci.* (1994) 19:531-533; Andre *et al. Biochem. Biophys. Res. Commun.* (1994) 205:1201-1205; Hofmann *et al. FEBS Lett.* (1995) 358:153-157; Sudol *et al. FEBS Lett.* (1995) 369:67-71; <http://www.bork.embl-heidelberg.de/Modules/ww-gif.html>) (also known as rsp5 or WWP) was discovered as a short conserved region in a number of unrelated proteins, among
10 them dystrophin, the gene responsible for Duchenne muscular dystrophy. The domain, which spans about 35 residues, is repeated up to 4 times in some proteins. It has been shown (Chen *et al. Proc. Natl. Acad. Sci. U.S.A.* (1995) 92:7819-7823) to bind proteins with particular proline-motifs, [AP]-P-P-[AP]-Y, and thus resembles somewhat SH3 domains. The WW domain contains beta-strands grouped around four conserved aromatic positions, generally tryptophan. The name WW or WWP
15 derives from the presence of two tryptophane as well as a conserved proline. The WW domain is frequently associated with other domains typical for proteins in signal transduction processes. The consensus pattern for WW domains is: W-x(9,11)-[VFY]-[FYW]-x(6,7)-[GSTNE]-[GSTQCR]-[FYW]-x(2)-P.

Zinc Finger, C2H2 Type (Zincfing C2H2; Pfam Accession No. PF00096). Several

- 20 sequences corresponded to polynucleotides encoding members of the C2H2 type zinc finger protein family, which contain zinc finger domains that facilitate nucleic acid binding (Klug *et al., Trends Biochem. Sci.* (1987) 12:464; Evans *et al., Cell* (1988) 52:1; Payre *et al., FEBS Lett.* (1988) 234:245; Miller *et al., EMBO J.* (1985) 4:1609; and Berg, *Proc. Natl. Acad. Sci. USA* (1988) 85:99). In addition to the conserved zinc ligand residues, a number of other positions are also important for the
25 structural integrity of the C2H2 zinc fingers. (Rosenfeld *et al., J. Biomol. Struct. Dyn.* (1993) 11:557) The best conserved position, which is generally an aromatic or aliphatic residue, is located four residues after the second cysteine. The consensus pattern for C2H2 zinc fingers is: C-x(2,4)-C-x(3)-[LIVMFYWC]-x(8)-H-x(3,5)-H. The two C's and two H's are zinc ligands.

Zinc finger, C3HC4 type (RING finger), signature (Zincfing C3H4; Pfam Accession

- 30 No. PF00097). SEQ ID NOS:805 and 1078 represent polynucleotides encoding a polypeptide having a C3HC4 type zinc finger signature. A number of eukaryotic and viral proteins contain this signature, which is primarily a conserved cysteine-rich domain of 40 to 60 residues (Borden K.L.B., et al., *Curr. Opin. Struct. Biol.* (1996) 6:395) that binds two atoms of zinc, and is probably involved in mediating protein-protein interactions. The 3D structure of the zinc ligation system is
35 unique to the RING domain and is referred to as the "cross-brace" motif. The spacing of the cysteines

in such a domain is C-x(2)-C-x(9 to 39)-C-x(1 to 3)-H-x(2 to 3)-C-x(2)-C-x(4 to 48)-C-x(2)-C. The signature pattern for the C3HC4 finger is based on the central region of the domain: C-x-H-x-[LIVMFY]-C-x(2)-C-[LIVMYA].

Zinc finger, CCHC type (Zincfinger CCHC; Pfam Accession No. PF00098). SEQ ID

- 5 NOS:693,973, and 1078 correspond to genes encoding a member of the family of CCHC zinc fingers. Because the prototype CCHC type zinc finger structure is from an HIV protein, this domain is also referred to as a retroviral-type zinc finger domain. The family also contains proteins involved in eukaryotic gene regulation, such as *C. elegans* GLH-1. The structure is an 18-residue zinc finger; no examples of indels in the alignment. The motif that defines a CCHC type zinc finger domain is: C-
 10 X2-C-X4-H-X4-C (Summers *J Cell Biochem* 1991 Jan;45(1):41-8). The domain is found in, for example, HIV-1 nucleocapsid protein, Moloney murine leukemia virus nucleocapsid protein NCp10 (De Rocquigny *et al. Nucleic Acids Res.* (1993) 21:823-9), and myelin transcription factor 1 (Myt1) (Kim *et al. J. Neurosci. Res.* (1997) 50:272-90).

- 15 Example 5: Differential Expression of Polynucleotides of the Invention: Description of Libraries and Detection of Differential Expression

- The relative expression levels of the polynucleotides of the invention was assessed in several libraries prepared from various sources, including cell lines and patient tissue samples. Table 4 provides a summary of these libraries, including the shortened library name (used hereafter), the
 20 mRNA source used to prepare the cDNA library, the "nickname" of the library that is used in the tables below (in quotes), and the approximate number of clones in the library.

Table 4. Description of cDNA Libraries

Library (lib #)	Description	Number of Clones in Library
1	Human Colon Cell Line Km12 L4: High Metastatic Potential (derived from Km12C)	308731
2	Human Colon Cell Line Km12C: Low Metastatic Potential	284771
3	Human Breast Cancer Cell Line MDA-MB-231: High Metastatic Potential; micro-mets in lung	326937
4	Human Breast Cancer Cell Line MCF7: Non Metastatic	318979
8	Human Lung Cancer Cell Line MV-522: High Metastatic Potential	223620
9	Human Lung Cancer Cell Line UCP-3: Low Metastatic Potential	312503
12	Human microvascular endothelial cells (HMVEC) - UNTREATED (PCR (OligodT) cDNA library)	41938
13	Human microvascular endothelial cells (HMVEC) - bFGF TREATED (PCR (OligodT) cDNA library)	42100
14	Human microvascular endothelial cells (HMVEC) - VEGF TREATED (PCR (OligodT) cDNA library)	42825
15	Normal Colon - UC#2 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	282722
16	Colon Tumor - UC#2 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	298831
17	Liver Metastasis from Colon Tumor of UC#2 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	303467
18	Normal Colon - UC#3 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	36216
19	Colon Tumor - UC#3 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	41388
20	Liver Metastasis from Colon Tumor of UC#3 Patient (MICRODISSECTED PCR (OligodT) cDNA library)	30956
21	GRRpz Cells derived from normal prostate epithelium	164801
22	WOca Cells derived from Gleason Grade 4 prostate cancer epithelium	162088
23	Normal Lung Epithelium of Patient #1006 (MICRODISSECTED PCR (OligodT) cDNA library)	306198
24	Primary tumor, Large Cell Carcinoma of Patient #1006 (MICRODISSECTED PCR (OligodT) cDNA library)	309349

The KM12L4, KM12C, and MDA-MB-231 cell lines are described in Example 1 above. The MCF7 cell line was derived from a pleural effusion of a breast adenocarcinoma and is non-metastatic. The MV-522 cell line is derived from a human lung carcinoma and is of high metastatic potential. The UCP-3 cell line is a low metastatic human lung carcinoma cell line; the MV-522 is a high metastatic variant of UCP-3. These cell lines are well-recognized in the art as models for the study of human breast and lung cancer (see, e.g., Chandrasekaran *et al.*, *Cancer Res.* (1979) 39:870

(MDA-MB-231 and MCF-7); Gastpar *et al.*, *J Med Chem* (1998) 41:4965 (MDA-MB-231 and MCF-7); Ranson *et al.*, *Br J Cancer* (1998) 77:1586 (MDA-MB-231 and MCF-7); Kuang *et al.*, *Nucleic Acids Res* (1998) 26:1116 (MDA-MB-231 and MCF-7); Varki *et al.*, *Int J Cancer* (1987) 40:46 (UCP-3); Varki *et al.*, *Tumour Biol.* (1990) 11:327; (MV-522 and UCP-3); Varki *et al.*, *Anticancer Res.* (1990) 10:637; (MV-522); Kelner *et al.*, *Anticancer Res* (1995) 15:867 (MV-522); and Zhang *et al.*, *Anticancer Drugs* (1997) 8:696 (MV522)). The samples of libraries 15-20 are derived from two different patients (UC#2, and UC#3). The bFGF-treated HMVEC were prepared by incubation with bFGF at 10ng/ml for 2 hrs; the VEGF-treated HMVEC were prepared by incubation with 20ng/ml VEGF for 2 hrs. Following incubation with the respective growth factor, the cells were washed and lysis buffer added for RNA preparation. The GRRpz and WOca cell lines were provided by Dr. Donna M. Peehl, Department of Medicine, Stanford University School of Medicine. GRRpz was derived from normal prostate epithelium. The WOca cell line is a Gleason Grade 4 cell line.

Each of the libraries is composed of a collection of cDNA clones that in turn are representative of the mRNAs expressed in the indicated mRNA source. In order to facilitate the analysis of the millions of sequences in each library, the sequences were assigned to clusters. The concept of "cluster of clones" is derived from a sorting/grouping of cDNA clones based on their hybridization pattern to a panel of roughly 300 7bp oligonucleotide probes (see Drmanac *et al.*, *Genomics* (1996) 37(1):29). Random cDNA clones from a tissue library are hybridized at moderate stringency to 300 7bp oligonucleotides. Each oligonucleotide has some measure of specific hybridization to that specific clone. The combination of 300 of these measures of hybridization for 300 probes equals the "hybridization signature" for a specific clone. Clones with similar sequence will have similar hybridization signatures. By developing a sorting/grouping algorithm to analyze these signatures, groups of clones in a library can be identified and brought together computationally. These groups of clones are termed "clusters". Depending on the stringency of the selection in the algorithm (similar to the stringency of hybridization in a classic library cDNA screening protocol), the "purity" of each cluster can be controlled. For example, artifacts of clustering may occur in computational clustering just as artifacts can occur in "wet-lab" screening of a cDNA library with 400 bp cDNA fragments, at even the highest stringency. The stringency used in the implementation of cluster herein provides groups of clones that are in general from the same cDNA or closely related cDNAs. Closely related clones can be a result of different length clones of the same cDNA, closely related clones from highly related gene families, or splice variants of the same cDNA.

Differential expression for a selected cluster was assessed by first determining the number of cDNA clones corresponding to the selected cluster in the first library (Clones in 1st), and the determining the number of cDNA clones corresponding to the selected cluster in the second library (Clones in 2nd). Differential expression of the selected cluster in the first library relative to the

second library is expressed as a "ratio" of percent expression between the two libraries. In general, the "ratio" is calculated by: 1) calculating the percent expression of the selected cluster in the first library by dividing the number of clones corresponding to a selected cluster in the first library by the total number of clones analyzed from the first library; 2) calculating the percent expression of the selected cluster in the second library by dividing the number of clones corresponding to a selected cluster in a second library by the total number of clones analyzed from the second library; 3) dividing the calculated percent expression from the first library by the calculated percent expression from the second library. If the "number of clones" corresponding to a selected cluster in a library is zero, the value is set at 1 to aid in calculation. The formula used in calculating the ratio takes into account the "depth" of each of the libraries being compared, *i.e.*, the total number of clones analyzed in each library.

In general, a polynucleotide is said to be significantly differentially expressed between two samples when the ratio value is greater than at least about 2, preferably greater than at least about 3, more preferably greater than at least about 5, where the ratio value is calculated using the method described above. The significance of differential expression is determined using a z score test (Zar, Biostatistical Analysis, Prentice Hall, Inc., USA, "Differences between Proportions," pp 296-298 (1974)).

Examples 6-11: Differential Expression of Polynucleotides of the Invention

A number of polynucleotide sequences have been identified that are differentially expressed between, for example, cells derived from high metastatic potential cancer tissue and low metastatic cancer cells, and between cells derived from metastatic cancer tissue and normal tissue. Evaluation of the levels of expression of the genes corresponding to these sequences can be valuable in diagnosis, prognosis, and/or treatment (*e.g.*, to facilitate rationale design of therapy, monitoring during and after therapy, *etc.*). Moreover, the genes corresponding to differentially expressed sequences described herein can be therapeutic targets due to their involvement in regulation (*e.g.*, inhibition or promotion) of development of, for example, the metastatic phenotype. For example, sequences that correspond to genes that are increased in expression in high metastatic potential cells relative to normal or non-metastatic tumor cells may encode genes or regulatory sequences involved in processes such as angiogenesis, differentiation, cell replication, and metastasis.

Detection of the relative expression levels of differentially expressed polynucleotides described herein can provide valuable information to guide the clinician in the choice of therapy. For example, a patient sample exhibiting an expression level of one or more of these polynucleotides that corresponds to a gene that is increased in expression in metastatic or high metastatic potential cells may warrant more aggressive treatment for the patient. In contrast, detection of expression levels of

a polynucleotide sequence that corresponds to expression levels associated with that of low metastatic potential cells may warrant a more positive prognosis than the gross pathology would suggest.

A number of polynucleotide sequences of the present invention are differentially expressed
 5 between human microvascular endothelial cells (HMVEC) that have been treated with growth factors relative to untreated HMVEC. Sequences that are differentially expressed between growth factor-treated HMVEC and untreated HMVEC can represent sequences encoding gene products involved in angiogenesis, metastasis (cell migration), and other development and oncogenic processes. For example, sequences that are more highly expressed in HMVEC treated with growth factors (such as
 10 bFGF or VEGF) relative to untreated HMVEC can serve as drug targets for chemotherapeutics, *e.g.*, decreasing expression of such up-regulated genes or inhibiting the activity of the encoded gene product would serve to inhibit tumor cell angiogenesis. Detection of expression of these sequences in colon cancer tissue can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can
 15 be important in risk assessment for a patient. A patient sample displaying an increased level of one or more of these polynucleotides may thus warrant closer attention or more frequent screening procedures to catch the malignant state as early as possible.

The differential expression of the polynucleotides described herein can thus be used as, for example, diagnostic markers, prognostic markers, for risk assessment, patient treatment and the like.
 20 These polynucleotide sequences can also be used in combination with other known molecular and/or biochemical markers. The following examples provide relative expression levels of polynucleotides from specified cell lines and patient tissue samples.

Example 6: High Metastatic Potential Breast Cancer Versus Low Metastatic Breast Cancer Cells

25 The tables below summarize the data for polynucleotides that represent genes differentially expressed between high metastatic potential and low metastatic potential breast cancer cells.

Table 5. High metastatic potential breast (lib3) > low metastatic potential breast cancer cells (lib4)

SEQ ID NO:	Lib 3 Clones	Lib4 Clones	Lib3/Lib4
781	13	0	12.68
778	9	0	8.78
756	8	0	7.81
779	7	0	6.83
691	7	0	6.83
686	7	0	6.83
916	6	0	5.85

Table 6. Low metastatic potential breast (lib4) > high metastatic potential breast cancer cells (lib3)

Table 6			
SEQ ID NO:	Lib 3 Clones	Lib4 Clones	Lib4/Lib3
558	0	340	348.48
656	0	64	65.6
661	0	57	58.42
647	0	43	44.07
547	0	41	42.02
648	0	40	41
592	4	115	29.47
654	0	28	28.7
646	0	21	21.52
636	3	61	20.84
533	1	17	17.42
549	0	17	17.42
650	3	50	17.08
589	0	16	16.4
110	0	16	16.4
657	0	16	16.4
624	0	16	16.4
637	0	13	13.32
536	0	12	12.3
653	1	11	11.27
562	1	11	11.27
587	1	11	11.27
609	1	11	11.27
590	0	10	10.25
641	0	10	10.25
532	1	10	10.25
623	0	9	9.22
591	0	8	8.2
521	0	8	8.2
214	0	7	7.17
607	0	7	7.17
554	0	7	7.17
555	0	7	7.17
582	0	7	7.17
584	0	7	7.17
599	0	7	7.17
561	0	6	6.15
572	0	6	6.15
359	0	6	6.15
635	0	6	6.15
113	0	6	6.15
603	0	6	6.15

Example 7: High Metastatic Potential Lung Cancer Versus Low Metastatic Lung Cancer Cells

The following summarizes polynucleotides that represent genes differentially expressed between high metastatic potential lung cancer cells and low metastatic potential lung cancer cells:

5 **Table 7. High metastatic potential lung (lib8) > low metastatic potential lung cancer cells (lib9)**

SEQ ID NO:	Lib 8 Clones	Lib 9 Clones	Lib8/Lib9
571	35	1	48.91
969	8	0	11.18
350	5	0	6.99

Example 8: High Metastatic Potential Colon Cancer Versus Low Metastatic Colon Cancer Cells

Table 8 summarizes polynucleotides that represent genes differentially expressed between high metastatic potential and low metastatic potential colon cancer cells:

10

Table 8. Low metastatic potential colon (lib2) > high metastatic potential colon cancer cells (lib1)

SEQ ID NO:	Lib1 Clones	Lib2 Clones	Lib2/Lib1
57	0	8	8.67
103	0	6	6.5
189	0	6	6.5

Example 9: High Tumor Potential Colon Tissue Vs. Metastasized Colon Cancer Tissue

15 The following table summarizes polynucleotides that represent genes differentially expressed between high tumor potential colon cancer cells and cells derived from high metastatic potential colon cancer cells of a patient.

Table 9. High tumor potential colon tissue (lib16) vs. high metastatic colon tissue (lib17)

SEQ ID NO:	Lib 16 Clones	Lib 17 Clones	Lib17/Lib16
100	0	7	6.89
370	3	12	3.94

20 **Example 10: Differential Expression Across Multiple Libraries**

A number of polynucleotide sequences have been identified that represent genes that are differentially expressed across multiple libraries. Expression of these sequences in a tissue or any origin can be valuable in determining diagnostic, prognostic and/or treatment information associated with the prevention of achieving the malignant state in these tissues, and can be important in risk assessment for a patient. These polynucleotides can also serve as non-tissue specific markers of, for example, risk of metastasis of a tumor. The differential expression data for these sequences is provided in Table 10 below.

25

Table 10. Genes Differentially Expressed Across Multiple Library Comparisons

SEQ ID NO:	Cell or Tissue Sample and Cancer State Compared	RATIO
34	Low Met Colon (lib2) > High Met Colon (lib1)	8.67
34	High Met Breast (lib3) > Low Met Breast (Lib4)	5.85
209	Low Met Lung (lib9) > High Met Lung (lib8)	17.44
209	Colon Tumor Tissue (lib16) > Normal Colon Tissue (lib15)	3.42
209	Colon Tumor Tissue (lib19) > Normal Colon Tissue (lib18)	66.5
209	High Met Colon Tissue (lib20) > Normal Colon Tissue (lib18)	14.04
209	Colon Tumor Tissue (lib19) > High Met Colon Tissue (lib20)	4.74
316	High Met Colon (lib1) > Low Met Colon (lib2)	5.76
316	Low Met Breast (lib4) > High Met Breast (Lib3)	17.28
645	Low Met Breast (lib4) > High Met Breast (Lib3)	6.15
645	High Met Lung (lib8) > Low Met Lung (lib9)	19.56
854	High Met Breast (lib3) > Low Met Breast (Lib4)	9.76
854	HMVEC-bFGF (lib13) > HMVEC (lib12)	4.98
854	Lung Tumor Tissue (lib24) > Normal Lung Tissue (lib23)	5.94

Key for Table 10: High Met = high metastatic potential; Low Met = low metastatic potential; met = metastasized; tumor = non-metastasized tumor; HMVEC = human microvascular endothelial cell; bFGF = bFGF treated.

Detection of expression of genes that correspond to the above polynucleotides may be of particular interest in diagnosis, prognosis, risk assesment, and monitoring of treatment. Furthermore, differential expression of a specific gene across multiple libraries can also be indicative of a gene whose expression is associated with, for example, suppression of the metastatic phenotype or with development of the cell toward a metastatic phenotype. For example, SEQ ID NO:209 corresponds to a gene that is expressed at relatively higher levels in colon tumor tissue than in high metastatic potential colon tumor tissue, and at relatively higher levels in high metastatic potential colon tumor tissue than in normal colon tissue. Thus a relatively increased level of expression of the gene corresponding to SEQ ID NO:209 may be used as marker of a pre-metastatic colon cells either alone or in combination with other markers.

Some polynucleotides exhibited opposite differential expression trends in libraries of different origin (see, *e.g.*, SEQ ID NO:316). These data suggest that the differential expressio

patterns of some gene associated with development of metastases indicate a unique role for those genes specific for the tissue of origin.

Those skilled in the art will recognize, or be able to ascertain, using not more than routine experimentation, many equivalents to the specific embodiments of the invention described herein.

5 Such specific embodiments and equivalents are intended to be encompassed by the following claims.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. The citation of any publication is for its disclosure prior to
10 the filing date and should not be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it is readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be
15 made thereto without departing from the spirit or scope of the appended claims.

Deposit Information. The following materials were deposited with the American Type Culture Collection (CMCC = Chiron Master Culture Collection).

Table 11. Cell Lines Deposited with ATCC

Cell Line	Deposit Date	ATCC Accession No.	CMCC Accession No.
KM12L4-A	March 19, 1998	CRL-12496	11606
Km12C	May 15, 1998	CRL-12533	11611
MDA-MB-231	May 15, 1998	CRL-12532	10583
MCF-7	October 9, 1998	CRL-12584	10377

20

In addition, pools of selected clones, as well as libraries containing specific clones, were assigned an "ES" number (internal reference) and deposited with the ATCC. Table 21 below provides the ATCC Accession Nos. of the ES deposits, all of which were deposited on or before May 13, 1999. The names of the clones contained within each of these deposits are provided in the tables
25 numbered 22 and greater (inserted before the claims).

Table 12: Pools of Clones and Libraries Deposited with ATCC on or before September 23, 1999

Library No.	CMCC No.	ATCC Deposit No.	Library No.	CMCC No.	ATCC Deposit No.
ES55	5058		ES65	5068	
ES56	5059		ES66	5069	
ES57	5060		ES67	5070	
ES58	5061		ES68	5071	
ES59	5062		ES69	5072	
ES60	5063		ES70	5073	
ES61	5064		ES71	5074	
ES62	5065		ES72	5075	
ES63	5066		ES73	5076	
ES64	5067		ES74	5077	

The deposits described herein are provided merely as convenience to those of skill in the art, and is not an admission that a deposit is required under 35 U.S.C. §112. The sequence of the polynucleotides contained within the deposited material, as well as the amino acid sequence of the polypeptides encoded thereby, are incorporated herein by reference and are controlling in the event of any conflict with the written description of sequences herein. A license may be required to make, use, or sell the deposited material, and no such license is granted hereby.

Retrieval of Individual Clones from Deposit of Pooled Clones. Where the ATCC deposit is composed of a pool of cDNA clones or a library of cDNA clones, the deposit was prepared by first transfecting each of the clones into separate bacterial cells. The clones in the pool or library were then deposited as a pool of equal mixtures in the composite deposit. Particular clones can be obtained from the composite deposit using methods well known in the art. For example, a bacterial cell containing a particular clone can be identified by isolating single colonies, and identifying colonies containing the specific clone through standard colony hybridization techniques, using an oligonucleotide probe or probes designed to specifically hybridize to a sequence of the clone insert (e.g., a probe based upon unmasked sequence of the encoded polynucleotide having the indicated SEQ ID NO). The probe should be designed to have a T_m of approximately 80°C (assuming 2°C for each A or T and 4°C for each G or C). Positive colonies can then be picked, grown in culture, and the recombinant clone isolated. Alternatively, probes designed in this manner can be used to PCR to isolate a nucleic acid molecule from the pooled clones according to methods well known in the art, e.g., by purifying the cDNA from the deposited culture pool, and using the probes in PCR reactions to produce an amplified product having the corresponding desired polynucleotide sequence.

Table
1A

SEQ ID NO:	Priority Appln Information		SEQ ID NO:	Sequence Name	Clone Name
	Filed	Dkt No.			
1	9/28/98	1492.001	1	RTA00000617F.o.18.2	M00005513A:H01
2	9/28/98	1492.001	2	RTA00001075F.h.12.1	M00005434A:F11
3	9/28/98	1492.001	3	RTA00001076F.m.09.1	M00006946B:C08
4	9/28/98	1492.001	4	RTA00001075F.o.08.1	M00005628D:A10
5	9/28/98	1492.001	5	RTA00001064F.f.14.1	M00005465A:A07
6	9/28/98	1492.001	6	RTA00001075F.n.19.1	M00005614A:B07
7	9/28/98	1492.001	7	RTA00001075F.i.24.1	M00005453B:B06
8	9/28/98	1492.001	8	RTA00001075F.p.24.1	M00005721D:B03
9	9/28/98	1492.001	9	RTA00001075F.o.04.1	M00005621B:C09
10	9/28/98	1492.001	10	RTA00000616F.j.04.1	M00005412D:G07
11	9/28/98	1492.001	11	RTA00001064F.k.01.1	M00005708C:D11
12	9/28/98	1492.001	12	RTA00001064F.j.19.1	M00005657B:F11
13	9/28/98	1492.001	13	RTA00001065F.a.22.1	M00006920B:H07
14	9/28/98	1492.001	14	RTA00001076F.d.11.1	M00006623C:G07
15	9/28/98	1492.001	15	RTA00000615F.e.08.2	M00004872A:D07
16	9/28/98	1492.001	16	RTA00000617F.p.05.2	M00005515D:G02
17	9/28/98	1492.001	17	RTA00001076F.f.03.1	M00006668D:B10
18	9/28/98	1492.001	18	RTA00001064F.l.17.2	M00006582A:F12
19	9/28/98	1492.001	19	RTA00001076F.h.13.1	M00006745B:C05
20	9/28/98	1492.001	20	RTA00001075F.k.12.1	M00005482A:D08
21	9/28/98	1492.001	21	RTA00001076F.c.09.1	M00006594B:D05
22	9/28/98	1492.001	22	RTA00001076F.l.16.1	M00006919A:H12
23	9/28/98	1492.001	23	RTA00001076F.b.13.1	M00005825A:A10
24	9/28/98	1492.001	24	RTA00001065F.d.06.2	M00007078B:H04
25	9/28/98	1492.001	25	RTA00001075F.p.23.1	M00005721C:A12
26	9/28/98	1492.001	26	RTA00001075F.n.22.1	M00005616B:E11
27	9/28/98	1492.001	27	RTA00001075F.o.21.1	M00005648C:E10
28	9/28/98	1492.001	28	RTA00001065F.b.22.1	M00006968A:H05
29	9/28/98	1492.001	29	RTA00001075F.p.06.1	M00005698A:H12
30	9/28/98	1492.001	30	RTA00001076F.d.19.1	M00006630A:E05
31	9/28/98	1492.001	31	RTA00001075F.e.14.1	M00005375B:H03
32	9/28/98	1492.001	32	RTA00001065F.f.02.1	M00007186A:A12
33	9/28/98	1492.001	33	RTA00001064F.p.03.1	M00006814D:D09
34	9/28/98	1492.001	34	RTA00001076F.i.19.1	M00006813B:E04
35	9/28/98	1492.001	35	RTA00001077F.c.06.1	M00007157B:B04
36	9/28/98	1492.001	36	RTA00001064F.c.21.1	M00005366D:E12

37	9/28/98	1492.001	37	RTA00001065F.e.21.1	M00007177A:G07
38	9/28/98	1492.001	38	RTA00001076F.o.14.1	M00007038D:D01
39	9/28/98	1492.001	39	RTA00001064F.c.01.1	M00005327C:G08
40	9/28/98	1492.001	40	RTA00001064F.d.16.1	M00005397A:G08
41	9/28/98	1492.001	41	RTA00000615F.e.05.2	M00004870D:E05
42	9/28/98	1492.001	42	RTA00000616F.j.12.1	M00005413D:G12
43	9/28/98	1492.001	43	RTA00001075F.a.17.1	M00004852B:H08
44	9/28/98	1492.001	44	RTA00001076F.n.10.1	M00006989C:B01
45	9/28/98	1492.001	45	RTA00001075F.l.04.1	M00005505D:H08
46	9/28/98	1492.001	46	RTA00001075F.l.10.1	M00005509B:E10
47	9/28/98	1492.001	47	RTA00001075F.i.09.1	M00005444D:D01
48	9/28/98	1492.001	48	RTA00001075F.j.13.1	M00005464B:B08
49	9/28/98	1492.001	49	RTA00001076F.e.03.1	M00006635A:C01
50	9/28/98	1492.001	50	RTA00001076F.j.14.1	M00006837B:H12
51	9/28/98	1492.001	51	RTA00001075F.g.19.1	M00005418C:B09
52	9/28/98	1492.001	52	RTA00001075F.m.05.1	M00005538C:H11
53	9/28/98	1492.001	53	RTA00001076F.p.03.1	M00007046D:E10
54	9/28/98	1492.001	54	RTA00001075F.h.19.1	M00005435B:F01
55	9/28/98	1492.001	55	RTA00001075F.h.14.1	M00005434C:E02
56	9/28/98	1492.001	56	RTA00001076F.l.14.1	M00006917B:C05
57	9/28/98	1492.001	57	RTA00001075F.h.17.1	M00005434D:H02
58	9/28/98	1492.001	58	RTA00001075F.f.18.1	M00005396C:H04
59	9/28/98	1492.001	59	RTA00001076F.l.03.1	M00006894D:A07
60	9/28/98	1492.001	60	RTA00001065F.d.07.2	M00007079D:H01
61	9/28/98	1492.001	61	RTA00001075F.e.18.1	M00005377C:F07
62	9/28/98	1492.001	62	RTA00001065F.d.03.2	M00007065D:A03
63	9/28/98	1492.001	63	RTA00001076F.b.18.1	M00006577A:B01
64	9/28/98	1492.001	64	RTA00001075F.m.16.1	M00005569B:E04
65	9/28/98	1492.001	65	RTA00001076F.d.13.1	M00006627C:C02
66	9/28/98	1492.001	66	RTA00001076F.i.16.1	M00006805D:H12
67	9/28/98	1492.001	67	RTA00001076F.p.10.1	M00007064B:E09
68	9/28/98	1492.001	68	RTA00001064F.p.14.1	M00006835D:C08
69	9/28/98	1492.001	69	RTA00001077F.b.04.1	M00007126D:H01
70	9/28/98	1492.001	70	RTA00001076F.d.04.1	M00006619A:G11
71	9/28/98	1492.001	71	RTA00001077F.a.22.1	M00007121D:A11
72	9/28/98	1492.001	72	RTA00001077F.c.19.1	M00007178D:A10
73	9/28/98	1492.001	73	RTA00001065F.f.06.1	M00007197D:D12
74	9/28/98	1492.001	74	RTA00000616F.f.11.3	M00005395D:D11
75	9/28/98	1492.001	75	RTA00001064F.l.13.2	M00006577B:F01
76	9/28/98	1492.001	76	RTA00001064F.o.08.1	M00006757D:H04
77	9/28/98	1492.001	77	RTA00001075F.o.03.1	M00005621A:B05
78	9/28/98	1492.001	78	RTA00001064F.l.23.2	M00006596D:H02
79	9/28/98	1492.001	79	RTA00001076F.e.01.1	M00006631D:G09

80	9/28/98	1492.001	80	RTA00001075F.j.22.1	M00005473C:F02
81	9/28/98	1492.001	81	RTA00001076F.h.16.1	M00006757A:C09
82	9/28/98	1492.001	82	RTA00001075F.j.08.1	M00005459B:A01
83	9/28/98	1492.001	83	RTA00001064F.o.19.1	M00006795C:B12
84	9/28/98	1492.001	84	RTA00001064F.o.07.1	M00006756D:G07
85	9/28/98	1492.001	85	RTA00001076F.i.09.1	M00006790D:F10
86	9/28/98	1492.001	86	RTA00001076F.i.22.1	M00006815D:D11
87	9/28/98	1492.001	87	RTA00001076F.c.21.1	M00006613C:C02
88	9/28/98	1492.001	88	RTA00001076F.j.19.1	M00006846A:B03
89	9/28/98	1492.001	89	RTA00001064F.o.13.1	M00006779D:F03
90	9/28/98	1492.001	90	RTA00001077F.a.06.1	M00007101C:H01
91	9/28/98	1492.001	91	RTA00001064F.n.01.1	M00006664A:C05
92	9/28/98	1492.001	92	RTA00001064F.c.12.1	M00005358A:H03
93	9/28/98	1492.001	93	RTA00001077F.d.07.1	M00007196D:D02
94	9/28/98	1492.001	94	RTA00001077F.c.18.1	M00007177B:C02
95	9/28/98	1492.001	95	RTA00001064F.g.12.1	M00005490B:B02
96	9/28/98	1492.001	96	RTA00001075F.b.07.1	M00004866C:H08
97	9/28/98	1492.001	97	RTA00000617F.p.03.2	M00005515B:B08
98	9/28/98	1492.001	98	RTA00000616F.f.10.3	M00005395D:B12
99	9/28/98	1492.001	99	RTA00001064F.p.15.1	M00006840A:A12
100	9/28/98	1492.001	100	RTA00000617F.p.10.2	M00005516D:F12
101	9/28/98	1492.001	101	RTA00001076F.m.01.1	M00006925B:B02
102	9/28/98	1492.001	102	RTA00001075F.f.15.1	M00005395C:C11
103	9/28/98	1492.001	103	RTA00001075F.e.23.1	M00005385B:A10
104	9/28/98	1492.001	104	RTA00001076F.f.12.1	M00006688C:C12
105	9/28/98	1492.001	105	RTA00001075F.g.21.1	M00005420C:E03
106	9/28/98	1492.001	106	RTA00001076F.g.18.1	M00006727A:H12
107	9/28/98	1492.001	107	RTA00001075F.d.24.1	M00005363D:C05
108	9/28/98	1492.001	108	RTA00001075F.e.02.1	M00005364C:A02
109	9/28/98	1492.001	109	RTA00001075F.m.14.1	M00005563C:D05
110	9/28/98	1492.001	110	RTA00001064F.h.07.1	M00005520A:H11
111	9/28/98	1492.001	111	RTA00001065F.b.07.1	M00006936C:G11
112	9/28/98	1492.001	112	RTA00001065F.b.23.1	M00006968D:H02
113	9/28/98	1492.001	113	RTA00001064F.g.15.1	M00005497C:G08
114	9/28/98	1492.001	114	RTA00001064F.d.14.1	M00005390C:E05
115	9/28/98	1492.001	115	RTA00001064F.l.22.2	M00006595C:B08
116	9/28/98	1492.001	116	RTA00001064F.p.04.1	M00006816D:D08
117	9/28/98	1492.001	117	RTA00001076F.g.04.1	M00006712A:F01
118	9/28/98	1492.001	118	RTA00001075F.p.17.1	M00005709D:H05
119	9/28/98	1492.001	119	RTA00001075F.l.03.1	M00005505B:D10
120	9/28/98	1492.001	120	RTA00001076F.l.23.1	M00006925A:B09
121	9/28/98	1492.001	121	RTA00001076F.k.11.1	M00006874D:E01
122	9/28/98	1492.001	122	RTA00001076F.n.15.1	M00006994A:C12

123	9/28/98	1492.001	123	RTA00001075F.o.10.1	M00005629B:G06
124	9/28/98	1492.001	124	RTA00001075F.n.04.1	M00005589B:H12
125	9/28/98	1492.001	125	RTA00001075F.f.06.1	M00005388B:B02
126	9/28/98	1492.001	126	RTA00001076F.j.05.1	M00006823A:H06
127	9/28/98	1492.001	127	RTA00001076F.o.18.1	M00007041C:C05
128	9/28/98	1492.001	128	RTA00001064F.j.14.1	M00005648C:C11
129	9/28/98	1492.001	129	RTA00001064F.d.06.1	M00005376B:E08
130	9/28/98	1492.001	130	RTA00001077F.d.10.1	M00007200A:B12
131	9/28/98	1492.001	131	RTA00001065F.d.19.1	M00007109D:G01
132	9/28/98	1492.001	132	RTA00001064F.f.13.1	M00005464D:D07
133	9/28/98	1492.001	133	RTA00001075F.k.20.1	M00005493D:H12
134	9/28/98	1492.001	134	RTA00001075F.k.07.1	M00005479C:A05
135	9/28/98	1492.001	135	RTA00001075F.a.14.1	M00004847D:G01
136	9/28/98	1492.001	136	RTA00001076F.f.22.1	M00006704A:C11
137	9/28/98	1492.001	137	RTA00001076F.m.11.1	M00006949B:C07
138	9/28/98	1492.001	138	RTA00001064F.i.13.2	M00005618C:H11
139	9/28/98	1492.001	139	RTA00001076F.f.19.3	M00006694D:G06
140	9/28/98	1492.001	140	RTA00001076F.c.23.1	M00006617A:A06
141	9/28/98	1492.001	141	RTA00001077F.a.09.1	M00007107C:D02
142	9/28/98	1492.001	142	RTA00001064F.b.14.1	M00005020B:D10
143	9/28/98	1492.001	143	RTA00001075F.e.21.1	M00005382A:G09
144	9/28/98	1492.001	144	RTA00001075F.p.15.1	M00005705D:G09
145	9/28/98	1492.001	145	RTA00001076F.n.11.1	M00006991B:E05
146	9/28/98	1492.001	146	RTA00001065F.e.18.1	M00007161C:D12
147	9/28/98	1492.001	147	RTA00000615F.e.06.2	M00004871C:C04
148	9/28/98	1492.001	148	RTA00001064F.a.04.2	M00004821D:C03
149	9/28/98	1492.001	149	RTA00001075F.j.18.1	M00005469A:D10
150	9/28/98	1492.001	150	RTA00001077F.c.05.1	M00007156D:E11
151	9/28/98	1492.001	151	RTA00001075F.g.22.1	M00005420C:E10
152	9/28/98	1492.001	152	RTA00001077F.a.08.1	M00007104D:D10
153	9/28/98	1492.001	153	RTA00001077F.c.15.1	M00007172D:H03
154	9/28/98	1492.001	154	RTA00001077F.c.16.1	M00007175B:B11
155	9/28/98	1492.001	155	RTA00001077F.b.15.1	M00007141A:G08
156	9/28/98	1492.001	156	RTA00001077F.c.17.1	M00007175D:G02
157	9/28/98	1492.001	157	RTA00001077F.a.14.1	M00007116A:C08
158	9/28/98	1492.001	158	RTA00001075F.i.02.1	M00005438D:A08
159	9/28/98	1492.001	159	RTA00001075F.l.11.1	M00005509D:G05
160	9/28/98	1492.001	160	RTA00001064F.d.20.1	M00005403A:D12
161	9/28/98	1492.001	161	RTA00001076F.h.10.1	M00006740A:A06
162	9/28/98	1492.001	162	RTA00001075F.k.21.1	M00005494C:F08
163	9/28/98	1492.001	163	RTA00001075F.i.21.1	M00005450C:G09
164	9/28/98	1492.001	164	RTA00001076F.p.24.1	M00007093C:C11
165	9/28/98	1492.001	165	RTA00001075F.f.03.1	M00005385D:B08

166	9/28/98	1492.001	166	RTA00001065F.d.18.2	M00007107A:H08
167	9/28/98	1492.001	167	RTA00001076F.o.05.1	M00007026A:A03
168	9/28/98	1492.001	168	RTA00001075F.d.10.1	M00005353C:H01
169	9/28/98	1492.001	169	RTA00001064F.d.07.1	M00005378B:B04
170	9/28/98	1492.001	170	RTA00001065F.b.11.1	M00006945D:A07
171	9/28/98	1492.001	171	RTA00001076F.g.17.1	M00006726D:H10
172	9/28/98	1492.001	172	RTA00001065F.a.21.1	M00006918D:G08
173	9/28/98	1492.001	173	RTA00001077F.d.12.1	M00007203C:E06
174	9/28/98	1492.001	174	RTA00001064F.g.08.1	M00005481C:H05
175	9/28/98	1492.001	175	RTA00001064F.f.02.1	M00005449D:D04
176	9/28/98	1492.001	176	RTA00001075F.a.02.1	M00004825A:G12
177	9/28/98	1492.001	177	RTA00001064F.b.16.1	M00005296B:H07
178	9/28/98	1492.001	178	RTA00001077F.c.02.1	M00007152A:A10
179	9/28/98	1492.001	179	RTA00001064F.g.04.1	M00005480C:A04
180	9/28/98	1492.001	180	RTA00001075F.c.12.1	M00005305A:H01
181	9/28/98	1492.001	181	RTA00001064F.o.04.1	M00006752C:D04
182	9/28/98	1492.001	182	RTA00001077F.a.21.1	M00007121A:G04
183	9/28/98	1492.001	183	RTA00001075F.f.11.1	M00005392C:B03
184	9/28/98	1492.001	184	RTA00001064F.k.24.2	M00005820A:H11
185	9/28/98	1492.001	185	RTA00001075F.d.02.1	M00005342D:E04
186	9/28/98	1492.001	186	RTA00001076F.c.13.1	M00006600D:G07
187	9/28/98	1492.001	187	RTA00001075F.b.15.1	M00004872C:G03
188	9/28/98	1492.001	188	RTA00001064F.f.09.1	M00005461C:D11
189	9/28/98	1492.001	189	RTA00001075F.g.14.1	M00005416B:A01
190	9/28/98	1492.001	190	RTA00001075F.f.17.1	M00005396A:C01
191	9/28/98	1492.001	191	RTA00001076F.l.05.1	M00006895D:A02
192	9/28/98	1492.001	192	RTA00001076F.o.02.1	M00007019B:G01
193	9/28/98	1492.001	193	RTA00001064F.b.07.1	M00005000A:H05
194	9/28/98	1492.001	194	RTA00001075F.d.17.1	M00005358B:D10
195	9/28/98	1492.001	195	RTA00000624F.f.12.2	M00005607A:C08
196	9/28/98	1492.001	196	RTA00001075F.c.22.1	M00005342B:G01
197	9/28/98	1492.001	197	RTA00001065F.a.17.1	M00006914C:D07
198	9/28/98	1492.001	198	RTA00001075F.b.02.1	M00004859D:D01
199	9/28/98	1492.001	199	RTA00001077F.c.12.1	M00007167C:B10
200	9/28/98	1492.001	200	RTA00001077F.c.20.1	M00007179B:H04
201	9/28/98	1492.001	201	RTA00001076F.m.04.1	M00006934B:B11
202	9/28/98	1492.001	202	RTA00001076F.j.22.1	M00006859D:E11
203	9/28/98	1492.001	203	RTA00001076F.k.13.1	M00006882C:D03
204	9/28/98	1492.001	204	RTA00001075F.k.14.1	M00005485C:F09
205	9/28/98	1492.001	205	RTA00001076F.f.10.1	M00006680D:A01
206	9/28/98	1492.001	206	RTA00001064F.o.05.1	M00006755C:C03
207	9/28/98	1492.001	207	RTA00001064F.l.05.2	M00005826B:F10
208	9/28/98	1492.001	208	RTA00001076F.p.04.1	M00007047D:C02

209	9/28/98	1492.001	209	RTA00001064F.l.04.1	M00005822D:C05
210	9/28/98	1492.001	210	RTA00001076F.c.03.1	M00006584D:D01
211	9/28/98	1492.001	211	RTA00001064F.m.06.1	M00006621B:B06
212	9/28/98	1492.001	212	RTA00001075F.k.15.1	M00005486A:F07
213	9/28/98	1492.001	213	RTA00001064F.d.08.1	M00005378C:B12
214	9/28/98	1492.001	214	RTA00001077F.d.11.1	M00007202A:A09
215	9/28/98	1492.001	215	RTA00001077F.b.14.1	M00007140C:G12
216	9/28/98	1492.001	216	RTA00001075F.k.04.1	M00005476D:A11
217	9/28/98	1492.001	217	RTA00001064F.n.03.1	M00006678C:B07
218	9/28/98	1492.001	218	RTA00001075F.i.12.1	M00005446B:D10
219	9/28/98	1492.001	219	RTA00001075F.f.04.1	M00005386C:G01
220	9/28/98	1492.001	220	RTA00001076F.n.14.1	M00006993B:F02
221	9/28/98	1492.001	221	RTA00001064F.k.19.2	M00005810B:C07
222	9/28/98	1492.001	222	RTA00001076F.d.20.1	M00006630A:E09
223	9/28/98	1492.001	223	RTA00001077F.b.20.1	M00007145C:B05
224	9/28/98	1492.001	224	RTA00001076F.f.11.1	M00006688A:F09
225	9/28/98	1492.001	225	RTA00001065F.d.01.1	M00007047C:H04
226	9/28/98	1492.001	226	RTA00001075F.g.12.1	M00005413B:B02
227	9/28/98	1492.001	227	RTA00001064F.a.09.2	M00004841C:H03
228	9/28/98	1492.001	228	RTA00001064F.k.20.2	M00005810B:G02
229	9/28/98	1492.001	229	RTA00001064F.b.17.1	M00005296D:G03
230	9/28/98	1493.001	1	RTA00001073F.f.17.1	M00004087A:H06
231	9/28/98	1493.001	2	RTA00001073F.l.02.1	M00004168D:F05
232	9/28/98	1493.001	3	RTA00001072F.i.07.3	M00003845B:A04
233	9/28/98	1493.001	4	RTA00001071F.i.23.3	M00001477A:G02
234	9/28/98	1493.001	5	RTA00000611F.e.04.2	M00004170C:H06
235	9/28/98	1493.001	6	RTA00001062F.f.19.1	M00003888C:G08
236	9/28/98	1493.001	7	RTA00001073F.l.22.1	M00004176B:H09
237	9/28/98	1493.001	8	RTA00001063F.l.10.1	M00004410A:F06
238	9/28/98	1493.001	9	RTA00001062F.l.13.1	M00004034A:A05
239	9/28/98	1493.001	10	RTA00001074F.l.10.1	M00004495D:A05
240	9/28/98	1493.001	11	RTA00001061F.d.01.1	M00001389C:E01
241	9/28/98	1493.001	12	RTA00001072F.j.04.2	M00003861D:G10
242	9/28/98	1493.001	13	RTA00001073F.d.04.1	M00004048C:C02
243	9/28/98	1493.001	14	RTA00001061F.j.09.1	M00001507A:H06
244	9/28/98	1493.001	15	RTA00001071F.h.16.1	M00001450D:H12
245	9/28/98	1493.001	16	RTA00001062F.o.17.1	M00004108B:D04
246	9/28/98	1493.001	17	RTA00001073F.c.20.1	M00004046C:A04
247	9/28/98	1493.001	18	RTA00001063F.k.14.1	M00004381A:E10
248	9/28/98	1493.001	19	RTA00000611F.e.18.2	M00004171D:H10
249	9/28/98	1493.001	20	RTA00001072F.a.18.2	M00001655C:F07
250	9/28/98	1493.001	21	RTA00001072F.b.04.2	M00001660A:B10
251	9/28/98	1493.001	22	RTA00001074F.g.19.1	M00004372A:A08

252	9/28/98	1493.001	23	RTA00001072F.i.09.3	M00003845C:F08
253	9/28/98	1493.001	24	RTA00001072F.a.21.2	M00001657D:D07
254	9/28/98	1493.001	25	RTA00001072F.m.18.3	M00003916D:A10
255	9/28/98	1493.001	26	RTA00001061F.b.04.1	M00001360B:F09
256	9/28/98	1493.001	27	RTA00001072F.o.06.2	M00003935A:C04
257	9/28/98	1493.001	28	RTA00001072F.n.19.3	M00003931A:G01
258	9/28/98	1493.001	29	RTA00001073F.e.08.1	M00004068A:A03
259	9/28/98	1493.001	30	RTA00001074F.g.22.1	M00004373D:G10
260	9/28/98	1493.001	31	RTA00001073F.c.01.1	M00004030C:E05
261	9/28/98	1493.001	32	RTA00001074F.f.15.1	M00004360B:B08
262	9/28/98	1493.001	33	RTA00001074F.f.01.1	M00004350A:C04
263	9/28/98	1493.001	34	RTA00001074F.d.08.1	M00004318D:D07
264	9/28/98	1493.001	35	RTA00001072F.f.11.2	M00003788D:E06
265	9/28/98	1493.001	36	RTA00001074F.e.05.1	M00004337A:A07
266	9/28/98	1493.001	37	RTA00001072F.g.05.2	M00003803B:G12
267	9/28/98	1493.001	38	RTA00001071F.j.04.3	M00001479D:B10
268	9/28/98	1493.001	39	RTA00001074F.j.05.1	M00004415A:A01
269	9/28/98	1493.001	40	RTA00001074F.j.04.1	M00004414D:C11
270	9/28/98	1493.001	41	RTA00001073F.e.06.1	M00004067C:C10
271	9/28/98	1493.001	42	RTA00001071F.d.14.1	M00001389A:F03
272	9/28/98	1493.001	43	RTA00001071F.f.12.1	M00001418C:F06
273	9/28/98	1493.001	44	RTA00001061F.m.13.1	M00001601D:A03
274	9/28/98	1493.001	45	RTA00001061F.e.17.1	M00001418A:A02
275	9/28/98	1493.001	46	RTA00001071F.m.09.3	M00001563A:F04
276	9/28/98	1493.001	47	RTA00001062F.l.05.1	M00004029D:H03
277	9/28/98	1493.001	48	RTA00001073F.i.02.2	M00004125B:A02
278	9/28/98	1493.001	49	RTA00001063F.l.04.1	M00004404C:B03
279	9/28/98	1493.001	50	RTA00001063F.l.14.1	M00004412A:G05
280	9/28/98	1493.001	51	RTA00001063F.e.05.1	M00004232D:G11
281	9/28/98	1493.001	52	RTA00001062F.f.06.1	M00003880A:G10
282	9/28/98	1493.001	53	RTA00001072F.b.23.2	M00001683B:F12
283	9/28/98	1493.001	54	RTA00001073F.a.13.1	M00003989D:A02
284	9/28/98	1493.001	55	RTA00001074F.h.16.1	M00004386C:C03
285	9/28/98	1493.001	56	RTA00001073F.a.15.1	M00003991A:D05
286	9/28/98	1493.001	57	RTA00001073F.k.01.1	M00004152A:F03
287	9/28/98	1493.001	58	RTA00001072F.l.19.2	M00003901B:C02
288	9/28/98	1493.001	59	RTA00001072F.i.15.3	M00003848A:E08
289	9/28/98	1493.001	60	RTA00001072F.i.05.3	M00003844D:B02
290	9/28/98	1493.001	61	RTA00001074F.m.06.1	M00004603D:D09
291	9/28/98	1493.001	62	RTA00001062F.m.15.1	M00004063B:B12
292	9/28/98	1493.001	63	RTA00001074F.d.19.1	M00004326D:D06
293	9/28/98	1493.001	64	RTA00001073F.j.02.1	M00004140B:C02
294	9/28/98	1493.001	65	RTA00001071F.l.11.1	M00001545D:F12

295	9/28/98	1493.001	66	RTA00001074F.f.12.1	M00004356C:D02
296	9/28/98	1493.001	67	RTA00001073F.h.03.1	M00004110A:G03
297	9/28/98	1493.001	68	RTA00001074F.a.19.1	M00004275A:H07
298	9/28/98	1493.001	69	RTA00001063F.g.15.1	M00004292A:C08
299	9/28/98	1493.001	70	RTA00001061F.a.09.1	M00001345C:B10
300	9/28/98	1493.001	71	RTA00001063F.f.23.1	M00004284A:C09
301	9/28/98	1493.001	72	RTA00001073F.e.10.1	M00004069A:E04
302	9/28/98	1493.001	73	RTA00001073F.g.15.1	M00004103A:E06
303	9/28/98	1493.001	74	RTA00001073F.n.20.1	M00004209B:G01
304	9/28/98	1493.001	75	RTA00001073F.g.11.1	M00004099C:F04
305	9/28/98	1493.001	76	RTA00001071F.p.05.1	M00001630A:E08
306	9/28/98	1493.001	77	RTA00001073F.l.19.1	M00004175D:D05
307	9/28/98	1493.001	78	RTA00001074F.j.17.1	M00004426B:H06
308	9/28/98	1493.001	79	RTA00001074F.b.22.1	M00004292A:F03
309	9/28/98	1493.001	80	RTA00001071F.d.19.1	M00001391C:B05
310	9/28/98	1493.001	81	RTA00001062F.j.02.1	M00003960D:E09
311	9/28/98	1493.001	82	RTA00001072F.b.09.2	M00001664D:E02
312	9/28/98	1493.001	83	RTA00001073F.b.08.1	M00003998C:D04
313	9/28/98	1493.001	84	RTA00001062F.j.19.1	M00003977D:H04
314	9/28/98	1493.001	85	RTA00001062F.m.18.1	M00004066D:C02
315	9/28/98	1493.001	86	RTA00001062F.b.02.1	M00003775C:C01
316	9/28/98	1493.001	87	RTA00001061F.d.20.1	M00001401B:A02
317	9/28/98	1493.001	88	RTA00001071F.n.05.3	M00001579C:E07
318	9/28/98	1493.001	89	RTA00001073F.l.04.1	M00004170B:G04
319	9/28/98	1493.001	90	RTA00001071F.h.04.1	M00001442D:D09
320	9/28/98	1493.001	91	RTA00001062F.o.11.1	M00004104C:F06
321	9/28/98	1493.001	92	RTA00001062F.i.10.1	M00003939B:C02
322	9/28/98	1493.001	93	RTA00001071F.g.16.1	M00001431A:F03
323	9/28/98	1493.001	94	RTA00001061F.d.06.1	M00001392A:F02
324	9/28/98	1493.001	95	RTA00001071F.m.01.3	M00001561A:G10
325	9/28/98	1493.001	96	RTA00001062F.n.06.1	M00004081A:E11
326	9/28/98	1493.001	97	RTA00001061F.d.14.1	M00001397D:G04
327	9/28/98	1493.001	98	RTA00001061F.j.10.1	M00001507D:F09
328	9/28/98	1493.001	99	RTA00001063F.c.07.1	M00004185B:H03
329	9/28/98	1493.001	100	RTA00001061F.j.12.1	M00001513B:F05
330	9/28/98	1493.001	101	RTA00001061F.o.22.1	M00001678A:B10
331	9/28/98	1493.001	102	RTA00001071F.e.03.1	M00001395D:B04
332	9/28/98	1493.001	103	RTA00001072F.e.13.2	M00003772C:F12
333	9/28/98	1493.001	104	RTA00001062F.i.03.1	M00003928D:A04
334	9/28/98	1493.001	105	RTA00001072F.d.20.2	M00003761C:C05
335	9/28/98	1493.001	106	RTA00001074F.g.16.1	M00004371B:A05
336	9/28/98	1493.001	107	RTA00001074F.f.09.1	M00004353D:C06
337	9/28/98	1493.001	108	RTA00001071F.k.12.1	M00001505C:C10

338	9/28/98	1493.001	109	RTA00001074F.f.13.1	M00004357A:B10
339	9/28/98	1493.001	110	RTA00001071F.e.08.1	M00001397C:F01
340	9/28/98	1493.001	111	RTA00001073F.h.11.1	M00004117D:F06
341	9/28/98	1493.001	112	RTA00001072F.o.14.2	M00003937D:F09
342	9/28/98	1493.001	113	RTA00001074F.c.11.1	M00004298A:H09
343	9/28/98	1493.001	114	RTA00001074F.g.08.1	M00004368A:G11
344	9/28/98	1493.001	115	RTA00001073F.a.18.1	M00003993C:G11
345	9/28/98	1493.001	116	RTA00001073F.f.19.1	M00004090A:B11
346	9/28/98	1493.001	117	RTA00001072F.l.20.2	M00003902C:D02
347	9/28/98	1493.001	118	RTA00001073F.b.06.1	M00003997D:G03
348	9/28/98	1493.001	119	RTA00001062F.o.14.1	M00004105C:C05
349	9/28/98	1493.001	120	RTA00001071F.i.04.3	M00001457D:E08
350	9/28/98	1493.001	121	RTA00001074F.a.23.1	M00004278C:H11
351	9/28/98	1493.001	122	RTA00001073F.c.04.1	M00004034A:G03
352	9/28/98	1493.001	123	RTA00001072F.h.18.2	M00003833D:F11
353	9/28/98	1493.001	124	RTA00001074F.i.06.1	M00004403A:A02
354	9/28/98	1493.001	125	RTA00001063F.e.09.1	M00004240A:D03
355	9/28/98	1493.001	126	RTA00001061F.d.03.1	M00001390C:H05
356	9/28/98	1493.001	127	RTA00001063F.d.23.1	M00004225A:E03
357	9/28/98	1493.001	128	RTA00001063F.k.08.1	M00004378A:H10
358	9/28/98	1493.001	129	RTA00001062F.b.04.1	M00003776B:F08
359	9/28/98	1493.001	130	RTA00001063F.b.18.1	M00004178B:F07
360	9/28/98	1493.001	131	RTA00001062F.b.11.1	M00003788B:C08
361	9/28/98	1493.001	132	RTA00001074F.l.23.1	M00004504C:G07
362	9/28/98	1493.001	133	RTA00001063F.m.08.1	M00004444C:H11
363	9/28/98	1493.001	134	RTA00001071F.l.13.2	M00001549C:F10
364	9/28/98	1493.001	135	RTA00001072F.p.19.2	M00003973A:D09
365	9/28/98	1493.001	136	RTA00001071F.k.17.1	M00001517C:A10
366	9/28/98	1493.001	137	RTA00001072F.o.24.2	M00003943B:C12
367	9/28/98	1493.001	138	RTA00001074F.a.20.1	M00004276A:C06
368	9/28/98	1493.001	139	RTA00001073F.c.16.1	M00004043C:A06
369	9/28/98	1493.001	140	RTA00001074F.j.10.1	M00004422C:A01
370	9/28/98	1493.001	141	RTA00001063F.n.16.1	M00004498D:F02
371	9/28/98	1493.001	142	RTA00001071F.o.16.1	M00001615A:D01
372	9/28/98	1493.001	143	RTA00001073F.k.16.1	M00004165D:H12
373	9/28/98	1493.001	144	RTA00001062F.e.14.1	M00003856A:H10
374	9/28/98	1493.001	145	RTA00001071F.h.22.1	M00001454D:H09
375	9/28/98	1493.001	146	RTA00001071F.o.18.1	M00001618C:E01
376	9/28/98	1493.001	147	RTA00001062F.p.19.1	M00004140D:E03
377	9/28/98	1493.001	148	RTA00001062F.d.04.1	M00003818C:D02
378	9/28/98	1493.001	149	RTA00001072F.n.22.3	M00003933A:B04
379	9/28/98	1493.001	150	RTA00001063F.c.11.1	M00004187A:B05
380	9/28/98	1493.001	151	RTA00001061F.j.22.1	M00001531B:A03

381	9/28/98	1493.001	152	RTA00001062F.d.08.1	M00003820C:E08
382	9/28/98	1493.001	153	RTA00001062F.f.02.1	M00003877C:G01
383	9/28/98	1493.001	154	RTA00001062F.d.24.1	M00003839D:C03
384	9/28/98	1493.001	155	RTA00001074F.h.24.1	M00004391C:F12
385	9/28/98	1493.001	156	RTA00001071F.a.10.1	M00001341A:H10
386	9/28/98	1493.001	157	RTA00001074F.k.13.1	M00004449B:B05
387	9/28/98	1493.001	158	RTA00001072F.k.16.2	M00003884C:G09
388	9/28/98	1493.001	159	RTA00001073F.k.09.1	M00004158C:B01
389	9/28/98	1493.001	160	RTA00001074F.b.14.1	M00004288D:E07
390	9/28/98	1493.001	161	RTA00001073F.k.08.1	M00004157C:E06
391	9/28/98	1493.001	162	RTA00001074F.i.17.1	M00004406D:E11
392	9/28/98	1493.001	163	RTA00001074F.k.10.1	M00004447A:A10
393	9/28/98	1493.001	164	RTA00001062F.p.14.1	M00004135D:D01
394	9/28/98	1493.001	165	RTA00001071F.m.15.3	M00001569A:H01
395	9/28/98	1493.001	166	RTA00001074F.h.15.1	M00004385D:D06
396	9/28/98	1493.001	167	RTA00001062F.i.09.1	M00003935D:E04
397	9/28/98	1493.001	168	RTA00000611F.e.06.2	M00004170D:C06
398	9/28/98	1493.001	169	RTA00001062F.d.19.1	M00003835B:C05
399	9/28/98	1493.001	170	RTA00001062F.o.15.1	M00004107A:E02
400	9/28/98	1493.001	171	RTA00001071F.a.07.1	M00001340C:A08
401	9/28/98	1493.001	172	RTA00001062F.d.07.1	M00003820B:G04
402	9/28/98	1493.001	173	RTA00001074F.j.11.1	M00004423A:B05
403	9/28/98	1493.001	174	RTA00001071F.m.11.3	M00001565C:F06
404	9/28/98	1493.001	175	RTA00001062F.i.01.1	M00003926A:D01
405	9/28/98	1493.001	176	RTA00001072F.g.08.2	M00003804D:F12
406	9/28/98	1493.001	177	RTA00001071F.n.16.1	M00001594A:H01
407	9/28/98	1493.001	178	RTA00001062F.a.09.1	M00003756D:B09
408	9/28/98	1493.001	179	RTA00001073F.h.08.1	M00004114C:B09
409	9/28/98	1493.001	180	RTA00001073F.e.03.1	M00004064B:G03
410	9/28/98	1493.001	181	RTA00001073F.c.23.1	M00004048A:E10
411	9/28/98	1493.001	182	RTA00001074F.l.15.1	M00004498D:A11
412	9/28/98	1493.001	183	RTA00001073F.l.21.1	M00004176A:H05
413	9/28/98	1493.001	184	RTA00001071F.d.15.1	M00001389B:B12
414	9/28/98	1493.001	185	RTA00001073F.i.08.1	M00004127C:C08
415	9/28/98	1493.001	186	RTA00001073F.k.21.1	M00004167A:H04
416	9/28/98	1493.001	187	RTA00001072F.j.05.2	M00003865B:D10
417	9/28/98	1493.001	188	RTA00001063F.i.15.1	M00004335A:G05
418	9/28/98	1493.001	189	RTA00001062F.g.21.1	M00003907C:D02
419	9/28/98	1493.001	190	RTA00001073F.b.16.1	M00004027C:E06
420	9/28/98	1493.001	191	RTA00001062F.g.06.1	M00003895C:F05
421	9/28/98	1493.001	192	RTA00001071F.b.17.1	M00001360B:B01
422	9/28/98	1493.001	193	RTA00001073F.f.18.1	M00004087B:D05
423	9/28/98	1493.001	194	RTA00001074F.b.04.1	M00004280D:D10

424	9/28/98	1493.001	195	RTA00001072F.d.23.2	M00003762D:C02
425	9/28/98	1493.001	196	RTA00001073F.l.14.1	M00004173A:D03
426	9/28/98	1493.001	197	RTA00001061F.p.21.1	M00003747C:G12
427	9/28/98	1493.001	198	RTA00001071F.n.22.1	M00001598C:F02
428	9/28/98	1493.001	199	RTA00001073F.d.22.1	M00004059D:A09
429	9/28/98	1493.001	200	RTA00001072F.j.14.2	M00003876C:G11
430	9/28/98	1493.001	201	RTA00001071F.k.21.2	M00001528D:B12
431	9/28/98	1493.001	202	RTA00001074F.a.09.1	M00004269C:B10
432	9/28/98	1493.001	203	RTA00001073F.p.19.1	M00004253A:E02
433	9/28/98	1493.001	204	RTA00001061F.b.02.1	M00001358B:F12
434	9/28/98	1493.001	205	RTA00001063F.e.10.1	M00004240C:A06
435	9/28/98	1493.001	206	RTA00001074F.j.18.1	M00004427D:H04
436	9/28/98	1493.001	207	RTA00001073F.f.09.1	M00004084C:F05
437	9/28/98	1493.001	208	RTA00001071F.l.19.1	M00001558D:E02
438	9/28/98	1493.001	209	RTA00001073F.c.09.1	M00004036B:C11
439	9/28/98	1493.001	210	RTA00001074F.a.14.1	M00004270C:H05
440	9/28/98	1493.001	211	RTA00001074F.l.03.1	M00004466A:E04
441	9/28/98	1493.001	212	RTA00000611F.f.13.2	M00004175D:G10
442	9/28/98	1493.001	213	RTA00001074F.e.16.1	M00004343A:G07
443	9/28/98	1493.001	214	RTA00001073F.l.05.1	M00004170C:A12
444	9/28/98	1493.001	215	RTA00001074F.e.19.1	M00004347A:F10
445	9/28/98	1493.001	216	RTA00001073F.e.07.1	M00004067C:E05
446	9/28/98	1493.001	217	RTA00001062F.p.22.1	M00004142C:A06
447	9/28/98	1493.001	218	RTA00001061F.c.11.1	M00001382D:F03
448	9/28/98	1493.001	219	RTA00001062F.f.01.1	M00003877C:A08
449	9/28/98	1493.001	220	RTA00001072F.l.09.2	M00003893A:D03
450	9/28/98	1493.001	221	RTA00001072F.i.14.2	M00003847B:H01
451	9/28/98	1493.001	222	RTA00001063F.g.18.1	M00004295A:C02
452	9/28/98	1493.001	223	RTA00001062F.j.18.1	M00003977C:D01
453	9/28/98	1493.001	224	RTA00001061F.b.05.1	M00001360D:C12
454	9/28/98	1493.001	225	RTA00001074F.e.18.1	M00004344B:C06
455	9/28/98	1493.001	226	RTA00001061F.o.20.1	M00001677B:G01
456	9/28/98	1493.001	227	RTA00001062F.d.10.1	M00003822A:D02
457	9/28/98	1493.001	228	RTA00001062F.h.16.1	M00003919D:F01
458	9/28/98	1493.001	229	RTA00001063F.e.19.1	M00004251B:H12
459	9/28/98	1493.001	230	RTA00001061F.o.18.1	M00001675C:F05
460	9/28/98	1493.001	231	RTA00001072F.j.20.2	M00003879D:A09
461	9/28/98	1493.001	232	RTA00001071F.j.15.3	M00001485A:C04
462	9/28/98	1493.001	233	RTA00001071F.a.09.1	M00001340C:D09
463	9/28/98	1493.001	234	RTA00001074F.j.13.1	M00004423C:F03
464	9/28/98	1493.001	235	RTA00001071F.i.15.3	M00001466C:H11
465	9/28/98	1493.001	236	RTA00001071F.b.13.1	M00001358C:D09
466	9/28/98	1493.001	237	RTA00001061F.g.05.1	M00001441D:G02

467	9/28/98	1493.001	238	RTA00001063F.e.16.1	M00004249A:C09
468	9/28/98	1493.001	239	RTA00001072F.j.22.2	M00003880B:B08
469	9/28/98	1493.001	240	RTA00001063F.i.16.1	M00004335D:D03
470	9/28/98	1493.001	241	RTA00000611F.f.05.2	M00004174B:B12
471	9/28/98	1493.001	242	RTA00001071F.p.07.1	M00001631D:G08
472	9/28/98	1493.001	243	RTA00001071F.c.12.1	M00001375C:C11
473	9/28/98	1493.001	244	RTA00001074F.k.15.1	M00004450A:G07
474	9/28/98	1493.001	245	RTA00001061F.e.19.1	M00001419A:E01
475	9/28/98	1493.001	246	RTA00001073F.g.22.1	M00004108C:D07
476	9/28/98	1493.001	247	RTA00001061F.g.01.1	M00001437D:A12
477	9/28/98	1493.001	248	RTA00001072F.n.08.2	M00003923D:A03
478	9/28/98	1493.001	249	RTA00001074F.b.12.1	M00004286D:D02
479	9/28/98	1493.001	250	RTA00001061F.l.18.1	M00001576C:E03
480	9/28/98	1493.001	251	RTA00001074F.j.03.1	M00004414D:A01
481	9/28/98	1493.001	252	RTA00001072F.h.07.2	M00003824A:B11
482	9/28/98	1493.001	253	RTA00001072F.j.18.2	M00003877C:C11
483	9/28/98	1493.001	254	RTA00001063F.c.21.1	M00004198B:G08
484	9/28/98	1493.001	255	RTA00001073F.m.11.1	M00004181A:B05
485	9/28/98	1493.001	256	RTA00001061F.h.16.1	M00001463C:E12
486	9/28/98	1493.001	257	RTA00001073F.i.11.1	M00004128B:H11
487	9/28/98	1493.001	258	RTA00001062F.k.20.1	M00003997A:C08
488	9/28/98	1493.001	259	RTA00001062F.o.05.1	M00004101A:C12
489	9/28/98	1493.001	260	RTA00001073F.p.01.1	M00004237B:G01
490	9/28/98	1493.001	261	RTA00001072F.a.04.2	M00001647D:A02
491	9/28/98	1493.001	262	RTA00001073F.e.12.1	M00004071C:B06
492	9/28/98	1493.001	263	RTA00001073F.p.22.1	M00004253D:D04
493	9/28/98	1493.001	264	RTA00001072F.i.19.3	M00003853C:A09
494	9/28/98	1493.001	265	RTA00001071F.d.06.1	M00001386B:E01
495	9/28/98	1493.001	266	RTA00001073F.j.20.1	M00004149C:D11
496	9/28/98	1493.001	267	RTA00001074F.l.20.1	M00004502B:G05
497	9/28/98	1493.001	268	RTA00001072F.h.14.2	M00003829C:G07
498	9/28/98	1493.001	269	RTA00001062F.b.13.1	M00003788C:C05
499	9/28/98	1493.001	270	RTA00001061F.j.14.1	M00001514B:C02
500	9/28/98	1493.001	271	RTA00001072F.j.11.2	M00003870C:H03
501	9/28/98	1493.001	272	RTA00001074F.m.01.1	M00004507A:F11
502	9/28/98	1493.001	273	RTA00001063F.f.03.1	M00004264B:F03
503	9/28/98	1493.001	274	RTA00001071F.l.21.1	M00001559D:E02
504	9/28/98	1493.001	275	RTA00001072F.b.11.2	M00001669B:H04
505	9/28/98	1493.001	276	RTA00001074F.i.16.1	M00004406A:H12
506	9/28/98	1493.001	277	RTA00001061F.j.03.1	M00001500A:A02
507	9/28/98	1493.001	278	RTA00001062F.n.16.1	M00004085B:D12
508	9/28/98	1493.001	279	RTA00001073F.j.03.1	M00004140C:D04
509	9/28/98	1493.001	280	RTA00001072F.k.01.2	M00003880C:D06

510	9/28/98	1493.001	281	RTA00001074F.k.08.1	M00004445D:A04
511	9/28/98	1493.001	282	RTA00001062F.k.05.1	M00003985B:F06
512	9/28/98	1493.001	283	RTA00001073F.h.01.1	M00004109A:B07
513	9/28/98	1493.001	284	RTA00000611F.f.15.2	M00004176A:E07
514	9/28/98	1493.001	285	RTA00001073F.b.01.1	M00003995B:C06
515	9/28/98	1493.001	286	RTA00001072F.c.16.2	M00001694B:H12
516	9/28/98	1493.001	287	RTA00001073F.c.10.1	M00004036C:E10
517	9/28/98	1493.001	288	RTA00001062F.g.22.1	M00003908C:C04
518	9/28/98	1493.001	289	RTA00001074F.d.15.1	M00004323B:G12
519	9/28/98	1493.001	290	RTA00001061F.c.12.1	M00001383C:C04
520	9/28/98	1493.001	291	RTA00001073F.k.15.1	M00004165B:E03
521	9/28/98	1493.001	292	RTA00001072F.j.23.2	M00003880B:D03
522	9/28/98	1493.001	293	RTA00001073F.j.21.1	M00004150A:B09
523	9/28/98	1493.001	294	RTA00001073F.h.20.1	M00004123B:G05
524	9/28/98	1493.001	295	RTA00001063F.g.05.1	M00004285C:B06
525	9/28/98	1493.001	296	RTA00001061F.a.21.1	M00001352D:A09
526	9/28/98	1493.001	297	RTA00001061F.d.17.1	M00001399B:C04
527	9/28/98	1493.001	298	RTA00001072F.h.04.2	M00003819D:B02
528	9/29/98	1494.001	1	RTA00001082F.j.11.1	M00027137D:F05
529	9/29/98	1494.001	2	RTA00001082F.h.08.1	M00027042D:E02
530	9/29/98	1494.001	3	RTA00001082F.e.15.1	M00026936D:D01
531	9/29/98	1494.001	4	RTA00001082F.l.21.1	M00027204B:A08
532	9/29/98	1494.001	5	RTA00001082F.e.05.1	M00026910C:C05
533	9/29/98	1494.001	6	RTA00001082F.i.07.1	M00027085C:H12
534	9/29/98	1494.001	7	RTA00001082F.i.12.1	M00027096B:A01
535	9/29/98	1494.001	8	RTA00001082F.m.12.1	M00027218C:D06
536	9/29/98	1494.001	9	RTA00001082F.p.16.1	M00027364D:E08
537	9/29/98	1494.001	10	RTA00001082F.g.22.1	M00027028B:C12
538	9/29/98	1494.001	11	RTA00001069F.e.20.1	M00026857A:F02
539	9/29/98	1494.001	12	RTA00001082F.c.05.3	M00026811A:H01
540	9/29/98	1494.001	13	RTA00001083F.c.15.1	M00027529B:B11
541	9/29/98	1494.001	14	RTA00001082F.f.08.1	M00026964C:H02
542	9/29/98	1494.001	15	RTA00001082F.o.01.1	M00027280D:H01
543	9/29/98	1494.001	16	RTA00001082F.l.05.1	M00027190B:F06
544	9/29/98	1494.001	17	RTA00001082F.l.10.1	M00027196A:A10
545	9/29/98	1494.001	18	RTA00001069F.i.06.1	M00026972A:F04
546	9/29/98	1494.001	19	RTA00001082F.o.21.1	M00027339D:E10
547	9/29/98	1494.001	20	RTA00001069F.c.13.1	M00023390A:C04
548	9/29/98	1494.001	21	RTA00001069F.g.11.1	M00026914C:H10
549	9/29/98	1494.001	22	RTA00001082F.e.21.1	M00026945B:C10
550	9/29/98	1494.001	23	RTA00001083F.a.18.1	M00027396C:B06
551	9/29/98	1494.001	24	RTA00001069F.a.21.1	M00023298B:G07
552	9/29/98	1494.001	25	RTA00001083F.a.17.1	M00027393D:F01

553	9/29/98	1494.001	26	RTA00001083F.a.23.1	M00027439B:A09
554	9/29/98	1494.001	27	RTA00001083F.e.18.1	M00027642C:D11
555	9/29/98	1494.001	28	RTA00001083F.e.04.1	M00027618A:B08
556	9/29/98	1494.001	29	RTA00001069F.j.21.1	M00027067A:B02
557	9/29/98	1494.001	30	RTA00001082F.h.20.1	M00027069D:F02
558	9/29/98	1494.001	31	RTA00001069F.o.03.1	M00027386D:C02
559	9/29/98	1494.001	32	RTA00001082F.l.04.1	M00027189C:D04
560	9/29/98	1494.001	33	RTA00001082F.o.05.1	M00027282D:G01
561	9/29/98	1494.001	34	RTA00001069F.a.11.1	M00023284B:G06
562	9/29/98	1494.001	35	RTA00001069F.n.05.1	M00027283C:H12
563	9/29/98	1494.001	36	RTA00001069F.a.22.1	M00023299B:A01
564	9/29/98	1494.001	37	RTA00001069F.h.10.1	M00026942C:A06
565	9/29/98	1494.001	38	RTA00001082F.h.19.1	M00027067B:E09
566	9/29/98	1494.001	39	RTA00001082F.b.05.1	M00023343B:C08
567	9/29/98	1494.001	40	RTA00001082F.j.05.1	M00027131C:E07
568	9/29/98	1494.001	41	RTA00001083F.b.09.1	M00027459A:G12
569	9/29/98	1494.001	42	RTA00001082F.d.07.3	M00026871C:F12
570	9/29/98	1494.001	43	RTA00001083F.c.03.1	M00027499B:G02
571	9/29/98	1494.001	44	RTA00001082F.f.01.1	M00026949A:F04
572	9/29/98	1494.001	45	RTA00001082F.h.12.1	M00027053C:B06
573	9/29/98	1494.001	46	RTA00001082F.a.03.1	M00023282B:H09
574	9/29/98	1494.001	47	RTA00001082F.l.03.1	M00027188A:D12
575	9/29/98	1494.001	48	RTA00001082F.k.04.1	M00027154B:D05
576	9/29/98	1494.001	49	RTA00001069F.b.18.1	M00023340A:A10
577	9/29/98	1494.001	50	RTA00001069F.o.21.1	M00027546B:A11
578	9/29/98	1494.001	51	RTA00001082F.k.01.1	M00027152D:H06
579	9/29/98	1494.001	52	RTA00001083F.a.14.1	M00027388A:G05
580	9/29/98	1494.001	53	RTA00001069F.k.01.1	M00027085A:G10
581	9/29/98	1494.001	54	RTA00001069F.h.09.1	M00026941C:E11
582	9/29/98	1494.001	55	RTA00001069F.o.11.1	M00027462D:A12
583	9/29/98	1494.001	56	RTA00001083F.a.22.1	M00027438D:A03
584	9/29/98	1494.001	57	RTA00001082F.m.21.1	M00027231C:D08
585	9/29/98	1494.001	58	RTA00001083F.f.18.1	M00027752B:E05
586	9/29/98	1494.001	59	RTA00001082F.i.03.1	M00027083C:F06
587	9/29/98	1494.001	60	RTA00001082F.n.01.1	M00027234C:B05
588	9/29/98	1494.001	61	RTA00001082F.l.02.1	M00027184D:H02
589	9/29/98	1494.001	62	RTA00001082F.k.18.1	M00027178B:E04
590	9/29/98	1494.001	63	RTA00001069F.d.09.1	M00023413D:F04
591	9/29/98	1494.001	64	RTA00001069F.p.05.1	M00027607A:A09
592	9/29/98	1494.001	65	RTA00001069F.m.14.1	M00027231A:D01
593	9/29/98	1494.001	66	RTA00001083F.c.21.1	M00027557D:B06
594	9/29/98	1494.001	67	RTA00001069F.i.23.1	M00027023B:H12
595	9/29/98	1494.001	68	RTA00001082F.l.07.1	M00027193A:F07

596	9/29/98	1494.001	69	RTA00001082F.c.15.3	M00026850B:F07
597	9/29/98	1494.001	70	RTA00001082F.f.18.1	M00026982C:D08
598	9/29/98	1494.001	71	RTA00001082F.h.17.1	M00027062C:C04
599	9/29/98	1494.001	72	RTA00001082F.p.14.1	M00027363D:A08
600	9/29/98	1494.001	73	RTA00001069F.j.04.1	M00027028A:B06
601	9/29/98	1494.001	74	RTA00001069F.p.21.1	M00027740C:C05
602	9/29/98	1494.001	75	RTA00001082F.e.07.1	M00026913D:G11
603	9/29/98	1494.001	76	RTA00001082F.d.23.3	M00026905A:G11
604	9/29/98	1494.001	77	RTA00001083F.b.18.1	M00027484A:G03
605	9/29/98	1494.001	78	RTA00001069F.o.06.1	M00027396A:F07
606	9/29/98	1494.001	79	RTA00001082F.p.01.1	M00027343B:H05
607	9/29/98	1494.001	80	RTA00001082F.p.11.1	M00027356A:H02
608	9/29/98	1494.001	81	RTA00001083F.f.19.1	M00027759B:E11
609	9/29/98	1494.001	82	RTA00001082F.i.04.1	M00027083D:F06
610	9/29/98	1494.001	83	RTA00001082F.p.12.1	M00027357D:A02
611	9/29/98	1494.001	84	RTA00001082F.d.15.3	M00026882A:E07
612	9/29/98	1494.001	85	RTA00001082F.i.20.1	M00027115B:G04
613	9/29/98	1494.001	86	RTA00001069F.d.03.1	M00023401C:D12
614	9/29/98	1494.001	87	RTA00001082F.e.10.1	M00026928A:B06
615	9/29/98	1494.001	88	RTA00001082F.a.07.1	M00023295B:C03
616	9/29/98	1494.001	89	RTA00001069F.n.15.1	M00027329A:H04
617	9/29/98	1494.001	90	RTA00001082F.d.08.3	M00026872A:C10
618	9/29/98	1494.001	91	RTA00001083F.f.13.1	M00027728A:B03
619	9/29/98	1494.001	92	RTA00001082F.b.03.1	M00023340B:H12
620	9/29/98	1494.001	93	RTA00001069F.b.09.1	M00023321B:F06
621	9/29/98	1494.001	94	RTA00001082F.l.20.1	M00027202B:B09
622	9/29/98	1494.001	95	RTA00001083F.c.14.1	M00027528A:G03
623	9/29/98	1494.001	96	RTA00001069F.c.07.1	M00023369D:C05
624	9/29/98	1494.001	97	RTA00001083F.d.16.1	M00027598C:D06
625	9/29/98	1494.001	98	RTA00001069F.e.22.1	M00026858C:H05
626	9/29/98	1494.001	99	RTA00001082F.j.10.1	M00027137C:A03
627	9/29/98	1494.001	100	RTA00001069F.b.01.1	M00023301B:C01
628	9/29/98	1494.001	101	RTA00001069F.j.20.1	M00027066A:A04
629	9/29/98	1494.001	102	RTA00001069F.e.24.1	M00026861A:B05
630	9/29/98	1494.001	103	RTA00001069F.b.08.1	M00023321A:F07
631	9/29/98	1494.001	104	RTA00001069F.k.16.1	M00027131A:H02
632	9/29/98	1494.001	105	RTA00001069F.j.22.1	M00027072C:A11
633	9/29/98	1494.001	106	RTA00001069F.j.07.1	M00027036B:D07
634	9/29/98	1494.001	107	RTA00001083F.c.20.1	M00027551C:B07
635	9/29/98	1494.001	108	RTA00001069F.l.11.1	M00027169D:H06
636	9/29/98	1494.001	109	RTA00001069F.c.03.1	M00023363C:A04
637	9/29/98	1494.001	110	RTA00001069F.l.14.1	M00027175D:A05
638	9/29/98	1494.001	111	RTA00001083F.c.10.1	M00027518B:B07

639	9/29/98	1494.001	112	RTA00001082F.a.04.1	M00023287A:D08
640	9/29/98	1494.001	113	RTA00001069F.m.13.1	M00027225B:D03
641	9/29/98	1494.001	114	RTA00001082F.n.08.1	M00027250A:C04
642	9/29/98	1494.001	115	RTA00001069F.e.09.1	M00026819B:E02
643	9/29/98	1494.001	116	RTA00001082F.p.18.1	M00027369A:B03
644	9/29/98	1494.001	117	RTA00001082F.d.24.3	M00026906B:G03
645	9/29/98	1494.001	118	RTA00001069F.c.23.1	M00023398D:F10
646	9/29/98	1494.001	119	RTA00001069F.b.19.1	M00023340B:B07
647	9/29/98	1494.001	120	RTA00001082F.n.03.1	M00027237C:D04
648	9/29/98	1494.001	121	RTA00001069F.a.13.1	M00023289D:E06
649	9/29/98	1494.001	122	RTA00001069F.e.16.1	M00026846C:B01
650	9/29/98	1494.001	123	RTA00001069F.p.04.1	M00027603C:E02
651	9/29/98	1494.001	124	RTA00001069F.m.21.1	M00027248D:D01
652	9/29/98	1494.001	125	RTA00001082F.h.14.1	M00027056B:H07
653	9/29/98	1494.001	126	RTA00001069F.p.03.1	M00027592D:C05
654	9/29/98	1494.001	127	RTA00001069F.n.02.1	M00027266C:G12
655	9/29/98	1494.001	128	RTA00001082F.m.01.1	M00027209D:B09
656	9/29/98	1494.001	129	RTA00001083F.e.09.1	M00027628D:D08
657	9/29/98	1494.001	130	RTA00001069F.d.18.1	M00023432D:F09
658	9/29/98	1494.001	131	RTA00001069F.e.06.1	M00026810A:H04
659	9/29/98	1494.001	132	RTA00001069F.e.05.1	M00026809C:D10
660	9/29/98	1494.001	133	RTA00001083F.c.05.1	M00027502C:H02
661	9/29/98	1494.001	134	RTA00001069F.c.10.1	M00023373A:D01
662	9/29/98	1494.001	135	RTA00001082F.k.10.1	M00027164A:A09
663	9/29/98	1494.001	136	RTA00001083F.c.07.1	M00027507C:C06
664	9/29/98	1494.001	137	RTA00001082F.j.15.1	M00027142A:C01
665	10/8/98	1495.001	1	RTA00001079F.j.08.1	M00022217B:E03
666	10/8/98	1495.001	2	RTA00001081F.h.04.1	M00022854D:C04
667	10/8/98	1495.001	3	RTA00001078F.h.08.1	M00021624B:D03
668	10/8/98	1495.001	4	RTA00001079F.b.12.1	M00022056C:D12
669	10/8/98	1495.001	5	RTA00001066F.o.03.1	M00022074A:F05
670	10/8/98	1495.001	6	RTA00001067F.p.05.1	M00022640B:G10
671	10/8/98	1495.001	7	RTA00001079F.l.05.1	M00022260C:H07
672	10/8/98	1495.001	8	RTA00001078F.f.17.1	M00008083A:H11
673	10/8/98	1495.001	9	RTA00001079F.l.04.1	M00022259A:D04
674	10/8/98	1495.001	10	RTA00001079F.m.19.1	M00022368C:C11
675	10/8/98	1495.001	11	RTA00001081F.f.08.1	M00022831C:F11
676	10/8/98	1495.001	12	RTA00001079F.e.13.1	M00022113B:A12
677	10/8/98	1495.001	13	RTA00001081F.f.21.1	M00022838B:E05
678	10/8/98	1495.001	14	RTA00001079F.g.11.1	M00022152A:G05
679	10/8/98	1495.001	15	RTA00001067F.i.05.1	M00022392C:H06
680	10/8/98	1495.001	16	RTA00001067F.n.01.1	M00022561B:B09
681	10/8/98	1495.001	17	RTA00001080F.i.20.1	M00022569D:H03

682	10/8/98	1495.001	18	RTA00001081F.p.04.1	M00023096A:F03
683	10/8/98	1495.001	19	RTA00001078F.d.04.1	M00008023A:B03
684	10/8/98	1495.001	20	RTA00001080F.h.09.1	M00022546B:F12
685	10/8/98	1495.001	21	RTA00000631F.a.10.3	M00022362D:G11
686	10/8/98	1495.001	22	RTA00001078F.f.15.1	M00008082B:H10
687	10/8/98	1495.001	23	RTA00001078F.a.11.1	M00007948D:F08
688	10/8/98	1495.001	24	RTA00001078F.e.08.1	M00008052C:G11
689	10/8/98	1495.001	25	RTA00001078F.c.08.1	M00008012D:E07
690	10/8/98	1495.001	26	RTA00001078F.b.18.1	M00008001B:E11
691	10/8/98	1495.001	27	RTA00001078F.d.08.1	M00008023C:A06
692	10/8/98	1495.001	28	RTA00001080F.p.19.1	M00022711B:A05
693	10/8/98	1495.001	29	RTA00001078F.a.17.1	M00007965C:B02
694	10/8/98	1495.001	30	RTA00001078F.n.22.2	M00021958A:A04
695	10/8/98	1495.001	31	RTA00001079F.d.12.1	M00022090D:B03
696	10/8/98	1495.001	32	RTA00001078F.j.16.1	M00021696C:E02
697	10/8/98	1495.001	33	RTA00001080F.n.06.1	M00022655A:F09
698	10/8/98	1495.001	34	RTA00001067F.d.16.1	M00022214A:D01
699	10/8/98	1495.001	35	RTA00001078F.l.03.2	M00021865B:F06
700	10/8/98	1495.001	36	RTA00001080F.o.02.1	M00022684B:F11
701	10/8/98	1495.001	37	RTA00001067F.p.15.1	M00022652B:G06
702	10/8/98	1495.001	38	RTA00001079F.d.16.1	M00022094A:A09
703	10/8/98	1495.001	39	RTA00001068F.c.17.1	M00022826A:C08
704	10/8/98	1495.001	40	RTA00001080F.g.05.1	M00022527D:A09
705	10/8/98	1495.001	41	RTA00001081F.e.07.1	M00022813C:B09
706	10/8/98	1495.001	42	RTA00001066F.g.16.1	M00021653C:B06
707	10/8/98	1495.001	43	RTA00001066F.l.05.1	M00021972A:C10
708	10/8/98	1495.001	44	RTA00001066F.h.16.1	M00021691B:E04
709	10/8/98	1495.001	45	RTA00001081F.g.13.1	M00022844C:A01
710	10/8/98	1495.001	46	RTA00001067F.p.07.1	M00022641C:H03
711	10/8/98	1495.001	47	RTA00001080F.g.02.1	M00022525C:E09
712	10/8/98	1495.001	48	RTA00001080F.i.02.1	M00022559D:F10
713	10/8/98	1495.001	49	RTA00001080F.g.22.1	M00022541D:G06
714	10/8/98	1495.001	50	RTA00001067F.d.20.1	M00022216C:H02
715	10/8/98	1495.001	51	RTA00001079F.k.17.1	M00022252A:C01
716	10/8/98	1495.001	52	RTA00001068F.d.04.1	M00022838A:H05
717	10/8/98	1495.001	53	RTA00001079F.n.11.1	M00022377A:E02
718	10/8/98	1495.001	54	RTA00001066F.d.22.1	M00008053D:E09
719	10/8/98	1495.001	55	RTA00001068F.f.08.1	M00023002A:C02
720	10/8/98	1495.001	56	RTA00001081F.o.16.1	M00023038D:D04
721	10/8/98	1495.001	57	RTA00001080F.f.18.1	M00022518C:C04
722	10/8/98	1495.001	58	RTA00001080F.a.16.1	M00022434D:B06
723	10/8/98	1495.001	59	RTA00001080F.j.18.1	M00022590D:E08
724	10/8/98	1495.001	60	RTA00001080F.n.11.1	M00022659B:C01

725	10/8/98	1495.001	61	RTA00001078F.e.01.1	M00008048C:A08
726	10/8/98	1495.001	62	RTA00001078F.b.07.1	M00007992A:G04
727	10/8/98	1495.001	63	RTA00001078F.b.01.1	M00007985C:G07
728	10/8/98	1495.001	64	RTA00001080F.n.14.1	M00022664A:E04
729	10/8/98	1495.001	65	RTA00001078F.o.21.2	M00021980A:F03
730	10/8/98	1495.001	66	RTA00001078F.c.06.1	M00008012B:C05
731	10/8/98	1495.001	67	RTA00001080F.o.15.1	M00022695D:B02
732	10/8/98	1495.001	68	RTA00001080F.o.16.1	M00022696A:H03
733	10/8/98	1495.001	69	RTA00001081F.a.07.2	M00022720A:C01
734	10/8/98	1495.001	70	RTA00001078F.f.22.1	M00008089C:B08
735	10/8/98	1495.001	71	RTA00001078F.g.02.1	M00008093C:G08
736	10/8/98	1495.001	72	RTA00001078F.j.13.2	M00021689A:G05
737	10/8/98	1495.001	73	RTA00001078F.l.02.2	M00021864C:C07
738	10/8/98	1495.001	74	RTA00001078F.i.14.2	M00021667C:G10
739	10/8/98	1495.001	75	RTA00001079F.d.04.1	M00022087A:D01
740	10/8/98	1495.001	76	RTA00001079F.l.09.1	M00022263A:C01
741	10/8/98	1495.001	77	RTA00001067F.o.19.1	M00022627B:D01
742	10/8/98	1495.001	78	RTA00001068F.b.01.1	M00022714B:D04
743	10/8/98	1495.001	79	RTA00001079F.f.07.1	M00022128A:C05
744	10/8/98	1495.001	80	RTA00001068F.a.03.1	M00022669D:G07
745	10/8/98	1495.001	81	RTA00001066F.f.03.1	M00008088D:B01
746	10/8/98	1495.001	82	RTA00001067F.o.18.1	M00022627A:A02
747	10/8/98	1495.001	83	RTA00001079F.k.12.1	M00022249C:G09
748	10/8/98	1495.001	84	RTA00001081F.g.07.1	M00022843A:D02
749	10/8/98	1495.001	85	RTA00001079F.j.01.1	M00022214A:H05
750	10/8/98	1495.001	86	RTA00001067F.p.10.1	M00022648D:G11
751	10/8/98	1495.001	87	RTA00001081F.f.16.1	M00022836C:A07
752	10/8/98	1495.001	88	RTA00001080F.i.05.1	M00022561D:E06
753	10/8/98	1495.001	89	RTA00001067F.l.02.1	M00022490B:G12
754	10/8/98	1495.001	90	RTA00001068F.a.23.1	M00022709A:G02
755	10/8/98	1495.001	91	RTA00001067F.d.18.1	M00022214C:E09
756	10/8/98	1495.001	92	RTA00001066F.o.05.1	M00022077D:A12
757	10/8/98	1495.001	93	RTA00001066F.m.08.1	M00022015D:C11
758	10/8/98	1495.001	94	RTA00001066F.b.12.1	M00007978B:C04
759	10/8/98	1495.001	95	RTA00001066F.c.08.1	M00008002B:F09
760	10/8/98	1495.001	96	RTA00001081F.p.05.1	M00023096C:A03
761	10/8/98	1495.001	97	RTA00001081F.c.01.1	M00022746D:D05
762	10/8/98	1495.001	98	RTA00001079F.m.23.1	M00022370A:G07
763	10/8/98	1495.001	99	RTA00001079F.m.09.1	M00022300A:A05
764	10/8/98	1495.001	100	RTA00001081F.c.21.1	M00022785C:B10
765	10/8/98	1495.001	101	RTA00001079F.o.04.1	M00022383C:F05
766	10/8/98	1495.001	102	RTA00001080F.b.10.1	M00022449D:B05
767	10/8/98	1495.001	103	RTA00001078F.c.09.1	M00008012D:H04

768	10/8/98	1495.001	104	RTA00001078F.d.19.1	M00008044C:A05
769	10/8/98	1495.001	105	RTA00001081F.a.11.2	M00022722D:C07
770	10/8/98	1495.001	106	RTA00001080F.n.15.1	M00022664C:G10
771	10/8/98	1495.001	107	RTA00001078F.a.09.1	M00007941D:D07
772	10/8/98	1495.001	108	RTA00001078F.g.20.1	M00021614A:C09
773	10/8/98	1495.001	109	RTA00001066F.h.23.1	M00021841A:E11
774	10/8/98	1495.001	110	RTA00001081F.l.11.2	M00022922D:G06
775	10/8/98	1495.001	111	RTA00001079F.d.18.1	M00022096B:D10
776	10/8/98	1495.001	112	RTA00001066F.f.21.1	M00008100D:C08
777	10/8/98	1495.001	113	RTA00001078F.j.06.1	M00021680D:H08
778	10/8/98	1495.001	114	RTA00001067F.d.08.1	M00022205A:C02
779	10/8/98	1495.001	115	RTA00001068F.b.05.1	M00022717C:F05
780	10/8/98	1495.001	116	RTA00001079F.c.05.1	M00022071D:C08
781	10/8/98	1495.001	117	RTA00001078F.k.10.2	M00021852C:D12
782	10/8/98	1495.001	118	RTA00001081F.i.18.2	M00022884D:A07
783	10/8/98	1495.001	119	RTA00001066F.b.21.1	M00007996C:B11
784	10/8/98	1495.001	120	RTA00001066F.i.08.1	M00021851D:H06
785	10/8/98	1495.001	121	RTA00001068F.e.08.1	M00022915C:C09
786	10/8/98	1495.001	122	RTA00001079F.j.15.1	M00022220B:B06
787	10/8/98	1495.001	123	RTA00001078F.j.18.2	M00021698A:H03
788	10/8/98	1495.001	124	RTA00001066F.b.09.1	M00007977B:C11
789	10/8/98	1495.001	125	RTA00001079F.i.20.1	M00022207C:C01
790	10/8/98	1495.001	126	RTA00001080F.e.15.1	M00022506D:B03
791	10/8/98	1495.001	127	RTA00001080F.l.03.1	M00022617B:A01
792	10/8/98	1495.001	128	RTA00001080F.e.10.1	M00022501D:A09
793	10/8/98	1495.001	129	RTA00001067F.c.22.1	M00022184D:F07
794	10/8/98	1495.001	130	RTA00001081F.p.11.1	M00023097A:C03
795	10/8/98	1495.001	131	RTA00001081F.p.08.1	M00023096D:B11
796	10/8/98	1495.001	132	RTA00001080F.c.19.1	M00022471D:A05
797	10/8/98	1495.001	133	RTA00001081F.b.06.1	M00022736B:B03
798	10/8/98	1495.001	134	RTA00001081F.m.22.1	M00022983A:H04
799	10/8/98	1495.001	135	RTA00001081F.d.11.1	M00022801A:G04
800	10/8/98	1495.001	136	RTA00001081F.n.13.1	M00023002D:C12
801	10/8/98	1495.001	137	RTA00001067F.d.17.1	M00022214C:C11
802	10/8/98	1495.001	138	RTA00001081F.c.13.1	M00022772A:A06
803	10/8/98	1495.001	139	RTA00001078F.b.19.1	M00008001D:F11
804	10/8/98	1495.001	140	RTA00001078F.a.04.1	M00007931A:B07
805	10/8/98	1495.001	141	RTA00001078F.b.16.1	M00008000D:G11
806	10/8/98	1495.001	142	RTA00001078F.b.04.1	M00007987A:D10
807	10/8/98	1495.001	143	RTA00001078F.d.18.1	M00008044B:F07
808	10/8/98	1495.001	144	RTA00001068F.e.05.1	M00022904D:D04
809	10/8/98	1495.001	145	RTA00001078F.i.18.1	M00021674A:B07
810	10/8/98	1495.001	146	RTA00001066F.e.01.1	M00008054C:C03

811	10/8/98	1495.001	147	RTA00001078F.n.14.2	M00021949D:A05
812	10/8/98	1495.001	148	RTA00001067F.i.17.1	M00022413B:D07
813	10/8/98	1495.001	149	RTA00001079F.l.19.1	M00022278C:E04
814	10/8/98	1495.001	150	RTA00001081F.l.12.2	M00022923A:A09
815	10/8/98	1495.001	151	RTA00001067F.j.03.1	M00022420B:C08
816	10/8/98	1495.001	152	RTA00001068F.d.19.1	M00022898C:H07
817	10/8/98	1495.001	153	RTA00001081F.g.23.1	M00022853D:C05
818	10/8/98	1495.001	154	RTA00001081F.h.16.1	M00022860A:A07
819	10/8/98	1495.001	155	RTA00001079F.i.05.1	M00022192B:H07
820	10/8/98	1495.001	156	RTA00001068F.f.12.1	M00023012A:C06
821	10/8/98	1495.001	157	RTA00001067F.e.09.1	M00022235D:F07
822	10/8/98	1495.001	158	RTA00001066F.m.10.1	M00022018B:E09
823	10/8/98	1495.001	159	RTA00001080F.j.19.1	M00022591C:F03
824	10/8/98	1495.001	160	RTA00001080F.f.07.1	M00022513C:G04
825	10/8/98	1495.001	161	RTA00001080F.e.09.1	M00022500B:D01
826	10/8/98	1495.001	162	RTA00001080F.e.19.1	M00022509D:A12
827	10/8/98	1495.001	163	RTA00001066F.a.13.1	M00007948B:B07
828	10/8/98	1495.001	164	RTA00001079F.p.14.1	M00022407D:G07
829	10/8/98	1495.001	165	RTA00001079F.p.03.1	M00022399C:B02
830	10/8/98	1495.001	166	RTA00001079F.n.22.1	M00022381B:C12
831	10/8/98	1495.001	167	RTA00001078F.a.06.1	M00007937C:E08
832	10/8/98	1495.001	168	RTA00001078F.a.19.1	M00007973D:B03
833	10/8/98	1495.001	169	RTA00001078F.b.15.1	M00008000D:B06
834	10/8/98	1495.001	170	RTA00001079F.c.15.1	M00022078B:B04
835	10/8/98	1495.001	171	RTA00001079F.d.06.1	M00022088B:E05
836	10/8/98	1495.001	172	RTA00001067F.a.05.1	M00022118A:D08
837	10/8/98	1495.001	173	RTA00001078F.i.15.2	M00021668D:G09
838	10/8/98	1495.001	174	RTA00001066F.a.11.1	M00007947B:F07
839	10/8/98	1495.001	175	RTA00001078F.k.02.2	M00021846B:F05
840	10/8/98	1495.001	176	RTA00001066F.h.04.1	M00021669B:G02
841	10/8/98	1495.001	177	RTA00001066F.c.21.1	M00008015B:D08
842	10/8/98	1495.001	178	RTA00001080F.h.06.1	M00022544C:D08
843	10/8/98	1495.001	179	RTA00001067F.c.16.1	M00022177D:G02
844	10/8/98	1495.001	180	RTA00001080F.f.21.1	M00022522B:A05
845	10/8/98	1495.001	181	RTA00001080F.a.10.1	M00022425A:F11
846	10/8/98	1495.001	182	RTA00001081F.o.10.1	M00023034B:B10
847	10/8/98	1495.001	183	RTA00001078F.b.17.1	M00008001A:G11
848	10/8/98	1495.001	184	RTA00001078F.g.04.1	M00008094D:C02
849	10/8/98	1495.001	185	RTA00001080F.p.05.1	M00022704A:H08
850	10/8/98	1495.001	186	RTA00001067F.f.04.1	M00022256D:G11
851	10/8/98	1495.001	187	RTA00001066F.c.11.1	M00008003B:F09
852	10/8/98	1495.001	188	RTA00001081F.b.19.1	M00022743C:G05
853	10/8/98	1495.001	189	RTA00001081F.p.14.1	M00023097C:D10

854	10/8/98	1495.001	190	RTA00001067F.k.16.1	M00022467C:H07
855	10/8/98	1495.001	191	RTA00001081F.b.11.1	M00022737D:B02
856	10/8/98	1495.001	192	RTA00001080F.k.12.1	M00022601A:A09
857	10/8/98	1495.001	193	RTA00001066F.a.08.1	M00007943C:B02
858	10/8/98	1495.001	194	RTA00001081F.b.10.1	M00022737B:F12
859	10/8/98	1495.001	195	RTA00001080F.d.15.1	M00022488C:H02
860	10/8/98	1495.001	196	RTA00001079F.p.04.1	M00022399D:A07
861	10/8/98	1495.001	197	RTA00001067F.e.23.1	M00022251A:F07
862	10/8/98	1495.001	198	RTA00001068F.a.08.1	M00022684C:C12
863	10/8/98	1495.001	199	RTA00001078F.h.16.1	M00021628C:B09
864	10/8/98	1495.001	200	RTA00001081F.g.18.1	M00022848D:H09
865	10/8/98	1495.001	201	RTA00001081F.m.15.1	M00022968D:G06
866	10/8/98	1495.001	202	RTA00001067F.k.09.1	M00022459C:G05
867	10/8/98	1495.001	203	RTA00001080F.g.04.1	M00022527B:H05
868	10/8/98	1495.001	204	RTA00001081F.j.19.2	M00022902C:F11
869	10/8/98	1495.001	205	RTA00001081F.o.03.1	M00023023B:A05
870	10/8/98	1495.001	206	RTA00001079F.b.23.1	M00022067A:B03
871	10/8/98	1495.001	207	RTA00001078F.n.16.2	M00021951B:A01
872	10/8/98	1495.001	208	RTA00001067F.b.01.1	M00022134D:D12
873	10/8/98	1495.001	209	RTA00001080F.a.17.1	M00022435C:C05
874	10/8/98	1495.001	210	RTA00001080F.c.17.1	M00022469A:A05
875	10/8/98	1495.001	211	RTA00001068F.f.10.1	M00023003C:C10
876	10/8/98	1495.001	212	RTA00001081F.h.18.1	M00022861C:B04
877	10/8/98	1495.001	213	RTA00001066F.p.19.1	M00022106D:B06
878	10/8/98	1495.001	214	RTA00001080F.c.09.1	M00022464D:F12
879	10/8/98	1495.001	215	RTA00001078F.c.12.1	M00008014C:H01
880	10/8/98	1495.001	216	RTA00001080F.l.10.1	M00022622A:E08
881	10/8/98	1495.001	217	RTA00001078F.g.11.1	M00008099A:C12
882	10/8/98	1495.001	218	RTA00001068F.f.09.1	M00023003A:H01
883	10/8/98	1495.001	219	RTA00001067F.f.10.1	M00022261C:D06
884	10/8/98	1495.001	220	RTA00001080F.o.05.1	M00022687C:C11
885	10/8/98	1495.001	221	RTA00001078F.h.04.1	M00021620D:B06
886	10/8/98	1495.001	222	RTA00001078F.p.03.2	M00021981D:A11
887	10/8/98	1495.001	223	RTA00001080F.e.20.1	M00022510A:B09
888	10/8/98	1495.001	224	RTA00001078F.k.19.2	M00021861C:B08
889	10/8/98	1495.001	225	RTA00001078F.d.20.1	M00008045A:B05
890	10/8/98	1495.001	226	RTA00001078F.b.22.1	M00008006A:H02
891	10/8/98	1495.001	227	RTA00001068F.a.13.1	M00022701C:A05
892	10/8/98	1495.001	228	RTA00001080F.m.16.1	M00022641D:F08
893	10/8/98	1495.001	229	RTA00001080F.o.22.1	M00022702A:D10
894	10/8/98	1495.001	230	RTA00001080F.k.16.1	M00022604A:F06
895	10/8/98	1495.001	231	RTA00001067F.d.04.1	M00022199A:F09
896	10/8/98	1495.001	232	RTA00001067F.k.10.1	M00022460C:E12

897	10/8/98	1495.001	233	RTA00001078F.n.04.2	M00021931B:F04
898	10/8/98	1495.001	234	RTA00001078F.n.07.2	M00021945A:B04
899	10/8/98	1495.001	235	RTA00001081F.a.16.1	M00022725D:G05
900	10/8/98	1495.001	236	RTA00001078F.l.13.2	M00021879B:C11
901	10/8/98	1495.001	237	RTA00001078F.f.13.1	M00008082B:C05
902	10/8/98	1495.001	238	RTA00001079F.d.05.1	M00022087D:F12
903	10/8/98	1495.001	239	RTA00001067F.i.13.1	M00022406C:G03
904	10/8/98	1495.001	240	RTA00001068F.d.23.1	M00022902B:F10
905	10/8/98	1495.001	241	RTA00001078F.c.13.1	M00008014D:A11
906	10/8/98	1495.001	242	RTA00001078F.a.18.1	M00007969B:E10
907	10/8/98	1495.001	243	RTA00001068F.b.23.1	M00022765B:E03
908	10/8/98	1495.001	244	RTA00001078F.f.21.1	M00008085B:G01
909	10/8/98	1495.001	245	RTA00001067F.b.15.1	M00022144D:D09
910	10/8/98	1495.001	246	RTA00001078F.o.04.2	M00021963C:H04
911	10/8/98	1495.001	247	RTA00001081F.e.14.1	M00022817D:B09
912	10/8/98	1495.001	248	RTA00001078F.k.04.2	M00021847B:A09
913	10/8/98	1495.001	249	RTA00001079F.g.15.2	M00022158C:C08
914	10/8/98	1495.001	250	RTA00001067F.k.23.1	M00022477C:C07
915	10/8/98	1495.001	251	RTA00001079F.h.08.2	M00022176A:F02
916	10/8/98	1495.001	252	RTA00001078F.d.17.1	M00008028D:B01
917	10/8/98	1495.001	253	RTA00001067F.d.07.1	M00022203B:A05
918	10/8/98	1495.001	254	RTA00001068F.e.04.1	M00022903D:H02
919	10/8/98	1495.001	255	RTA00001068F.a.06.1	M00022682A:F10
920	10/8/98	1495.001	256	RTA00001078F.e.10.1	M00008054C:E07
921	10/8/98	1495.001	257	RTA00001079F.b.11.1	M00022056B:G12
922	10/8/98	1495.001	258	RTA00001066F.h.11.1	M00021676B:B12
923	10/8/98	1495.001	259	RTA00001079F.d.01.1	M00022084B:C03
924	10/8/98	1495.001	260	RTA00001067F.g.14.1	M00022363C:D03
925	10/8/98	1495.001	261	RTA00001066F.g.06.1	M00021625B:G07
926	10/8/98	1495.001	262	RTA00001081F.j.09.2	M00022893D:C06
927	10/8/98	1495.001	263	RTA00001068F.e.19.1	M00022963A:E07
928	10/8/98	1495.001	264	RTA00001079F.l.21.1	M00022282A:A11
929	10/8/98	1495.001	265	RTA00001078F.h.09.1	M00021624B:E11
930	10/8/98	1495.001	266	RTA00001078F.d.16.1	M00008027D:H09
931	10/8/98	1495.001	267	RTA00001079F.g.22.2	M00022167B:H02
932	10/8/98	1495.001	268	RTA00001066F.e.15.1	M00008075D:B01
933	10/8/98	1495.001	269	RTA00001080F.g.16.1	M00022538D:B02
934	10/8/98	1495.001	270	RTA00001080F.b.07.1	M00022447A:H06
935	10/8/98	1495.001	271	RTA00001078F.n.21.2	M00021958A:A03
936	10/8/98	1495.001	272	RTA00001078F.b.12.1	M00007998C:B04
937	10/8/98	1495.001	273	RTA00001066F.p.01.2	M00022099C:A10
938	10/8/98	1495.001	274	RTA00001066F.o.22.1	M00022095C:F03
939	10/8/98	1495.001	275	RTA00001080F.i.19.1	M00022568B:D03

940	10/8/98	1495.001	276	RTA00001079F.g.01.1	M00022138C:B07
941	10/8/98	1495.001	277	RTA00001079F.e.02.1	M00022102D:A10
942	10/8/98	1495.001	278	RTA00001079F.k.01.1	M00022233C:D11
943	10/8/98	1495.001	279	RTA00001079F.o.11.1	M00022386D:C04
944	10/8/98	1495.001	280	RTA00001068F.d.02.1	M00022834A:H02
945	10/8/98	1495.001	281	RTA00001078F.a.07.1	M00007939A:F06
946	10/8/98	1495.001	282	RTA00001081F.b.20.1	M00022743C:G06
947	10/8/98	1495.001	283	RTA00001067F.f.20.1	M00022273A:B03
948	10/8/98	1495.001	284	RTA00001079F.c.06.1	M00022072D:E12
949	10/8/98	1495.001	285	RTA00001068F.b.24.1	M00022768A:A10
950	10/8/98	1495.001	286	RTA00001080F.o.08.1	M00022691A:G01
951	10/8/98	1495.001	287	RTA00001078F.j.10.2	M00021687C:A04
952	10/8/98	1495.001	288	RTA00001080F.b.03.1	M00022444B:C04
953	10/8/98	1495.001	289	RTA00001067F.e.13.1	M00022240C:B03
954	10/8/98	1495.001	290	RTA00001081F.h.05.1	M00022856A:B09
955	10/8/98	1495.001	291	RTA00001067F.f.01.1	M00022252C:A04
956	10/8/98	1495.001	292	RTA00001080F.g.23.1	M00022542A:B06
957	10/8/98	1495.001	293	RTA00001080F.h.16.1	M00022548A:F02
958	10/8/98	1495.001	294	RTA00001080F.f.15.1	M00022517C:B01
959	10/8/98	1495.001	295	RTA00001080F.f.06.1	M00022513C:E10
960	10/8/98	1495.001	296	RTA00001081F.a.04.2	M00022716A:C01
961	10/8/98	1495.001	297	RTA00001078F.p.16.2	M00022001B:H10
962	10/8/98	1495.001	298	RTA00001081F.b.03.1	M00022734C:A03
963	10/8/98	1495.001	299	RTA00001080F.a.21.1	M00022441B:A06
964	10/8/98	1495.001	300	RTA00001079F.f.05.1	M00022127C:E01
965	10/8/98	1495.001	301	RTA00001080F.n.23.1	M00022681D:H10
966	10/8/98	1495.001	302	RTA00001078F.c.18.1	M00008016C:E06
967	10/8/98	1495.001	303	RTA00001068F.a.11.1	M00022697A:C08
968	10/8/98	1495.001	304	RTA00001068F.g.09.1	M00023095C:A09
969	10/8/98	1495.001	305	RTA00001068F.a.22.1	M00022709A:C01
970	10/8/98	1495.001	306	RTA00001079F.h.09.2	M00022176D:F05
971	10/8/98	1495.001	307	RTA00001079F.h.01.2	M00022169A:E11
972	10/8/98	1495.001	308	RTA00001078F.g.07.1	M00008097C:E04
973	10/8/98	1495.001	309	RTA00001078F.m.08.2	M00021908B:F03
974	10/8/98	1495.001	310	RTA00001080F.a.03.1	M00022417B:C01
975	10/8/98	1495.001	311	RTA00001079F.o.06.1	M00022384B:E06
976	10/8/98	1495.001	312	RTA00001079F.p.06.1	M00022401C:G07
977	10/8/98	1495.001	313	RTA00001078F.p.18.2	M00022001D:E06
978	10/8/98	1495.001	314	RTA00001068F.a.17.1	M00022705B:F08
979	10/8/98	1495.001	315	RTA00001078F.a.10.1	M00007948C:G01
980	10/8/98	1495.001	316	RTA00001079F.h.20.2	M00022184D:H07
981	10/8/98	1495.001	317	RTA00001081F.n.03.1	M00022986B:C02
982	10/8/98	1495.001	318	RTA00001080F.c.04.1	M00022460D:C07

Table 1B

SEQ ID NO:	Sample Name	Clone ID
983	270.F5.sp6:145120	M00001401B:A02
984	344.C4.sp6:146251	M00023363C:A04
985	628.D9.sp6:157832	M00008028D:B01
986	628.F7.sp6:157854	M00008023C:A06
987	636.G12.sp6:158255	M00022077D:A12
988	653.F3.sp6:159004	M00023284B:G06
989	654.H6.sp6:159223	M00023369D:C05
990	655.B2.sp6:156468	M00023413D:F04
991	656.B11.sp6:159348	M00026905A:G11
992	661.C10.sp6:159743	M00027169D:H06
993	953.B04.sp6:185140	M00005434D:H02
994	270.F5.sp6:145120	M00001401B:A02
995	344.C4.sp6:146251	M00023363C:A04
996	655.B2.sp6:156468	M00023413D:F04

Table 1C

SEQ ID NO:	Sequence Name	THC Accession No.
997	RTA00001071F.i.23.3	AA173046
998	RTA00001079F.m.19.1	THC220786
999	RTA00001067F.i.05.1	THC233199
1000	RTA00001082F.o.01.1	THC178783
1001	RTA00001067F.n.01.1	AA173079
1002	RTA00001076F.b.13.1	AA554659
1003	RTA00001064F.p.03.1	AA432284
1004	RTA00001072F.g.05.2	H20612
1005	RTA00001064F.c.01.1	EST55879
1006	RTA00001083F.b.09.1	W30744
1007	RTA00001083F.c.03.1	THC205070
1008	RTA00001066F.h.16.1	EST14169
1009	RTA00001076F.n.10.1	THC144372
1010	RTA00001061F.e.17.1	N48670
1011	RTA00001071F.m.09.3	R56510
1012	RTA00001080F.g.02.1	THC77700
1013	RTA00001073F.i.02.2	Z46186
1014	RTA00001076F.j.14.1	THC144372
1015	RTA00001068F.d.04.1	AA011604
1016	RTA00001069F.o.11.1	AA576259
1017	RTA00001073F.k.01.1	R52934
1018	RTA00001080F.f.18.1	THC126698
1019	RTA00001075F.e.18.1	THC209874
1020	RTA00001076F.d.13.1	AA158197

1021	RTA00001065F.f.06.1	THC219476
1022	RTA00001068F.b.01.1	THC151511
1023	RTA00001068F.a.03.1	THC220020
1024	RTA00001072F.b.09.2	AA554360
1025	RTA00001076F.i.09.1	EST20991
1026	RTA00001073F.l.04.1	AA527712
1027	RTA00001067F.d.18.1	THC198501
1028	RTA00001082F.b.03.1	THC218291
1029	RTA00001082F.l.20.1	THC204015
1030	RTA00001081F.c.21.1	THC203534
1031	RTA00001069F.b.08.1	THC234347
1032	RTA00001074F.f.09.1	N53623
1033	RTA00001066F.h.23.1	THC129284
1034	RTA00001064F.h.07.1	THC161794
1035	RTA00001066F.f.21.1	T92493
1036	RTA00001069F.m.13.1	AA148143
1037	RTA00001064F.d.14.1	THC138642
1038	RTA00001068F.e.08.1	AA633643
1039	RTA00001065F.d.19.1	THC227618
1040	RTA00001069F.e.06.1	T19066
1041	RTA00001069F.e.05.1	T19066
1042	RTA00001082F.j.15.1	THC226714
1043	RTA00001067F.i.17.1	EST83778
1044	RTA00001081F.l.12.2	AA121009
1045	RTA00001080F.e.19.1	T99190
1046	RTA00001065F.d.18.2	H59526
1047	RTA00001078F.a.06.1	AA453802
1048	RTA00001065F.a.21.1	THC86626
1049	RTA00001075F.a.02.1	AA632565
1050	RTA00001066F.c.21.1	AA465322
1051	RTA00001080F.h.06.1	THC232157
1052	RTA00001067F.b.01.1	EST79811
1053	RTA00001071F.l.19.1	THC208816
1054	RTA00001062F.f.01.1	THC105335
1055	RTA00001063F.g.18.1	THC205088
1056	RTA00001062F.j.18.1	THC220715
1057	RTA00001078F.b.22.1	THC232576
1058	RTA00001064F.a.09.2	THC171312
1059	RTA00001064F.k.20.2	THC200994
1060	RTA00001080F.m.16.1	EST62430
1061	RTA00001078F.n.04.2	THC231131
1062	RTA00001071F.p.07.1	AA524115
1063	RTA00001074F.k.15.1	AA053768

1064	RTA00001073F.g.22.1	THC146930
1065	RTA00001067F.k.23.1	THC211481
1066	RTA00001068F.a.06.1	THC232664
1067	RTA00001067F.g.14.1	THC110314
1068	RTA00001072F.i.19.3	EST84170
1069	RTA00001079F.g.22.2	THC146930
1070	RTA00001061F.j.03.1	THC195525
1071	RTA00001072F.c.16.2	AA159011
1072	RTA00001061F.c.12.1	THC196151
1073	RTA00001072F.j.23.2	N99474
1074	RTA00001080F.f.06.1	R06925
1075	RTA00001080F.a.21.1	THC173393
1076	RTA00001068F.a.11.1	THC202663
1077	RTA00001078F.g.07.1	EST89489
1078	RTA00001078F.m.08.2	THC233725
1079	RTA00001068F.a.17.1	N86176

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
1	NM_005757.1	Homo sapiens C3H-type zinc finger protein; similar to D. melanogaster muscleblind B protein (MBLL) mRNA >gi 3779239 gb AF061261 AF061261 Homo sapiens zinc finger protein (MBLL) mRNA, complete cds	7.00E-99
5	M86697	Peptostreptococcus magnus protein L gene. complete cds.	1.90E+00
6	AF080255.1	Homo sapiens lodestar protein mRNA, complete cds	1.00E-37
7	Z95310	Caenorhabditis elegans cosmid H40L08, complete sequence [Caenorhabditis elegans]	2.00E+00
9	AF124981.1	Bombyx mori nuclear receptor GRF (GRF) mRNA, complete cds	1.90E+00
10	U43663	Xenopus laevis transposon TXr.11 transposase pseudogene, complete cds	4.20E+00
11	AE001495	Helicobacter pylori, strain J99 section 56 of 132 of the complete genome	2.00E+00
12	AB031040.1	Mus musculus mLhx6.1a mRNA for LIM-homeodomain (LHX) protein 6.1a, complete cds	1.00E-79
13	AF132973.1	Homo sapiens CGI-39 protein mRNA, complete cds	2.00E-30
14	L81907	Homo sapiens (subclone 1_c12 from P1 H69) DNA sequence	2.00E+00
15	AE001543	Helicobacter pylori, strain J99 section 104 of 132 of the complete genome	8.00E-03
16	L42167	Mus musculus (clone R24) rds gene, partial cds	4.70E-01
17	U58870	Bos taurus carbonic anhydrase IV mRNA, complete cds	6.80E-01
18	AB025187.1	Oryza sativa mRNA for cytochrome c oxidase subunit 6b-1, complete cds	2.30E-01
19	AE000723	Aquifex aeolicus section 55 of 109 of the complete genome	6.80E-01
20	U72058	Mus musculus chloride channel regulator (IcIn) gene, exon 2 and partial cds	6.80E-01
21	U24698	Aspergillus parasiticus norsolorinic acid reductase (nor) gene, complete cds	6.50E-01
22	AB014528	Homo sapiens mRNA for KIAA0628 protein, complete cds	0.00E+00
23	X90691	M.morganii DNA for orf3, orf4, orf5, orf6, orf7, orf8, orf9, and rumA & rumB genes	2.00E+00
25	U24098	Macaca fascicularis eosinophil cationic protein gene, complete cds	6.60E-01
27	U19355	Rattus norvegicus satellite sequence d0Mco3.	6.60E-01
28	U39655	Caenorhabditis elegans cosmid C46F4	1.90E+00
29	M34463	Rat S-adenosylmethionine decarboxylase (AMDP1) pseudogene, complete cds.	1.90E+00

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
30	AB028898.1	Mus musculus mRNA for U8, complete cds	7.00E-43
31	M19547	D.melanogaster (strain Af-S) alcohol dehydrogenase gene (allele Adh-S), complete cds.	2.00E+00
32	AB029001.1	Homo sapiens mRNA for KIAA1078 protein, partial cds	e-158
33	AF063668.1	Mus musculus type XIII collagen (col13a1) gene, exon 3	2.10E+00
34	X07356	Chicken nicotinic acetylcholine receptor non-alpha gene exon 5	6.60E-01
35	U69609	Human transcriptional repressor (GCF2) mRNA, complete cds	1.80E+00
36	AF041861	Mus musculus synaptojanin 2 isoform zeta mRNA, partial cds	1.90E+00
37	AB028975.1	Homo sapiens mRNA for KIAA1052 protein, complete cds	1.90E+00
38	AF046000	Mus musculus rod cGMP phosphodiesterase delta subunit (Pde6d) gene, complete cds	5.50E-01
39	L09705	Human DNA sequence.	6.10E-01
41	AF052692	Homo sapiens connexin 31 (GJB3) mRNA, complete cds	e-132
42	Z80214	Caenorhabditis elegans cosmid C27D8, complete sequence [Caenorhabditis elegans]	4.70E-01
43	M95520	Streptococcus canis (group G) albumin-binding protein gene, partial cds.	2.30E-01
44	AE001392	Plasmodium falciparum chromosome 2, section 29 of 73 of the complete sequence	7.70E-02
45	AF112187	Mus musculus epithelial sodium channel gamma subunit mRNA, complete cds	2.10E+00
46	M31616	O.sativa ADPglucose pyrophosphorylase gene, complete cds.	2.30E-01
47	U20734	Human transcription factor junB (junB) gene, 5' region and complete cds.	2.30E-01
48	U35782	Anopheles bwambae 12S ribosomal RNA, D-loop, and tRNA-Ile mitochondrial genes, partial sequence.	2.30E-01
49	AF138280.1	Gallus gallus chondromodulin-I mRNA, complete cds	3.00E-03
50	AE001392	Plasmodium falciparum chromosome 2, section 29 of 73 of the complete sequence	7.60E-02
52	D45385	Pokeweed mRNA for polyphenol oxidase, complete cds	2.20E-01
53	J04804	C.elegans vinculin (deb-1) gene, complete cds.	2.20E-01
54	M34431	Human PVT-IGLC fusion protein mRNA, 5' end.	6.70E-01
55	L05634	Bacillus subtilis ORF1, 3' end; wall-associated protein (wlaA) gene, complete cds; complete ORF3.	6.50E-01

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
56	X82430	E.coli transposable element IS1294	2.20E-01
57	AJ224356	Solanum lycopersicon tDET1 gene	6.70E-01
58	U07792	Human tyrosine kinase (TXK) gene, exon 8, partial cds. >gi 1161352 gb U34371 HSTECTXT05 Human tyrosine kinase TXK (txk) gene, exon 5.	6.60E-01
59	D87559	Bos taurus mRNA for platelet-activating factor acetylhydrolase 2, complete cds	2.20E-01
60	U45427	Borrelia burgdorferi 2.9-7 locus, ORF-A-D, REV, and lipoprotein (LPA and LPB) genes, complete cds	6.60E-01
61	AB018343.1	Homo sapiens mRNA for KIAA0800 protein, complete cds	e-177
62	X92186	M.musculus 11beta-hydroxysteroid dehydrogenase type 1 gene	0.66
63	U51899	Human kappa-casein gene, complete cds	0.65
64	S62069	cathepsin B {5' region} [human, Genomic, 886 nt, segment 1 of 2]	0.22
65	M26198	Bovine ASS mRNA encoding argininosuccinate synthetase, complete cds.	0.22
66	AE001628	Chlamydia pneumoniae section 44 of 103 of the complete genome	2.20E-01
67	AF097906	Rana catesbeiana myosin heavy chain (MHC-3) mRNA, partial cds	6.40E-01
68	AE001023	Archaeoglobus fulgidus section 84 of 172 of the complete genome	2.30E-01
69	U11682	Trypanoplasma borelli mitochondrion cytochrome oxidase subunit 1 (cox1), cytochrome oxidase subunit 2 and complete 9S rRNA gene and partial 12S rRNA gene.	6.40E-01
70	J03267	Rat atrial natriuretic factor (ANF) gene, 5' end.	6.40E-01
71	AL034546.5	Human DNA sequence from clone 898I4 on chromosome 22q13.33. Contains a GSS and a putative CpG island, complete sequence [Homo sapiens]	6.20E-01
72	U78730	Homo sapiens mad protein homolog Smad2 gene, exon 7	1.90E-01
73	D87686.1	Homo sapiens mRNA for KIAA0017 protein, complete cds	e-175
74	AF085361.1	Homo sapiens HSPC032 mRNA, complete cds	2.00E-55
75	AF168786.1	Sorghum bicolor soluble starch synthase mRNA, partial cds	2.50E-02
76	Z99102	Caenorhabditis elegans cosmid B0331, complete sequence [Caenorhabditis elegans]	7.40E-02
77	AE001247	Treponema pallidum section 63 of 87 of the complete genome	2.30E-01

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
78	U20734	Human transcription factor junB (junB) gene, 5' region and complete cds.	5.00E-08
79	X92112	G.gallus mRNA for guanylate-binding protein	7.50E-02
80	AF043692	Caenorhabditis elegans cosmid C17F3	2.00E+00
81	D88260	Pisum sativum PsCHS4 gene for chalcone synthase, complete cds	6.70E-01
82	D87433	Human mRNA for KIAA0246 gene, partial cds	2.30E-01
83	X70301	S.lemnae internal telomeric sequence maa81	2.30E-01
84	AB018249	Homo sapiens gene for CC chemokine LEC, complete cds	7.50E-02
85	D32072	Mouse mRNA for an isoform of TGF-b type II receptor	7.40E-02
86	AB018317.1	Homo sapiens mRNA for KIAA0774 protein, partial cds	1.90E+00
87	Z46372	R.norvegicus RNA for DNA topoisomerase II	7.20E-02
88	NM_003958.1	Homo sapiens C3HC4-type zinc finger protein sapiens mRNA for KIAA0646 protein, complete cds	6.50E-01
89	AF005655	Eschscholzia californica berberine bridge enzyme (bbe1) gene, complete cds	7.70E-02
90	AF042192	Xenopus laevis paraxial protocadherin mRNA, complete cds	6.20E-01
91	Y12002	N.crassa DNA for protein kinase C homologue	2.20E-01
92	AF077697	HIV-1 isolate DW.s.0 from Switzerland pol protein (pol) gene, partial cds	2.00E-01
93	L31848	Homo sapiens serine/threonine kinase receptor 2	6.00E-11
94	AF047707	Rattus norvegicus UDP-glucose:ceramide glycosyltransferase mRNA, complete cds	6.00E-01
95	X92112	G.gallus mRNA for guanylate-binding protein	7.10E-02
96	X82333	H.sapiens IRLB gene (exon1-3)	5.30E-02
97	AJ228139.2	Homo sapiens mRNA for LETKI precursor	2.00E-97
98	M13075	Human albumin gene, exon 1 and 5' flank.	1.40E+00
99	AF025430	Papaver somniferum berberine bridge enzyme	2.90E-01
100	X92346	M.musculus mRNA for CART1 protein	1.70E-02
102	AE001367	Plasmodium falciparum chromosome 2, section 4 of 73 of the complete sequence	2.50E-02
103	AB014524	Homo sapiens mRNA for KIAA0624 protein, partial cds	0.00E+00
104	AB007546	Homo sapiens gene for LECT2, complete cds	2.20E-01
105	AF060492	Buchnera aphidicola succinyl-diaminopimelate aminotransferase (dapD) gene, partial cds; periplasmic serine protease (htrA), hypothetical protein, acetohydroxy acid synthase large subunit (ilvI), acetohydroxy acid synthas...	7.50E-02
106	D16360	Human DNA for plasma glutathione peroxidase, exon 1	2.50E-02

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
107	AB002287	Wolbachia sp. DNA for GroES protein homolog, GroEL protein homolog, partial cds	6.60E-01
108	X16349	Human gene for sex hormone-binding globulin (SHBG)	2.40E-02
109	Z97349	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-06, complete sequence	6.50E-01
110	L06898	Actinomyces viscosus sialidase (nanH) gene, complete cds.	2.20E-01
111	J03818	Rhesus monkey psi-eta-globin gene intergenic region, with Alu repeats.	2.10E-01
112	U66708	Vibrio parahaemolyticus ClpX-like protein (clpX) gene, partial cds, and lon protease (lonS) gene, complete cds	1.90E+00
113	AF078164.2	Homo sapiens Ku70-binding protein (KUB3) mRNA, partial cds	e-174
114	AJ010642	Drosophila melanogaster mRNA for Dof protein, transcript I, partial	1.90E+00
115	AF039096	Diadassia martialis cytochrome oxidase I (COI) gene, mitochondrial gene encoding mitochondrial protein, partial cds	8.10E-01
116	L44593	Bacteriophage BK5-T ORF'410, 3' end pf cds, 20 ORFs, repressor protein, and Cro repressor protein genes, complete cds, ORF70' gene, 5' end of cds.	2.30E-01
117	U71249	Drosophila virilis cecropin 1 (Cec1), cecropin 2 complete cds and cecropin, pseudogene, exon 1	0.22
118	AL049223.1	Homo sapiens mRNA; cDNA DKFZp564L1916 (from clone DKFZp564L1916)	e-161
119	D13158.2	Bacillus sp. gene for thermostable alkaline protease, complete cds	0.69
120	M36287	S.cerevisiae alpha-aminoadipate reductase (LYS2) gene, complete cds.	6.70E-01
121	AF083457.1	Equus caballus microsatellite COR014 sequence	8.00E-03
122	X66015	T.aestivum mRNA 3 for cathepsin B (2557)	8.00E-03
123	U42767	Drosophila melanogaster leucine-rich repeat/Ig transmembrane protein KEK1 precursor (kek1) mRNA, complete cds	1.90E+00
124	X06670	Yeast NUC1 gene for mitochondrial nuclease	7.10E-02
125	Z49613	S.cerevisiae chromosome X reading frame ORF YJR113c	6.50E-01
126	U00038	Caenorhabditis elegans cosmid T21D11	2.20E-01
127	M60177	Escherichia coli enterobactin (entF) gene, complete cds.	6.50E-01
128	Z84506	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA28B10	2.10E-01
129	J00334	Monkey (rhesus) delta-globin pseudogene; 5' flank and exons 1 & 2.	2.10E-01

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
130	NM_002844.1	Homo sapiens protein tyrosine phosphatase, receptor type, K (PTPRK) mRNA phosphatase mRNA, complete cds	7.00E-03
131	U86751	Human nucleolar fibrillar center protein (ASE-1) mRNA, complete cds	8.00E-03
132	D63735	Distolasterias nipon DNA for 16S rRNA, partial sequence	3.00E-03
133	D13469	M.hypopneumoniae genome, repeated DNA sequence	7.60E-02
134	Z15030	H.sapiens gene for ventricular myosin light chain 2 >gi 340286 gb L01652 HUMVMLC Human ventricular myosin light chain 2 gene, seven exons.	7.60E-02
135	AL035426.2	Human DNA sequence from clone 370N13 on chromosome Xq25-26.3. Contains an exon of the GRIA3 gene for glutamate receptor, ionotropic, AMPA 3. Contains ESTs, complete sequence [Homo sapiens]	2.20E-01
136	U61420	Human myosin VIIa (MYO7A) gene, exons 5, 6, 7, 8, 9, 10, 11, 12, 13 and 14	3.00E-03
137	AF155117.1	Homo sapiens NY-REN-62 antigen mRNA, partial cds	e-142
138	AE001129	Borrelia burgdorferi (section 15 of 70) of the complete genome	8.80E-02
139	AB014528	Homo sapiens mRNA for KIAA0628 protein, complete cds	2.00E-39
140	X85980	H.sapiens serine hydroxymethyltransferase pseudogene	2.40E-02
141	D16474	Human mRNA, Xq terminal portion	9.00E-04
142	NM_005180.1	Homo sapiens murine leukemia viral (bmi-1) oncogene homolog (BMI1) mRNA	8.00E-04
143	U78193	Borrelia burgdorferi tuf-s10 operon: elongation factor (tuf), ribosomal proteins S10 (rpsJ), L3 (rplC), L4 (rplD), L23 (rplW), L2 (rplB), S19 (rpsS), and L22 cds	1.00E-03
144	AF052168	Homo sapiens clone 24762 mRNA sequence	6.60E-01
145	NM_001863.1	Homo sapiens cytochrome c oxidase subunit VIb mRNA, complete sequence	9.00E-05
146	AB010273.1	Homo sapiens pshsp47 gene, complete cds	1.9
147	AL109729.1	Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 123453	1E-81
148	U71187.1	Human cholesteryl ester transfer protein (CETP) gene, partial cds and promoter region	0.023
149	X90761	Homo sapiens hHa2 gene	0.0003
150	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.028
151	AL049300.1	Homo sapiens mRNA; cDNA DKFZp564P063 (from clone DKFZp564P063)	0.00001

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
152	AP000273.1	Homo sapiens genomic DNA, chromosome 21q22.1, D21S226-AML region, clone:f80G10, complete sequence	0.003
153	NM_001277.1	Homo sapiens choline kinase (CHK) mRNA kinase	0.00003
154	AC001036	Homo sapiens (subclone 2_f7 from P1 H48) DNA sequence	0.002
155	U45432	Human ETV6 gene, promoter region and partial cds	0.008
156	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.25
157	X60175	D.silvestris clone U28T2 non-LTR retrotransposon DNA (3778 bp)	0.66
158	X93334	H.sapiens mitochondrial DNA, complete genome	0.00001
159	J04838	Human apolipoprotein B (APOB) gene, exons 21, 22 and 23.	0.000001
160	M94631	Hylobates lar (clone LambdaGialphaG1) 3'alpha1Alu1 D, 3'alpha1Alu1 E and 3'alpha1Alu1 F Alu repeat regions.	0.000003
161	Z81524	Caenorhabditis elegans cosmid F32H5, complete sequence [Caenorhabditis elegans]	0.71
162	U42364	Sus scrofa centromere-specific repeat, T32M clone, Mc2 satellite DNA amplified from S0048 primer set.	0.23
163	AJ238233.1	Homo sapiens RPC62 gene for RNA polymerase III subunit, exon 13	1E-35
165	AF030697	Homo sapiens semaphorin L (SEMA1) gene, partial cds	0.00000002
166	Y08639	H.sapiens mRNA for nuclear orphan receptor ROR-beta	0.092
167	X71934	H.sapiens XB gene for tenascin-X, repeat XIII	0.0001
168	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.03
169	M65243	Synthetic mRNA leader sequence UTK.	0.083
170	NM_000999.1	Homo sapiens ribosomal protein L38 (RPL38) mRNA >gi 407422 emb Z26876 HSRPL38 H.sapiens gene for ribosomal protein L38	2E-09
171	X73501	H.sapiens gene for cytokeratin 20	3E-13
172	M17374	X.laevis beta-globin mRNA, 5' UTR.	9.00E-03
173	Z24233	H. sapiens (D12S352) DNA segment containing	2E-11
174	NM_003033.1	Homo sapiens sialyltransferase 4A mRNA >gi 410225 gb L13972 HUMSIAT Homo sapiens beta-galactoside alpha-2.3-sialyltransferase (SIAT4A) mRNA, complete cds	7.00E-13
175	AF039652	Homo sapiens ribonuclease H type II mRNA, complete cds	9E-88
176	Z23435	H. sapiens (D1S414) DNA segment containing (CA) repeat; clone AFM179xg5: single read	0.001
177	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.009
178	AF128535.1	Mus musculus cytoplasmic phosphoprotein PACSIN2 mRNA, complete cds	2E-20
179	U19358	Saccharomyces cerevisiae dnaJ homolog Hlj1p	3.00E-14

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
180	AB011139	Homo sapiens mRNA for KIAA0567 protein, partial cds	4.00E-16
181	AF154851.1	Salvelinus alpinus mitochondrion complete genome	2.20E-01
182	AB028980.1	Homo sapiens mRNA for KIAA1057 protein, partial cds	4.00E-38
183	U39178	Human phosphodiesterase (PDEA) gene, intron 16, 3' end	1E-16
184	U02455	Cloning vector rpDR2, complete sequence.	6.00E-19
185	NM_006048.1	Homo sapiens clone 686 protein (KIAA0684) mRNA >gi 4104975 gb AF043117 AF043117 Homo sapiens ubiquitin-fusion degradation protein 2 (UFD2) mRNA, complete cds	2.00E-64
186	AF002644	Limulus polyphemus cytochrome oxidase II complete sequence, ATP synthase 8 (ATPase 8) gene, complete cds, and ATP synthase 6 (ATPase 6) gene, partial cds, mitochond...	2.40E-02
187	Z58806	H.sapiens CpG island DNA genomic MseI fragment, clone 50f4, forward read cpg50f4.ft1a	6.00E-20
188	U58736	Caenorhabditis elegans cosmid EGAP7.	8.00E-03
189	V01270	R.norvegicus genes for 18S, 5.8S, and 28S ribosomal RNAs	6.00E-21
190	L42098	Homo sapiens (subclone 5_c7 from P1 H22) DNA sequence.	9.00E-14
191	Z63236	H.sapiens CpG island DNA genomic MseI fragment, clone 7f5, forward read cpg7f5.ft1d	2.00E-21
192	AF145957.2	Mus musculus groucho-related gene product	1.00E-57
193	NM_003193.1	Homo sapiens tubulin-specific chaperone e tubulin-folding cofactor E mRNA, complete cds	2.00E-23
194	U65980	Borrelia hermsii 38 kDa lipoprotein Gpd gene, complete cds	2.00E+00
195	U49974	Human mariner2 transposable element, complete consensus sequence	4.00E-28
196	Z47053	Human microsatellite DNA sequence	5E-29
197	X80424	M.musculus tex23 mRNA (5'region)	1.00E-27
198	U75467	Drosophila melanogaster Rga and Atu genes, complete cds	4.00E-28
199	U43077	Human CDC37 homolog mRNA, complete cds	1.00E-28
200	NM_000436.1	Homo sapiens 3-oxoacid CoA transferase mRNA >gi 1519051 gb U62961 HSU62961 Human succinyl CoA:3-oxoacid CoA transferase precursor (OXCT) mRNA, complete cds	2.00E-29
201	NM_003979.1	Homo sapiens retinoic acid induced 3 (RAI3) mRNA >gi 4063889 gb AF095448 AF095448 Homo sapiens putative G protein-coupled receptor (RAIG1) mRNA, complete cds	e-158
202	Z22466	H.sapiens DNA sequence	5E-30

Tabl 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
203	X15880	Human mRNA for collagen VI alpha-1 C-terminal globular domain	7.00E-33
204	U47322	Cloning vector DNA, complete sequence.	8E-34
205	Z55306	H.sapiens CpG island DNA genomic MseI fragment, clone 32a6, forward read cpg32a6.ft1a	2E-20
206	AC005190	Homo sapiens PAC clone DJ1152D16 from Xq23, complete sequence [Homo sapiens]	1.00E-26
207	Z56833	H.sapiens CpG island DNA genomic MseI fragment, clone 14e3, reverse read cpg14e3.rt1b	7.00E-11
208	D38101	Rat rCACN4A mRNA for L-type voltage-dependent calcium channel alpha 1 subunit, complete cds	2.40E-02
209	Z56833	H.sapiens CpG island DNA genomic MseI fragment, clone 14e3, reverse read cpg14e3.rt1b	6.00E-11
212	NM_002004.1	Homo sapiens farnesyl diphosphate synthase (dimethylallyltranstransferase, geranyltranstransferase) for KIAA0003 gene, complete cds	2.00E-43
213	AB023234.1	Homo sapiens mRNA for KIAA1017 protein, complete cds	e-172
214	NM_003492.1	Homo sapiens ITBA1 gene (ITBA1) mRNA protein	1.00E-49
215	X52994	Sheep mRNA for CD3 gamma subunit (partial)	5.00E-08
216	AF059650	Homo sapiens histone deacetylase 3 (HDAC3) gene, complete cds	6.80E-01
217	U49046	Mus musculus zinc finger protein (Zfp64) mRNA, complete cds	3.00E-55
218	NM_003488.1	Homo sapiens A kinase anchor protein, 149kD mRNA for kinase A anchor protein	3.00E-21
219	J03764	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9.	3.00E-26
220	Y16675	Homo sapiens mRNA for aflatoxin B1-aldehyde reductase	8.00E-03
221	AF085715	Mus musculus homeobox protein SPX1 mRNA, complete cds	2.10E-01
222	X76968	Loligo forbesi mRNA for phosphatidylinositol-specific phospholipase C	1.9
223	X55741	H.sapiens FKBP cDNA	2.00E-65
224	X85060	B.taurus cosmid-derived microsatellite DNA	3.00E-76
225	AJ001119	Bos taurus mRNA for Rab5 GDP/GTP exchange factor, Rabex5	3E-79
226	D63850	Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c	e-102
227	AB018344.1	Homo sapiens mRNA for KIAA0801 protein, complete cds	e-169
228	X81058	M.musculus tex261 mRNA	e-112

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
229	AF041853	Homo sapiens kinesin family member protein KIF3A mRNA, complete cds	e-162
234	AB020395	Taenia taeniaeformis mitochondrial DNA for large subunit ribosomal RNA, partial sequence	1.90E+00
235	AF120325.1	Cricetulus griseus class I beta tubulin gene, complete cds	1.80E+00
237	AF084259	Mus musculus bromodomain-containing protein BP75 mRNA, complete cds	0.64
239	M77820	Xenopus laevis fibronectin mRNA, complete cds.	2
241	AB007930	Homo sapiens mRNA for KIAA0461 peroteine, partial cds	e-178
242	D87463	Human mRNA for KIAA0273 gene, complete cds	2
244	AF094519	Mus musculus diaphanous-related formin (Dia2) mRNA, complete cds	e-143
246	Z69708	Human DNA sequence from cosmid L241B9, Huntington's Disease Region, chromosome 4p16.3 contains polymorphic VNTR pYNZ32	2
247	AF156102.1	Homo sapiens ELL complex EAP30 subunit mRNA, complete cds	e-169
248	L36592	Homo sapiens kidney epithelial sodium channel gamma subunit (gamma hENaC) mRNA, complete cds.	0.63
250	AF039945	Homo sapiens synaptotagmin 2B mRNA, partial cds	2.1
252	U29487	Caenorhabditis elegans cosmid C09C7	0.71
253	NM_003794.1	Homo sapiens sorting nexin 4 (SNX4) mRNA nexin 4 mRNA, complete cds	e-151
255	AE001267	Treponema pallidum section 83 of 87 of the complete genome	6.70E-01
256	NM_005686.1	Homo sapiens SRY (sex determining region Y)-box 13 (SOX13) mRNA >gi 4323170 gb AF098915 AF098915 Homo sapiens type 1 diabetes autoantigen ICA12 mRNA, complete cds	0.23
257	Z49373	S.cerevisiae chromosome X reading frame ORF YJL098w	2
258	AF125392.1	Homo sapiens insulin induced protein 2 mRNA, complete cds	8.00E-96
260	X07618	Human mRNA for cytochrome P450 db1 variant a	6.90E-01
261	AB022161.1	Mus musculus Cctq gene for chaperonin containing TCP-1 theta subunit, complete cds	0.7
262	AF001794	Mus musculus Treacher Collins Syndrome protein	0.69
263	AF119362.1	Mus musculus strain 129/SvJ mast cell protease 8 (Mcpt8) gene, complete cds	0.22
264	AE001395	Plasmodium falciparum chromosome 2, section 32 of 73 of the complete sequence	6.80E-01
265	U19775	Human MAP kinase Mxi2 (MXI2) mRNA, complete cds	2.10E+00

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
266	AJ131389	Homo sapiens mRNA for PEX3 protein, partial	e-171
267	M25779	S.cerevisiae SEC59 gene, complete cds.	1.90E+00
268	AF009953	Glycine max 35 kDa seed maturation protein	0.66
269	Z35284	H.sapiens mRNA for MDR3 P-glycoprotein	2.40E-02
270	AF050052	Pleurocera prasinatum strain 12B-1 16S ribosomal RNA gene, mitochondrial gene for mitochondrial RNA, partial sequence	6.60E-01
271	AF043494	Pinus strobus microsatellite RPS3 repeat region	6.60E-01
272	NM_001388.1	Homo sapiens developmentally regulated GTP-binding protein 2 (DRG2) mRNA GTP-binding protein	0.65
273	NM_000242.1	Homo sapiens mannose-binding lectin, soluble mannose-binding protein C	6.90E-01
274	S82740	NPM/ALK=fusion gene {translocation breakpoint}	7.10E-01
275	AB006621	Homo sapiens mRNA for KIAA0283 gene, partial cds	1.90E+00
276	AB023162.1	Homo sapiens mRNA for KIAA0945 protein, complete cds	e-169
277	AF124490.1	Homo sapiens ARF GTPase-activating protein GIT1 mRNA, complete cds	e-173
278	L29454	Mouse fibrillin (Fbn-1) mRNA, complete cds.	0.64
279	AB018264.1	Homo sapiens mRNA for KIAA0721 protein, partial cds	e-148
280	AF046000	Mus musculus rod cGMP phosphodiesterase delta subunit (Pde6d) gene, complete cds	0.52
281	X86791	S.scrofa beta-globin gene	0.37
282	AL050368.1	Homo sapiens mRNA: cDNA DKFZp566A1124	2.1
283	AF174426.1	Acholeplasma laidlawii DNA topoisomerase IV ParE subunit (parE) and DNA topoisomerase IV ParC subunit (parC) genes, partial cds	2.1
284	AJ009770	Homo sapiens mRNA for putative transcription factor, partial	e-165
285	U89992	Mus musculus lymphocyte-specific adaptor protein Lnk (Lnk) mRNA, complete cds	0.23
287	AF132479	Mus musculus Ese2L protein mRNA, complete cds	0.7
288	X76753.2	Homo sapiens HG 5-HTT gene for serotonin transporter, exon 1	2.1
289	D64033	Oryzias latipes DNA for transferrin, complete cds	0.23
290	D29985	Bacillus subtilis wapA and orf genes for wall-associated protein and hypothetical proteins	0.68
291	AL049442.1	Homo sapiens mRNA; cDNA DKFZp586N1720 (from clone DKFZp586N1720)	e-166

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
292	S64907	cgs2+=cyclic AMP dependent protein kinase regulatory subunit homolog [Schizosaccharomyces pombe=fission yeast, Genomic, 3596 nt]	0.68
293	AF027202	Bos taurus rod outer segment guanylate cyclase precursor (ROS-GC1) gene, exons 9 through 11	2
294	AB011540	Homo sapiens mRNA for MEGF7, partial cds	0.076
295	AL096842.1	Homo sapiens mRNA; cDNA DKFZp586D1519 (from clone DKFZp586D1519)	e-177
296	D78503.1	Mus musculus seizure-related mRNA, partial sequence	0.68
297	AF079557	Mus musculus poly(ADP-ribose) glycohydrolase	2
298	Z66316	H.sapiens CpG island DNA genomic MseI fragment, clone 8a6, forward read cpg8a6.ft1f	0.22
299	U86453	Human phosphatidylinositol 3-kinase catalytic subunit p110delta mRNA. complete cds	2.1
300	AJ000467.1	Crocidura russula partial mitochondrial cytb gene >gi 3319900 emb AJ000468.1 CRAJ468 Crocidura russula partial mitochondrial cytb gene	0.22
301	X63721	S.cerevisiae HEM12 gene for uroporphyrinogen decarboxylase	0.67
302	AJ005390.1	Homo sapiens SCNN1B gene, exons 9 and 10	0.23
303	X06150	Rat mRNA for glycine methyltransferase (EC 2.1.1.20)	0.22
304	X63771.1	Soybean Mosaic Virus gene for coat protein	2
305	AF113615.1	Homo sapiens FH1/FH2 domain-containing protein FHOS (FHOS) mRNA. complete cds	e-176
306	AF052193	Gallus gallus translation repressor mRNA, partial cds	0.66
307	D13903	Mouse mRNA for MPTPdelta (type A)	0.22
308	M77144	Human type II 3-beta hydroxysteroid dehydrogenase/ 5-delta - 4-delta isomerase gene, complete cds.	0.22
309	AJ236656	Homo sapiens chromosome 22 CpG island DNA, genomic MseI fragment, clone 22CGIB49B8, complete read	0.66
310	M84732	Plasmodium yoelii sporozoite surface protein 2 gene	0.22
311	X83433	O.sativa mRNA for lipid transfer protein, b21	0.66
312	AP000145.1	Homo sapiens genomic DNA, chromosome 21q21.2, LL56-APP region, clone B2291C14-R44F3, segment 10/10, complete sequence	0.0000004
313	AB025570.1	Equus caballus CgA mRNA for chromogranin A. complete cds	0.22
314	AF006482	Mus musculus nucleoside triphosphatase	0.69
315	AF141308.1	Homo sapiens polyamine modulated factor-1	0.65

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
316	AF092945	<i>Charybdis feriatus</i> molt-inhibiting hormone	0.22
317	D90773	<i>E.coli</i> genomic DNA, Kohara clone #262(30.3-30.5 min.)	1.9
318	D26077	Mouse mRNA for KIF3B protein, complete cds	0.21
319	U68036	<i>Streptomyces coelicolor</i> bldKA, bldKB, bldKC, and bldkD genes, complete cds, and bldkE gene, partial cds	0.64
321	X75563	<i>S.oleracea</i> mRNA (omp24) for chloroplast outer envelope 24 kD protein	0.68
322	AB006628	<i>Homo sapiens</i> mRNA for KIAA0290 gene, partial cds	0.21
323	AJ238878.1	<i>Haloferax volcanii</i> ORF1, strain WR340	0.21
324	U39696	<i>Mycoplasma genitalium</i> section 18 of 51 of the complete genome	0.21
326	AL031590	Human DNA sequence from clone 232D4 on chromosome 22q13.1 Contains GSS, complete sequence [<i>Homo sapiens</i>]	0.67
327	AF103731.1	<i>Homo sapiens</i> putative glycolipid transfer protein mRNA, complete cds	e-168
328	U88984	<i>Mus musculus</i> NIK mRNA, complete cds	0.22
329	AJ006031	<i>Mus musculus</i> IHABP gene, promoter	2E-40
330	AL049953.1	<i>Homo sapiens</i> mRNA: cDNA DKFZp564P0622	6E-52
331	L49144	<i>Homo sapiens</i> neuroendocrine-specific protein	0.81
332	U25810	<i>Bos taurus</i> lysozyme (LZ) gene, complete cds	0.000004
333	AF092681	<i>Exema neglecta</i> haplotype 188 cytochrome oxidase I (COI) gene, mitochondrial gene encoding mitochondrial protein, partial cds	0.77
334	AE000966	<i>Archaeoglobus fulgidus</i> section 141 of 172 of the complete genome	2.1
335	AF091234	<i>Mus musculus</i> putative transcription factor mRNA, complete cds	4E-90
336	M25702	Human thyroid peroxidase (TPO) gene, exon 2.	0.078
337	Z70029	<i>B.vulgaris</i> mitochondrial DNA, RAPD fragment	0.075
338	AF072432	<i>Dictyostelium discoideum</i> gp63 homolog mRNA, complete cds	0.69
339	M13241	Human N-myc gene, exons 2 and 3.	0.074
340	X07703	<i>Chironomus tentans</i> Balbiani ring gene BR6 3'-end	0.076
341	X57564	<i>A.rusticana</i> mRNA for neutral peroxidase	0.077
342	Z74084	<i>S.cerevisiae</i> chromosome IV reading frame ORF YDL036c	2
343	U30248	<i>Caenorhabditis elegans</i> transcription factor E12/47 homolog gene, complete cds	2.1
344	Y09396	<i>C.annuum</i> mRNA for CDC48p-like protein	2
345	Z92835	<i>Caenorhabditis elegans</i> cosmid H19N07, complete sequence [<i>Caenorhabditis elegans</i>]	0.68

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
346	M92844	Homo sapiens zinc finger transcriptional regulator (GOS24) gene, complete cds	2
347	X54111	Treponema pallidum GroEL gene and gene encoding putative enol-pyruvyltransferase	0.22
348	Z71419	S.cerevisiae chromosome XIV reading frame ORF YNL143c	0.64
349	AL034486	S.pombe chromosome I cosmid c2H10	1.9
350	NM_000127.1	Homo sapiens exostoses (multiple) 1 (EXT1) mRNA	2
351	U61997	Zea mays B chromosome centromere repeat K11 sequence	0.074
352	AB018255.1	Homo sapiens mRNA for KIAA0712 protein, complete cds	7E-43
353	S60289	LeB4=legumin {5' region} [Vicia faba, Genomic, 1222 nt]	0.072
354	AE001391	Plasmodium falciparum chromosome 2, section 28 of 73 of the complete sequence	0.24
357	U67478	Methanococcus jannaschii section 20 of 150 of the complete genome	0.068
358	AE001146	Borrelia burgdorferi (section 32 of 70) of the complete genome	1.9
359	U46542	Streptococcus crista HmpA gene, partial cds, putative adhesin/ABC transport system protein (scbA) gene, complete cds	0.073
360	Z36067	S.cerevisiae chromosome II reading frame ORF YBR198c	1.3
361	U78684	Teucrium parvifolium NADH dehydrogenase (ndhF) gene, chloroplast gene encoding chloroplast protein, partial cds	0.29
362	AF037332	Homo sapiens Eph-like receptor tyrosine kinase hEphB1b (EphB1) mRNA, complete cds	0.26
363	U54469	Drosophila melanogaster eukaryotic initiation factors 4E-I and 4E-II (eIF4E) gene, complete cds.	0.24
364	U20611	Mus musculus thioredoxin-dependent peroxide reductase (tpx) mRNA, complete cds.	0.027
365	L34542	Rattus norvegicus non-receptor protein kinase	0.7
366	Y14993	Schizosaccharomyces pombe gut2 gene	0.23
367	AL008983	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-54, complete sequence	0.025
368	AL080129.1	Homo sapiens mRNA; cDNA DKFZp434D193 (from clone DKFZp434D193)	e-100
369	AF100304	Caenorhabditis elegans cosmid W07B3	0.65
370	AF039527	Bacillus stearothermophilus limonene hydroxylase (pOT435) gene, complete cds	0.22
371	AP000258.1	Homo sapiens genomic DNA, chromosome 21q22.1, D21S226-AML region, clone:Q89A6, complete sequence	0.00001

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
372	AF082519	Entamoeba histolytica 70 kDa heat shock protein Hsp70-Bip precursor (BiP) gene, complete cds	0.0009
373	M38224	T.brucei procyclic acidic repetitive protein	1.9
374	Z70720	S.pombe chromosome I cosmid c1B9	0.65
375	AF069532	Homo sapiens CDP-diacylglycerol synthase 2	5E-20
376	X97570	Z.mays dek34 gene	0.22
377	NM_004652.1	Homo sapiens ubiquitin specific protease 9, X chromosome (Drosophila fat facets related) (USP9X) mRNA ubiquitin hydrolase	0.023
378	AJ223578	Branchiostoma lanceolatum mRNA for intermediate filament protein C2	0.024
379	D63523.1	Dictyostelium discoideum mitochondrial genes for ribosomal proteins, complete and partial cds	0.22
380	L35528	Mus musculus manganese superoxide dismutase	0.074
381	NM_004267.1	Homo sapiens carbohydrate (chondroitin 6/keratan) sulfotransferase 2 (CHST2) mRNA mRNA for N-acetylglucosamine-6-O-sulfotransferase mRNA for long form of N-acetylglucosamine-6-O-sulfotransferase (GlcNAc6ST), complete cds	0.003
382	Z81507	Caenorhabditis elegans cosmid F18A11, complete sequence [Caenorhabditis elegans]	1.9
383	AF072506.2	Homo sapiens endogenous retrovirus W envelope protein precursor mRNA, complete cds	0.75
384	U39730	Mycoplasma genitalium cdsA, frr, hsdS, smbA, tsf genes from bases 539564 to 546816 (section 52 of 56) of the complete genome	0.009
385	L20296	Saccharomyces cerevisiae (chromosome II) ARO4-homologue (YBR1701), YBR1702, YBR1703, 30S ribosomal protein-homologue (YBR1704) and pseudoprotease-homologue	2
386	D50500	Mouse mRNA for Rab 11, partial sequence	0.22
387	X52263	C.tentans balbiani ring 3 (BR3) gene	2
388	M68998	Human alpha-I type XIII collagen (COL13A1) gene, exon 1.	0.008
389	L40608	Plasmodium falciparum (strain Dd2) variant-specific surface protein (var-1) gene, complete cds.	2
390	D12688	Mouse P-cadherin gene, exon 1 and 2	2
391	AE001150	Borrelia burgdorferi (section 36 of 70) of the complete genome	0.008
392	X80852	M.musculus gene for liver type phosphofructokinase	0.073
393	AF115849.1	Trichomonas vaginalis pre-mRNA processing 8 protein homolog PRP8 (PRP8) gene, complete cds	2

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
394	L31848	Homo sapiens serine/threonine kinase receptor 2	0.069
395	AJ003222	Borrelia burgdorferi flgK, flbF, thdF, gidA, gidB, moxR, orf1, orf2, orf3, orf4 and orf5 genes	0.006
396	AB028958.1	Homo sapiens mRNA for KIAA1035 protein, partial cds	0.055
397	AF155110.1	Homo sapiens NY-REN-45 antigen mRNA, complete cds	0.07
398	M24842	Human keratin 18 (K18) gene, complete cds.	e-142
399	AL050074.1	Homo sapiens mRNA; cDNA DKFZp566F1946	e-171
401	D13469	M.hypopneumoniae genome, repeated DNA sequence	0.003
402	U67510	Methanococcus jannaschii section 52 of 150 of the complete genome	0.074
403	AB029343.1	Homo sapiens HCR (a-helix coiled-coil rod homologue) gene, complete cds	0.21
404	L43391	Homo sapiens (subclone 5_g12 from P1 H16) DNA sequence.	0.7
405	AF016864.1	Orpinomyces sp. PC-2 beta-glucosidase (bgl1) mRNA, complete cds	0.22
406	L31848	Homo sapiens serine/threonine kinase receptor 2	0.072
407	X65521	K.lactis centromere 2 (KICEN2) DNA	0.024
408	U56221	HIV-1 clone 13Pb9-4 from Seattle, envelope glycoprotein, V3-V5 region (env) gene, partial cds	0.22
409	AF157816.1	Homo sapiens cAMP specific phosphodiesterase products, complete cds	2E-11
410	AF131748	Homo sapiens clone 25191 GTP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA sequence, partial cds	0.23
411	AF034783	Synthetic helper virus genomic sequence fragment	2
412	AF035606	Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds	0.000004
413	L07944	Plasmodium falciparum secreted polymorphic antigen gene, complete cds	0.001
414	AE001418	Plasmodium falciparum chromosome 2, section 55 of 73 of the complete sequence	0.026
415	Z68886	Human DNA sequence from cosmid L21F12, Huntington's Disease Region, chromosome 4p16.3	7E-12
416	X82192	H.sapiens EST mRNA (G5)	0.23
417	NM_004998.1	Homo sapiens myosin IC (MYO1C) mRNA complete cds.	0.0001
418	U55042	Bos taurus myosin X, complete cds	0.2

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
419	AF026069.1	Homo sapiens phosphomevalonate kinase	0.66
420	AL080128.1	Homo sapiens mRNA; cDNA DKFZp434C153 (from clone DKFZp434C153)	0.62
421	S75476	PGK1=phosphoglycerate kinase 1 {3' nuclease-sensitive region} [human, Genomic, 3571 nt]	0.00003
422	M57682	Rat brain calcium channel alpha-1 subunit mRNA, complete cds.	0.0001
423	AB023053.1	Homo sapiens genomic DNA, chromosome 6p21.3, HLA class I region, clone:53L9, complete sequence	0.074
424	U74651	Human DNA polymerase gamma (polg) gene, promoter region and partial cds	7E-11
426	X86336	H.sapiens C7 gene, exon 9	0.026
427	AB000931.2	Homo sapiens FUT2 gene, intron 1, complete sequence	0.0003
428	U20365	Mus musculus smooth muscle gamma-actin gene, complete cds	0.0003
429	AF136745.1	Homo sapiens diacylglycerol kinase epsilon gene, promoter and partial cds	0.0000001
430	X04249	Human gene for small cytoplasmic 7SL RNA (7L30.1) pseudogene	0.000001
431	AB029016.1	Homo sapiens mRNA for KIAA1093 protein, partial cds	0.00000005
432	AE001421	Plasmodium falciparum chromosome 2, section 58 of 73 of the complete sequence	0.001
433	AB023189.1	Homo sapiens mRNA for KIAA0972 protein, complete cds	0.003
434	U68061	Human MUC2 gene, promoter region	0.000001
435	NM_005971.1	Homo sapiens phospholemmann-like, expressed in breast tumors, 8kD (PLML) mRNA protein	5E-09
436	AC001050	Homo sapiens (subclone 3_e9 from P1 H55) DNA sequence	5E-09
437	AF151843.1	Homo sapiens CGI-85 protein mRNA, complete cds	1E-35
438	U26447	Human natural resistance-associated macrophage protein (NRAMP1) gene, 3' region	6E-10
439	Z95309	Caenorhabditis elegans cosmid H36L18, complete sequence [Caenorhabditis elegans]	2
440	AF144622.1	Homo sapiens beta-catenin gene, intron 2 and partial cds	2
441	J04990	Human cathepsin G gene, complete cds.	0.0000001
442	U22657	Mus musculus genomic locus related to cellular morphology.	0.076

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
443	AP000262.1	Homo sapiens genomic DNA, chromosome 21q22.1, D21S226-AML region, clone:S680, complete sequence	2E-12
444	AF115549.2	Homo sapiens Wiskott-Aldrich Syndrome protein flanking region	6E-21
445	M55409	Homo sapiens pancreatic tumor-related protein mRNA, partial cds	8E-13
446	NM_006530.1	Homo sapiens Glioma-amplified sequence-41 GAS41 protein mRNA, complete cds	e-154
447	U30261	Schistosoma mansoni G protein beta subunit-like protein trans-spliced mRNA, complete cds	3E-14
448	AF132966.1	Homo sapiens CGI-32 protein mRNA, complete cds	e-169
449	M15205	Human thymidine kinase gene, complete cds, with clustered Alu repeats in the introns.	1E-14
450	X92565	C.elegans mRNA for LIN-2B protein	0.0000001
451	NM_006466.1	Homo sapiens polymerase (RNA) III (DNA directed) (39kD) (RPC39) mRNA subunit (RPC39) mRNA, complete cds	3E-15
452	AF086460	Homo sapiens full length insert cDNA clone ZD85A02	e-117
453	L35664	Homo sapiens (subclone H8 8_f5 from P1 35 H5 C8) DNA sequence.	2E-10
454	X69951	H.sapiens gene for casein kinase II alpha subunit	2E-20
455	AB007930	Homo sapiens mRNA for KIAA0461 peroteine, partial cds	e-177
456	L81840	Homo sapiens (subclone 1_f8 from P1 H43) DNA sequence	1E-27
457	X94354	H.sapiens DNA for Cone cGMP-PDE gene	4E-17
458	AB024291.1	Zea mays ZmRR2 mRNA, complete cds	0.025
459	Y16790	Homo sapiens hHa4 gene, complete CDS	0.66
460	U67209	Human clone HS2.10 Alu-Ya5 sequence	2E-19
461	M30951	Gorilla 28S ribosomal RNA gene fragment.	5E-20
462	AF029062	Homo sapiens DEAD-box protein (BAT1) gene, partial cds	1E-18
463	AB014601	Homo sapiens mRNA for KIAA0701 protein, partial cds	1E-14
464	M30950	Chimpanzee 28S ribosomal RNA gene fragment.	6E-21
465	AB005619	Gallus gallus mRNA for chromobox protein	3E-26
466	AF070657	Homo sapiens glutathione S-transferase subunit 13 homolog mRNA, complete cds	2E-54
467	M58775	Polaribacter glomeratus 16S ribosomal RNA	2.1
468	AJ000992.1	Dictyostelium discoideum gdt1 gene	0.67
469	AB014589	Homo sapiens mRNA for KIAA0689 protein, partial cds	e-158
470	Z63830	H.sapiens CpG island DNA genomic MseI fragment, clone 90h2, reverse read cpg90h2.rt1a	3E-26

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
471	NM_002273.1	Homo sapiens keratin 8 (KRT8) mRNA keratin 8	e-120
472	AF116910.1	Homo sapiens clone HAW100 putative ribonuclease III mRNA, complete cds	e-173
473	AF131739	Homo sapiens clone 25189 mRNA sequence, complete cds	e-124
474	AF100615.1	Homo sapiens chromosome 15 MRG15 protein	7E-74
475	AB019490.1	Homo sapiens IDN4-GGTR7 mRNA, partial cds	e-156
476	L20941	Human ferritin heavy chain mRNA, complete cds.	1E-27
477	AF088022	Homo sapiens full length insert cDNA clone ZC18H06	5E-30
478	L06845	Human cysteinyl-tRNA synthetase mRNA, partial cds.	1E-39
479	AB014542	Homo sapiens mRNA for KIAA0642 protein, partial cds	2E-54
480	L77890	Homo sapiens excision repair protein ERCC4 mRNA, complete cds, clone cer4-40	2E-30
481	L32838	Mouse germline interleukin 1 receptor antagonist	0.076
482	NM_004537.1	Homo sapiens nucleosome assembly protein 1-like 1 (NAP1L1) mRNA >gi 189066 gb M86667 HUMNAP H.sapiens NAP (nucleosome assembly protein) mRNA, complete cds	e-123
483	U85258	Human estrogen related receptor alpha (ESTRA) pseudogene	8E-34
484	U79656	Human Treacher Collins syndrome (TCOF1) gene, exon 21	8E-34
485	AF067864.1	Homo sapiens transferrin receptor 2 alpha	4E-91
486	X03100	Human HLA-SB(DP) alpha gene	1E-16
487	AF013277	Bombyx mori topoisomerase II (TOPOII) mRNA, complete cds	0.23
488	U46068	Mus musculus von Ebner minor salivary gland protein mRNA, complete cds.	1E-35
489	U67563	Methanococcus jannaschii section 105 of 150 of the complete genome	1E-35
490	AB016492.1	Homo sapiens hJTB gene, complete cds	e-118
491	X98176	H.sapiens mRNA for MACH-beta-1 protein	1E-36
492	AF049613	Homo sapiens huntingtin interacting protein HYPK mRNA, partial cds	7E-22
493	AF039690.1	Homo sapiens antigen NY-CO-8 (NY-CO-8) mRNA, partial cds	1E-37
494	NM_001003.1	Homo sapiens ribosomal protein, large, P1 ribosomal phosphoprotein P1 mRNA, complete cds.	4E-38

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACCN	DESCRIP.	P VALUE
495	U34305	Shigella sonnei form I operon ORF protein genes, complete cds, insertion sequence IS630 protein gene, complete cds.	0.074
496	U61538	Human calcium-binding protein chp mRNA, complete cds	4E-38
497	AJ243512.1	Homo sapiens mRNA for Barx2 protein (Barx2 gene)	1E-46
498	AF077043.1	Homo sapiens 60S ribosomal protein L36 mRNA, complete cds	4E-59
499	Y14223	Homo sapiens BPI gene, exon 9	0.00001
500	X07425	Human gene for U 6 RNA	1E-35
501	U43508	Mus musculus RORgamma orphan nuclear receptor mRNA, complete cds	0.23
502	Z92541	Human DNA sequence from PAC 179115, BRCA2 gene region chromosome 13q12-13 contains lactase-phlorizin hydrolase (LCT)	0.078
503	X57435	H.sapiens mRNA for transcription factor AP-4	0.26
504	X70154	Z.mays mRNA for b-32 protein, putative regulatory factor of zein expression (clone b-32.152)	2.1
505	AF069737	Xenopus laevis notchless (nle) mRNA, complete cds	2E-94
506	D63850	Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c	5E-50
507	NM_006295.1	Homo sapiens valyl-tRNA synthetase 1 (VARS1) mRNA	2E-50
508	Y16355	Homo sapiens mRNA for protein encoded by cxorf5 (71-7A) gene, alternatively spliced form	e-157
509	U67317	Cuphea wrightii beta-ketoacyl-ACP synthase II	0.68
510	NM_006571.1	Homo sapiens novel RGD-containing protein mRNA, complete cds	1E-56
511	NM_003574.1	Homo sapiens VAMP (vesicle-associated membrane protein)-associated protein A (33kD) (VAPA) mRNA, and translated products VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds	e-129
512	NM_003431.1	Homo sapiens zinc finger protein 124 (HZF-16) HZF-16=Kruppel-related zinc finger gene homolog HEP-G2, mRNA, 2080 nt]	2E-60
513	J03798	Human autoantigen small nuclear ribonucleoprotein Sm-D mRNA, complete cds.	2E-72
514	AL049670.1	Human gene from PAC 69E11, chromosome 1	e-174
515	AB014603	Homo sapiens mRNA for KIAA0703 protein, complete cds	e-167
516	NM_000977.1	Homo sapiens ribosomal protein L13 (RPL13) mRNA >gi 29382 emb X64707 HSBBC1 H.sapiens BBC1 mRNA	2E-63

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
517	Z55204	H.sapiens CpG island DNA genomic MseI fragment, clone 26c2, reverse read cpg26c2.rtl.a	1E-28
518	AC002181	Homo sapiens (subclone 2_a12 from BAC H111) DNA sequence	0.001
519	NM_006371.1	Homo sapiens cartilage-associated protein sapiens mRNA for cartilage-associated protein (CASP)	e-171
520	AF102507.1	Homo sapiens fizzy-related protein mRNA, partial cds	e-153
521	U91561	Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA, complete cds	e-100
522	X56974	M.musculus mRNA for external transcribed spacer	e-163
523	AF060539	Mus musculus channel interacting PDZ domain protein mRNA, complete cds	e-138
524	AF071592	Homo sapiens kinesin superfamily motor KIF4 mRNA, complete cds	0
525	X68199	R.norvegicus MYR1 mRNA for myosin I heavy chain	e-128
526	NM_006693.1	Homo sapiens no arches-like (zebrafish) zinc finger protein (NAR) mRNA >gi 4098571 gb U79569 HSU79569 Human no arches (nar) mRNA. complete cds	e-160
527	Z22818	Canis familiaris mRNA for Rab12 protein	e-159
529	AF077330	Mus musculus NEDD8-conjugating enzyme (Uba3) mRNA, complete cds	0.62
532	AF118268.1	Coprinus cinereus laccase 2 precursor (lcc2) gene, complete cds	2
533	AF118268.1	Coprinus cinereus laccase 2 precursor (lcc2) gene, complete cds	1.9
534	U33265	Coccidioides immitis complement fixation/chitinase antigen mRNA, complete cds	1.8
538	AF079867.1	Acomys cahirinus clone pAcah3 satellite sequence	1.8
539	NM_001324.1	Homo sapiens cleavage stimulation factor, 3' pre-RNA, subunit 1, 50kD (CSTF1) mRNA pZ50-19) cleavage stimulation factor 50kDa subunit. complete cds.	0.69
540	AB012265	Mus musculus mRNA for wizL, complete cds	0.64
541	Y18504.1	Homo sapiens X5L gene	e-151
542	AF034265	Gracilaria chilensis 18S ribosomal RNA gene, partial sequence; internal transcribed spacer 1, 5.8S ribosomal RNA gene and internal transcribed spacer 2, complete sequence; and 25S ribosomal RNA gene, partial sequence	0.62
543	U16163	Mus musculus prollyl 4-hydroxylase alpha(II)-subunit mRNA, complete cds	0.62

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
544	U53004	Human GT335 gene, exons 1, 2, 3, and 4	0.61
545	Y13870.1	Homo sapiens mRNA containing (CAG) ₆ repeat, clone CZ-CAG 12	0.22
546	AF127950.1	Homo sapiens DNA polymerase epsilon catalytic subunit protein (POLE1) gene, exons 17, 18 and 19	0.21
547	AF071538	Homo sapiens Ets transcription factor PDEF	e-166
548	D63876	Human mRNA for KIAA0154 gene, partial cds	0.61
549	AE001326	Chlamydia trachomatis section 53 of 87 of the complete genome	2.3
550	Z58704	H.sapiens CpG island DNA genomic MseI fragment, clone 49b2, reverse read cpg49b2.rt1b	2.3
551	X78576	R.oryzae fumR gene	0.22
552	AB014740.1	Oryza sativa gypsy-type retrotransposon RIRE8A DNA, internal region, complete sequence	0.64
553	X78562	O.limosus hypoglycemic hormone mRNA CHAA,2409bp	0.21
554	X99719	S.enterica hsdM, hsdS & hsdR genes	1.9
555	U58513	Mus musculus Rho-associated, coiled-coil forming protein kinase p160 ROCK-2 mRNA, complete cds	1.9
556	Z83002	B.pagrosomi partial 28S rRNA gene	0.66
557	AL080223.1	Homo sapiens mRNA; cDNA DKFZp566H2446	e-150
558	AL080066.1	Homo sapiens mRNA; cDNA DKFZp564J142 (from clone DKFZp564J142)	0.00003
559	AF020424	Nicotiana tabacum glutamate decarboxylase isozyme 2 (NtGAD2) mRNA, complete cds	1.8
560	U32768	Haemophilus influenzae Rd section 83 of 163 of the complete genome	0.21
561	M10316	Plasmid pJD1 from Neisseria gonorrhoeae DNA, complete genome.	2
562	AB004272.1	Bos taurus mRNA for placenta growth factor precursor, complete cds	1.9
563	X05427	Drosophila ultrabithorax (Ubx) gene promoter region	1.9
564	M18729	S.pneumoniae mismatch repair protein (hexA) gene, complete cds.	0.21
565	M87060	Rattus rattus cardiac AE3 gene, exons 1-23.	0.086
566	M36662	Chicken alpha-1 collagen type III gene, 3' end.	0.083
567	AF135450.1	Sus scrofa SMCY (SMCY) gene, partial cds	0.081
568	Z34293	A.thaliana (CDNA4) myosin heavy chain mRNA	2.2
569	U83880	Rattus norvegicus glycerol-3-phosphate dehydrate dehydrogenase (mtGPDH) mRNA, 3'UTR	1E-59

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
570	AF133913.1	Mus musculus ARL-6 interacting protein-6	4E-79
571	AF077543.1	Caenorhabditis elegans cosmid H07121	1.9
572	X77829	A.niger (N400) gsdA gene	0.07
573	X74765	H.sapiens CSK gene for protein tyrosine kinase	0.069
574	X63510	M.musculus CAML1 gene (exons 5-9)	0.62
575	U27319	Rattus norvegicus type I hexokinase (HKI) gene, promoter region and partial cds	0.61
576	L23863	Rat Skn1i mRNA.	0.068
577	Z26284.1	H.sapiens isoform 1 gene for L-type calcium channel, exon 47 and 48	0.069
578	S66283	Spnb-1=beta-spectrin [mice. reticulocyte, mRNA, 8126 nt]	0.069
579	M36305	Galago crassicaudatus gamma globin gene, complete cds.	0.07
580	AB018337.1	Homo sapiens mRNA for KIAA0794 protein, partial cds	0.22
581	Z60182	H.sapiens CpG island DNA genomic MseI fragment, clone 193a12, reverse read cpg193a12.rt1a	0.21
582	AF121948.1	Homo sapiens telomerase reverse transcriptase	0.003
584	Y10019	R.norvegicus mRNA for DRM protein	0.21
585	AF145653.1	Drosophila melanogaster clone GH08860 BcDNA.GH08860 (BcDNA.GH08860) mRNA, complete cds	0.64
586	M88321	Gossypium hirsutum group 4 late embryogenesis-abundant protein (Lea14-A) gene, complete cds.	0.024
587	S82821	GSTA5=glutathione S-transferase Yc2 subunit {5' region, intron 1} [rats, Morris hepatoma cell line, Genomic, 2212 nt, segment 1 of 3]	1.9
588	AF039857	5 Homo sapiens retinal pigment epithelium-specific protein (RPE65) gene, exon 3	0.023
589	X05034	Rat C2A gene for prostatic binding protein (PBP)	0.2
590	U13177	Rattus norvegicus clone ubc4a ubiquitin conjugating enzyme (E217kB) mRNA, complete cds.	0.071
591	AF081530	Homo sapiens neuralized binding protein mRNA, complete cds	e-143
592	Z73328	H.sapiens DNA (chromosome 13q, clone 117A11, 856 bp)	0.023
593	D49733	Mouse lamin A/C and C2 genes, exon 6, 7, 8, 9, 10, 11 and 12, complete cds	2.3
594	L04603	Trypanosoma cruzi R27-2 protein gene, complete cds.	2.3
595	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.72
596	D83993	Fission yeast DNA for chromosome II cosmid 1228 sequence	0.7

Tabl 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
597	L77036	Homo sapiens (subclone 5_d9 from P1 H19) DNA sequence.	0.008
598	AE001414	Plasmodium falciparum chromosome 2, section 51 of 73 of the complete sequence	0.008
599	AF001893	Human MEN1 region clone epsilon/beta mRNA, 3' fragment	0.2
601	Z69652	Human DNA sequence from cosmid L75B9, Huntington's Disease Region, chromosome 4p16.3	0.023
602	Z16517	H. sapiens (D13S155) DNA segment containing	0.041
603	X14448	Human GLA gene for alpha-D-galactosidase A (EC 3.2.1.22)	0.71
604	AF055481	Homo sapiens normal epithelial cell-specific 1	0.029
605	AJ002550	Homo sapiens MMP-1 gene, promoter region	6E-11
606	AF037454	Mus musculus ubiquitin protein ligase (Itch) mRNA, complete cds	0.0009
607	U96108	Staphylococcus carnosus (3R)-hydroxymyristoyl acyl carrier protein dehydrase homolog (fabZ) gene, partial cds, YwpF homolog, single-strand binding protein homolog Sce...	0.8
608	X53334	Chicken mRNA for annexin II	0.029
609	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.028
610	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.085
611	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.089
612	D16474	Human mRNA. Xq terminal portion	0.00003
613	NM_004955.1	Homo sapiens equilibrative nucleoside transporter 1 (ENT1) mRNA >gi 1845344 gb U81375 HSU81375 Human placental equilibrative nucleoside transporter 1	0.00003
614	AB019944.1	Arabidopsis thaliana gene for sigma factor SigC, complete cds	1.9
615	AB012181	Homo sapiens DNA, anonymous heat-stable fragment RP8-6A	1E-34
616	AF106929.1	Medicago truncatula putative cell wall protein (AM1) mRNA, complete cds	0.2
617	L09105	Homo sapiens glucos phosphate isomerase mRNA, intron with a conserved tandem repeat.	0.00003
618	X06292	Human c-fes/fps proto-oncogene	0.028
619	NM_003951.1	Homo sapiens solute carrier family 25 member 14 (SLC25A14), nuclear gene encoding mitochondrial product, mRNA mitochondrial carrier protein-1 (BMCP1) mRNA, nuclear gene encoding mitochondrial protein, complete cds	e-173
620	AL050089.1	Homo sapiens mRNA; cDNA DKFZp586E0518 (from clone DKFZp586E0518)	e-166
621	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.25
622	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.26
623	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.009

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
624	D32056	Human gene for 2-oxoglutarate dehydrogenase, exon 1 sequence	0.003
625	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.027
626	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.028
627	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.028
628	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.029
629	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.028
630	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.028
631	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.029
632	Z69364	Human DNA sequence from cosmid L96F8, Huntington's Disease Region, chromosome 4p16.3 contains EST and cDNA >gi1182000 emb Z69365 HSL96F8A Human DNA sequence from cosmid L96F8, Huntington's Disease Region, chromosome 4p16.3 contains EST and cDNA	8E-13
633	NM_004435.1	Homo sapiens endonuclease G (ENDOG), nuclear gene encoding mitochondrial protein, mRNA G (ENDOG) mRNA	9E-13
634	U46837	Human RNA polymerase II holoenzyme component SRB7 (SRB7) mRNA, complete cds.	0.21
635	M13973	Bovine protein kinase C mRNA, complete cds.	3E-14
636	AB012917	Homo sapiens mRNA for serine protease (TLSP), complete cds	e-143
637	M57750	S.pombe cut2+ gene, complete cds.	0.22
638	V00584	Human gene hY1 encoding a cytoplasmic Ro RNA	7E-21
639	L81854	Homo sapiens (subclone 2_b8 from PI H48) DNA sequence	2E-11
640	X73897	H.sapiens zinc finger domain ZF21.3 DNA	2E-31
641	L10239	Insertion sequence IS1141 (from Mycobacterium intracellulare strain Val4), transposase gene, complete cds, clone pVT365.	1.8
642	AF097025	Homo sapiens cysteine desulfurase (nifS) mRNA, complete cds	e-170
644	AF008219	Borrelia afzelii R-IP3 chromosome right end, arcA and arcB genes, complete cds	0.092
645	NM_003496.1	Homo sapiens Transformation/transcription domain-associated protein (TRRAP) mRNA, and translated products >gi4165076 gb AF076974 AF076974 Homo sapiens TRRAP protein (TRRAP) mRNA, complete cds	6E-43
646	AF000305.1	Brassica napus steroid sulfotransferase 1 gene, complete cds	0.76
647	AF016031	Homo sapiens thyroid hormone receptor activator molecule (TRAM-1) mRNA, complete cds	8E-34
648	M97168	Homo sapiens X (inactive)-specific transcript	0.22

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
649	NM_003011.1	Homo sapiens SET translocation (myeloid leukemia-associated) (SET) mRNA cds.	9E-36
650	NM_004669.1	Homo sapiens chloride intracellular channel 3 (CLIC3) mRNA >gi 4323621 gb AF102166 AF102166 Homo sapiens intracellular chloride channel CLIC3 (CLIC3) mRNA, complete cds	4E-50
651	AJ010479.1	Homo sapiens mRNA for kinesin-like protein 2	e-171
652	U29932	Human AMP deaminase (AMPD3) gene, intron 2, partial sequence.	1E-37
653	AF028233	Homo sapiens distal-less homeobox protein (DLX3) gene, complete cds	3E-47
654	AF151978.1	Homo sapiens amino acid transporter B0+	e-165
655	Z64037	H.sapiens CpG island DNA genomic MseI fragment, clone 95g8, forward read cpg95g8.ft1a	2E-50
656	M32140	T.brucei heat shock protein (Hsp70) gene, upstream region.	1.9
657	NM_003164.1	Homo sapiens syntaxin 5A (STX5A) mRNA mRNA, complete cds	7E-54
658	NM_001538.1	Homo sapiens heat shock transcription factor 4 (HSF4) mRNA >gi 1813425 dbj D87673 D87673 Homo sapiens mRNA for heat shock transcription factor 4, complete cds	1E-57
659	NM_001538.1	Homo sapiens heat shock transcription factor 4 (HSF4) mRNA >gi 1813425 dbj D87673 D87673 Homo sapiens mRNA for heat shock transcription factor 4, complete cds	1E-57
660	L76569	Homo sapiens (clones cYG3, B5P6C4) fragile X E mental retardation syndrome protein (FMR2) mRNA, complete cds.	0.21
661	X55110	Human mRNA for neurite outgrowth-promoting protein	2E-59
662	L20468	Rattus norvegicus cerebroglycan mRNA. complete cds.	3E-86
663	NM_005324.1	Homo sapiens H3 histone, family 3B (H3.3B)	e-127
664	NM_001283.1	Homo sapiens clathrin-associated/assembly/adaptor protein, small 1 Homo sapiens mRNA for sigma1A subunit of AP-1 clathrin adaptor complex, complete cds	e-171
665	AF007867	Lymantria dispar pheromone binding protein 1	1.8
669	U93704	Riftia pachytila endosymbiont bacterioferritin comigratory protein homolog (bcp), sensor protein RssA complete cds	1.9
670	AB002315	Human mRNA for KIAA0317 gene, complete cds	1.8
673	X96585	M.musculus mRNA for NOV protein	1.8
674	D84103	Homo sapiens mRNA for mitochondrial DNA polymerase gamma, complete cds	1.7

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
675	AB000834.2	Nicotiana tabacum gene for thaumatin-like protein SE39b, complete cds	1.8
676	AF129853.1	Gymnascella hyalinospora strain VAMH 7366 18S ribosomal RNA gene, partial sequence; internal transcribed spacer 1, 5.8S ribosomal RNA gene and internal transcribed spacer 2, complete sequence; and 28S ribosomal RNA gen...	0.2
678	AB029007.1	Homo sapiens mRNA for KIAA1084 protein, complete cds	e-168
679	AB007957	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488	e-145
680	AL080168.1	Homo sapiens mRNA; cDNA DKFZp434C151 (from clone DKFZp434C151)	0
681	D32166.1	Poplar mRNA for cellulase (endo-1, 4-beta-glucanase), complete cds	1.6
683	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.03
684	U32792	Haemophilus influenzae Rd section 107 of 163 of the complete genome	2.1
685	X74969	R.norvegicus gene for prostatic acid phosphatase	0.02
686	U70998	Phanerochaete chrysosporium manganese peroxidase isozyme 3 (mnp3) gene, complete cds	0.73
687	NM_005969.1	Homo sapiens nucleosome assembly protein 1-like 4 (NAP1L4) mRNA >gi 1679778 gb U77456 HSU77456 Human nucleosome assembly protein 2 mRNA, complete cds	2.1
688	AJ132369.1	Sorites orbiculus SSU rRNA, isolate 206	0.67
690	U04435	Drosophila melanogaster GLI-Kr zinc finger pair-rule protein mRNA, complete cds. embryo, mRNA, 2959 nt]	0.67
691	X69511	G.gallus Acra-2 gene alpha-2 subunit	0.67
692	AF140762.1	Homo sapiens neuronal acetylcholine receptor beta-3 subunit precursor (CHRNB3) gene, exon 3	2
695	Z74734	C.porcellus mRNA for guanylyl cyclase C	1.9
696	L76081	Clostridium difficile ADP-ribosyltransferase enzymatic and binding component (cdtA and cdtB) genes, complete cds's	0.63
697	X82657	H.sapiens IRLB gene (exon 4)	0.66
698	AB020649.1	Homo sapiens mRNA for KIAA0842 protein, partial cds	e-143
699	NM_005499.1	Homo sapiens SUMO-1 activating enzyme subunit 2 (UBA2) mRNA >gi 4096671 gb U35832.1 HSU35832 Human anthracycline-associated resistance ARX mRNA, complete cds	1E-47

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
700	AB018255.1	Homo sapiens mRNA for KIAA0712 protein, complete cds	0.008
701	AL035496.6	Human DNA sequence from clone 437O22 on chromosome 22q12.2-13.1. Contains the 5' part of a novel VHS domain containing protein similar to predicted worm and human proteins. Contains ESTs, GSSs and a putative CpG islan...	0.0000001
702	AB020664.1	Homo sapiens mRNA for KIAA0857 protein, partial cds	e-162
703	AL050269.1	Homo sapiens mRNA; cDNA DKFZp564C103 (from clone DKFZp564C103)	e-173
704	M62324	Human modulator recognition factor 1 (MRF-1) mRNA, 3' end.	1.8
705	Z69363	Human DNA sequence from cosmid L60G9B, Huntington's Disease Region, chromosome 4p16.3 contains ESTs	0.61
707	AF068890	Bos taurus PIM1 protein (PIM1) gene, exon 5 and partial cds	0.64
708	NM_000211.1	Homo sapiens integrin beta chain, beta 2 leukocyte adhesion protein (LFA-1/Mac-1/p150,95 family) beta subunit mRNA.	0.65
709	U38550	Arabidopsis thaliana pre zeta-carotene desaturase precursor (zds) mRNA, complete cds.	1.9
710	AF147787.1	Homo sapiens hepatocyte nuclear factor-3 beta gene, complete cds	0.22
711	AF140549.1	Enterococcus faecium unknown gene	0.19
712	AF031630	Danio rerio homeobox protein LIM-3 (lim3) gene, exons 2 and 3	0.19
713	AF007883	Homo sapiens MHC class II HLA-DRB1 (HLA-DRB1*10) intron 1 sequence	0.021
714	X71844	C.perfringens uapC, cpe, and nadC genes	0.63
715	M87359	Yeast Eco RI fragment.	0.56
716	AF088887	Oryctolagus cuniculus interleukin-10 precursor, mRNA, complete cds	0.62
717	AF151897.1	Homo sapiens CGI-139 protein mRNA, complete cds	3E-38
718	U65948	Zea mays starch branching enzyme IIa (Sbe2a) mRNA, partial cds	0.61
719	AF086443	Homo sapiens full length insert cDNA clone ZD81C11	1E-68
720	AJ011767	Sus scrofa mRNA for neuron-derived orphan receptor-1 alfa transcription factor	0.18
721	U78547	Chlamydomonas reinhardtii PF20 mRNA, complete cds	0.00009
722	U25686	Drosophila melanogaster ecdysone-regulated (E93) mRNA, complete cds.	0.54

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
723	AB029017.1	Homo sapiens mRNA for KIAA1094 protein, complete cds	e-102
724	U67533	Methanococcus jannaschii section 75 of 150 of the complete genome	0.4
725	L81892	Homo sapiens (subclone 2_h6 from P1 H62) DNA sequence	2.2
726	U83650	Mus caroli Sp100 gene, exon 13	2.1
727	X14710	B.taurus beta-lactoglobulin gene	0.23
728	AF034920	Homo sapiens tubby like protein 1 (TULP1) gene, exons 9-11	2
729	D83999	Mus musculus mRNA for the third largest RNA polymerase II subunit, complete cds	0.22
730	U18109	Macropus rufogriseus MHC class II DR alpha protein precursor (Maru-DRA) mRNA. complete cds.	0.66
731	Y18476	Trichophyton rubrum mitochondrial cytb gene and NADH1 to NADH5 genes	0.67
732	Y18476	Trichophyton rubrum mitochondrial cytb gene and NADH1 to NADH5 genes	0.65
733	AF148461.1	Homo sapiens CLNS1A gene, intron 1 sequence	e-160
734	L80007	Equine adenovirus 2 385/75 hexon and endopeptidase genes, complete cds	1.9
735	X76128	T.thermophila MSE 2.9 (left) gene germline limited sequence	0.22
737	AF141658.1	Ictalurus punctatus EB1 mRNA, complete cds	0.62
738	U67576	Methanococcus jannaschii section 118 of 150 of the complete genome	0.21
739	AL050269.1	Homo sapiens mRNA; cDNA DKFZp564C103 (from clone DKFZp564C103)	e-159
740	AF065389	Homo sapiens tetraspan NET-4 mRNA, complete cds	0.21
741	AB007455.1	Homo sapiens mRNA for P53TG1-A, complete cds	0.22
742	U67399	Mus musculus K-cadherin/cadherin-6 mRNA, partial cds	2
743	AB018315.1	Homo sapiens mRNA for KIAA0772 protein, complete cds	9E-78
745	AL080164.1	Homo sapiens mRNA; cDNA DKFZp564C1940 (from clone DKFZp564C1940)	5E-20
746	X00007	Bacillus subtilis 5' end of ribosomal RNA operon rrnB	0.22
747	AF058234.1	Scutellastra longicosta 16S ribosomal RNA gene, mitochondrial gene for mitochondrial RNA, partial sequence	0.022
748	M99362	Rhesus macaque polyoma virus large T antigen gene, 3' end.	0.2
749	U80458	Human microtubule associated protein 1A mRNA, partial cds	0.067

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
750	AB019533.1	Oryza sativa mRNA for Nad-dependent formate dehydrogenase, complete cds	0.22
751	Z69723	Human DNA sequence from cosmid U238E5, between markers DXS6791 and DXS8038 on chromosome X	0.2
752	AF056936	Plasmodium falciparum mature parasite-infected erythrocyte surface antigen gene, complete cds	1.8
753	AJ010396.1	Homo sapiens DKC1 gene, exons 12 to 15	0.63
754	U19253	Xenopus laevis/gilli complement component C3 mRNA, partial cds.	1.9
755	M82872	S.cerevisiae protein-tyrosine phosphatase complete cds.	0.21
756	AF045188	Salmo salar ribosomal protein L18a mRNA, complete cds	0.21
757	AJ001118	Mus musculus mRNA for monoglyceride lipase	0.62
758	Y10377	C.albicans TOP2 gene	1.8
759	AB014573	Homo sapiens mRNA for KIAA0673 protein, partial cds	e-168
760	L24113	Saccharomyces cerevisiae Ca ²⁺ regulatory protein	0.19
761	M96739	Human NSCL-1 mRNA sequence.	1.7
762	AF035006	Human respiratory syncytial virus, recombinant mutant rA2cp, complete genome	0.56
763	AF065389	Homo sapiens tetraspan NET-4 mRNA, complete cds	0.19
764	NM_006354.1	Homo sapiens transcriptional adaptor 2 complex (TADA3L) mRNA >gi 3335554 gb AF069733 AF069733 Homo sapiens ADA3-like protein mRNA, complete cds	e-154
765	M73752	Gossypium hirsutum Lea4-A gene, complete CDS.	0.06
766	X79192	F.brownii pdk gene	0.54
767	X14891	H.sapiens gene for transforming growth factor-beta 3 (TGF-beta 3) exon 7	0.076
768	Z78708	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA14H12	0.076
769	AF068902	Streptococcus pneumoniae D-glutamic acid adding enzyme MurD (murD), undecaprenyl-PP-MurNAc-pentapeptide-UDPGlcNAc GlcNAc transferase (murG), cell division protein DivIB (divIB), orotidine-5'-decarboxylase PyrF (pyrF), an...	0.23
770	U62588	Cricetulus griseus beta-1,6-N-acetylglucosaminyltransferase Lec4 cell line insertion mutant mRNA, complete cds	2
771	AJ236354.1	Timarcha coarcticollis mitochondrial partial tRNA-Leu gene and COII gene, isolate Los Barrios, Cadiz, Spain	0.026
772	U67604	Methanococcus jannaschii section 146 of 150 of the complete genome	0.22

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
773	AB018257.1	Homo sapiens mRNA for KIAA0714 protein, partial cds	e-178
774	AF169299.1	Equus caballus microsatellite HTG15 sequence	0.21
775	U96289	Homo sapiens Ig heavy chain VH3 region (VH3-30.3) mRNA, partial cds	0.64
776	Y07521	Mouse neuroblastoma-Rat glioma hybrid cell line mRNA for a potassium channel protein NGK2	0.076
777	NM_003966.1	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain semaphorin F homolog mRNA, complete cds	0.071
778	U66524	Dictyostelium discoideum ORFveg158 mRNA, partial cds	0.071
779	M81388	Chilo iridescent virus DNA-directed RNA polymerase and helicase genes, complete cds's. DNA-depenent RNA polymerase largest subunit homolog iridescent virus type 6, Genomic, 3 genes, 7990 nt]	0.073
780	AF132944.1	Homo sapiens CGI-10 protein mRNA, complete cds	e-170
781	AJ001700	Mus musculus mRNA for neuroserpin	0.069
782	U50421	Human Down Syndrome region of chromosome 21, clone A4B8-1D8.	0.61
783	X74159	K.lactis MBP1 gene	1.9
784	D87682	Human mRNA for KIAA0241 gene, partial cds	0.071
785	AB015633.1	Homo sapiens mRNA for type II membrane protein, complete cds, clone:HP10481	7E-23
786	AF022414	Trichomonas vaginalis glyceraldehyde-3-phosphate dehydrogenase (gap2) gene, partial cds	0.2
787	M36996	Mouse LIM1 and LIM2 sequence DNA.	0.21
788	M95171	Aedes aegypti LINE retrotransposon Juan-A including DNA binding protein and reverse transcriptase-like protein mRNA, complete coding regions.	0.069
789	U47661	Lupinus luteus proline-rich protein PRP2 precursor (LIPRP2) gene, complete cds	0.59
790	X55581	H.sapiens immunoglobulin heavy chain gene, diversity region	0.59
791	AF104500	Farfantepenaeus duorarum isolate FD6 mitochondrial control region	0.065
792	AF094519	Mus musculus diaphanous-related formin (Dia2) mRNA, complete cds	3E-79
793	X95267	G.gallus mRNA for ryanodine receptor type 3	0.63
794	K01872	Bacteriophage Cp-1 (Streptococcus pneumoniae), 3' inverted terminal repeat.	0.063

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
795	AF094573	Rice tungro bacilliform virus isolate T10 P194 gene, partial cds	1.7
796	X15061	Glycine max lbc3 gene for leghemoglobin C3	0.062
797	Y17267	Mus musculus mRNA for ubiquitin conjugating enzyme	3E-89
798	AF149109.1	Rickettsia australis strain PHS outer membrane protein B (ompB) gene, partial cds	0.061
799	AJ004870	Thermoanaerobacterium thermosaccharolyticum ptaA and ackA genes, orf1, orf2, orf3, orf4	0.19
800	S77555	corticotropin receptor/ACTH receptor {5' region}	0.19
801	AJ130796	Mus musculus APC2 gene, exon 14	1.6
802	AE001229	Treponema pallidum section 45 of 87 of the complete genome	1.7
803	X16137	Suillus sinuspaulianus mitochondrial large subunit ribosomal RNA gene, part	0.69
804	AF048839.1	Arabidopsis thaliana Atmyb103 (MYB103) gene, complete cds	0.68
805	Z86109	S.carlsbergensis 12 kb region of chromosome III	0.025
806	X67053	S.tuberosum ppc mRNA for phosphoenolpyruvate carboxylase	0.67
807	X13423	Phaseolus vulgaris tRNA-Pro(UGG3) gene	2
808	Z17118	H. sapiens (D9S179) DNA segment containing (CA) repeat; clone AFM248wf1; single read	0.65
809	Z23386	H. sapiens (D5S467) DNA segment containing	0.072
810	M12729	Mouse T-cell surface antigen T3 delta-chain gene, exons 2,3,4 and 5, from B8C3 (anti-porcine insulin T-T) hybridoma, clone pMT-2.	0.23
811	AF012551	Plasmodium falciparum ornithine decarboxylase	0.21
812	L08265	Human skeletal muscle chloride channel (HUMCLC) gene, exon 7.	0.075
813	X00616	Tobacco chloroplast gene P32 for thylakoid membrane protein	0.07
814	U79731	Plasmodium berghei extrachromosomal plastid PB-1, ORF470 gene, partial cds, tRNA-Thr, large subunit ribosomal RNA, tRNA-Met, tRNA-Arg, tRNA-Val, tRNA-Arg, tRNA-Leu, tRNA Asn, tRNA-Ala, and small subunit ribosomal RNA genes...	0.023
815	S82293	II beta-globin=II beta-globin {5' region} [rats, mRNA Partial, 1428 nt]	2
816	AJ007398.1	Homo sapiens mRNA for PBK1 protein	0
817	AL109849.1	Streptomyces coelicolor cosmid 3A3	0.023

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
819	U84223	Canine herpesvirus cIR6, cUS2, cUS3, cUS4, cUS6, cUS7, cUS8 and cUS9 genes, complete cds	0.067
820	AF036233	Homo sapiens cdc25B phosphatase (CDC25B) gene, alternatively spliced, partial cds	0.024
821	AB016195.1	Homo sapiens ELK1 pseudogene (ELK2) and immunoglobulin heavy chain gamma pseudogene (IGHGP)	1E-16
822	L10820	Human N-formyl peptide receptor (FPR1) gene, complete cds and Alu repeats.	0.023
823	AF039423	Cebus olivaceus blue opsin gene, exons 2 and 3	0.58
824	Z97214	Xenopus laevis mRNA for MILZ protein	1.8
825	Y17038	Mus musculus bassoon gene, exon 6 to 11	1.7
826	X92518	H.sapiens mRNA for HMGI-C protein	0.065
827	X06414	Mycoplasma capricolum ribosomal protein gene cluster	0.62
828	AJ002019	Saccharomyces uvarum mitochondrial coxII gene, partial	0.061
829	D84395	Bombyx mori DNA for cecropin A, complete cds	0.18
830	D86077	Homo sapiens DNA for cyclin G, partial cds	0.18
831	AF144573.1	Mesocricetus auratus Mx-interacting protein kinase PKM mRNA, complete cds	2E-18
832	AF123653.1	Homo sapiens FEZ1 (FEZ1) gene, complete cds	0.009
833	X71018	N.tabacum NPG-G27Y mRNA for polygalacturonase	0.025
834	D63884	Anthocidaris crassispina mRNA for intermediate chain 1, complete cds	0.072
835	AE001393	Plasmodium falciparum chromosome 2, section 30 of 73 of the complete sequence	0.008
836	AE001395	Plasmodium falciparum chromosome 2, section 32 of 73 of the complete sequence	0.0003
837	AF007164	Drosophila melanogaster mRNA sequence	0.21
838	AB005744	Perilla frutescens DNA for 1-limonene synthase, complete cds	0.21
839	AF067143	Homo sapiens myosin heavy chain (MYH8) gene, partial cds	0.21
840	X04130	Watermelon mitochondrial URF1 gene	0.008
841	X95439	S.xylosus aroA, ccpA, acuC and acuA genes	0.008
842	AB007404.1	Oryza sativa gene for alanine aminotransferase, complete cds	0.063
843	X59823	Human chromosome 8 flanking hypervariable simple repeat DNA (clone HZREP32)	0.21
844	AF122981.1	Arabidopsis lyrata cultivar NC4 RPM1 gene, 5' sequence	0.002
845	AF016667.2	Caenorhabditis elegans cosmid T20H12	4.9

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
846	V00184	Slime mold (<i>D. discoideum</i>) gene for actin 2 sub1 actin 2 (sub 1) gene 5' end.	0.061
847	AB020656.1	Homo sapiens mRNA for KIAA0849 protein, partial cds	0.23
848	X82107	H.sapiens gene for tryptophanyl-tRNA synthetase	1.9
849	M81385	Mouse liver receptor homologous protein (LRH-1) mRNA, complete cds.	0.025
850	NM_006401.1	Homo sapiens acidic protein rich in leucines silver-stainable protein SSP29 mRNA, complete cds	0.008
851	AL010149	Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-82, complete sequence	0.21
852	AF151826.1	Homo sapiens CGI-68 protein mRNA, complete cds	e-153
853	AE001402	Plasmodium falciparum chromosome 2, section 39 of 73 of the complete sequence	0.021
854	U96976	Homo sapiens MET proto-oncogene, intron 6. 3' end	0.068
855	D85545	Yeast chk1 and ucbP4 DNA, partial and complete cds	1.7
856	AF001175	Homo sapiens ribonuclease P protein subunit p14 (Rpp14) mRNA, complete cds	7E-45
857	U14724.1	Anticarsia gemmatalis nuclear polyhedrosis virus genomic repeat region	0.0008
858	AL008641	Human DNA sequence from cosmid N100B10 on chromosome 22q12.3	0.06
859	Y00326	Human sis proto-oncogene upstream region	0.19
860	AF003483	Habrabracon hebetor 16S ribosomal RNA gene, partial sequence	0.0007
861	AL049265.1	Homo sapiens mRNA; cDNA DKFZp564F053 (from clone DKFZp564F053)	e-122
862	Z69351	B.vulgaris repetitive DNA (clone pDRV1)	0.0009
863	L28998	Theileria parva 28S ribosomal RNA (28S rRNA) gene.	0.024
864	X06000	G.gallus carbonic anhydrase II gene exons 1-2	0.067
865	AB000565	Homo sapiens DNA for repeat sequence Alu	1E-26
866	AE000761	Aquifex aeolicus section 93 of 109 of the complete genome	0.22
867	AF017145	Homo sapiens multidrug resistance protein	0.0008
868	J05451	Human gastric (H ⁺ + K ⁺)-ATPase gene, complete cds.	0.003
869	AB018258.1	Homo sapiens mRNA for KIAA0715 protein, partial cds	0.007
870	D78572	Mus musculus mRNA for membrane glycoprotein, complete cds >gi 3251779 dbj E12950 E12950 cDNA GA3-43 encoding novel polypeptide which appear when differentiate from embryo-tumor cell P19 to nerve cell	0.0001

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
871	AC001017	Homo sapiens (subclone 2_g8 from P1 H43) DNA sequence	0.003
872	AB018284.1	Homo sapiens mRNA for KIAA0741 protein, complete cds	0.0009
873	Z54147	Human DNA sequence from cosmid L129H7, Huntington's Disease Region, chromosome 4p16.3 contains CpG island	0.002
874	Z54147	Human DNA sequence from cosmid L129H7, Huntington's Disease Region, chromosome 4p16.3 contains CpG island	0.002
875	NM_006392.1	Homo sapiens nucleolar protein (KKE/D repeat) mRNA for nucleolar protein hNop56	e-157
876	L43392	Homo sapiens (subclone 6_a8 from P1 H16) DNA sequence.	0.00001
877	X75670	O.sativa mRNA for cytochrome b5	0.00001
878	Z23808	H. sapiens (DXS1199) DNA segment containing	0.000009
879	L48473	Homo sapiens (subclone 7_e11 from P1 H16) DNA sequence.	0.003
880	AF074908.1	Homo sapiens neuronal and epithelial glutamate transporter (SLC1A1) gene, exon 7	5E-11
881	X02536	Human preproenkephalin B gene 5' region and exon 1 >gi182100 lcl X00174 Human enkephalin B (enkB) gene, 5' flank and exon 1.	0.000001
882	AL109681.1	Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 112333	0.000003
883	M88599	Entamoeba histolytica P-glycoprotein-1 (pgp1) gene, complete cds.	0.07
884	M38188	Human unknown protein from clone pHGR74 mRNA, complete cds.	6E-10
885	U50531	Human BRCA2 region, mRNA sequence CG030	0.000001
886	Z64533	H.sapiens CpG island DNA genomic MseI fragment, clone 134d9, forward read cpg134d9.ft1a	0.0000004
887	NM_004422.1	Homo sapiens dishevelled 2 (homologous to Drosophila dsh) (DVL2) mRNA dishevelled 2 (DVL2) mRNA, complete cds	e-116
888	S66168	sterol regulatory element 1 binding protein cells, mRNA Partial, 547 nt, segment 2 of 2] 5527690	0.008
889	L29556	Human (clone hSTX) sialyltransferase mRNA, 3' end.	0.008
890	AF036703	Caenorhabditis elegans cosmid T11F8	0.53
891	Z68281	Human DNA sequence from cosmid L2F10, Huntington's Disease Region, chromosome 4p16.3 contains Human G protein coupled receptor kinase-like, and an RFLP	0.000004
892	AL035046.5	Human DNA sequence from clone 321120 on chromosome 1q32.1-41 Contains GSSs, complete sequence	0.0001
893	Y15083	Homo sapiens p14.5-like gene and Alu repeat	3E-13

Tabl 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
894	AF044123	Homo sapiens clone SUPTH48 sequence flanking the HIV-1 provirus integration site	0.19
895	J00139	Human dihydrofolate reductase gene, exon 6 and 3' flank.	7E-44
896	Y16790	Homo sapiens hHa4 gene, complete CDS	3E-14
897	U50105	Human ankyrin (ANK1) gene, exon 15	0.00000004
898	AB000537	Schizosaccharomyces pombe mRNA for snoRNP protein GAR 1, complete cds	0.00000005
899	D79990	Human mRNA for KIAA0168 gene, complete cds	0.000001
900	AC002183	Homo sapiens (subclone 2_h8 from BAC H111) DNA sequence	0.00000004
901	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.11
902	AF072468	Homo sapiens (JH8) mRNA, partial cds	2E-19
903	M11167	Human 28S ribosomal RNA gene.	2E-09
904	D87117	Mus musculus mRNA for SAP102, complete cds	2E-09
905	AB023189.1	Homo sapiens mRNA for KIAA0972 protein, complete cds	0
906	Y07554	Psychrobacter sp. pim gene	0.68
907	AC005190	Homo sapiens PAC clone DJ1152D16 from Xq23, complete sequence [Homo sapiens]	2E-29
908	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.28
909	AF135183.1	Homo sapiens Recq helicase 5 (RECQ5) gene, alternative splice products, complete cds	e-146
910	U58884	Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human Drebrin	2E-13
911	U29113	Human leiomyoma cell line LM-30.1/SV40 ectopic sequence from HMGI-C fusion mRNA, 3' sequence. clone pCH110.	2E-13
912	AC002252	Homo sapiens (subclone 1_g7 from BAC H76) DNA sequence	3E-24
913	U95097	Xenopus laevis mitotic phosphoprotein 43 mRNA, partial cds	0.09
914	NM_003437.1	Homo sapiens zinc finger protein 136 (clone pHZ-20) (ZNF136) mRNA >gi 487784 gb U09367 HSU09367 Human zinc finger protein ZNF136	2E-19
915	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.029
916	M12523	Human serum albumin (ALB) gene, complete cds.	1E-15
917	AF043324	Homo sapiens N-myristoyltransferase 1 mRNA, complete cds	2E-51
918	L43631	Homo sapiens scaffold attachment factor B (SAF-B) mRNA, partial cds	0.008
919	L01616	Tribolium castaneum zinc finger protein (Kruppel domain region) gene, partial cds.	4E-18
920	D12688	Mouse P-cadherin gene, exon 1 and 2	2
921	X94770	H.sapiens mRNA for epithelial membrane protein-2	2E-19

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACCN	DESCRIP.	P VALUE
922	NM_000946.1	Homo sapiens primase, polypeptide 1 (49kD) for DNA primase (subunit p48)	2E-20
923	AE000818	Methanobacterium thermoautotrophicum from bases 264585 to 276866 (section 24 of 148) of the complete genome	1.9
924	AL035418.6	Human DNA sequence from clone 14113 on chromosome 22q13.1-13.33 Contains an STS and a GSS, complete sequence [Homo sapiens]	0.0009
925	AF086040	Homo sapiens full length insert cDNA clone YX52E07	6E-73
926	AL049310.1	Homo sapiens mRNA; cDNA DKFZp564B206 (from clone DKFZp564B206)	2E-09
927	J01415	Human mitochondrion, complete genome	3E-24
928	AF044122	Homo sapiens clone SUPTH47 sequence flanking the HIV-1 provirus integration site	9E-25
929	Z22640	H.magnipapillata homeobox containing exon	0.076
930	NM_004859.1	Homo sapiens clathrin, heavy polypeptide-like 2 (CLTCL2) mRNA >gi 434760 dbj D21260 HUMORFEA Human mRNA for KIAA0034 gene, complete cds	4E-27
931	AL049701.1	Human gene from PAC 433G19, chromosome 1	e-162
932	NM_004698.1	Homo sapiens U4/U6-associated RNA splicing factor (HPRP3P) mRNA >gi 2708306 gb AF016370 AF016370 Homo sapiens U4/U6 small nuclear ribonucleoprotein hPrp3 mRNA, complete cds	4E-28
933	NM_003983.1	Homo sapiens solute carrier family 7 for KIAA0245 gene, complete cds	1E-30
934	NM_003440.1	Homo sapiens zinc finger protein 140 (clone pHZ-39) (ZNF140) mRNA >gi 487786 gb U09368 HSU09368 Human zinc finger protein ZNF140	1E-30
935	AL050392.1	Homo sapiens mRNA; cDNA DKFZp586I031 (from clone DKFZp586I031)	7E-33
936	NM_002714.1	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA	e-121
937	M27830	Human 28S ribosomal RNA gene, complete cds.	2E-33
938	M27830	Human 28S ribosomal RNA gene, complete cds.	2E-33
939	Z72521	Human DNA sequence from cosmid N29F4 on chromosome 22q11.2-qter contains STS	0.000001
940	AF056195	Homo sapiens neuroblastoma-amplified protein mRNA, complete cds	2E-72
941	Z35989	S.cerevisiae chromosome II reading frame ORF YBR120c	0.19
942	U76557	Rattus norvegicus O-GlcNAc transferase, p110 subunit (OGT) mRNA, complete cds	9E-36

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
943	Z56141	H.sapiens CpG island DNA genomic MseI fragment, clone 8g7, forward read cpg8g7.ft1a	3E-37
944	AF132951.1	Homo sapiens CGI-17 protein mRNA, complete cds	e-165
945	NM_006548.1	Homo sapiens IGF-II mRNA-binding protein 2 sapiens hepatocellular carcinoma autoantigen (p62) mRNA, complete cds	e-140
946	AF010317	Homo sapiens Pig3 (PIG3) gene, partial cds	3E-38
947	AB023151.1	Homo sapiens mRNA for KIAA0934 protein, partial cds	2E-54
948	Z69649	Human DNA sequence from cosmid L69F7B, Huntington's Disease Region, chromosome 4p16.3 contains Huntington Disease (HD) gene	1E-25
949	AC001159	Homo sapiens (subclone 1_h9 from PAC H92) DNA sequence	4E-17
950	AL080060.1	Homo sapiens mRNA; cDNA DKFZp564H172 (from clone DKFZp564H172)	5E-29
951	L07758	Human IEF SSP 9502 mRNA, complete cds.	4E-48
952	M29037	Human 17 beta-hydroxysteroid dehydrogenase	0.56
953	M36704	C.perfringens perfringolysin O (pfo) gene, complete cds.	0.22
954	U34991	Human endogenous retrovirus clone c18.4, HERV-H/HERV-E hybrid multiply spliced protease/integrase mRNA, complete cds, and envelope protein mRNA, partial cds	2E-61
955	AB002369	Human mRNA for KIAA0371 gene, complete cds	0.0009
956	AF098668	Homo sapiens acyl-protein thioesterase mRNA, complete cds	e-156
957	L12019	Actinidia deliciosa var deliciosa polygalacturonase gene, complete cds	0.19
958	Z12622	A.sativum mRNA encoding precursor alliinase	0.065
959	NM_003429.1	Homo sapiens zinc finger protein 85 (HPF4, HTF1) (ZNF85) mRNA >gi 1017721 gb U35376 HSU35376 Human repressor transcriptional factor (ZNF85) mRNA, complete cds.	2E-51
960	AP000249.1	Homo sapiens genomic DNA, chromosome 21q22.1, D21S226-AML region, clone:B762O15, complete sequence	0.0003
961	U16120	Human placental taurine transporter mRNA, complete cds.	2E-52
962	NM_002286.1	Homo sapiens lymphocyte-activation gene 3 mRNA for CD4-related protein involved in lymphocyte activation	2E-53
963	D63876	Human mRNA for KIAA0154 gene, partial cds	6E-54
964	NM_004128.1	Homo sapiens general transcription factor IIF, polypeptide 2 (30kD subunit) (GTF2F2) mRNA subunit of transcription initiation factor RAP30/74	7E-55

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
965	AF004691	Scutellospora heterogama 18S ribosomal RNA gene, partial sequence, 5.8S ribosomal RNA gene, complete sequence, and 26S ribosomal RNA gene, partial sequence	0.22
966	U67509	Methanococcus jannaschii section 51 of 150 of the complete genome	0.074
967	AB010059	Homo sapiens RBP56/hTAFII68 gene, exon 3, 4, 5	4E-80
968	AB007891	Homo sapiens KIAA0431 mRNA, partial cds	9E-60
969	NM_005873.1	Homo sapiens G alpha interacting protein (GAIP) mRNA >gi 1107697 emb X91809 HSPAIP H.sapiens mRNA for GAIP protein	4E-60
970	M76558	Human neuronal DHP-sensitive, voltage-dependent, calcium channel alpha-1D subunit mRNA, complete cds.	0.27
971	NM_003431.1	Homo sapiens zinc finger protein 124 (HZF-16) HZF-16=Kruppel-related zinc finger gene homolog HEP-G2, mRNA, 2080 nt]	2E-60
972	AB002584	Rattus norvegicus mRNA for beta-alanine-pyruvate aminotransferase, complete cds	0.00000002
973	X85133	H.sapiens RBQ-1 mRNA	2E-64
974	AJ130872.1	Porphyromonas gingivalis W50 receptor antigen (rag) locus encoding a major immunodominant 55kDa antigen	1.7
975	U67203	Mus musculus ACF7 neural isoform 1 (mACF7) mRNA, partial cds	2E-66
976	U67203	Mus musculus ACF7 neural isoform 1 (mACF7) mRNA, partial cds	3E-69
977	U55941	Expression vector pVP-HA2, complete sequence.	2E-79
978	AF074331.1	Homo sapiens PAPS synthetase-2 (PAPSS2) mRNA, complete cds	e-173
979	X78684	M.musculus mRNA for B-cell receptor associated protein (BAP) 29	e-100
980	AF060539	Mus musculus channel interacting PDZ domain protein mRNA, complete cds	e-138
981	U55042	Bos taurus myosin X, complete cds	e-119
982	AB000172	Porcine mRNA for endopeptidase 24.16, complete cds	e-131
983	Z57139	H.sapiens CpG island DNA genomic MseI fragment, clone 165d10, forward read cpg165d10.ft1a	0.4
984	AB012917	Homo sapiens mRNA for serine protease (TLSP), complete cds	0
985	L39064	Homo sapiens interleukin 9 receptor precursor	6E-15
986	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.36
987	AF045188	Salmo salar ribosomal protein L18a mRNA, complete cds	0.38
988	AF045742	Xenopus laevis Smad7 mRNA, complete cds	0.43

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
989	AF055287	<i>Emericella nidulans</i> molybdenum cofactor biosynthetic protein (cnxF) gene, complete cds	4.4
990	AF045742	<i>Xenopus laevis</i> Smad7 mRNA, complete cds	0.38
991	X03991	Human glucagon gene	0.42
992	AJ131021.1	<i>Mus musculus</i> mRNA for pp90 ribosomal protein S6 kinase 3	2E-17
993	U18168	Human HLA class I genomic survey sequence, contains Alu.	4E-11
994	Z57139	H.sapiens CpG island DNA genomic MseI fragment, clone 165d10, forward read cpg165d10.ft1a	0.4
995	AB012917	Homo sapiens mRNA for serine protease (TLSP), complete cds	0
996	AF045742	<i>Xenopus laevis</i> Smad7 mRNA, complete cds	0.38
997	M72411	Human MHC class II HLA-DQA1 gene (DR4,DR4), flanking region and alu repeat.	4E-21
998	J03612	<i>P.yoelii</i> merozoite surface antigen gene, 3' end.	0.13
999	AB007957	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488	0
1000	AF034265	<i>Gracilaria chilensis</i> 18S ribosomal RNA gene, partial sequence; internal transcribed spacer 1, 5.8S ribosomal RNA gene and internal transcribed spacer 2, complete sequence; and 25S ribosomal RNA gene, partial sequence	0.62
1001	AL080168.1	Homo sapiens mRNA; cDNA DKFZp434C151 (from clone DKFZp434C151)	0
1002	AF121948.1	Homo sapiens telomerase reverse transcriptase	0.001
1003	AF063668.1	<i>Mus musculus</i> type XIII collagen (col13a1) gene, exon 3	2.1
1004	NM_003630.1	Homo sapiens peroxisomal biogenesis factor 3 mRNA for Pex3 protein	0
1005	M35543	Human GTP-binding protein (G25K) mRNA, complete cds.	0.077
1006	U68216	<i>Carica papaya</i> ACC synthase mRNA, complete cds	4
1007	AF133913.1	<i>Mus musculus</i> ARL-6 interacting protein-6	6E-82
1008	NM_000211.1	Homo sapiens integrin beta chain, beta 2 leukocyte adhesion protein (LFA-1/Mac-1/p150,95 family) beta subunit mRNA.	0.65
1009	D10044	Tomato aspermy virus (V-TAV) RNA1	0.02
1010	S82740	NPM/ALK=fusion gene {translocation breakpoint}	0.71
1011	U78776	<i>Treponema denticola</i> gufa gene, partial cds, putative flagellar operon flgB, flgC, fliE, fliF, fliG, fliH, fliI and fliJ genes, complete cds, and fdgA gene, partial cds	0.14

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACCN	DESCRIP.	P VALUE
1012	AF140549.1	Enterococcus faecium unknown gene	0.51
1013	AF124490.1	Homo sapiens ARF GTPase-activating protein GIT1 mRNA, complete cds	e-176
1014	D10044	Tomato aspermy virus (V-TAV) RNA1	0.02
1015	AF088887	Oryctolagus cuniculus interleukin-10 precursor, mRNA, complete cds	0.62
1016	AF121948.1	Homo sapiens telomerase reverse transcriptase	0.29
1018	U78547	Chlamydomonas reinhardtii PF20 mRNA. complete cds	0.0001
1019	AL080145.1	Homo sapiens mRNA; cDNA DKFZp434P113 (from clone DKFZp434P113)	0
1020	M26198	Bovine ASS mRNA encoding argininosuccinate synthetase, complete cds.	0.24
1021	D87686.1	Homo sapiens mRNA for KIAA0017 protein. complete cds	e-175
1022	X56668	Human DNA for calretinin exon 1	0.16
1023	AB007158	Homo sapiens gene for ribosomal protein S23, partial cds	e-114
1024	X83433	O.sativa mRNA for lipid transfer protein, b21	0.66
1025	D32072	Mouse mRNA for an isoform of TGF- β type II receptor	0.074
1026	D26077	Mouse mRNA for KIF3B protein, complete cds	0.3
1027	X80111	D.melanogaster sap47-1 mRNA	2E-09
1028	NM_003951.1	Homo sapiens solute carrier family 25 member 14 (SLC25A14), nuclear gene encoding mitochondrial product, mRNA >gi 3851539 gb AF078544 AF078544 Homo sapiens brain mitochondrial carrier protein-1 (BMCP1) mRNA, nuclear gene encoding mitochondrial protein. complete cds	0
1029	AF016422	Caenorhabditis elegans cosmid R09E12	0.0007
1030	NM_006354.1	Homo sapiens transcriptional adaptor 2 (ADA2, yeast homolog)-3 like (PCAF histone acetylase complex) sapiens ADA3-like protein mRNA, complete cds	0
1031	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.063
1032	M25702	Human thyroid peroxidase (TPO) gene, exon 2.	0.091
1033	AB018257.1	Homo sapiens mRNA for KIAA0714 protein, partial cds	0
1034	L06898	Actinomyces viscosus sialidase (nanH) gene, complete cds.	0.49
1035	Y07521	Mouse neuroblastoma-Rat glioma hybrid cell line mRNA for a potassium channel protein NGK2	0.12
1036	AF153201.1	Homo sapiens zinc finger protein dp mRNA, complete cds	3E-39
1037	AJ010642	Drosophila melanogaster mRNA for Dof protein, transcript I, partial	1.9

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
1038	AB015633.1	Homo sapiens mRNA for type II membrane protein, complete cds, clone:HP10481	7E-23
1039	U86751	Human nucleolar fibrillar center protein (ASE-1) mRNA, complete cds	0.019
1040	NM_001538.1	Homo sapiens heat shock transcription factor 4 (HSF4) mRNA >gi 1813425 dbj D87673 D87673 Homo sapiens mRNA for heat shock transcription factor 4, complete cds	1E-57
1041	NM_001538.1	Homo sapiens heat shock transcription factor 4 (HSF4) mRNA >gi 1813425 dbj D87673 D87673 Homo sapiens mRNA for heat shock transcription factor 4, complete cds	1E-57
1042	NM_001283.1	Homo sapiens clathrin-associated/assembly/adaptor protein, small 1 Homo sapiens mRNA for sigma1A subunit of AP-1 clathrin adaptor complex, complete cds	0
1043	L08265	Human skeletal muscle chloride channel (HUMCLC) gene, exon 7.	0.075
1044	U79731	Plasmodium berghei extrachromosomal plastid PB-1, ORF470 gene, partial cds, tRNA-Thr, large subunit ribosomal RNA, tRNA-Met, tRNA-Arg, tRNA-Val, tRNA-Arg, tRNA-Leu, tRNA Asn, tRNA-Ala, and small subunit ribosomal RNA genes...	0.037
1045	X64467	H.sapiens ALAD gene for porphobilinogen synthase	0.019
1046	M17374	X.laevis beta-globin mRNA, 5' UTR.	0.37
1047	AF144573.1	Mesocricetus auratus Mx-interacting protein kinase PKM mRNA, complete cds	2E-18
1048	U79260	Human clone 23745 mRNA, complete cds	7E-26
1049	Z23435	H. sapiens (D1S414) DNA segment containing (CA) repeat; clone AFM179xg5; single read	0.0007
1050	X95439	S.xylosus aroA, ccpA, acuC and acuA genes	0.014
1051	M32676	Human platelet glycoprotein IIIa, intron 10, fragment A.	0.011
1052	AB018284.1	Homo sapiens mRNA for KIAA0741 protein, complete cds	0.0009
1053	AF151843.1	Homo sapiens CGI-85 protein mRNA, complete cds	3E-33
1054	AF132966.1	Homo sapiens CGI-32 protein mRNA, complete cds	0
1055	NM_006466.1	Homo sapiens polymerase (RNA) III (DNA directed) (39kD) (RPC39) mRNA subunit (RPC39) mRNA, complete cds	4E-15
1056	AF086460	Homo sapiens full length insert cDNA clone ZD85A02	e-119
1057	AF036703	Caenorhabditis elegans cosmid T11F8	0.7
1058	AB018344.1	Homo sapiens mRNA for KIAA0801 protein, complete cds	0

Table 2A: Nearest Neighbor (BlastN vs. Genbank)

SEQ ID	ACC'N	DESCRIP.	P VALUE
1059	X81058	M.musculus tex261 mRNA	e-119
1060	AL035046.5	Human DNA sequence from clone 321I20 on chromosome 1q32.1-41 Contains GSSs. complete sequence	0.0001
1061	AF157814.1	Homo sapiens cAMP specific phosphodiesterase	0.00000002
1062	NM_002273.1	Homo sapiens keratin 8 (KRT8) mRNA keratin 8	e-120
1063	AF131739	Homo sapiens clone 25189 mRNA sequence. complete cds	0
1064	AL049702.1	Human gene from PAC 433G19, chromosome 1	0
1065	AL080125.1	Homo sapiens mRNA; cDNA DKFZp572P0920 (from clone DKFZp572P0920)	3E-19
1066	NM_003422.1	Homo sapiens zinc finger protein 42	2E-15
1067	Z22175	Caenorhabditis elegans cosmid K01F9, complete sequence [Caenorhabditis elegans]	2
1068	AF039690.1	Homo sapiens antigen NY-CO-8 (NY-CO-8) mRNA, partial cds	1E-37
1069	AL049702.1	Human gene from PAC 433G19. chromosome 1	0
1070	D63850	Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c	5E-50
1071	AB014603	Homo sapiens mRNA for KIAA0703 protein. complete cds	e-167
1072	NM_006371.1	Homo sapiens cartilage-associated protein sapiens mRNA for cartilage-associated protein (CASP)	0
1073	U91561	Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA, complete cds	e-136
1074	NM_003429.1	Homo sapiens zinc finger protein 85 (HPF4, HTF1) (ZNF85) mRNA >gi 1017721 gb U35376 HSU35376 Human repressor transcriptional factor (ZNF85) mRNA, complete cds.	2E-51
1075	D63876	Human mRNA for KIAA0154 gene, partial cds	6E-54
1076	AB010059	Homo sapiens RBP56/hTAFII68 gene, exon 3, 4, 5	4E-80
1077	AB002584	Rattus norvegicus mRNA for beta-alanine-pyruvate aminotransferase. complete cds	0.00000002
1078	X85133	H.sapiens RBQ-1 mRNA	0
1079	AF074331.1	Homo sapiens PAPS synthetase-2 (PAPSS2) mRNA, complete cds	e-173

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
7	808943	(X82686) orf4 [bovine adenovirus type 2]	8.30E+00
8	3876268	(Z81067) similar to Zinc finger, C3HC4 type (RING finger) [Caenorhabditis elegans]	8.10E+00
9	2132973	probable membrane protein YPL058c - yeast	4.50E+00
11	2746799	(AF040643) No definition line found [Caenorhabditis elegans]	2.40E-01
12	1086865	(U41272) Similar to human leukocyte surface protein	1.80E-01
13	4680717	(AF132973) CGI-39 protein [Homo sapiens]	1.00E-07
14	5052588	(AF145649) BcDNA.GH08388	4.00E-09
15	2293303	(AF008220) YttA [Bacillus subtilis]	5.90E-02
16	3378132	(AF071502) brahma associated protein 155 kDa [Drosophila melanogaster]	4.20E-01
17	2224605	(AB002330) KIAA0332 [Homo sapiens]	7.30E-01
18	1439625	(U64598) weakly similar to S. cerevisiae PTM1 precursor	1.30E+00
19	4758718	mitotic kinesin-like protein 1 PROTEIN-1 >gi 284312 pir S28262 kinesin-related protein MKLP-1 - human >gi 34672 emb CAA47628 (X67155) mitotic kinase-like protein-1 [Homo sapiens]	5.60E-01
20	399112	BETA-GALACTOSIDASE (LACTASE)	1.40E-01
26	3785995	(AC005499) unknown protein [Arabidopsis thaliana]	5.90E+00
27	5042442	(AC007789) putative CREB-binding protein [Oryza sativa]	3.50E+00
28	2501404	PUTATIVE ABC TRANSPORTER PERMEASE PROTEIN MJ0087 >gi 2127961 pir G64310 hemin permease homolog - Methanococcus jannaschii >gi 1590869 (U67466) hemin permease (hemU) [Methanococcus jannaschii]	7.60E+00
29	1706771	5-EXO-ALCOHOL DEHYDROGENASE (FDEH) dehydrogenase [Pseudomonas putida]	6.00E+00
30	5102774	(AJ238893) acyl-CoA thioesterase [Mus musculus]	6.00E-11
31	121896	HISTONE H1.03 >gi 86287 pir D28456 histone H1.03 - chicken >gi 211832 (M17021) 03 H1 protein [Gallus gallus]	4.80E-01
32	5689493	(AB029001) KIAA1078 protein [Homo sapiens]	1.00E-53
33	4063766	(D87895) chitinase [Emericella nidulans]	1.60E-02
34	4140029	(AB015438) alpha 1 type I collagen [Cynops pyrrhogaster]	2.70E-02
37	1182003	(X87904) putative [Homo sapiens]	2.70E+00
38	1072187	(U40941) coded for by C. elegans cDNA CEESB82F; coded for by C. elegans cDNA CESE93F [Caenorhabditis elegans]	8.10E+00
39	2832671	(AL021712) hypothetical protein	1.40E+00
40	481043	bat2 protein - human >gi 29375 emb CAA78744	1.30E-01
41	1203952	(U49831) similar to D. melanogaster doublesex protein	4.80E+00

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
42	2708329	(AF038564) atrophin-1 interacting protein 4 [Homo sapiens]	8.20E+00
43	464522	TRANSCRIPTION INITIATION FACTOR IIF, ALPHA SUBUNIT (TFIIF-ALPHA) (TRANSCRIPTION INITIATION FACTOR RAP74) >gi 479869 pir S35551 transcription factor IIF chain RAP74 - African clawed frog IIF subunit [Xenopus laevis]	3.30E-01
44	2384956	(AF022985) No definition line found [Caenorhabditis elegans]	2.00E-28
46	418745	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 4 - Crithidia oncopelti mitochondrion (SGC6) subunit 4 [Crithidia oncopelti]	8.40E+00
47	289825	(M81391) thrombin [Gallus gallus]	6.30E+00
48	1352968	HYPOTHETICAL 95.4 KD PROTEIN IN MAD2-RNR2 INTERGENIC REGION >gi 1077804 pir S56801 hypothetical protein YJL029c - yeast (Saccharomyces cerevisiae) >gi 1008148 emb CAA89320 (Z49304) ORF YJL029c [Saccharomyces cerevisiae]	2.80E+00
49	3878628	(Z93385) predicted using Genefinder; cDNA EST EMBL:D72583 comes from this gene; cDNA EST EMBL:D75500 comes from this gene [Caenorhabditis elegans]	6.00E-03
50	2384956	(AF022985) No definition line found [Caenorhabditis elegans]	3.00E-25
54	5262605	(AL080150) hypothetical protein [Homo sapiens]	2.10E+00
59	4680695	(AF132962) CGI-28 protein [Homo sapiens]	2.40E-01
60	961446	(D63877) KIAA0157 gene product is novel.	1.20E+00
61	3882321	(AB018343) KIAA0800 protein [Homo sapiens]	1.00E-69
62	2864624	(AL021811) putative protein [Arabidopsis thaliana]	1.40E-01
65	1655907	(U65891) protein tyrosine phosphatase CRYP-2 [Gallus gallus]	2.00E+00
66	3983370	(AF102521) olfactory receptor B12 [Mus musculus]	1.80E-01
67	103624	collagen alpha 2 chain - sea urchin 2-alpha collagen precursor (COLL 2-alpha) [Paracentrotus lividus]	1.50E+00
68	3881789	(Z68302) predicted using Genefinder; similar to Pumilio-family RNA binding domains (aka PUM-HD, Pumilio homology domain) (3 domains); cDNA EST EMBL:M89238 comes from this gene; cDNA EST EMBL:D73612 comes from this gene; cDNA ES...	2.50E-01
70	1326281	(U58732) F48D6.2 gene product [Caenorhabditis elegans]	3.40E+00
73	3540219	(D87686) KIAA0017 protein [Homo sapiens]	8.00E-70

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
74	2315742	(AF016681) contains similarity to a sperm coat polysaccharide domain [Caenorhabditis elegans]	1.60E+00
78	5453948	protein phosphatase 1, regulatory subunit 6 >gi 3805797 emb CAA77081 (Y18206) serine-threonine specific protein phosphatase [Homo sapiens]	6.50E+00
80	1161051	(L39922) efflux protein [Mycobacterium tuberculosis]	8.20E+00
81	4505279	5-methyltetrahydrofolate-homocysteine methyltransferase reductase >gi 2981303 (AF025794) methionine synthase reductase [Homo sapiens]	2.80E+00
82	1722711	MAJOR CAPSID PROTEIN L1 >gi 1020201 type 24]	1.20E+00
84	5453379	(AF155124) bacterial-induced peroxidase precursor [Gossypium hirsutum]	6.30E+00
85	3329139	(AE001339) ABC Transporter Membrane Protein [Chlamydia trachomatis]	1.20E+00
86	222416	(D10453) coat protein [Pea seed-borne mosaic virus]	4.50E+00
87	1778160	(U67304) 70 kDa S6 kinase [Drosophila melanogaster]	2.60E+00
88	1943947	(U90126) ABC transporter [Bos taurus]	2.60E+00
89	3851586	(AF092564) chromosome-associated protein-C [Homo sapiens]	2.00E-03
91	119711	EXTENSIN PRECURSOR carota] >gi 224686 prf 1111211A extensin [Daucus carota]	2.00E-03
93	728838	!!!! ALU SUBFAMILY SX WARNING ENTRY	6.10E-01
95	4406632	(AF131801) Unknown [Homo sapiens]	2.00E-04
97	4585699	(AJ228139) LEKTI precursor [Homo sapiens]	9.00E-52
99	3249026	(AF070067) unknown [Escherichia coli]	7.70E-01
100	4210358	(AL031073) dJ142F18.1 (similar to melanoma-associated antigen) [Homo sapiens]	1.70E-02
101	2137074	ribosomal transcription factor UBF2 - Chinese hamster	7.00E-06
103	3327062	(AB014524) KIAA0624 protein [Homo sapiens]	1.00E-37
106	3328339	(AF075241) prepro-orexin [Sus scrofa]	4.80E+00
108	1055163	(U40029) Contains similarity to Pfam domain: PF01060 (Worm_family_2), Score=203.8, E-value=8.6e-58, N=1 [Caenorhabditis elegans]	7.90E+00

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
109	113333	METHYLPHOSPHOTRIESTER-DNA ALKYLTRANSFERASE >gi 279475 pir XUBSMM methylphosphotriester-DNA methyltransferase (EC 2.1.1.-) adaA [Bacillus subtilis] >gi 2632448 emb CAB11957 transcriptional regulator (AraC/XylS family) [Bacillus subtilis] >gi 2632466 emb CAB11974 (Z99105) methylphosphotriester-DNA alkyltransferase and transcriptional regulator (AraC/XylS family) [Bacillus subtilis] >gi 3599599 dbj BAA33074 (AB006424) METHYLPHOSPHOTRIESTER-DNA ALKYLTRANSFERASE [Bacillus subtilis]	7.80E+00
110	2143767	glycoprotein - rat >gi 986943 (L08134) glycoprotein [Rattus norvegicus] norvegicus]	2.00E-02
112	2905979	(AF015678) virulence determinant [African swine fever virus]	2.00E+00
113	4867999	(AF078164) Ku70-binding protein	4.00E-60
114	3820909	(AJ010642) Dof protein [Drosophila melanogaster]	1.90E+00
115	2291155	(AF016418) No definition line found [Caenorhabditis elegans]	8.10E+00
120	632500	(U17394) polyadenylation factor 64 kDa subunit [Xenopus laevis]	3.60E+00
121	87792	Ig gamma-3 chain C region (allotype G3m(b)) - human >gi 577056 emb CAA27268 (X03604) C gamma 3 [Homo sapiens]	1.60E+00
122	3043572	(AB011096) KIAA0524 protein [Homo sapiens]	5.00E-04
125	1729859	TUBULIN GAMMA CHAIN gamma tubulin-like protein [Saccharomyces cerevisiae]	3.50E+00
126	2340169	(AF015783) telomerase reverse transcriptase 1	2.70E+00
127	2131446	hypothetical protein YDR362c - yeast	7.90E-02
130	1616770	(U70731) putative poly(A)-binding protein FabM	1.10E+00
131	3287688	(AC003979) Contains similarity to ycf37 gene product gb 1001425 from Synechocystis sp. genome gb D63999. ESTs gb T43026, gb R64902, gb Z18169 and gb N37374 come from this gene. [Arabidopsis thaliana]	8.00E-03
134	1131444	(U42580) PBCV-1 glucosamine synthetase	1.70E+00
135	134952	STREPTOTHRICIN ACETYLTRANSFERASE streptothricin acetyl-transferase (AA 1-174) streptothricin-acetyl-transferase (AA 1-174) acetyltransferase [Transposon Tn7] >gi 2708491 (U84739) streptothricin resistance protein [synthetic construct] acetyltransferase 3' [Cloning vector pSB11]	5.40E-01

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
136	3452684	(D87054) 2-heptaprenyl-1,4-naphthoquinone methyltransferase [Bacillus stearothermophilus]	4.00E-03
137	5360129	(AF155117) NY-REN-62 antigen	8.00E-53
143	1363109	collagen alpha 1(XVIII) chain precursor long form - mouse (fragment) >gi 618430 (U11637) alpha-1 type XVIII collagen precursor [Mus musculus]	3.70E+00
145	113671	!!!! ALU CLASS F WARNING ENTRY !!!!	1.40E+00
146	3874135	(Z54342) similar to acid phosphatase elegans]	7.00E-22
148	1279390	(X97329) HER-1 protein [Danio rerio]	7.50E+00
149	4557639	orexin receptor 2 >gi 2897128 receptor [Homo sapiens]	6.20E+00
150	4262630	(AF125963) No definition line found	3.20E+00
152	102129	H+-transporting ATP synthase (EC 3.6.1.34) protein 6 - Trypanosoma brucei mitochondrion (SGC6)	2.80E+00
156	996018	(X91637) BRG1 protein [Gallus gallus]	5.70E+00
157	3158498	(AF067622) Contains similarity to Pfam domain: PF00628 (PHD). Score=36.7, E-value=1.7e-07, N=2	2.70E-02
158	1117913	(U40223) uridine nucleotide receptor [Homo sapiens]	2.70E+00
162	5430752	(AC007504) Hypothetical Protein	3.80E-02
167	226120	vicilin gene B [Saguinus oedipus]	8.30E+00
169	4557335	aspartoacylase (aminoacylase 2) aspartoacylase - human >gi 455834 bbs 140585 (S67156) aspartoacylase, ASP [human, kidney, Peptide, 313 aa]	7.30E+00
170	5031129	(AF082859) lungkine [Mus musculus]	8.60E+00
173	4678899	(AL049707) putative large glycine/alanine rich protein [Streptomyces coelicolor]	2.10E-01
174	728831	!!!! ALU SUBFAMILY J WARNING ENTRY	2.00E-02
175	3004981	(AF039652) ribonuclease H type II [Homo sapiens]	2.00E-27
177	2911366	(AF041047) NADPH HC toxin reductase [Zea mays]	9.60E-02
178	2217964	(Z50798) p52 [Gallus gallus]	1.00E-12
179	3873707	(Z73102) Similarity to B.subtilis DNAJ protein (SW:DNAJ_BACSU); cDNA EST yk437a1.5 comes from this gene [Caenorhabditis elegans]	3.00E-19
180	3043658	(AB011139) KIAA0567 protein [Homo sapiens]	2.00E-03
182	5689451	(AB028980) KIAA1057 protein [Homo sapiens]	7.00E-10
183	728831	!!!! ALU SUBFAMILY J WARNING ENTRY	5.00E-03
186	2588623	(AC003083) mitochondrial carrier protein-like; similar to Q09461 (PID:g2497990) [Homo sapiens]	3.00E-69
187	1669601	(D88747) AR401 [Arabidopsis thaliana]	2.00E-20
190	126296	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG protein [Nycticebus coucang]	3.20E-01

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
191	3294180	(Z99129) dJ425C14.2 (Placental protein DIFF33 LIKE) [Homo sapiens]	4.00E-20
192	5030439	(AC007766) R26610_1 [Homo sapiens]	7.00E-56
193	4507375	tubulin-specific chaperone e	7.00E-05
195	1698455	(U49974) mariner transposase [Homo sapiens]	2.00E-05
196	1709285	PUTATIVE PYRUVATE-FLAVODOXIN OXIDOREDUCTASE >gi 1006618 dbj BAA10774 (D64005) pyruvate oxidoreductase [Synechocystis sp.]	8.00E+00
197	3878584	(Z77667) cDNA EST EMBL:C08125 comes from this gene; cDNA EST EMBL:C09753 comes from this gene	2.00E-04
198	1658503	(U75467) Atu [Drosophila melanogaster]	2.00E-44
199	2655422	(AF035530) CDC37 [Gallus gallus]	2.00E-09
200	4557817	3-oxoacid CoA transferase precursor: succinyl-CoA:3- ketoacid-CoA transferase precursor >gi 2492998 sp P55809 SCOT_HUMAN SUCCINYL-COA:3- KETOACID-COENZYME A TRANSFERASE PRECURSOR transferase precursor [Homo sapiens]	3.20E+00
201	4506403	UNKNOWN >gi 4063890 (AF095448) putative G protein- coupled receptor [Homo sapiens]	4.00E-35
202	3880146	(Z68319) Similarity to Human hnRNP F protein (PIR Acc. No. S43484); cDNA EST EMBL:D34218 comes from this gene; cDNA EST EMBL:D37248 comes from this gene; cDNA EST EMBL:D71817 comes from this gene; cDNA EST EMBL:D74531 comes fro... hnRNP F protein (PIR Acc. No. S43484); cDNA EST EMBL:D34218 comes from this gene; cDNA EST EMBL:D37248 comes from this gene; cDNA EST EMBL:D71817 comes from this gene; cDNA EST EMBL:D74531 comes fro...	1.00E-01
203	3877198	(Z69903) predicted using Genefinder; Similarity to Rat casein kinase I (SW:KC1D_RAT); cDNA EST EMBL:D65322 comes from this gene; cDNA EST EMBL:D68704 comes from this gene; cDNA EST yk475f2.5 comes from this gene [Caenorhabditis...]	1.20E+00
204	987050	(X65335) lacZ [Cloning vector pSV-beta-Galactosidase Control]	4.00E-06
205	1438677	(U62376) envelope protein [Simian immunodeficiency virus]	3.60E+00
206	2193870	(D84391) reverse transcriptase [Mus musculus]	6.00E-06
207	5032069	spliceosome-associated protein ASSOCIATED PROTEIN 49 (SAP 49) (SF3B53) SAP-49 - human >gi 556217 (L35013) spliceosomal protein	2.20E+00

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
209	5032069	spliceosome-associated protein ASSOCIATED PROTEIN 49 (SAP 49) (SF3B53) SAP-49 - human >gi 556217 (L35013) spliceosomal protein	2.10E+00
210	729264	CYTOCHROME B >gi 625356 pir S43269 ubiquinol--cytochrome-c reductase (EC 1.10.2.2) cytochrome b - humpback whale mitochondrion (SGC1)	4.60E+00
211	2088713	(AF003139) Similar to cuticular collagen [Caenorhabditis elegans]	4.20E-01
212	2276366	(Z97992) putative glucan synthase	8.40E+00
213	4589684	(AB023234) KIAA1017 protein [Homo sapiens]	2.00E-65
214	4504739	ITBA1 protein	1.00E-10
217	1703364	TRANSCRIPTIONAL REGULATORY PROTEIN ARAB >gi 995682 emb CAA62739 (X91393) abaB	7.50E-01
218	2769595	(Y16135) 5HT2B receptor [Canis familiaris]	8.20E+00
219	3002527	(AF010144) neuronal thread protein AD7c-NTP [Homo sapiens]	5.00E-05
221	1463014	(U08794) envelope glycoprotein [Human immunodeficiency virus type 1]	7.70E+00
222	1709230	NBL4 PROTEIN >gi 543191 pir JU0188 band 4.1 superfamily member protein - mouse	3.00E-23
223	120223	FK506-BINDING PROTEIN (FKBP-12) FK506-binding protein - mouse >gi 50971 emb CAA42762 musculus]	1.00E-19
224	987050	(X65335) lacZ [Cloning vector pSV-beta-Galactosidase Control]	2.00E-15
225	2558516	(AJ001119) Rab5 GDP/GTP exchange factor, Rabex5 [Bos taurus]	2.00E-36
226	2558501	(D63850) hepatoma-derived growth factor	7.00E-30
227	5410326	(AF106680) RNA helicase [Homo sapiens]	2.00E-45
228	631772	TEG-261 protein - mouse	5.00E-48
229	3851492	(AF041853) kinesin family member protein KIF3A [Homo sapiens]	3.00E-56
231	4504983	lectin, galactoside-binding, soluble, 3 (galectin 3) (NOTE: redefinition of symbol) BINDING PROTEIN 35) (CBP 35) (LAMININ-BINDING PROTEIN) galactoside-binding - human >gi 179531 (M57710) IgE-binding protein [Homo sapiens] >gi 186922 (M36682) laminin-binding protein [Homo sapiens]	6.00E+00
240	3873717	(Z81453) predicted using Genefinder	3.70E+00
241	3413884	(AB007930) KIAA0461 peroteine [Homo sapiens]	3E-48
242	1834503	(Z72496) mucin MUC5B [Homo sapiens]	4.50E-01

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
243	131442	PRESTALK PROTEIN PRECURSOR mold (Dictyostelium discoideum)	1.2
244	3834629	(AF094519) diaphanous-related formin; p134 mDia2 [Mus musculus]	5E-54
245	2996650	(AC004493) KIAA0324 [Homo sapiens]	0.05
246	731604	HYPOTHETICAL 130.0 KD PROTEIN IN SNF6-SPO11 INTERGENIC REGION >gi 626572 pir S46837 hypothetical protein YHL023c - yeast (Saccharomyces cerevisiae) >gi 2289893 (U11582) No definition line found [Saccharomyces cerevisiae]	0.036
247	5670007	(AF156102) ELL complex EAP30 subunit	5.00E-66
248	1122431	(X92968) protein SIC [Streptococcus pyogenes]	0.001
249	462022	ER LUMEN PROTEIN RETAINING RECEPTOR falciparum >gi 398385 emb CAA81128 (Z26043) ERD2	8.80E+00
250	3850153	(AL033396) cytochrome P450 [Candida albicans]	8.8
251	2315228	(Z98260) hypothetical protein Rv1227c	1.00E+00
252	3800952	(AF100657) Contains similarity to Pfam domain: PF00614 (PLDc), Score=13.8, E-value=0.2, N=1	5.00E-24
253	4507145	UNKNOWN >gi 3873216 (AF065485) sorting nexin 4 [Homo sapiens]	3.00E-51
258	5410355	(AF125392) insulin induced protein 2 [Homo sapiens]	2.10E+00
261	2905647	(AF045245) D-arabinitol kinase [Klebsiella pneumoniae]	6.5
262	4928673	(AF136343) Cul-1 [Drosophila melanogaster]	6.50E+00
263	3876644	(Z81526) predicted using Genefinder; cDNA EST EMBL:D36935 comes from this gene; cDNA EST EMBL:D33960 comes from this gene; cDNA EST EMBL:C12255 comes from this gene; cDNA EST EMBL:C10859 comes from this gene; cDNA EST EMBL:C1...	6.20E+00
264	1808621	(X94355) D18L [Cowpox virus]	3.70E+00
265	628784	plasmid copy number control protein - Escherichia coli >gi 473802 dbj BAA05591 (D26562) coli]	2.90E+00
266	4505727	peroxisomal biogenesis factor 3 PROTEIN PEX3 (PEROXIN-3) >gi 3336882 emb CAA04879 sapiens] >gi 4218426 emb CAA08904 (AJ009866) Pex3p	4.00E-59
268	4322053	(AF071242) homeobox protein [Danio rerio]	3.50E+00
273	5105878	(AP000063) 194aa long hypothetical protein [Aeropyrum pernix]	6.50E+00

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
274	3877495	(Z48583) cDNA EST EMBL:T00483 comes from this gene; cDNA EST EMBL:D64526 comes from this gene; cDNA EST EMBL:D65147 comes from this gene; cDNA EST EMBL:D68484 comes from this gene; cDNA EST EMBL:D67548 comes from this gene; c... >gi 3879229 emb CAA88749 EST EMBL:D64526 comes from this gene; cDNA EST EMBL:D65147 comes from this gene; cDNA EST EMBL:D68484 comes from this gene; cDNA EST EMBL:D67548 comes from this gene; cDN...	6.7
275	3322592	(AE001211) T. pallidum predicted coding region TP0311	1.90E+00
276	1176495	HYPOTHETICAL 79.4 KD PROTEIN IN PRP16-SRP40 INTERGENIC REGION >gi 486577 emb CAA82169	2.1
277	4691726	(AF124490) ARF GTPase-activating protein GIT1 [Homo sapiens]	3E-68
278	3702844	(AF069051) pituitary tumor transforming gene protein	5.80E+00
279	3882163	(AB018264) KIAA0721 protein [Homo sapiens]	6.00E-59
280	1072187	(U40941) coded for by C. elegans cDNA CEESB82F; coded for by C. elegans cDNA CESE93F [Caenorhabditis elegans]	7.4
282	3322397	(AE001198) T. pallidum predicted coding region TP0130	1.80E+00
283	3417412	(AL031261) putative superoxide dismutase	2.9
284	2245121	(Z97343) hypothetical protein	0.45
285	2924311	(AJ000882) steroid receptor coactivator 1e	8.6
286	3323285	(AE001264) ABC transporter, ATP-binding protein	8.5
287	4981435	(AE001755) hypothetical protein	2.9
288	4826818	LIM and senescent cell antigen-like domains 1 >gi 1346721 sp P48059 PINC_HUMAN PINCH PROTEIN (PARTICULARLY INTERESTING NEW CYS-HIS PROTEIN) >gi 631281 pir JC2324 LIM protein - human	6.5
291	104506	troponin T, fast skeletal muscle, embryonic alpha (clone 501) Japanese quail >gi 213628 (M26599) troponin T [Coturnix coturnix]	4.8
292	2736462	(AF039048) similar to cdc25-like M-phase inducer phosphatases [Caenorhabditis elegans]	2.8
293	1708966	SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS)	0.74
294	4914378	(AC007584) hypothetical protein [Arabidopsis thaliana]	3E-10
295	5524931	(AL096842) hypothetical protein [Homo sapiens]	3E-64

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
296	128155	LOW-AFFINITY NERVE GROWTH FACTOR RECEPTOR PRECURSOR (NGF RECEPTOR) (GP80-LNGFR) (P75 ICD) affinity - chicken	0.00001
298	4205113	(AF000520) cell wall invertase [Fragaria x ananassa]	2.7
299	3702106	(AL031765) MSK (EC 2.7.1.-) (HRT-20) (MYOCARDIAL SNF1-LIKE KINAS...	0.79
300	4325123	(AF119361) unknown [Frankia sp. EuIK1]	2.8
301	417737	MITOCHONDRIAL RIBOSOMAL PROTEIN S14 polymorpha=liverwort, Peptide Mitochondrial, 99 aa]	3.6
302	2289030	(U53564) N-terminal region of the protein [Mus musculus]	2.8
303	2318003	(U97553) unknown [murine herpesvirus 68]	0.037
304	3123176	HYPOTHETICAL 43.1 KD TRP-ASP REPEATS CONTAINING PROTEIN K04G11.4 IN CHROMOSOME X Genefinder; Similarity to C.elegans Guanine nucleotide binding protein (WP:C14B1.4) [Caenorhabditis elegans]	6E-09
305	5106956	(AF113615) FH1/FH2 domain-containing protein FHOS [Homo sapiens]	1E-51
311	5059323	(AF151522) hairy and enhancer of split related-1 [Homo sapiens]	0.31
312	728831	!!!! ALU SUBFAMILY J WARNING ENTRY	4.7
313	4226073	(AF125443) contains similarity to S. pombe phosphatidyl synthase (GB:Z28295) [Caenorhabditis elegans]	2E-23
317	2822320	(AF016485) ORF H0532 [Halobacterium sp. NRC-1] >gi 2822445 gb AAC82951.1 (AF016485) ORF H1831	7.9
318	2983553	(AE000721) major facilitator family transporter [Aquifex aeolicus]	3.5
319	4689225	(AF118379) gamma-tubulin ring protein Dgrip84 [Drosophila melanogaster]	0.23
322	1326337	(U58746) coded for by C. elegans cDNA yk3b11.5; coded for by C. elegans cDNA yk13g1.5; coded for by C. elegans cDNA yk3b11.3; coded for by C. elegans cDNA CEESR37F; coded for by C. elegans cDNA yk13g1.3; Similar to phospholipase. [Caenorhab...	4.5
323	2708738	(AC003952) hypothetical protein [Arabidopsis thaliana]	6E-10
326	4929629	(AF151838) CGI-80 protein [Homo sapiens]	8.1
327	4050073	(AF103731) putative glycolipid transfer protein [Homo sapiens]	2E-38
328	1905892	(L39835) Na/Ca exchange protein [Drosophila melanogaster]	0.14
329	4972120	(AL078579) putative protein [Arabidopsis thaliana]	2E-08

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
330	4884202	(AL049953) hypothetical protein [Homo sapiens]	1E-39
332	2981631	(AB012223) ORF2 [Canis familiaris]	0.098
333	1723611	HYPOTHETICAL TRANSCRIPTIONAL REGULATOR IN GLVC-LIPB INTERGENIC REGION subtilis] >gi 2633149 emb CAB12654 (Z99108) similar to transcriptional regulator (AraC/XylS family) [Bacillus subtilis]	9.9
334	3881873	(Z83246) predicted using Genefinder; cDNA EST EMBL:M79771 comes from this gene [Caenorhabditis elegans]	1.3
335	3641352	(AF091234) putative transcription factor [Mus musculus]	2E-43
336	3874427	(Z78416) predicted using Genefinder; Similarity to S.pombe RAD18 gene (TR:E198069); cDNA EST CEESX52R comes from this gene; cDNA EST EMBL:D32785 comes from this gene; cDNA EST EMBL:D35528 comes from this gene; cDNA EST EMBL:D37...	0.0000006
341	1492037	(U60315) MC094R [Molluscum contagiosum virus subtype 1]	8.5
342	3201625	(AC004669) hypothetical protein [Arabidopsis thaliana]	6.2
343	5103944	(AP000059) 216aa long hypothetical protein [Aeropyrum pernix]	3.8
344	139140	RNA REPLICATION PROTEIN (165 KD PROTEIN) (ORF 1) [CONTAINS: RNA-DIRECTED RNA POLYMERASE RNA-replicating protein [Potato virus X] >gi 309911	5.9
345	1085126	juvenile hormone esterase-related protein - cabbage looper	4.9
346	1613846	(U71440) polyprotein [Rice tungro spherical virus]	0.73
354	60900	(X03614) alternative form of op-6 (aa 1-1980) [Human parainfluenza virus 1]	0.35
355	3287370	(AC002397) B [Mus musculus]	0.003
356	2622601	(AE000909) serine/threonine protein kinase related protein [Methanobacterium thermoautotrophicum]	2E-10
358	130489	STRUCTURAL POLYPROTEIN [CONTAINS: MAJOR STRUCTURAL PROTEIN VP2; NONSTRUCTURAL PROTEIN VP4; MINOR STRUCTURAL PROTEIN VP3] >gi 75451 pir GNXSOH genome polyprotein - infectious bursal disease virus structural polyprotein [Infectious bursal disease virus]	9.7
359	2996337	(AF053947) CobT homolog [Yersinia pestis]	0.86
360	3644048	(AF091395) Trio isoform [Homo sapiens]	7.1
363	3845280	(AE001418) hypothetical protein [Plasmodium falciparum]	0.8

Tabl 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
364	1208844	(U49956) coded for by <i>C. elegans</i> cDNA yk57d5.5; coded for by <i>C. elegans</i> cDNA cm20e2; coded for by <i>C. elegans</i> cDNA cm06f2 [<i>Caenorhabditis elegans</i>]	4
366	3193245	(AF068709) No definition line found [<i>Caenorhabditis elegans</i>]	2.9
368	5262568	(AL080129) hypothetical protein [<i>Homo sapiens</i>]	1E-35
371	3261730	(Z92774) <i>nhoA</i> [<i>Mycobacterium tuberculosis</i>]	3.5
373	2131482	hypothetical protein YDR426c - yeast	7.7
374	2146218	hypothetical protein E30_orf352 - <i>Mycoplasma pneumoniae</i> (SGC3) (ATCC 29342) >gi 1673872 (AE000021) <i>Mycoplasma pneumoniae</i> , E30_orf352 Protein [<i>Mycoplasma pneumoniae</i>]	7.8
375	2911866	(AF047660) contains similarity to steroid/thyroid/retinoic nuclear hormone receptors; contains similarity to C4-type zinc fingers	2.7
377	3878117	(Z49068) mitochondrial carrier protein	5.7
378	2804500	(AF043706) contains similarity to granulins [<i>Caenorhabditis elegans</i>]	0.18
380	4154882	(AE001471) ATP-DEPENDENT ZINC METALLOPEPTIDASE	4.7
381	2047346	(AF000198) Similar to cuticular collagen [<i>Caenorhabditis elegans</i>]	0.31
382	135454	TUBULIN BETA-2 CHAIN <i>Emericella nidulans</i> >gi 168107 (M17520) beta-tubulin beta [<i>Emericella nidulans</i>]	1.5
387	3256691	(AP000001) 128aa long hypothetical protein [<i>Pyrococcus horikoshii</i>]	3.6
388	4033606	(AB008227) Extensin [<i>Adiantum capillus-veneris</i>]	0.33
391	3036835	(AJ003243) bradykinin B2 receptor [<i>Cavia porcellus</i>]	7.9
392	5306171	(AF160864) NADH dehydrogenase subunit 4 [<i>Tetrahymena pyriformis</i>]	1.6
393	2131472	hypothetical protein YDR409w - yeast CAI: 0.12 [<i>Saccharomyces cerevisiae</i>]	0.43
394	418745	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 4 - <i>Crithidia oncopelti</i> mitochondrion (SGC6) subunit 4 [<i>Crithidia oncopelti</i>]	3.3
398	422408	cyclodiene insecticide resistance protein - yellow fever mosquito >gi 881590 (U28803) GABA receptor subunit [<i>Aedes aegypti</i>]	1.1
400	4050089	(AF109907) hypothetical protein [<i>Homo sapiens</i>]	1.6

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
401	3875400	(Z73906) cDNA EST EMBL:M88866 comes from this gene [Caenorhabditis elegans]	2.1
402	3874821	(Z35641) cDNA EST yk273d8.5 comes from this gene [Caenorhabditis elegans]	9E-10
404	4493761	(AL034368) predicted using hexExon; L779.2, Hypothetical protein, len: 4125 aa [Leishmania major]	6.6
407	2598627	(AJ000870) histidine kinase [Streptococcus gordonii]	6
408	2842531	(AB004291) gamma-subunit of enolase	3.5
409	728836	!!!! ALU SUBFAMILY SP WARNING ENTRY	0.37
415	728832	!!!! ALU SUBFAMILY SB WARNING ENTRY	0.95
416	2088675	(AF003131) C. elegans UNC-89 (GB:U33058) (NID:g1160355)	1.2
417	102189	myosin I, high molecular weight - Acanthamoeba sp	0.0005
418	2072961	(U93568) putative p150 [Homo sapiens]	0.008
422	1705706	P-TYPE CALCIUM CHANNEL ALPHA-1 SUBUNIT (RBA-I) >gi111447 pir A41098 calcium channel protein alpha-1 chain isoform A - rat >gi203111 norvegicus]	3.6
424	1781316	(Y10290) formamidopyrimidine-DNA glycosylase [Synechococcus elongatus]	4.9
425	1183033	(D63821) polyprotein [Hepatitis C virus]	7.5
426	3347920	(AF075261) orphan transporter [Mus musculus]	2.9
428	1333929	(X66285) HC1 ORF [Mus musculus]	0.086
429	3121994	DNAJ PROTEIN japonicum]	1.2
431	5689523	(AB029016) KIAA1093 protein [Homo sapiens]	0.001
432	4887240	(AF064564) WSB1 protein [Fugu rubripes] rubripes]	0.013
433	130553	RNA REPLICASE POLYPROTEIN 2.7.7.48) - Ononis yellow mosaic virus >gi332574 virus]	0.3
435	897917	(U28249) 11kD protein [Homo sapiens]	0.25
441	2072958	(U93567) putative p150 [Homo sapiens]	0.002
444	728831	!!!! ALU SUBFAMILY J WARNING ENTRY	0.008
446	4210496	(U61384) GAS41 protein [Homo sapiens]	9E-59
447	1002672	(U30261) G protein beta subunit-like; Method: conceptual translation supplied by author [Schistosoma mansoni]	1E-31
448	4680703	(AF132966) CGI-32 protein [Homo sapiens]	6E-67
450	1255371	(U53147) coded for by C. elegans cDNA yk34a9.5; coded for by C. elegans cDNA yk34a9.3; Similar to guanylate kinase. [Caenorhabditis elegans]	4E-23
451	1078718	reverse transcriptase - Trypanosoma cruzi transcriptase [Trypanosoma cruzi]	0.91
452	728832	!!!! ALU SUBFAMILY SB WARNING ENTRY	0.082
453	106323	hypothetical protein (L1H 5' region) - human	0.58

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
454	1345693	CHLORAMPHENICOL ACETYLTRANSFERASE acetyltransferase, CAT [Vibrio anguillarum=pJA7324, Peptide Plasmid, 216 aa] [Vibrio anguillarum]	8.4
455	3413884	(AB007930) KIAA0461 peroteine [Homo sapiens]	8E-78
456	2072972	(U93572) putative p150 [Homo sapiens]	0.003
458	1504042	(D86984) similar to yeast adenylate cyclase (S56776) [Homo sapiens]	7E-10
460	729774	HEAT SHOCK FACTOR PROTEIN HSF30 STRESS TRANSCRIPTION FACTOR) >gi 100265 pir S25480 heat shock transcription factor HSF30 - Peruvian tomato transcription factor HSF30 [Lycopersicon peruvianum]	8.1
462	728831	!!!! ALU SUBFAMILY J WARNING ENTRY	0.006
464	1351218	TESTIN 2 (TES2) [CONTAINS: TESTIN 1 (TES1)] >gi 2137810 pir I48842 testin - mouse	7.8
465	4160198	(AL008583) dJ327J16.3 (novel CHROMObox family protein) [Homo sapiens]	1E-20
466	4454690	(AF070657) glutathione S-transferase subunit 13 homolog [Homo sapiens]	2E-25
467	3873871	(Z81030) similar to citrate lyase beta chain; cDNA EST yk302b4.5 comes from this gene	3E-41
468	2690136	(AE000788) conserved hypothetical protein [Borrelia burgdorferi]	4.7
469	3327192	(AB014589) KIAA0689 protein [Homo sapiens]	0.000006
470	121654	GASTRULA-SPECIFIC PROTEIN 17 African clawed frog >gi 64733 emb CAA28842 (X05215) GS17 gene product (AA 1 - 147) [Xenopus laevis]	0.9
471	2506774	KERATIN, TYPE II CYTOSKELETAL 8	2E-42
472	4768838	(AF116910) putative ribonuclease III [Homo sapiens]	6E-74
473	4406551	(AF131739) Unknown [Homo sapiens]	2E-54
474	4454704	(AF070664) HSPC008 [Homo sapiens] protein [Homo sapiens]	3E-39
475	4678836	(AL049701) hypothetical protein [Homo sapiens]	6E-43
477	3025319	ZINC FINGER PROTEIN 195 >gi 2384653 sapiens]	3E-11
479	3327098	(AB014542) KIAA0642 protein [Homo sapiens]	5E-20
480	2506062	(D85196) cut4+ [Schizosaccharomyces pombe]	4.7
481	220579	(D00570) open reading frame (196 AA) [Mus musculus]	1.7
482	4758756	nucleosome assembly protein 1-like 1 >gi 1709337 sp P55209 NPL1_HUMAN NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 1 (NAP-1 RELATED PROTEIN)	2E-26
484	1778432	(U79660) Treacher Collins syndrome [Homo sapiens]	2.9

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
485	4507455	transferrin receptor 2 sapiens]	3E-35
488	1184790	(U46068) von Ebner minor salivary gland protein [Mus musculus]	0.065
489	3876562	(Z81074) Similarity to Soybean 3-methylcrotonyl-CoA carboxylase (TR:Q42777); cDNA EST EMBL:M75819 comes from this gene; cDNA EST EMBL:M89099 comes from this gene; cDNA EST EMBL:D32737 comes from this gene; cDNA EST EMBL:D32763 ...	7E-41
490	746552	(U23523) F53A9.1 gene product [Caenorhabditis elegans]	6.7
491	2981631	(AB012223) ORF2 [Canis familiaris]	0.037
492	1401210	(U58510) putative RNA polymerase II subunit	4.8
493	3170180	(AF039690) antigen NY-CO-8 [Homo sapiens]	0.26
496	1778838	(U83113) INS-1 winged-helix homolog [Homo sapiens]	2.8
497	549779	PUTATIVE MYCOCEROSYL TRANSFERASE IN MAS 5'REGION >gi 322248 pir A44110 orf I 5' of mas - Mycobacterium tuberculosis >gi 149979 (M95808) ORF	8.2
498	3877493	(Z48583) similar to ATPases associated with various cellular activities (AAA); cDNA EST EMBL:Z14623 comes from this gene; cDNA EST EMBL:D75090 comes from this gene; cDNA EST EMBL:D72255 comes from this gene; cDNA EST yk200e4....	3E-14
500	3879937	(Z68220) T20D3.3 [Caenorhabditis elegans]	0.0000003
501	1170551	MITOCHONDRIAL INNER MEMBRANE PROTEASE SUBUNIT 2 >gi 1078046 pir S53952 proteinase 2 precursor, mitochondrial inner membrane - yeast	4E-13
502	4210989	(AF121781) unknown [Homo sapiens]	0.007
503	4826454	(Z93241) dJ222E13.3.2 (PUTATIVE partial isoform 2) [Homo sapiens]	2E-46
504	5381426	(AF159046) SPANK-1 [Rattus norvegicus]	0.12
505	3687833	(AF069737) notchless [Xenopus laevis]	1E-65
506	2558501	(D63850) hepatoma-derived growth factor	3E-24
507	1061310	(M98326) valyl-tRNA synthetase [Homo sapiens]	2E-17
508	4503179	gene encoding a protein with coiled-coil alpha-helical domains protein [Homo sapiens]	3E-35
509	4096591	(U33460) DNA-directed RNA polymerase I, largest subunit [Homo sapiens]	6.3
510	4836515	(AF124788) WS-3 protein [Mus musculus]	5E-10
511	4507867	vessicle-associated membrane protein (VAMP)-associated protein of 33 kDa >gi 3320446 sapiens]	9E-33
512	5262560	(AL080125) hypothetical protein [Homo sapiens]	1E-41

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
513	134039	SMALL NUCLEAR RIBONUCLEOPROTEIN SM D1 (SNRNP CORE PROTEIN D1) (SM-D1) (SM-D AUTOANTIGEN) Sm-D [Homo sapiens] >gi 1256741 (M58558) Sm-D autoantigen [Mus musculus]	6E-13
514	4165247	(AL021397) dJ69E11.3 (Yeast YPR037W and worm C02C2.6 predicted proteins LIKE) [Homo sapiens] protein [Homo sapiens]	2E-52
515	3327220	(AB014603) KIAA0703 protein [Homo sapiens]	5E-53
516	4506599	ribosomal protein L13 L13 (BREAST BASIC CONSERVED PROTEIN 1) sapiens]	0.0000003
517	3877201	(Z70780) cDNA EST yk465d10.3 comes from this gene; cDNA EST yk465d10.5 comes from this gene; cDNA EST yk481d9.5 comes from this gene [Caenorhabditis elegans]	0.00002
519	5453601	cartilage-associated protein cartilage-associated protein (CASP) [Homo sapiens]	8E-70
520	4633085	(AF102507) fizzy-related protein [Homo sapiens]	7E-60
521	3237304	(U91561) pyridoxine 5'-phosphate oxidase [Rattus norvegicus]	6E-37
522	2565196	(AF000381) non-functional folate binding protein [Homo sapiens]	1E-17
523	3108057	(AF060539) channel interacting PDZ domain protein [Mus musculus]	3E-63
524	4160432	(AF071592) kinesin superfamily motor KIF4 [Homo sapiens]	8E-62
525	423916	myosin-I, Myr 1b (alternatively spliced) - rat	1E-66
526	2687591	(AF033201) clipper/cleavage and polyadenylation specificity factor 30 kDa subunit homolog [Mus musculus]	4E-69
527	464555	RAS-RELATED PROTEIN RAB-12 >gi 206531	6E-70
529	2737967	(U82992) envelope glycoprotein [Human immunodeficiency virus type 1]	9.6
530	1351047	SCARLET PROTEIN >gi 1079665	7.9
531	2924445	(AL022022) PE_PGRS [Mycobacterium tuberculosis]	7.5
532	2078307	(U67264) AcMNPV ORF8/ORF1629 homolog [Helicoverpa zea nuclear polyhedrosis virus]	4.5
533	2078307	(U67264) AcMNPV ORF8/ORF1629 homolog [Helicoverpa zea nuclear polyhedrosis virus]	4.4
534	972711	(L47121) bacteriocin [Carnobacterium piscicola]	4.2
535	2895941	(AF047011) prointerleukin-1 alpha [Canis familiaris]	2.5
536	283868	collagen alpha 1(XI) chain - chicken	2.4
537	2052126	(Z94752) hypothetical protein Rv0992c	0.17

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
538	2317926	(U97553) complement regulatory protein [murine herpesvirus 68]	0.0006
539	3242649	(AB015440) alpha 1 type I collagen [Rana catesbeiana]	0.98
540	540952	hypothetical protein - Pseudomonas aeruginosa aeruginosa]	2.6
542	4886288	(AL050300) putative protein [Arabidopsis thaliana]	0.22
543	3322778	(AE001225) conserved hypothetical protein [Treponema pallidum]	9.6
544	1772556	(Y07850) neurofibromin [Hylobates concolor] >gi 1772563 emb CAA69179 (Y07853) Neurofibromin [Homo sapiens] >gi 1772576 emb CAA69180	9.5
545	1083477	protein-tyrosine-phosphatase (EC 3.1.3.48), receptor type delta, splice form D precursor - mouse	0.08
546	1326298	(U58736) Similar to cuticular collagen. [Caenorhabditis elegans]	0.005
547	4007418	(AF071538) Ets transcription factor PDEF [Homo sapiens]	2E-70
548	4504469	homeo box B5 homeotic protein Hox 2.1 - human >gi 184293 (M92299) homeobox protein [Homo sapiens]	0.64
550	3367649	(Y16349) convulxin alpha [Crotalus durissus]	9.7
551	2808634	(AJ001909) transcriptional activator	0.69
553	1127550	(U18939) orf1 [Batrachocottus baikalensis]	4.6
555	2498512	LDLC PROTEIN protein LDLC - human >gi 575654 emb CAA84427 (Z34975) IdICp [Homo sapiens]	6.5
556	5579050	(AL096874) hypothetical protein	3.5
557	3327421	(U97068) zonadhesin [Mus musculus]	4.4
558	2493011	PROBABLE CALCIUM-TRANSPORTING ATPASE 8 >gi 1078570 pir S54520 probable membrane protein YMR162c - yeast (Saccharomyces cerevisiae) cerevisiae]	3.3
559	3242240	(AJ225122) hyperpolarization-activated cation channel, HAC1 [Mus musculus]	1.1
560	780367	(L41686) ORF [Rattus norvegicus]	1.1
561	3327226	(AB014606) KIAA0706 protein [Homo sapiens]	0.41
562	4886501	(AL050275) hypothetical protein [Homo sapiens]	1.1
565	5105067	(AP000061) 111aa long hypothetical protein [Aeropyrum pernix]	0.51
566	1079404	filamin, Mueller cell - chicken >gi 392018	4.2
567	4680264	(AF121977) odorant receptor S25	2.4
570	4927208	(AF133913) ARL-6 interacting protein-6 [Mus musculus]	5E-29
571	1749774	(Y10018) ANON-66Db [Drosophila melanogaster]	0.079
572	5104722	(AP000060) 224aa long hypothetical protein [Aeropyrum pernix]	9.9

Table 2B N arest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
573	320133	carbonate dehydratase (EC 4.2.1.1) - tiger shark (fragments) >gi 226952 prf 1612265A carbonic anhydrase [Galeocerdo cuvier]	5.7
574	1839000	(Z85982) hypothetical protein Rv1648	4.3
575	1839000	(Z85982) hypothetical protein Rv1648	4.2
576	1885385	(U87863) SNAP-25 interacting protein hrs-2 [Rattus norvegicus]	3.2
577	1055150	(U40028) weak similarity to glycoprotein H precursor K04H4.3 and C05B5.5; glycine-rich [Caenorhabditis elegans]	2.5
578	4262315	(AF075256) nonstructural polyprotein	1.1
579	1001674	(D64002) hypothetical protein	0.1
580	2224707	(AB002381) KIAA0383 [Homo sapiens]	0.027
581	765157	(S74099) polyprotein I(p1, p2, p10, p15/PR=protease, p19=matrix protein, p27/CA=capsid protein, p12/NC=nuclear capsid protein) [avian myeloblastosis virus AMV, Peptide, 701 aa] [Avian myeloblastosis virus]	4.3
582	1079438	ribonucleoprotein - chicken >gi 550458 gallus]	0.85
585	4584062	(AJ011380) polyprotein [porcine enterovirus 1]	7.6
586	3874412	(Z70034) similarity to 35.1KD hypothetical yeast protein (Swiss Prot accession number P38805); cDNA EST CEMSE65F comes from this gene; cDNA EST EMBL:T01315 comes from this gene; cDNA EST yk452e10.3 comes from this gene; cDNA ES... >gi 3877079 emb CAA90124 (Z49910) similarity to 35.1KD hypothetical yeast protein (Swiss Prot accession number P38805); cDNA EST CEMSE65F comes from this gene; cDNA EST EMBL:T01315 comes from this gene; cDNA EST yk452e10.3 comes from this gene; cDNA ES...	0.23
587	3123910	(AF039204) methyltransferase/helicase polyprotein	5.7
589	4539761	(AF118391) salivary peroxidase	3.2
590	115317	COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN) >gi 89957 pir A34246 collagen alpha 1(VIII) chain precursor - rabbit	0.02
591	4758548	Homer, neuronal immediate early gene, 2 >gi 3834619 (AF093264) homer-2b [Homo sapiens]	2E-18
592	3219961	PUTATIVE HELICASE C17H9.02 IN CHROMOSOME I >gi 2330709 emb CAB11211.1 (Z98597) putative helicase [Schizosaccharomyces pombe]	7.3

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
594	5459418	(Y18285) mannose binding lectin-associated serine protease-2 [Rattus norvegicus]	3.3
595	4127783	(AJ130871) Bazooka protein [Drosophila melanogaster]	2.3
596	563601	(X78602) hypothetical replicase [Peanut clump virus]	6.6
599	1778663	(D83674) MesP1 [Mus musculus]	2.4
600	404789	(L22756) GTG start codon; ORFA [Bradyrhizobium japonicum]	0.027
603	1743404	(Z83327) transport-associated protein	3
604	1438537	(U49058) rA4 [Rattus norvegicus]	2
605	3929698	(AL031863) 1-evidence=predicted by content; 1-method=genefinder;084; 1-method_score=68.61; 1-evidence_end; 2-evidence=predicted by match; 2-match_accession=AA541052; 2-match_description=LD20837.5prime LD Drosophila melanogaster...	0.83
606	2708329	(AF038564) atrophin-1 interacting protein 4 [Homo sapiens]	5E-14
608	4099321	(U86145) neuraminidase [influenza A virus]	5.8
609	3881475	(Z82083) ZK1010.2 [Caenorhabditis elegans]	4E-12
612	220578	(D00570) open reading frame (251 AA) [Mus musculus]	0.056
613	4826716	equilibrative nucleoside transporter 1 >gi 1845345 (U81375) equilibrative nucleoside transporter 1 [Homo sapiens] >gi 3694940 transporter [Homo sapiens]	0.000008
615	2952333	(AF049885) Arg/Abl-interacting protein ArgBP2b [Homo sapiens]	1.9
618	727264	(U18791) hydroxyproline-rich glycoprotein precursor	4.3
619	4507009	solute carrier family 25 member 14 >gi 3851540 (AF078544) brain mitochondrial carrier protein-1 [Homo sapiens] mitochondrial carrier protein-1 (BMCP1) [Homo sapiens]	8E-36
620	4884108	(AL050089) hypothetical protein [Homo sapiens]	4E-41
622	113083	ACETYLCHOLINE RECEPTOR PROTEIN, BETA CHAIN PRECURSOR >gi 112056 pir S13873 nicotinic acetylcholine receptor beta chain precursor - rat beta-subunit [Rattus rattus]	3.3
623	3757569	(AL031863) 1-evidence=predicted by content; 1-method=genefinder;084; 1-method_score=66.31; 1-evidence_end [Drosophila melanogaster]	0.65

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
624	422320	protein kinase (EC 2.7.1.37) - Plasmodium falciparum >gi 9878 emb CAA47704 (X67288) protein kinase [Plasmodium falciparum] >gi 3845284 (AE001419) calcium-dept. protein kinase (C-term. EF hand)	7.5
625	2496852	HYPOTHETICAL 131.5 KD PROTEIN C02F12.7 IN CHROMOSOME X >gi 1109896 (U41545) coded for by C. elegans cDNA yk4b2.5; coded for by C. elegans cDNA CEESN67F; coded for by C. elegans cDNA yk94h12.5; coded for by C. elegans cDNA CEESD93F; coded for by C. elegans cDNA CEESG57F; coded for by C. elegans cDNA yk4b2.3;...	0.0001
629	1361305	IgA-specific metalloendopeptidase (EC 3.4.24.13) homolog SepA precursor - Shigella flexneri flexneri]	4.2
635	3878636	(Z49128) similar to cAMP-dependant protein kinase; cDNA EST EMBL:T00719 comes from this gene; cDNA EST yk465d8.3 comes from this gene; cDNA EST yk465d8.5 comes from this gene; cDNA EST yk492f4.3 comes from this gene; cDNA EST y...	1E-39
636	3649791	(AB012917) serine protease (TLSP) [Homo sapiens]	8E-42
637	868241	(U29488) C56C10.3 gene product [Caenorhabditis elegans]	7E-14
640	2224593	(AB002324) KIAA0326 [Homo sapiens]	4E-25
642	4185794	(AF097025) cysteine desulfurase [Homo sapiens]	1E-64
643	1083755	phosphoprotein phosphatase (EC 3.1.3.16) PPT	2E-15
644	5525067	(AL096844) probable 3-oxacyl-(acyl-carrier-protein) reductase [Streptomyces coelicolor A3(2)]	2E-19
645	4151929	(AF110377) PCAF-associated factor 400 [Homo sapiens]	0.003
646	1174664	RHODOCOXIN >gi 576672 (U17130) ThcC	0.85
648	2702397	(AF038608) Contains similarity to Pfam domain: PF00046 (homeobox), Score=81.5, E-value=5.5e-21, N=1 [Caenorhabditis elegans]	1.6
649	4506891	SET translocation (myeloid leukemia-associated) >gi 346361 pir A45018 template activating factor-I, splice form beta - human >gi 338039	3E-10
650	4758006	chloride intracellular channel 3 chloride channel CLIC3 [Homo sapiens]	9E-13
651	3702453	(AL021366) cICK0721Q.3 (Kinesin related protein) [Homo sapiens]	5E-38
654	2276316	(Z96810) GLYT-1 LIKE [Homo sapiens]	7E-53
655	3599478	(AF085185) Myosin-1A [Acanthamoeba castellanii]	0.18
657	2735147	(U87971) syntaxin 5 [Rattus norvegicus]	3E-08

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
658	4557651	heat shock transcription factor 4 transcription factor 4 [Homo sapiens]	3E-23
659	4557651	heat shock transcription factor 4 transcription factor 4 [Homo sapiens]	3E-23
661	4505135	midkine (neurite growth-promoting factor 2) >gi 127116 sp P21741 MK_HUMAN MIDKINE PRECURSOR (NEURITE OUTGROWTH-PROMOTING PROTEIN) (MK) OUTGROWTH-PROMOTING FACTOR 2) >gi 88156 pir JH0385 midkine precursor - human >gi 35087 emb CAA38908 sapiens] >gi 182651 (M69148) midkine [Homo sapiens] sapiens] >gi 219929 dbj BAA01457 (D10604) midkine [Homo sapiens]	2E-15
662	1708021	GLYPICAN-2 PRECURSOR (CEREBROGLYCAN) precursor - rat >gi 440127 (L20468) cerebroglycan cerebroglycan [Rattus norvegicus]	0.00004
663	4504279	H3 histone, family 3A 3B (H3.3B) >gi 122075 sp P06351 H33_HUMAN HISTONE H3.3 rabbit >gi 90624 pir S04186 histone H3.3 - mouse histone H3.3 - fruit fly (Drosophila melanogaster) histone H3.3B - chicken >gi 2119023 pir S61218 histone H3.3 - fruit fly (Drosophila hydei) histone (AA 1-136) [Oryctolagus cuniculus] 136) [Gallus gallus] >gi 161190 (M17876) histone H3 sapiens] >gi 306849 (M11353) H3.3 histone [Homo sapiens] norvegicus] >gi 761716 emb CAA88778 (Z48950) histone H3.3 [Homo sapiens] >gi 963024 emb CAA57078 (X81206) histone H3.3 [Drosophila hydei] >gi 963026 emb CAA57081	6E-47
664	4557471	coat assembly complex AP1 sigma-1A subunit >gi 231555 sp Q00382 AP19_MOUSE CLATHRIN COAT ASSEMBLY PROTEIN AP19 (CLATHRIN COAT ASSOCIATED PROTEIN AP19) (GOLGI ADAPTOR AP-1 19 KD ADAPTIN) (HA1 19 KD SUBUNIT) (CLATHRIN ASSEMBLY PROTEIN COMPLEX 1 SMALL CHAIN) >gi 109674 pir A40535 clathrin-associated protein 19 - mouse >gi 191983 AP-1 clathrin adaptor complex [Homo sapiens]	2E-64
671	410607	drebrin A [chickens, Peptide, 653 aa]	5.4
672	5031433	(AF152396) beta-lactamase-like protein [Mycobacterium fortuitum]	2.3

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
673	1346125	GROWTH/DIFFERENTIATION FACTOR 5 PRECURSOR (GDF-5) (CARTILAGE-DERIVED MORPHOGENETIC PROTEIN 1) (CDMP-1) >gi 1082279 pir A55452 cartilage-derived morphogenetic protein 1 precursor - human >gi 600732 (U13660) cartilage-derived morphogenetic protein 1 precursor [Homo sapiens]	1.4
674	1730569	PHOSPHATIDYLINOSITOL-4-PHOSPHATE 5-KINASE TYPE III (1-PHOSPHATIDYLINOSITOL-4-PHOSPHATE KINASE) (PIP5KIII) (PTDINS(4)P-5-KINASE C ISOFORM) 1-phosphatidylinositol-4-phosphate 5-kinase (EC 2.7.1.68) isoform C - human >gi 1042034 bbs 169311 isoform C, PtdIns4P 5-kinase isoform C [human, peripheral blood leukocytes, Peptide, 406 aa] [Homo sapiens]	1.2
675	121781	ENDOGLUCANASE A Bacillus sp >gi 142660 (M14781) cellulase (EC 3.2.1.4)	0.8
676	2497556	PUTATIVE MOLLUSCAN INSULIN-RELATED PEPTIDE(S) RECEPTOR PRECURSOR >gi 1020140 emb CAA59353 peptide(s) [Lymnaea stagnalis]	0.28
677	1330328	(U50595) Rab8-interacting protein [Mus musculus]	0.096
678	5689505	(AB029007) KIAA1084 protein [Homo sapiens]	4E-59
679	3876327	(Z79754) Similarity to some phosphatases and kinases; cDNA EST EMBL:Z14643 comes from this gene	5E-10
680	4589530	(AB023160) KIAA0943 protein [Homo sapiens]	1E-73
681	533891	(L36073) T-cell receptor antigen [Mus musculus] musculus]	0.31
683	137889	HYPOTHETICAL GENE 3 PROTEIN ictalurid herpesvirus 1 (strain auburn 1) >gi 331213 4886-5794 [Ictalurid herpesvirus 1]	1.6
684	421057	hypothetical protein - Escherichia coli plasmid R100 >gi 42624 emb CAA39338 (X55815) open reading frame [Escherichia coli]	0.26

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
685	3876064	(Z72507) similar to Thrombospondin type I domain; cDNA EST EMBL:D34389 comes from this gene; cDNA EST EMBL:D37437 comes from this gene; cDNA EST EMBL:D64645 comes from this gene; cDNA EST EMBL:D65908 comes from this gene; cDNA ... >gi 3877441 emb CAA96654 EST EMBL:D34389 comes from this gene; cDNA EST EMBL:D37437 comes from this gene; cDNA EST EMBL:D64645 comes from this gene; cDNA EST EMBL:D65908 comes from this gene; cDNA ...	4.5
686	2317934	(U97553) unknown [murine herpesvirus 68]	0.02
689	1377886	(L46815) DNA binding protein Rc [Mus musculus]	4.7
690	627570	phosphorylation regulatory protein HP-10 - human	1.6
691	480485	cytochrome-c oxidase (EC 1.9.3.1) chain III - Herpetomonas mariadeanei mitochondrion (SGC6)	1.2
692	4885599	SKI-like SNON >gi 68923 pir TVHUSN transforming protein sno-N - human >gi 36511 emb CAA33289 (X15219) snoN protein (AA 1 - 684) [Homo sapiens]	0.18
693	3927838	(AC005727) unknown protein [Arabidopsis thaliana]	0.000007
694	5104854	(AP000061) 522aa long hypothetical protein [Aeropyrum pernix]	2.6
698	4240173	(AB020649) KIAA0842 protein [Homo sapiens]	4E-39
699	4096674	(U35833) ARX [Mus musculus]	5E-16
700	117525	LYCOPENE CYCLASE	6.1
701	4049765	(AF063866) ORF MSV249 hypotehtical protein [Melanoplus sanguinipes entomopoxvirus]	8.1
702	4240203	(AB020664) KIAA0857 protein [Homo sapiens]	8E-43
703	3874634	(Z68159) Similarity to Yeast DNA repair protein RAD50 (SW:RA50_YEAST); cDNA EST EMBL:D37313 comes from this gene; cDNA EST EMBL:D34285 comes from this gene [Caenorhabditis elegans]	3.4
704	201995	(M64866) thrombospondin [Mus musculus]	2.3
705	118288	LARIAT DEBRANCHING ENZYME debranching enzyme [Saccharomyces cerevisiae] >gi 172552 cerevisiae >gi 486256 emb CAA81990 (Z28149) ORF YKL149c [Saccharomyces cerevisiae]	1.9
706	2654898	(AF016121) envelope protein 2 [Hepatitis GB virus C]	1.6
707	5701582	(AF026205) No definition line found [Caenorhabditis elegans]	1.5
708	2327063	(AF001305) protease I [Pneumocystis carinii f. sp. carinii]	0.18
709	422761	basonuclin - human	0.17

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
710	71403	collagen alpha 1(I) chain - rat (fragments)	0.007
714	5105952	(AP000064) 101aa long hypothetical protein [Aeropyrum pernix]	9.7
717	1168479	APX-1 PROTEIN PRECURSOR >gi 473871	6.3
718	4929024	(AF139719) unknown [Klebsiella oxytoca]	0.49
719	417509	GENOME POLYPROTEIN [CONTAINS: NUCLEAR INCLUSION PROTEIN B (NI-B) (NIB) (RNA-DIRECTED RNA POLYMERASE) ; COAT PROTEIN (CP)] >gi 320062 pir GNVSMB genome polyprotein - maize dwarf mosaic virus (strain B) protein [Maize dwarf mosaic virus]	0.51
720	1351287	TROPOMYOSIN 1, FUSION PROTEIN 34 exons [Drosophila melanogaster]	0.11
721	3005601	(AF052433) katanin p80 subunit [Strongylocentrotus purpuratus]	2E-16
722	1360769	DNA helicase-primase complex component - equine herpesvirus 2 >gi 695213 (U20824) DNA helicase-primase complex component [Equine herpesvirus 2]	2
723	5689525	(AB029017) KIAA1094 protein [Homo sapiens]	1E-28
724	3876982	(Z81536) F40D4.11 [Caenorhabditis elegans]	7.7
725	85437	neurofilament triplet M protein - Pacific electric ray (fragment)	0.011
727	2978255	(AB007407) myeloid zinc finger protein-2	0.42
730	4091914	(AF064823) NADH dehydrogenase subunit 5 [Sarcophyton glaucum]	3.5
731	2905612	(AF041845) gp130p1 [Xenopus laevis]	2.7
732	2905612	(AF041845) gp130p1 [Xenopus laevis]	2.7
733	2887499	(AC004143) R29893_1 [Homo sapiens]	2.7
738	4587223	(AB021660) carbonic anhydrase VB [Homo sapiens]	3.3
739	4886445	(AL050269) hypothetical protein [Homo sapiens]	1E-14
740	5102812	(AL079308) putative serine/threonine protein kinase [Streptomyces coelicolor]	1.1
741	4539386	(AL035526) extensin-like protein	0.14
742	2496576	HYPOTHETICAL 32.5 KD PROTEIN Y4AD	7.8
743	3882265	(AB018315) KIAA0772 protein [Homo sapiens]	2E-13
744	3875383	(Z54284) D2085.2 [Caenorhabditis elegans]	0.000003
745	3116122	(AL023287) hypothetical protein	3.8
749	3043716	(AB011168) KIAA0596 protein [Homo sapiens]	0.28
750	3168604	(U88154) proline and glutamic acid rich nuclear protein isoform [Homo sapiens]	0.035
752	2429324	(AF015116) interleukin 6 receptor [Sus scrofa]	1.3

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
753	808667	(M15972) The first atg start codon is the AA before the stop codon in ORF1; putative [Human herpesvirus 4]	1.1
754	164840	(M10412) carbonic anhydrase I [Oryctolagus cuniculus]	0.88
755	2133726	synapse-associated protein sap47-1 - fruit fly (Drosophila melanogaster) >gi 929571 emb CAA56416 melanogaster]	7E-22
756	136797	HYPOTHETICAL PROTEIN UL7 cytomegalovirus (strain AD169) >gi 59612 emb CAA35440	7.4
757	3881372	(Z81141) ZC47.14 [Caenorhabditis elegans]	3.3
759	3327160	(AB014573) KIAA0673 protein [Homo sapiens]	3E-57
761	1651655	(D90899) PNIL34 [Synechocystis sp.]	6.3
762	94228	env polyprotein - feline immunodeficiency virus >gi 59290 emb CAA40321 (X57002) ENV [Feline immunodeficiency virus] >gi 228554 prf 1805419A envelope glycoprotein [Feline immunodeficiency virus]	8.2
763	5102812	(AL079308) putative serine/threonine protein kinase [Streptomyces coelicolor]	0.94
764	5454104	transcriptional adaptor 2 complex >gi 3335555 (AF069733) ADA3-like protein [Homo sapiens]	2E-54
766	1280102	(U55370) coded for by C. elegans cDNA CEESD82F; coded for by C. elegans cDNA CEESD82R [Caenorhabditis elegans]	4.5
768	3875720	(Z50857) M79.2 [Caenorhabditis elegans] elegans]	4.9
769	4502247	armadillo repeat protein sapiens]	4.8
770	3860231	(AF102887) thrombospondin-4 [Mus musculus]	3.6
771	539999	receptor tyrosine kinase c-kit - rat tyrosine kinase [Rattus rattus]	2.9
773	3550638	(AJ006986) repeating unit transporter	6.5
775	5105066	(AP000061) 124aa long hypothetical protein [Aeropyrum pernix]	7.7
776	2622679	(AE000916) tungsten formylmethanofuran dehydrogenase, subunit A [Methanobacterium thermoautotrophicum]	4.8
777	1086650	(U41015) Similar to serine/threonine protein kinase.	0.4
778	1363837	probable finger protein YOL054w - yeast cerevisiae] >gi 1419863 emb CAA99062 (Z74796) ORF YOL054w [Saccharomyces cerevisiae]	0.14
779	500858	(D14168) 50kDa lectin [Bombyx mori]	0.0000004
780	4680659	(AF132944) CGI-10 protein [Homo sapiens]	4E-67
785	4586844	(AB015633) type II membrane protein	3E-09
786	117800	CYANAMIDE HYDRATASE (UREA HYDRO-LYASE) >gi 102020 pir A39365 cyanamide hydratase verrucaria]	1.8

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
787	5689513	(AB029011) KIAA1088 protein [Homo sapiens]	3E-09
790	2829815	CARBON STARVATION PROTEIN A HOMOLOG tuberculosis]	6.9
791	2224671	(AB002363) KIAA0365 [Homo sapiens]	6.6
792	3834629	(AF094519) diaphanous-related formin; p134 mDia2 [Mus musculus]	1E-23
793	1572522	(U67194) upf54.8 [Enterobacter aerogenes]	3.3
794	3876099	(Z75536) similar to dynein heavy chain; cDNA EST EMBL:D27549 comes from this gene; cDNA EST EMBL:D34859 comes from this gene [Caenorhabditis elegans]	0.00001
797	3319990	(Y17267) ubiquitin-conjugating enzyme [Mus musculus]	4E-40
799	473513	(M17619) NADH dehydrogenase subunit COIII [Asterina pectinifera]	2.8
800	1460094	(L35031) Orf159; Predicted integral membrane protein with 4 transmembrane sequences (method of Klein, Kanehisa, DeLisi in PCGene). One nucleotide overlap with upstream orf.; putative [Escherichia coli]	1.6
801	4455041	(AF116463) unknown [Streptomyces lincolnensis]	0.081
802	1174467	STAR PROTEIN >gi 472815 (L31886) amino acid feature: potential transmembrane domain, aa 280 .. 302 [Drosophila melanogaster]	0.053
805	5031861	candidate tumor suppressor involved in B-CLL >gi 3133092 emb CAA12136 (AJ224819) tumor suppressor [Homo sapiens]	3E-15
807	1947168	(AF000299) No definition line found [Caenorhabditis elegans]	0.24
808	5442104	(AF126467) Gag protein [Simian retrovirus SRV-2]	7.8
809	1684987	(U20649) NADH dehydrogenase subunit [Cymbidium atropurpureum]	6
810	1709814	PHOTOSYSTEM I P700 CHLOROPHYLL A APOPROTEIN A1 >gi 2147916 pir S73205 photosystem I p700 chlorophyll A apoprotein A1 - Porphyra purpurea chloroplast >gi 1276750 (U38804) Photosystem I p700 chlorophyll A apoprotein A1 [Porphyra purpurea]	0.74
811	400280	MELANOCYTE STIMULATING HORMONE RECEPTOR (MSH-R) (MELANOTROPIN RECEPTOR) (MELANOCORTIN-1 RECEPTOR) (MC1-R) >gi 110690 pir S25581 melanocyte-stimulating hormone receptor - mouse hormone receptor [Mus musculus]	10

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
812	3581887	(AL031540) internalin- related, Leucine rich repeat containing protein [Schizosaccharomyces pombe]	3.6
813	2462671	(Z98529) putative RNA-binding protein	0.002
814	2492678	ACTIN-LIKE PROTEIN ARP8 YOR141c - yeast (Saccharomyces cerevisiae)	1E-15
815	3879157	(Z77668) predicted using Genefinder; Similarity to Mouse selenium-binding protein	6
816	3668141	(AJ007398) PBK1 protein [Homo sapiens]	8E-57
817	3875131	(Z70750) similar to vanadate resistance protein transmembranous domains [Caenorhabditis elegans]	5E-33
819	2494509	PUTATIVE FORKHEAD-RELATED TRANSCRIPTION FACTOR F26A1.2 >gi 860690 (U27312) weak similarity to FKH-5 Protein (Mouse, PIR:S36074) and D. melanogaster fork head domain protein FD4	9.3
820	547625	TRANSCRIPTION FACTOR HES-1 (HAIRY AND ENHANCER OF SPLIT 1) >gi 539928 pir A53336 transcription factor HES-1 - mouse factor HES-1 [Mus musculus]	0.69
821	113670	!!!! ALU CLASS E WARNING ENTRY !!!!	0.23
822	3329124	(AE001337) S/T Protein Kinase [Chlamydia trachomatis]	2.5
823	4982299	(AE001811) conserved hypothetical protein [Thermotoga maritima]	0.09
824	4530509	(AF124748) putative RNA-binding protein	3
825	75198	glycoprotein precursor - Uukuniemi virus	0.59
826	127477	MEMBRANE-ASSOCIATED ATPASE GAMMA CHAIN (SUL-ATPASE GAMMA) (ATP SYNTHASE, SUBUNIT D) 3.6.1.34) gamma chain - Sulfolobus acidocaldarius	0.2
827	3915729	HYPERPLASTIC DISCS PROTEIN (HYD PROTEIN) >gi 2673887 (L14644) hyperplastic discs protein	0.22
836	4493951	(AL034556) predicted using hexExon; MAL3P5.16 (PFC0650w), Hypothetical protein, len: 1282 aa	0.69
837	4884027	(AJ011655) hypothetical protein	2.5
838	3873691	(Z46240) similar to endothelial actin-binding protein repeats; cDNA EST EMBL:D27639 comes from this gene; cDNA EST EMBL:D33624 comes from this gene; cDNA EST EMBL:D33507 comes from this gene; cDNA EST EMBL:D36493 comes from thi...	9.7

Tabl 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
839	4507425	teratocarcinoma-derived growth factor 1 >gi 117473 sp P13385 CRI1_HUMAN TERATOCARCINOMA-DERIVED GROWTH FACTOR 1 (EPIDERMAL GROWTH FACTOR-LIKE CRIPTO PROTEIN CR1) (CRIPTO-1 GROWTH FACTOR) (CRGF) >gi 87385 pir A30362 epidermal growth factor-like protein CR3 - human >gi 30221 emb CAA32467 factor 1 [Homo sapiens]	0.49
840	2271518	(AF009829) unknown [Mycobacterium bovis]	0.082
841	4093025	(AF070836) NADH dehydrogenase subunit 4	1.5
842	2662603	(AF036699) No definition line found	6.4
843	3880368	(Z95621) similar to collagen; cDNA EST EMBL:D69870 comes from this gene; cDNA EST EMBL:D70498 comes from this gene [Caenorhabditis elegans] cDNA EST EMBL:D69870 comes from this gene; cDNA EST EMBL:D70498 comes from this gene [Caenorhabditis elegans]	3.3
844	731490	HYPOTHETICAL 73.0 KD PROTEIN IN SEB1-PTC2 INTERGENIC REGION >gi 1077682 pir S50591 hypothetical protein YER088c - yeast (Saccharomyces cerevisiae) >gi 603326 (U18839) Yer088cp [Saccharomyces cerevisiae]	1.7
852	4929605	(AF151826) CGI-68 protein [Homo sapiens]	1E-61
855	4996369	(AB021267) polypeptide [Arabidopsis thaliana]	2.2
856	4100563	(AF001175) ribonuclease P protein subunit p14 [Homo sapiens]	2E-10
863	458692	(U06631) homologous to mouse gene PC326:GenBank Accession Number M95564 [Homo sapiens]	6
864	123518	RNA POLYMERASE PRINCIPAL SIGMA FACTOR HRDA >gi 80717 pir S17929 transcription initiation factor sigma hrdA - Streptomyces coelicolor subunit (AA 1-396) [Streptomyces coelicolor]	3.1
865	126296	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG protein [Nycticebus coucang]	0.0001
866	4972730	(AF132172) unknown [Drosophila melanogaster]	3E-19
867	128169	HIGH-MOLECULAR WEIGHT COBALT-CONTAINING NITRILE HYDRATASE SUBUNIT ALPHA hydratase (EC 4.2.1.84) - Rhodococcus rhodochrous rhodochrous]	5
868	2809262	(AC002560) F21B7.31 [Arabidopsis thaliana]	1.9

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
869	4758374	four and a half LIM domains 3 LIM-protein FHL3 [Homo sapiens]	0.94
871	400784	ACIDIC PHOSPHOPROTEIN PRECURSOR (50 KD ANTIGEN) >gi 477254 pir A48455 acidic phosphoprotein PcEMA1q - Plasmodium chabaudi >gi 160603 (M95789) acidic phosphoprotein [Plasmodium chabaudi]	3.3
872	2495704	HYPOTHETICAL PROTEIN KIAA0129 product is novel. [Homo sapiens]	0.0002
874	4514345	(AB013374) Ykok [Bacillus halodurans]	3.7
875	5453794	nucleolar protein (KKE/D repeat)	1E-18
877	2650666	(AE001107) A. fulgidus predicted coding region AF2427	0.076
878	1572836	(U70858) similar to family 18 of glycosyl hydrolases	2.7
879	400853	VITAMIN-K DEPENDENT PROTEIN C PRECURSOR (AUTOPROTHROMBIN IIA) (ANTICOAGULANT PROTEIN C) >gi 112216 pir S18994 protein C (activated) (EC 3.4.21.69) precursor - rat >gi 56963 emb CAA45617	4.7
880	113668	!!!! ALU CLASS C WARNING ENTRY !!!!	4.9
881	5262748	(AJ133120) Proline rich synapse associated protein 2 [Rattus norvegicus]	8.6
883	1352130	CYTOCHROME C OXIDASE POLYPEPTIDE I subunit I [Chondrus crispus]	9.9
886	547708	TRANSCRIPTIONAL REGULATOR IE63 human herpesvirus 1 (strain HFEM)	0.31
887	4758216	dishevelled 2 (homologous to Drosophila dsh) >gi 2291008 gb AAB65243.1 (AF006012) dishevelled 2 [Homo sapiens]	0.051
888	2291257	(AF016430) contains similarity to a BR-C/TTK domain	0.016
889	2911858	(AF047659) No definition line found [Caenorhabditis elegans]	3E-26
890	1932813	(U88065) dsRNA adenosine deaminase [Xenopus laevis]	3.4
893	728836	!!!! ALU SUBFAMILY SP WARNING ENTRY	0.39
895	2580578	(AF000996) ubiquitous TPR motif, Y isoform [Homo sapiens]	0.008
896	1869831	(Z86099) UL9 [human herpesvirus 2]	9.9
897	2632151	(Y14493) PHOX2b protein [Mus musculus] musculus]	2.6
898	1079078	GCR 101 protein - fruit fly (Drosophila melanogaster) >gi 510509 emb CAA50795 (X71975) put. homologue to S.cerevisiae GAR1 gene [Drosophila melanogaster]	0.0000004
900	418745	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 4 - Crithidia oncopelti mitochondrion (SGC6) subunit 4 [Crithidia oncopelti]	4.6

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
901	3874002	(Z36719) cDNA EST yk208g3.5 comes from this gene [Caenorhabditis elegans]	0.41
903	731630	HYPOTHETICAL 50.6 KD PROTEIN IN RPL14B-GPA1 INTERGENIC REGION >gi 626594 pir S46802 hypothetical protein YHR004c - yeast (Saccharomyces cerevisiae) >gi 500822 (U10555) Yhr004cp [Saccharomyces cerevisiae]	0.42
904	5081459	(AF124435) p55-related MAGUK protein DLG3 [Danio rerio]	6E-27
906	2497012	HYPOTHETICAL 26.6 KD PROTEIN T19C3.4 IN CHROMOSOME III >gi 849238 (U28412) similar to polyposis locus protein 1 (SP:DP1_HUMAN, Q00765)	3E-34
907	113671	!!!! ALU CLASS F WARNING ENTRY !!!!	0.0002
909	5410448	(AF135183) Recq helicase 5	2E-52
910	1407655	(U58884) SH3P7 [Mus musculus]	0.000002
912	2981631	(AB012223) ORF2 [Canis familiaris]	0.000002
913	2289030	(U53564) N-terminal region of the protein [Mus musculus]	3.6
914	4567179	(AC007228) BC37295_1 [Homo sapiens]	0.000002
915	2842531	(AB004291) gamma-subunit of enolase	4.4
916	1177607	(X92485) pva1 [Plasmodium vivax]	0.33
918	3638957	(AC004877) sco-spondin-mucin-like; similar to P98167 uncertain [Homo sapiens]	4.3
919	5032163	transcription factor 17	1E-23
920	3873738	(Z37983) contains five copies of the EGF-like aspartic acid and asparagine hydroxylation site comes from this gene; cDNA EST EMBL:D27753 comes from this gene; cDNA EST ...	4.6
921	4503561	epithelial membrane protein 2 PROTEIN-2 (EMP-2) (XMP PROTEIN) >gi 2474096 (U52100) XMP	4E-08
922	4506051	primase, polypeptide 1 (49kD) SUBUNIT (DNA PRIMASE 49 KD SUBUNIT) (P49) p48 [Homo sapiens]	0.064
923	2738451	(AF003534) putative tyrosine protein kinase [Chilo iridescent virus]	5E-08
925	543222	glutamine (Q)-rich factor 1, QRF-1 - mouse factor 1, QRF-1 [mice, B-cell leukemia, BCL1, Peptide Partial, 84 aa]	2E-44
927	961466	(D63777) adhesive plaque matrix protein	4.9

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
928	121404	ANAEROBIC GLYCEROL-3-PHOSPHATE DEHYDROGENASE SUBUNIT B (G-3-P DEHYDROGENASE) subunit B [Escherichia coli] >gi 1788575 (AE000314) sn-glycerol-3-phosphate dehydrogenase (anaerobic), membrane anchor subunit [Escherichia coli] dehydrogenase (EC 1.1.99.5) (anaerobic) chain B	0.49
930	5640009	(AF167316) zinc finger protein ZFP109 [Mus musculus]	1.2
931	4678836	(AL049701) hypothetical protein [Homo sapiens]	8E-43
932	4758556	U4/U6-associated RNA splicing factor >gi 2708307 (AF016370) U4/U6 small nuclear ribonucleoprotein hPrp3 [Homo sapiens]	6E-09
933	729079	CARBOXY-CIS,CIS-MUCONATE CYCLASE 3-carboxy-cis,cis-muconate cyclase [Neurospora crassa]	6.4
934	5080758	(AC007842) BC331191_1 [Homo sapiens]	2E-08
936	4506009	protein phosphatase 1, regulatory subunit 10 >gi 2117159 emb CAA73697 (Y13247) FB19 protein [Homo sapiens]	8E-32
937	726403	(U23175) similar to anion exchange protein [Caenorhabditis elegans]	1E-25
938	726403	(U23175) similar to anion exchange protein [Caenorhabditis elegans]	3E-26
940	2500573	RIBONUCLEASE S-4 PRECURSOR (STYLAR GLYCOPROTEIN 4) (S4-RNASE) >gi 1405426 emb CAA65320	3.2
941	2291171	(AF016420) No definition line found [Caenorhabditis elegans]	8.7
942	3914191	UDP-N-ACETYLGLUCOSAMINE--PEPTIDE N-ACETYLGLUCOSAMINYLTRANSFERASE 110 KD SUBUNIT (O-GLCNAC TRANSFERASE P110 SUBUNIT) >gi 1931579 (U76557) O-GlcNAc transferase, p110 subunit [Rattus norvegicus]	1E-17
943	549341	MAJOR CAPSID PROTEIN L1 type 34 >gi 396996 emb CAA52560 (X74476) late protein	8.1
944	4680673	(AF132951) CGI-17 protein [Homo sapiens]	3E-65
945	4191610	(AF117107) IGF-II mRNA-binding protein 2 [Homo sapiens]	1E-51
947	4589512	(AB023151) KIAA0934 protein [Homo sapiens]	5E-46
948	2193870	(D84391) reverse transcriptase [Mus musculus]	2E-09
949	3046871	(AB003753) high sulfur protein B2E [Rattus norvegicus]	5.7

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
950	140130	HYPOTHETICAL 85.7 KD PROTEIN (ORF C-792) >gi 76733 pir S03232 hypothetical protein C-792	8
951	2494897	PERIODIC TRYPTOPHAN PROTEIN I HOMOLOG (KERATINOCYTE PROTEIN IEF SSP 9502) >gi 177765 sapiens]	2E-08
954	2465332	(U92819) unnamed HERV-H protein [Homo sapiens]	8E-14
955	4200446	(AF102777) FYVE finger-containing phosphoinositide kinase [Mus musculus]	8E-15
956	3859560	(AF098668) acyl-protein thioesterase [Homo sapiens]	2E-61
958	4008551	(AL034490) pseudouridylate synthase	6.7
959	4508041	zinc finger protein 91 (HPF7, HTF10) >gi 549839 sp Q05481 ZN91_HUMAN ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7)	4E-19
961	1085397	taurine transporter - human >gi 559853	2E-14
962	134211	SERUM RESPONSE FACTOR ACCESSORY PROTEIN 1B (SAP-1B) (ETS-DOMAIN PROTEIN ELK-4) protein-1 form b, SAP-1b - human >gi 338035 (M85164) SAP-1B protein [Homo sapiens]	0.038
963	961444	(D63876) KIAA0154 gene product is related to mouse gamma adaptin. [Homo sapiens]	1E-20
964	4758488	general transcription factor IIF, polypeptide 2 (30kD subunit) FACTOR IIF, BETA SUBUNIT (TFIIF-BETA) (TRANSCRIPTION INITIATION FACTOR RAP30) >gi 105393 pir S18677 ATP-dependent RNA helicase RAP30/74 chain RAP30 - human RAP30 [Homo sapiens]	0.00009
971	5262560	(AL080125) hypothetical protein [Homo sapiens]	2E-41
972	1707274	(U80931) strong similarity to class-III of pyridoxal-phosphate- dependent aminotransferases	7E-31
973	3810839	(AL032684) conserved hypothetical zinc-finger protein [Schizosaccharomyces pombe]	7E-12
975	4887229	(AF150755) microtubule-actin crosslinking factor [Mus musculus]	5E-22
976	1675222	(U67203) ACF7 neural isoform 1 [Mus musculus]	4E-22
977	987050	(X65335) lacZ [Cloning vector pSV-beta-Galactosidase Control]	3E-15
978	5052075	(AF074331) PAPS synthetase-2	8E-63
979	3983573	(AC004839) similar to IgD B-cell receptor-associated protein (BAP); similar to S46997 (PID:g1085495) [Homo sapiens]	8E-58

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
980	3108057	(AF060539) channel interacting PDZ domain protein [Mus musculus]	1E-63
981	1755049	(U55042) myosin X [Bos taurus]	5E-55
982	1783123	(AB000170) endopeptidase 24.16 type M3 endopeptidase 24.16 type M3 [Sus scrofa] type M3 [Sus scrofa] >gi 1783130 dbj BAA19065 type M3 [Sus scrofa] >gi 1783134 dbj BAA19067 type M3 [Sus scrofa]	2E-58
983	1098627	(U31079) 47 kDa heat shock protein [Danio rerio]	4.5
984	3649791	(AB012917) serine protease (TLSP) [Homo sapiens]	6E-76
985	1177607	(X92485) pval [Plasmodium vivax]	0.13
988	4106444	(AF085692) multidrug resistance-associated protein 3B	0.97
989	3757569	(AL031863) 1-evidence=predicted by content; 1-method=genefinder;084; 1-method_score=66.31; 1-evidence_end [Drosophila melanogaster]	2.5
990	115317	COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN) >gi 89957 pir A34246 collagen alpha 1(VIII) chain precursor - rabbit	0.29
991	1743404	(Z83327) transport-associated protein	6.2
992	3878636	(Z49128) similar to cAMP-dependant protein kinase; cDNA EST EMBL:T00719 comes from this gene; cDNA EST yk465d8.3 comes from this gene; cDNA EST yk465d8.5 comes from this gene; cDNA EST yk492f4.3 comes from this gene; cDNA EST y...	3E-53
993	728837	!!!! ALU SUBFAMILY SQ WARNING ENTRY	4
994	1098627	(U31079) 47 kDa heat shock protein [Danio rerio]	4.5
995	3649791	(AB012917) serine protease (TLSP) [Homo sapiens]	6E-76
996	115317	COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN) >gi 89957 pir A34246 collagen alpha 1(VIII) chain precursor - rabbit	0.29
997	113668	!!!! ALU CLASS C WARNING ENTRY !!!!	0.012
998	3722229	(AF058790) SynGAP-b [Rattus norvegicus]	3.4
999	3876327	(Z79754) Similarity to some phosphatases and kinases; cDNA EST EMBL:Z14643 comes from this gene	6E-33
1000	4886288	(AL050300) putative protein [Arabidopsis thaliana]	0.22
1001	4589530	(AB023160) KIAA0943 protein [Homo sapiens]	1E-73
1003	4063766	(D87895) chitinase [Emericella nidulans]	0.016
1004	4505727	peroxisomal biogenesis factor 3 PROTEIN PEX3 (PEROXIN-3) >gi 3336882 emb CAA04879 sapiens] >gi 4218426 emb CAA08904 (AJ009866) Pex3p	e-126
1005	2832671	(AL021712) hypothetical protein	1.7

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
1006	1175815	HYPOTHETICAL PROTEIN HI1476 Haemophilus influenzae (strain Rd KW20) >gi 1574317 influenzae Rd]	7.1
1007	4927208	(AF133913) ARL-6 interacting protein-6 [Mus musculus]	4E-28
1008	2327063	(AF001305) protease 1 [Pneumocystis carinii f. sp. carinii]	0.18
1009	2384956	(AF022985) No definition line found [Caenorhabditis elegans]	3E-19
1010	3877495	(Z48583) cDNA EST EMBL:T00483 comes from this gene; cDNA EST EMBL:D64526 comes from this gene; cDNA EST EMBL:D65147 comes from this gene; cDNA EST EMBL:D68484 comes from this gene; cDNA EST EMBL:D67548 comes from this gene; c... >gi 3879229 emb CAA88749 EST EMBL:D64526 comes from this gene; cDNA EST EMBL:D65147 comes from this gene; cDNA EST EMBL:D68484 comes from this gene; cDNA EST EMBL:D67548 comes from this gene; cDN...	6.7
1011	3355308	(AJ009695) wall-associated kinase 4	0.74
1012	297922	(X66052) D-lactate dehydrogenase	2
1013	4691726	(AF124490) ARF GTPase-activating protein GIT1 [Homo sapiens]	4E-68
1014	2384956	(AF022985) No definition line found [Caenorhabditis elegans]	3E-19
1016	1469880	(D63483) The KIAA0149 gene product is related to Notch3. [Homo sapiens]	0.58
1017	5678967	(AL109630) BACR7A4.ai [Drosophila melanogaster]	1.4
1018	3023956	VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1 >gi 607003 (L28125) beta transducin-like protein	5E-28
1019	3882321	(AB018343) KIAA0800 protein [Homo sapiens]	e-105
1020	1655907	(U65891) protein tyrosine phosphatase CRYP-2 [Gallus gallus]	2.5
1021	3540219	(D87686) KIAA0017 protein [Homo sapiens]	8E-70
1022	1352368	ENTEROPEPTIDASE PRECURSOR enterokinase [Bos taurus]	7.7
1023	4506701	ribosomal protein S23 S23 >gi 543449 pir S41955 ribosomal protein S23 - rat protein [Homo sapiens] >gi 453281 emb CAA54584 (X77398) ribosomal protein S23 [Rattus norvegicus]	9E-15
1024	5059323	(AF151522) hairy and enhancer of split related-1 [Homo sapiens]	0.31
1025	3329139	(AE001339) ABC Transporter Membrane Protein [Chlamydia trachomatis]	1.2

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
1027	2133726	synapse-associated protein sap47-1 - fruit fly (<i>Drosophila melanogaster</i>) >gi 929571 emb CAA56416 melanogaster]	8E-25
1028	4507009	solute carrier family 25 member 14 >gi 3851540 (AF078544) brain mitochondrial carrier protein-1 [Homo sapiens] >gi 4678718 emb CAB41251.1 protein-1 (BMCP1)) [Homo sapiens]	e-121
1029	2662336	(D55702) ORF2 [<i>Bombyx mori</i>]	8.2
1030	5454104	transcriptional adaptor 2 complex) >gi 3335555 (AF069733) ADA3-like protein [Homo sapiens]	e-108
1031	1363044	mucin (clone pGM7-1) - bovine repeats, clone pGBM7-1} [cattle, gall-bladder, Peptide Partial, 600 aa] [<i>Bos taurus</i>]	0.21
1032	3874427	(Z78416) predicted using Genefinder; Similarity to S.pombe RAD18 gene (TR:E198069); cDNA EST CEESX52R comes from this gene; cDNA EST EMBL:D32785 comes from this gene; cDNA EST EMBL:D35528 comes from this gene; cDNA EST EMBL:D37...	6E-09
1033	3287732	GLYCYL-GLYCINE ENDOPEPTIDASE ALE-1 PRECURSOR >gi 1890068 dbj BAA13069 (D86328) ALE-1	1.7
1034	2143767	glycoprotein - rat >gi 986943 (L08134) glycoprotein [<i>Rattus norvegicus</i>] norvegicus]	0.057
1035	4929167	(AF142440) BC1 [Indian mungbean yellow mosaic geminivirus]	0.63
1036	2224593	(AB002324) KIAA0326 [Homo sapiens]	2E-41
1037	3820909	(AJ010642) Dof protein [<i>Drosophila melanogaster</i>]	1.9
1038	4586844	(AB015633) type II membrane protein	3E-09
1039	3287688	(AC003979) Contains similarity to ycf37 gene product gb 1001425 from <i>Synechocystis</i> sp. genome gb D63999. ESTs gb T43026, gb R64902, gb Z18169 and gb N37374 come from this gene. [<i>Arabidopsis thaliana</i>]	0.036
1040	4557651	heat shock transcription factor 4 transcription factor 4 [Homo sapiens]	3E-23
1041	4557651	heat shock transcription factor 4 transcription factor 4 [Homo sapiens]	3E-23

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)

SEQ ID	ACC'N	DESCRIP.	P VALUE
1042	4557471	coat assembly complex AP1 sigma-1A subunit >gi 231555 sp Q00382 AP19_MOUSE CLATHRIN COAT ASSEMBLY PROTEIN AP19 (CLATHRIN COAT ASSOCIATED PROTEIN AP19) (GOLGI ADAPTOR AP-1 19 KD ADAPTIN) (HA1 19 KD SUBUNIT) (CLATHRIN ASSEMBLY PROTEIN COMPLEX 1 SMALL CHAIN) >gi 109674 pir A40535 clathrin-associated protein 19 - mouse >gi 191983 AP-1 clathrin adaptor complex [Homo sapiens]	4E-73
1043	3581887	(AL031540) internalin- related, Leucine rich repeat containing protein [Schizosaccharomyces pombe]	3.6
1044	2492678	ACTIN-LIKE PROTEIN ARP8 YOR141c - yeast (Saccharomyces cerevisiae)	6E-21
1052	2495704	HYPOTHETICAL PROTEIN KIAA0129 product is novel. [Homo sapiens]	0.0002
1054	4680703	(AF132966) CGI-32 protein [Homo sapiens]	1E-91
1055	1078718	reverse transcriptase - Trypanosoma cruzi transcriptase [Trypanosoma cruzi]	1.1
1056	728835	!!!! ALU SUBFAMILY SC WARNING ENTRY	0.16
1057	1932813	(U88065) dsRNA adenosine deaminase [Xenopus laevis]	5.4
1058	1363325	RNA helicase HEL117 - rat >gi 897915 (U25746) RNA helicase [Rattus norvegicus]	3E-91
1059	631772	TEG-261 protein - mouse	2E-47
1062	2506774	KERATIN, TYPE II CYTOSKELETAL 8	2E-42
1063	4406551	(AF131739) Unknown [Homo sapiens]	2E-82
1064	4678836	(AL049701) hypothetical protein [Homo sapiens]	3E-13
1065	4567179	(AC007228) BC37295_1 [Homo sapiens]	0.000005
1066	3953593	(AB020542) Zinc finger protein sl 1-6 [Mus musculus]	1E-32
1068	3170180	(AF039690) antigen NY-CO-8 [Homo sapiens]	0.26
1069	4678836	(AL049701) hypothetical protein [Homo sapiens]	3E-13
1070	2558501	(D63850) hepatoma-derived growth factor	3E-24
1071	3327220	(AB014603) KIAA0703 protein [Homo sapiens]	5E-53
1072	5453601	cartilage-associated protein cartilage-associated protein (CASP) [Homo sapiens]	e-125
1073	3237304	(U91561) pyridoxine 5'-phosphate oxidase [Rattus norvegicus]	3E-56
1074	4508041	zinc finger protein 91 (HPF7, HTF10) >gi 549839 sp Q05481 ZN91_HUMAN ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7)	1E-21

Table 2B Nearest Neighbor (BlastX vs. Non-Redundant Proteins)			
SEQ ID	ACC'N	DESCRIP.	P VALUE
1075	961444	(D63876) KIAA0154 gene product is related to mouse gamma adaptin. [Homo sapiens]	1E-20
1077	1707274	(U80931) strong similarity to class-III of pyridoxal-phosphate-dependent aminotransferases	7E-31
1078	1546779	(U28789) PACT [Mus musculus]	0
1079	5052075	(AF074331) PAPS synthetase-2	8E-63

Table 3

SEQ ID NO:	Profilename	Start	Stop	Direction
97	Kazal	25	243	for
227	helicase_C	212	389	for
242	EFhand	275	310	for
450	SH3	44	226	for
473	Zincfing_C2H2	211	273	for
505	WD_domain	80	178	for
512	Zincfing_C2H2	147	209	for
523	PDZ	168	395	for
527	ras	18	395	for
545	ANK	311	393	for
547	Ets_Nterm	7	237	for
606	WW_domain	120	209	for
635	protkinase	47	400	for
635	mkk	41	394	for
636	trypsin	147	381	for
640	Zincfing_C2H2	122	184	for
693	Zincfing_CCHC	135	185	for
721	WD_domain	18	116	for
805	Zincfing_C3HC4	263	406	for
918	BZIP	51	224	for
919	Zincfing_C2H2	125	187	for
925	FKH	9	230	for
971	Zincfing_C2H2	202	264	for
973	Zincfing_CCHC	262	309	for
980	PDZ	241	468	for
992	mkk	0	708	for
992	protkinase	121	711	for
995	trypsin	202	760	for
984	trypsin	202	760	for
1018	WD_domain	18	116	for
1028	pr55	24	1293	for
1035	ATPases	74	616	for
1036	Zincfing_C2H2	122	184	for
1053	14_3_3	63	619	for
1058	helicase_C	212	448	for
1058	ATPases	59	442	for
1063	Zincfing_C2H2	211	273	for
1066	Zincfing_C2H2	125	187	for
1072	ATPases	808	1284	for
1078	protkinase	309	1022	rev
1078	neur_chan	12	508	rev
1078	Zincfing_CCHC	262	309	for
1078	Zincfing_C3HC4	557	679	for

Table 13			
ES55	ES56	ES57	ES58
M00004170C:H06	M00004036B:C11	M00004288D:E07	M00023298B:G07
M00004170D:C06	M00004064B:G03	M00004318D:D07	M00026819B:E02
M00004171D:H10	M00004067C:E05	M00004356C:D02	M00026914C:H10
M00004174B:B12	M00004099C:F04	M00004391C:F12	M00027023B:H12
M00004175D:G10	M00004103A:E06	M00004386C:C03	M00027085A:G10
M00004176A:E07	M00004128B:H11	M00004414D:C11	M00027248D:D01
M00001352D:A09	M00004167A:H04	M00004422C:A01	M00027546B:A11
M00001345C:B10	M00004158C:B01	M00004427D:H04	M00023299B:A01
M00001382D:F03	M00004165B:E03	M00004502B:G05	M00026857A:F02
M00001419A:E01	M00004181A:B05	M00004495D:A05	M00026858C:H05
M00001437D:A12	M00003993C:G11	M00005364C:A02	M00026861A:B05
M00001441D:G02	M00004046C:A04	M00005375B:H03	M00026846C:B01
M00001601D:A03	M00004034A:G03	M00005420C:E10	M00027131A:H02
M00001677B:G01	M00004036C:E10	M00005413B:B02	M00027396A:F07
M00001678A:B10	M00004043C:A06	M00005438D:A08	M00023301B:C01
M00001675C:F05	M00004067C:C10	M00005453B:B06	M00023321B:F06
M00001360D:C12	M00004068A:A03	M00005446B:D10	M00023401C:D12
M00001389C:E01	M00004069A:E04	M00005493D:H12	M00026941C:E11
M00001390C:H05	M00004071C:B06	M00005476D:A11	M00027067A:B02
M00001399B:C04	M00004127C:C08	M00005482A:D08	M00027036B:D07
M00001507A:H06	M00004157C:E06	M00005485C:F09	M00027329A:H04
M00003747C:G12	M00004165D:H12	M00005563C:D05	M00027740C:C05
M00001358B:F12	M00003995B:C06	M00005569B:E04	M00023340A:A10
M00001360B:F09	M00004090A:B11	M00005621B:C09	M00026942C:A06
M00001392A:F02	M00004084C:F05	M00005628D:A10	M00027066A:A04
M00001397D:G04	M00004087A:H06	M00005629B:G06	M00027072C:A11
M00001463C:E12	M00004110A:G03	M00004866C:H08	M00027028A:B06
M00001531B:A03	M00004117D:F06	M00004872C:G03	M00023282B:H09
M00001507D:F09	M00004150A:B09	M00005358B:D10	M00023295B:C03
M00001513B:F05	M00004140C:D04	M00005385D:B08	M00026811A:H01
M00001514B:C02	M00004175D:D05	M00005392C:B03	M00026850B:F07
M00001576C:E03	M00004176A:H05	M00005395C:C11	M00026913D:G11
M00003756D:B09	M00004170C:A12	M00005396A:C01	M00026936D:D01
M00003907C:D02	M00004237B:G01	M00005435B:F01	M00027083C:F06
M00003926A:D01	M00004253A:E02	M00005464B:B08	M00027152D:H06
M00003928D:A04	M00003997D:G03	M00005505B:D10	M00027209D:B09
M00003935D:E04	M00003998C:D04	M00005509D:G05	M00027339D:E10
M00003985B:F06	M00004027C:E06	M00005614A:B07	M00027282D:G01
M00004063B:B12	M00004059D:A09	M00005721C:A12	M00023287A:D08
M00004101A:C12	M00004087B:D05	M00005705D:G09	M00026928A:B06
M00004104C:F06	M00004114C:B09	M00005709D:H05	M00027028B:C12
M00004107A:E02	M00004140B:C02	M00004859D:D01	M00027115B:G04
M00004108B:D04	M00004149C:D11	M00005342D:E04	M00027096B:A01
M00003856A:H10	M00004168D:F05	M00005363D:C05	M00027154B:D05

Table 13			
ES55	ES56	ES57	ES58
M00003908C:C04	M00004176B:H09	M00005353C:H01	M00027164A:A09
M00003895C:F05	M00004173A:D03	M00005386C:G01	M00027218C:D06
M00003939B:C02	M00004209B:G01	M00005388B:B02	M00023343B:C08
M00003997A:C08	M00004253D:D04	M00005396C:H04	M00026871C:F12
M00004066D:C02	M00004275A:H07	M00005434A:F11	M00026882A:E07
M00004105C:C05	M00004269C:B10	M00005434C:E02	M00027067B:E09
M00003788B:C08	M00004298A:H09	M00005473C:F02	M00027062C:C04
M00003788C:C05	M00004347A:F10	M00005459B:A01	M00027131C:E07
M00003835B:C05	M00004337A:A07	M00005469A:D10	M00027137D:F05
M00003820B:G04	M00004372A:A08	M00005505D:H08	M00027204B:A08
M00003888C:G08	M00004406D:E11	M00005509B:E10	M00027188A:D12
M00003977D:H04	M00004449B:B05	M00005616B:E11	M00027190B:F06
M00004029D:H03	M00004507A:F11	M00005589B:H12	M00027193A:F07
M00004034A:A05	M00004276A:C06	M00005721D:B03	M00022362D:G11
M00004140D:E03	M00004270C:H05	M00005698A:H12	M00007947B:F07
M00003775C:C01	M00004343A:G07	M00006613C:C02	M00007948B:B07
M00003776B:F08	M00004344B:C06	M00006617A:A06	M00008003B:F09
M00003839D:C03	M00004373D:G10	M00006584D:D01	M00008054C:C03
M00003818C:D02	M00004368A:G11	M00006594B:D05	M00008075D:B01
M00003820C:E08	M00004371B:A05	M00006600D:G07	M00022074A:F05
M00003822A:D02	M00004403A:A02	M00006631D:G09	M00007943C:B02
M00003877C:G01	M00004445D:A04	M00006635A:C01	M00008002B:F09
M00003880A:G10	M00004447A:A10	M00006726D:H10	M00021653C:B06
M00003919D:F01	M00004603D:D09	M00006874D:E01	M00021851D:H06
M00003960D:E09	M00004326D:D06	M00006882C:D03	M00022015D:C11
M00004081A:E11	M00004323B:G12	M00006925B:B02	M00022018B:E09
M00004085B:D12	M00004350A:C04	M00006946B:C08	M00022095C:F03
M00004142C:A06	M00004357A:B10	M00006949B:C07	M00007996C:B11
M00004135D:D01	M00004360B:B08	M00007026A:A03	M00007977B:C11
M00004198B:G08	M00004385D:D06	M00006712A:F01	M00008088D:B01
M00004185B:H03	M00004414D:A01	M00006727A:H12	M00021676B:B12
M00004187A:B05	M00004415A:A01	M00006815D:D11	M00021972A:C10
M00004251B:H12	M00004423A:B05	M00006805D:H12	M00022099C:A10
M00004232D:G11	M00004423C:F03	M00006934B:B11	M00022106D:B06
M00004240A:D03	M00004426B:H06	M00007019B:G01	M00007978B:C04
M00004285C:B06	M00004504C:G07	M00007038D:D01	M00008053D:E09
M00004292A:C08	M00004466A:E04	M00007041C:C05	M00021669B:G02
M00004335A:G05	M00004498D:A11	M00006630A:E05	M00022118A:D08
M00004240C:A06	M00004292A:F03	M00006623C:G07	M00022251A:F07
M00004249A:C09	M00004280D:D10	M00006694D:G06	M00022235D:F07
M00004335D:D03	M00004286D:D02	M00006668D:B10	M00022240C:B03
M00004378A:H10	M00004870D:E05	M00006688A:F09	M00022406C:G03
M00004381A:E10	M00004871C:C04	M00006745B:C05	M00022459C:G05
M00004444C:H11	M00004872A:D07	M00006846A:B03	M00022627B:D01

Table 13			
ES55	ES56	ES57	ES58
M00004225A:E03	M00005395D:D11	M00006823A:H06	M00022184D:F07
M00004284A:C09	M00005395D:B12	M00006925A:B09	M00022177D:G02
M00004264B:F03	M00005412D:G07	M00006894D:A07	M00022460C:E12
M00004404C:B03	M00005413D:G12	M00006895D:A02	M00022627A:A02
M00004410A:F06	M00005513A:H01	M00006991B:E05	M00022144D:D09
M00004412A:G05	M00005515D:G02	M00006994A:C12	M00022203B:A05
M00001340C:A08	M00005607A:C08	M00007046D:E10	M00022214C:C11
M00001340C:D09	M00005366D:E12	M00006577A:B01	M00022252C:A04
M00001395D:B04	M00005618C:H11	M00006630A:E09	M00022420B:C08
M00001466C:H11	M00005708C:D11	M00006619A:G11	M00022640B:G10
M00001528D:B12	M00005810B:C07	M00006704A:C11	M00022641C:H03
M00001517C:A10	M00006795C:B12	M00022127C:E01	M00022652B:G06
M00001561A:G10	M00006755C:C03	M00022128A:C05	M00022216C:H02
M00001565C:F06	M00006756D:G07	M00022176D:F05	M00022199A:F09
M00001569A:H01	M00006779D:F03	M00022214A:H05	M00022214A:D01
M00001341A:H10	M00004821D:C03	M00022220B:B06	M00022273A:B03
M00001375C:C11	M00005358A:H03	M00022278C:E04	M00022256D:G11
M00001397C:F01	M00005480C:A04	M00022282A:A11	M00022261C:D06
M00001431A:F03	M00005481C:H05	M00022260C:H07	M00022490B:G12
M00001457D:E08	M00005490B:B02	M00022263A:C01	M00022648D:G11
M00001505C:C10	M00005820A:H11	M00022377A:E02	M00022709A:G02
M00001615A:D01	M00006621B:B06	M00022399C:B02	M00022701C:A05
M00001618C:E01	M00006752C:D04	M00022056C:D12	M00022826A:C08
M00001358C:D09	M00006757D:H04	M00022087A:D01	M00022963A:E07
M00001360B:B01	M00005000A:H05	M00022088B:E05	M00022904D:D04
M00001391C:B05	M00005296D:G03	M00022090D:B03	M00023095C:A09
M00001389B:B12	M00005378B:B04	M00022094A:A09	M00022684C:C12
M00001485A:C04	M00005461C:D11	M00022096B:D10	M00022765B:E03
M00001559D:E02	M00005464D:D07	M00022176A:F02	M00022898C:H07
M00001545D:F12	M00005657B:F11	M00022217B:E03	M00022902B:F10
M00001549C:F10	M00006596D:H02	M00022259A:D04	M00023003A:H01
M00001579C:E07	M00005826B:F10	M00022381B:C12	M00022768A:A10
M00001630A:E08	M00006577B:F01	M00022399D:A07	M00022834A:H02
M00001386B:E01	M00006582A:F12	M00022401C:G07	M00023002A:C02
M00001389A:F03	M00006664A:C05	M00022407D:G07	M00023003C:C10
M00001418C:F06	M00006678C:B07	M00022417B:C01	M00023012A:C06
M00001454D:H09	M00006840A:A12	M00022435C:C05	M00007973D:B03
M00001442D:D09	M00005020B:D10	M00022471D:A05	M00007939A:F06
M00001450D:H12	M00005296B:H07	M00022464D:F12	M00007941D:D07
M00001479D:B10	M00005403A:D12	M00022469A:A05	M00007948D:F08
M00001598C:F02	M00005376B:E08	M00022500B:D01	M00008012D:H04
M00001594A:H01	M00005378C:B12	M00022506D:B03	M00008014D:A11
M00001657D:D07	M00005397A:G08	M00022542A:B06	M00008048C:A08
M00003772C:F12	M00005449D:D04	M00022527D:A09	M00008099A:C12

Table 13			
ES55	ES56	ES57	ES58
M00003844D:B02	M00005465A:A07	M00022568B:D03	M00021668D:G09
M00003845B:A04	M00005648C:C11	M00022561D:E06	M00021861C:B08
M00003845C:F08	M00006595C:B08	M00022687C:C11	M00021980A:F03
M00003848A:E08	M00006816D:D08	M00022695D:B02	M00007931A:B07
M00003880C:D06	M00006835D:C08	M00022425A:F11	M00007948C:G01
M00001647D:A02	M00006914C:D07	M00022434D:B06	M00007969B:E10
M00001655C:F07	M00007177A:G07	M00022460D:C07	M00008012B:C05
M00003804D:F12	M00006920B:H07	M00022510A:B09	M00008012D:E07
M00003884C:G09	M00007161C:D12	M00022501D:A09	M00008014C:H01
M00003916D:A10	M00006968D:H02	M00022541D:G06	M00008016C:E06
M00003943B:C12	M00006936C:G11	M00022527B:H05	M00008052C:G11
M00003935A:C04	M00006945D:A07	M00022538D:B02	M00008054C:E07
M00003937D:F09	M00007047C:H04	M00022559D:F10	M00008093C:G08
M00001683B:F12	M00007065D:A03	M00022569D:H03	M00021614A:C09
M00001669B:H04	M00007079D:H01	M00022601A:A09	M00008094D:C02
M00003762D:C02	M00006968A:H05	M00022604A:F06	M00021667C:G10
M00003788D:E06	M00007078B:H04	M00022684B:F11	M00021674A:B07
M00003824A:B11	M00007186A:A12	M00022702A:D10	M00021846B:F05
M00003865B:D10	M00004852B:H08	M00022691A:G01	M00021847B:A09
M00003870C:H03	M00005382A:G09	M00022696A:H03	M00021963C:H04
M00003901B:C02	M00005418C:B09	M00022444B:C04	M00007985C:G07
M00003893A:D03	M00005420C:E03	M00022447A:H06	M00008001D:F11
M00003931A:G01	M00005450C:G09	M00022488C:H02	M00007992A:G04
M00003973A:D09	M00005444D:D01	M00022522B:A05	M00008000D:B06
M00001660A:B10	M00005494C:F08	M00022513C:G04	M00008001A:G11
M00003761C:C05	M00005479C:A05	M00022517C:B01	M00008044C:A05
M00003829C:G07	M00005486A:F07	M00022546B:F12	M00008085B:G01
M00003833D:F11	M00005538C:H11	M00022591C:F03	M00008082B:C05
M00003879D:A09	M00005648C:E10	M00022617B:A01	M00008083A:H11
M00003880B:B08	M00005621A:B05	M00022681D:H10	M00021624B:E11
M00003861D:G10	M00004847D:G01	M00022659B:C01	M00021689A:G05
M00003876C:G11	M00005342B:G01	M00022664C:G10	M00021865B:F06
M00003877C:C11	M00005305A:H01	M00022711B:A05	M00021879B:C11
M00003902C:D02	M00026906B:G03	M00022704A:H08	M00021958A:A03
M00003933A:B04	M00026872A:C10	M00022449D:B05	M00021945A:B04
M00003923D:A03	M00026964C:H02	M00022548A:F02	M00021981D:A11
M00003989D:A02	M00026982C:D08	M00022590D:E08	M00007987A:D10
M00003991A:D05	M00027069D:F02	M00022622A:E08	M00007998C:B04
M00004030C:E05	M00027042D:E02	M00022655A:F09	M00008001B:E11
M00004048A:E10	M00027056B:H07	M00022664A:E04	M00008045A:B05
M00006680D:A01	M00027137C:A03	M00022720A:C01	M00008023A:B03
M00006688C:C12	M00027184D:H02	M00022722D:C07	M00008027D:H09
M00006740A:A06	M00027189C:D04	M00022746D:D05	M00008044B:F07
M00006757A:C09	M00027196A:A10	M00022772A:A06	M00008089C:B08

Table 13			
ES55	ES56	ES57	ES58
M00006859D:E11	M00027357D:A02	M00022813C:B09	M00021620D:B06
M00006917B:C05	M00027369A:B03	M00022853D:C05	M00021624B:D03
M00006919A:H12	M00027439B:A09	M00022843A:D02	M00021628C:B09
M00006993B:F02	M00027393D:F01	M00022844C:A01	M00021680D:H08
M00007093C:C11	M00027557D:B06	M00022968D:G06	M00021687C:A04
M00007047D:C02	M00027502C:H02	M00023023B:A05	M00021696C:E02
M00007064B:E09	M00027507C:C06	M00022716A:C01	M00021698A:H03
M00007121A:G04	M00027529B:B11	M00022725D:G05	M00021864C:C07
M00007107C:D02	M00027438D:A03	M00022817D:B09	M00021958A:A04
M00007178D:A10	M00027388A:G05	M00022848D:H09	M00021949D:A05
M00007156D:E11	M00027396C:B06	M00022884D:A07	M00021951B:A01
M00007172D:H03	M00027551C:B07	M00022983A:H04	M00022001B:H10
M00007175D:G02	M00027518B:B07	M00023034B:B10	M00022001D:E06
M00007121D:A11	M00027528A:G03	M00023038D:D04	M00022071D:C08
M00007101C:H01	M00027759B:E11	M00022743C:G05	M00022078B:B04
M00007104D:D10	M00027728A:B03	M00022734C:A03	M00022113B:A12
M00007116A:C08	M00027484A:G03	M00022737D:B02	M00022138C:B07
M00007152A:A10	M00027752B:E05	M00022801A:G04	M00022152A:G05
M00007179B:H04		M00022838B:E05	M00022158C:C08
M00007157B:B04		M00022856A:B09	M00022192B:H07
M00007167C:B10		M00022902C:F11	M00022233C:D11
M00007175B:B11		M00022893D:C06	M00022252A:C01
M00007177B:C02		M00022922D:G06	M00022370A:G07
M00007141A:G08		M00022986B:C02	M00022300A:A05
M00007196D:D02		M00023002D:C12	M00022386D:C04
M00007145C:B05		M00023096C:A03	M00022072D:E12
M00007126D:H01		M00023097A:C03	M00022102D:A10
M00007140C:G12		M00022743C:G06	M00022207C:C01
M00007200A:B12		M00022736B:B03	M00022249C:G09
M00007203C:E06		M00022737B:F12	M00022383C:F05
		M00022831C:F11	M00022384B:E06
		M00022836C:A07	M00022067A:B03
		M00022854D:C04	M00022056B:G12
		M00022860A:A07	M00022084B:C03
		M00022861C:B04	M00022087D:F12
		M00023096A:F03	
		M00023096D:B11	
		M00023097C:D10	

Table 14

ES59	ES60	ES61	ES62
M00001418A:A02	M00001477A:G02	M00004450A:G07	M00005515B:B08
M00003877C:A08	M00003853C:A09	M00004353D:C06	M00005385B:A10
M00003977C:D01	M00001694B:H12	M00004406A:H12	M00005516D:F12
M00004295A:C02	M00001664D:E02	M00004048C:C02	M00005822D:C05
M00001383C:C04	M00003847B:H01	M00004170B:G04	M00004841C:H03
M00001500A:A02	M00001631D:G08	M00004108C:D07	M00005810B:G02
M00003880B:D03	M00004498D:F02	M00004125B:A02	M00007107A:H08
M00003803B:G12	M00001563A:F04	M00004109A:B07	M00004825A:G12
M00003819D:B02	M00001558D:E02	M00004123B:G05	M00005327C:G08
M00004178B:F07	M00004278C:H11	M00004152A:F03	M00005390C:E05
ES63	ES64	ES65	ES66
M00005520A:H11	M00006790D:F10	M00027175D:A05	M00026949A:F04
M00006814D:D09	M00006627C:C02	M00026910C:C05	M00023432D:F09
M00006918D:G08	M00027462D:A12	M00027280D:H01	M00027178B:E04
M00007197D:D12	M00026972A:F04	M00023289D:E06	M00027225B:D03
M00005497C:G08	M00027592D:C05	M00023373A:D01	M00023340B:B07
M00007109D:G01	M00026945B:C10	M00027231A:D01	M00027283C:H12
M00005377C:F07	M00027231C:D08	M00023321A:F07	M00027085C:H12
M00006813B:E04	M00027083D:F06	M00027266C:G12	M00027234C:B05
M00005825A:A10	M00027142A:C01	M00023398D:F10	M00023390A:C04
M00005416B:A01	M00027607A:A09	M00027603C:E02	M00026810A:H04
ES67	ES68	ES69	ES70
M00023340B:H12	M00027642C:D11	M00022714B:D04	M00022709A:C01
M00027237C:D04	M00027202B:B09	M00022838A:H05	M00022413B:D07
M00026809C:D10	M00027459A:G12	M00022392C:H06	M00022467C:H07
M00027386D:C02	M00027250A:C04	M00022363C:D03	M00022561B:B09
M00027343B:H05	M00027499B:G02	M00022205A:C02	M00022214C:E09
M00027356A:H02	M00027053C:B06	M00022717C:F05	M00022697A:C08
M00027363D:A08	M00027598C:D06	M00008015B:D08	M00022682A:F10
M00027364D:E08	M00006989C:B01	M00021625B:G07	M00021841A:E11
M00027618A:B08	M00006837B:H12	M00008100D:C08	M00021691B:E04
M00027628D:D08	M00007202A:A09	M00022669D:G07	M00022477C:C07

Table 14

ES71	ES72	ES73	ES74
M00022134D:D12	M00008028D:B01	M00022513C:E10	M00023363C:A04
M00022705B:F08	M00021931B:F04	M00022518C:C04	M00001401B:A02
M00022903D:H02	M00008097C:E04	M00022544C:D08	M00008023C:A06
M00022915C:C09	M00008082B:H10	M00022785C:B10	M00022077D:A12
M00007965C:B02	M00008006A:H02	M00022525C:E09	M00023284B:G06
M00022368C:C11	M00022167B:H02	M00022641D:F08	M00023369D:C05
M00007937C:E08	M00022509D:A12	M00022923A:A09	M00023413D:F04
M00021852C:D12	M00022169A:E11		M00026905A:G11
M00008000D:G11	M00022184D:H07		M00027169D:H06
M00021908B:F03	M00022441B:A06		M00005434D:H02

We Claim:

1. A library of polynucleotides, the library comprising the sequence information of at least one of SEQ ID NOS:1-1079.

5

2. The library of claim 1, wherein the library is provided on a nucleic acid array.

3. The library of claim 1, wherein the library is provided in a computer-readable format.

10

4. The library of claim 1, wherein the library comprises a polynucleotide corresponding to a gene differentially expressed in cell of high metastatic potential relative to a control cell, wherein the control cell is a normal cell or a cell of low metastatic potential, and wherein the sequence is selected from the group consisting of SEQ ID NOS:350, 571, 781, 778, 756, 779, 691, 686, 916, and 969.

15

5. The library of claim 1, wherein the library comprises a polynucleotide corresponding to a gene differentially expressed in a cancer cell of low metastatic potential relative to a control cell, wherein the control cell is a normal cell or a cell of high metastatic potential, and wherein the sequence is selected from the group consisting of SEQ ID NOS:34, 57, 103, 110, 113, 189, 214, 359, 521, 532, 533, 536, 547, 549, 554, 555, 558, 561, 562, 572, 582, 584, 587, 589, 590, 591, 592, 599, 603, 607, 609, 623, 624, 635, 636, 637, 641, 646, 647, 648, 650, 653, 654, 656, 657, and 661.

20

6. An isolated polynucleotide comprising a nucleotide sequence having at least 90% sequence identity to an identifying sequence of SEQ ID NOS:1-1079 or a degenerate variant or fragment thereof.

25

7. A recombinant host cell containing the polynucleotide of claim 6.

8. An isolated polypeptide encoded by the polynucleotide of claim 6.

30

9. An antibody that specifically binds a polypeptide of claim 8.

10. A vector comprising the polynucleotide of claim 6.

35

11. A polynucleotide comprising the nucleotide sequence of an insert contained in a clone deposited as ATCC accession number xx, or xx.

12. A method of detecting differentially expressed genes correlated with a cancerous state of a mammalian cell, the method comprising the step of:

5 detecting at least one differentially expressed gene product in a test sample derived from a cell suspected of being cancerous, where the gene product is encoded by a gene corresponding to a sequence of at least one of SEQ ID NOS: 34, 57, 100, 103, 110, 113, 189, 209, 214, 316, 350, 359, 370, 521, 532, 533, 536, 547, 549, 554, 555, 558, 561, 562, 571, 572, 582, 584, 587, 589, 590, 591, 592, 599, 603, 607, 609, 623, 624, 635, 636, 637, 641, 645, 646, 647, 648, 650, 653, 654, 656, 657, 661, 781, 778, 756, 779, 691, 686, 854, 916, and 969;

10 wherein detection of the differentially expressed gene product is correlated with a cancerous state of the cell from which the test sample was derived.

SEQUENCE LISTING

<110> Williams, Lewis T.
Escobedo, Jaime
Innis, Michael A.
Garcia, Pablo Dominiguez
Sudduth-Klinger, Julie
Reinhard, Christoph
Giese, Klaus
Randazzo, Filippo
Kennedy, Giulia C.
Pot, David
Kassam, Altaf
Lamson, George
Drmanac, Radoje
Crkvenjakov, Radomir
Dickson, Mark
Drmanac, Snezana
Labat, Ivan
Leshkowitz, Dena
Kita, David
Garcia, Veronica
Jones, Lee William
Stache-Crain, Birgit

<120> Human Genes and Gene Expression
Products

<130> 2300-1492WO

<140> Unassigned
<141> 1999-09-23

<150> 60/102,180
<151> 1998-09-28

<150> 60/102,161
<151> 1998-09-28

<150> 60/102,380
<151> 1998-09-29

<150> 60/103,815
<151> 1998-10-08

<150> 60/105,877
<151> 1998-10-27

<160> 1079

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 300
<212> DNA

<213> Homo sapiens

<400> 1

aattccggtg	ctgtcggcag	acggccttca	gagtacaata	aacagggaat	gagaactatt	60
tacatggaat	gttctttctc	atgatgcggg	ggagaagcct	cggccacttg	gttctgccag	120
atgttcctgg	ggttactgta	aatgggaagg	acaggcagag	ctaaacaagg	tttatcattt	180
aaaagtgcct	gtgtgaagtc	acttttgctg	gaaaactgca	gcttgggagc	tttctttgta	240
ttcacatccc	actcttctgt	caagtacact	ttaccctgac	cttatgagtg	gatgaagata	300

<210> 2

<211> 398

<212> DNA

<213> Homo sapiens

<400> 2

cttgaacttc	tgggctcaag	tgattctccc	acctcagcct	cccaaagtgt	tgggattgta	60
ggtgtgaact	actgtgcctg	gccttctaca	tttttttttt	aaccatttca	tagttccctt	120
tttctttgaa	cacttggtcc	aaactcactt	ttcttctgga	ttcatatttt	ctgatctcac	180
ctattatggt	atagaactga	tatgttacgt	ttgttttcat	tgatgcgtct	gtacttggct	240
tcagagagca	aaacaaggcc	ctgtgagtca	ctgggagcca	gattttggat	caaaataaat	300
cactttctga	caagtgtagt	tgtctagtaa	tggaatgagg	cagtcttctt	aggaagtaat	360
gaattccctg	cacccaaaagg	gagaagctag	cgagccac			398

<210> 3

<211> 424

<212> DNA

<213> Homo sapiens

<400> 3

aaaataacaat	gtctaggagc	tatcccaggg	tcgtgaatcc	tcgagtgcag	gtggggaagt	60
agggtgatac	ccacctgtga	ccatgacaag	ttttggagac	cagaaactcg	gatagagttt	120
ctagaacccc	gcatccctct	catactgcct	gaagccctcc	tctggggaga	gtgtcatcac	180
agtaccatgt	ggcatgcgag	tgctgtggtg	atgctccccg	accaaaccac	caaaccgagg	240
gttgggctgc	ttattctcgc	tgcccaataa	tgagatgcag	ataaactagg	aaagaaagga	300
gtttatttct	gtaaccaggt	acggggcgaa	ggcgtggaaa	atatcccgag	ccgactcaga	360
attacagagc	tttccagagc	ttatatacct	tgtaagttgt	atgtttatgt	gtaaagtgtg	420
catt						424

<210> 4

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 4

gctggccagc	atagtgaaac	cctgtctcta	ctaagaatac	aaaaattagc	aggcgtgctg	60
gcgggcacct	gtaatcccag	ctgctcggga	ggctgaggca	ggagaattgc	ttgaacccag	120
gaggtggagg	ttgcagttag	ccgagatcat	gctgctgcac	tccagcctgg	gtgacagagt	180
aagactccgt	cttgggagaa	aaaaaaaaaa	anggaagggg	naatnnanat	nccanttttt	240
tnntnttaaa	tttaanaaan	ttaaaaatgg	nttttttaaa	ttntntnaaa	ngtttgnaaa	300
tganccataa	nnanncggtt	ngcaaacngg	ccnnggtttt	tgntntcant	nggagancag	360
ggtttnaaac	natcgtngtt	ncnttganaa	atggtagnagtt	tttganggca	a	411

<210> 5

<211> 390

<212> DNA

<213> Homo sapiens

<400> 5

ggaggccaag	gctggaggat	tgcttgagat	caggagttca	agaccagcct	gggcaacata	60
gtttagacctt	gtctctat	ttaaaaatat	aacaagcaca	gttgtacacg	tcttttagttc	120
agctgctcag	gaggctgaag	tgggaggatc	ctttgaaccc	aagagtttga	ggctgcagca	180
agccatgatc	acaccactgc	actccagcct	gggtgacaga	gtaagaccct	gtctcaaaact	240
tttttttaaaa	tgaaagaatc	caaccttttt	ttactctgac	ctgcgagagt	gcagagggtc	300
tggggaacat	ttgcagaagc	aacagggtacc	agccagtgtc	ggaaggagct	caccctggga	360
ggtctcgtca	gcctctgtcc	ttcatggctg				390

<210> 6

<211> 401

<212> DNA

<213> Homo sapiens

<400> 6

ccgacactttt	gggaggccaa	ggcaggagga	tggcttgaag	ccagtagttc	aagaccagcc	60
tgggcaacat	agtaagacct	catctctatg	aagaataaaa	aaatgagcta	ggcgtggtag	120
tgcacacctg	tagtcctagc	tacttgggag	gctgaggcag	gaggatccct	tgagtccagg	180
aggttgaggc	tgcagtgagc	tgtgattgtg	ccactgtttt	ccagcctggg	caatacagtg	240
agaccctgtc	tcaaaaaaag	gaaaaaaaag	ctcaaaaagt	tctgtgttgc	ctttctcttc	300
ttagctgatg	atgggagaac	cagttactac	cttctctaac	acaggctcca	tcctatctct	360
tcctctcttc	ttgccagtga	tgttgcacct	gtaaccatct	t		401

<210> 7

<211> 413

<212> DNA

<213> Homo sapiens

<400> 7

caggatttgc	tttttcctg	ctttgaagaa	aagctgaagt	caaattttat	gaatactcag	60
tagcatccgt	caagaaaaaa	aaaagaaaaa	gaaaaatttg	catgtagggg	gttctgttct	120
caacagtgtg	cgcagttttg	gggctacagt	agggctgagg	ccgcacgcca	gttccatttc	180
acagggttcc	tgtttcctag	taactgcttc	tactcgagcc	ttcctcagga	aagcccacaa	240
tagcaattga	gagtaaaatg	atltgaaaac	gtgggtgtgc	tgctgctggg	actccaccct	300
cagtaacgat	caggcattgt	tctgtcttcc	ttgctcaggg	ggggcacact	tcaagagatt	360
aaatttactg	caggataaac	agaatgcgtg	ttccacagca	ggctaataaa	acc	413

<210> 8

<211> 409

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (409)

<223> n = A,T,C or G

<400> 8

cccagcagtg	tttactgagg	acctggnttt	ctagaacagg	tgtgnccctgt	cctcttccat	60
gttcctctggg	ggctggtcag	ctccaagttg	tgggtggcag	anctgngttt	ancatgaact	120
gactaaagac	ccatntggag	gcaaataatta	agttgccagg	actgctttca	cttcagggtg	180

attgaaggnc	acatatgtgaa	gtacctagaa	tgccagaaaag	tgttntnttg	cccanaaaac	240
aaatcagaaa	agcctattct	tttttgcaac	nctgttaatg	attactggag	ttcctgaaaa	300
atactttgtg	ccnccttgga	agactntgaa	acncgnnttc	cntgggattt	tgctgtaaat	360
nacnntncnn	tggnctgaa	gnttnccttg	gntgcctagc	tntaaaaaa		409

<210> 9

<211> 392

<212> DNA

<213> Homo sapiens

<400> 9

accacgccgg	gctaattttt	gtatttttag	aagagatggg	gttccgccat	gttgccggg	60
ctgggtctga	gctcctgacc	tcagggtgac	cgcccgccctc	ggtctcccaa	agtgtcggga	120
ttacaggcaa	taactttatg	tctccctctc	cttatctctg	ggcaaaccctt	gtttattctc	180
tactaacttg	gttgtaatct	gttcatcaaa	gtagaccctt	gaatttggtt	ttctccaggc	240
tgctggggaca	cgttggagtg	gccttagaag	gctgcaaaat	ggactgatgg	tttctgcctt	300
ccactgacgt	cccaatacga	cttcctaata	ctagggctcc	agttcctgat	accagaatta	360
caggggagaaa	atgtgggttc	tgccaggggtg	tg			392

<210> 10

<211> 300

<212> DNA

<213> Homo sapiens

<400> 10

aattccgttg	ctgtcgggtca	cttatgccta	taagcgggca	tacaacaggg	gcgcaataaa	60
tgtttggttaa	gtgaatgaat	tctttcagaa	ctagatggga	tcttagtcca	actctcttat	120
ttacagaggt	ccacagaggt	tctgcgattg	tctaagaaaag	aaggctgtgt	tcatggcctt	180
tgttgtttac	gtggccctgt	gattctcttg	gctccgtgaa	agtcctgatg	cagacattcc	240
ggccatctag	aaaggcatgc	agacaagcca	tccagctggc	atgatcctga	gtccagcttt	300

<210> 11

<211> 401

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 11

gactcggatg	ggagatgcca	ttggaatcaa	tcaggcgtct	atgagtcgat	gtgttgccaa	60
tgctactgaa	gcacttggtg	aaagggcctc	acagttcatt	cgctttccag	ctgatgaagc	120
ctccattcag	gctctgaagg	atgaattcta	tgggttggca	gggatgccag	gggtgatggg	180
gggtggtgac	tgtatccatg	tggccatcaa	ggcaccacat	gctgaagacc	tctcctatgt	240
gaaccgaata	ggcctgcatt	ctataaactg	ctgatgggtg	gcgacattag	agggacacta	300
ntgaccgtng	agacanactg	tcccgggnanc	ctanatgact	gngctgtgct	gcagcagnct	360
tcctcagtan	ncancatgaa	gcgganatgc	acaaaaaatc	c		401

<210> 12

<211> 403

<212> DNA

<213> Homo sapiens

<400> 12

atctctgaat	tctgaatagc	tgacaacccc	caatgttata	cactctgttg	cttttgtctg	60
gaaaactcta	cagtgtttgt	gggatgtccc	caaaggaaaag	ctatgttcta	attttatcat	120
ttccatctgt	ctggttatgt	caagttaatt	cagaaagaga	agagacagtg	accaaccctg	180
agaggcctaa	tagggcagag	atggaggcct	gccagacta	ggaggcagcg	gggatagaca	240
gggaatgggg	agaagaaaga	ccccattgg	tttgaaaatc	aaggagaggg	cggtgacata	300
ttggaccaga	agaggcacta	ccattttaag	gagaggaaaag	agaaaactct	ggggtcaggg	360
agagacccta	ccccccctaa	ttatccacat	atatgtaaga	aat		403

<210> 13

<211> 390

<212> DNA

<213> Homo sapiens

<400> 13

caaagggtgaa	gcaggacatg	cctccgccgg	ggggctatgg	gcccacgcac	tacaaacgga	60
acttgccgcg	tcgaggactg	tcgggtcagt	atcactctgc	gccggggctc	cagagtctgg	120
gcactcgggg	ctcgggggcg	gggttccggg	gacacaggcg	ggcctcagtt	ttcccggcgg	180
tgtgaccgga	ggcggagccc	ggggatccat	catagcttct	gtaataacgc	taagtgtgc	240
agtttgttga	ggtctttccc	agctcctctt	ccttctcgta	acagcccagg	aaatcgggtc	300
ctctagtatt	ttacgtttta	cagtgggtta	aactgagtca	tagcctgtgc	tctggccctc	360
agccaccctt	ggattttctaa	gatggggaaa				390

<210> 14

<211> 400

<212> DNA

<213> Homo sapiens

<400> 14

ggtaattctt	aagagcggtc	tgacagcttt	tctcgtgctg	tggttgccctc	actggggatt	60
gtacattttc	tctttggccc	agcttttcta	taccacagtt	ctggtgctct	gctatgttat	120
ttatttcaca	aagttactgg	gttccccaga	atcaaccaag	cttcaaactc	ttcctgtctc	180
cagaataaca	gatctgttac	ccaatattac	aagaaatgga	gcgtttataa	actggaaaga	240
ggctaaaactg	acttgagggt	ttttcaaaca	gtctttcttg	aaacagattt	tgacagaagg	300
cgagcgatat	gtgatgacat	ttttgaatgt	attgaacttt	ggtgatcagg	gtgtgtatga	360
tatagtgaat	aatcttggct	cccttgtggc	cagattaatt			400

<210> 15

<211> 378

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(378)

<223> n = A,T,C or G

<400> 15

aaaaaacatc	tacgagacaa	aggagaggat	gataaaatgc	ccccgctccg	gaagaaacag	60
cgtgggtttgc	ttttaagggt	gcagcaagaa	aaggcagaaa	taaaacgtct	tcaagaagcc	120
aataaggcag	ctcggaaagg	aagacagctg	attcttaaac	agcaggagga	gatagaaaag	180
atccgacaga	ccaccataaa	actacaggag	aaattgaagt	ctgcagggga	gagtaaatgt	240
gactctcata	gtgatgatga	tacaaaggat	aataaggcaa	ccagtcctgg	tccaactgac	300
ttggagaccc	gcagtccttc	tcccatttca	atctccagca	gtgaaactag	cagcattatg	360
cagaaactga	anaaaatg					378

<210> 16

<211> 300

<212> DNA

<213> Homo sapiens

<400> 16

aattccggtt	ctgtcgtctt	cgcttggaca	tcagctttga	aagccaacac	atcctcctga	60
gaggggacaa	gacaagcagg	gatatgtggg	ccactggatc	tttgccagac	ttcccagctg	120
cagccaagtt	cttaggggtt	cgtaagcgct	gcatccccag	gagcctctgc	ctcagtga	180
gtcctctgga	gcccccaagc	ctcaccgcgc	tctgtgccac	tctgaaggac	tgcccgggac	240
ccctggaact	gcaattgtcc	tgtgagttcc	tgagtgacca	gagcctggag	actctactgg	300

<210> 17

<211> 415

<212> DNA

<213> Homo sapiens

<400> 17

cttttaacgt	tcagcctccc	gaagaaagcc	agggtgtcagg	gcagaagacc	gccattcttg	60
ccagtacacc	tgccagccta	cagaggaagc	cagatcgggg	aagccaggaa	gttttagtga	120
agcccccagc	atgaccctat	tgtctcccct	ttcaccaga	gcaccagcaa	ctggtgaagt	180
cttagaaaacg	tccctgatac	acaaaaaac	atcccaggaa	gccagcatcg	tccaagctga	240
gaagtccaag	ctgagaagcc	tgaggctgtg	acgtcagcct	gctcggcaag	aagctggggc	300
tgccgcaggg	ttgccaggag	atagatggct	ttgcatacta	ttaaaatatt	tttgctgtc	360
tctaccaaag	aaaaggagga	ataagatcgc	cccaacatag	ttgcatggct	gaaga	415

<210> 18

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(417)

<223> n = A,T,C or G

<400> 18

gagcattcta	atctggaaga	gctgttccaa	aaaacataaa	cttagtggtg	atgaagactt	60
ttgtcattat	ttgaagaatg	acaactgttg	gacaacaaaa	aatgaaaact	tagattgcaa	120
cagtgtattca	caggtgtttc	cctctttgaa	taataaagaa	ctaataaata	tcagaaatgt	180
ttcaaaccag	gaaagatcaa	tggtgttgt	agcccgaaca	caaaaagatg	ggggcatatc	240
tttattgttt	ctattaaaac	ggagaatcag	atgcaagctg	gaatntgaat	ggttcncctt	300
ctatgattgg	gcctcatgga	tatatctctg	catcagattg	gcccctaatt	attttttaca	360
tgggganggg	atnggttata	tattatatgg	catactctgg	ctgacgtggn	ctgcctg	417

<210> 19

<211> 415

<212> DNA

<213> Homo sapiens

<400> 19

ggacagtctg	agccccagga	tctccgtgcc	cctgattccg	gactctgtac	agcaatacat	60
gagttcttcc	tctagaaaac	caagccttct	ctggctgtta	gaaaggaggc	ttaaagggcc	120
gagaacccaa	gggtgttgt	ttgaatcccc	tgaggaaagt	gctgatcaat	ctcaagctga	180
cagagactca	aagaaggcca	agaaagagaa	actttctccc	tggcctgcgg	accttgaaaa	240
gcagccttcc	caccatcctt	tgcggatcaa	gaagcagttg	ttcccagatc	tctatagcaa	300
agaatggaac	aaggcagtgc	ctttctgtga	gtctcaaaa	agggtgacta	tgttgacggc	360

ccactgggat tttcagtga ctttaaggtct acagatgagg agttttatttc tcaaa 415

<210> 20

<211> 415

<212> DNA

<213> Homo sapiens

<400> 20

ccttgctcttg	cctccaaaag	actggacctc	cttttcttct	tcagtggtaa	aaggagtctc	60
ttggtgccac	cgtgggctct	gggcagagac	tgtgccttcc	tcccttttgt	gtctgagtcg	120
ccccgcatgc	tttggcgag	ggagtgtggg	ccagagcgat	ctccagcccc	ttccagtcca	180
ctggctctgt	gataagggtc	ctggggattt	tgtgtcatgt	tgcttggaag	ccagatggaa	240
ataggccaat	taccattgaa	gtggggcgcc	tcctgaatgt	tccaggacca	ggagatttga	300
gctaggcttg	ggaccttctc	tttgctgggt	ctctccctgg	tcctgcctcc	taagaaagag	360
aaaacaagca	aatactctgt	ctacattcag	atacgaatgc	ttacatgaga	agtaa	415

<210> 21

<211> 400

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 21

aaagtgtgta	aatctggccg	tcctaaacta	gatggcagac	tgagaaatgt	gactccccctc	60
cccagtaacct	tgttttctgt	gtcctttag	ccgtggctcc	tcagcatatc	tctgtgctgc	120
agacaacaca	ccttctgat	ggaggtgtcc	ggtaagtctc	caagcagtg	cgtctctgca	180
gtaccttgac	cgccaggagt	tggtggtag	gaactggctc	ctgaagtagg	gtgtaaacta	240
gaggactgtt	ccagggtact	ctacccctac	gcctagctct	gagcaataac	tagtggtcgt	300
gtgtgtctag	ggaagaggga	gaataaccag	tggtgttagc	catgggttca	aanaccccaa	360
ccctcaagtg	gcacctctgt	gaggctgctt	cctgnaactg			400

<210> 22

<211> 403

<212> DNA

<213> Homo sapiens

<400> 22

gctgcttttg	cagtgggtgc	cacctgccac	tgtgcagccc	tactgggtc	agcccttctc	60
ctcagctgtg	agcactgtcc	tcaggagagt	cacagggtct	gacacctgac	tctgagctgg	120
aacagtaggg	gcaggagaga	gacagggtct	aagaaaaggt	ttttaagaag	tttcatcccc	180
agttaagcag	agtccatcct	tgacttaaat	cccttattac	agcacaactg	tgtatctaata	240
cttacgattt	aggagaatgt	tacctaggac	attttgatgt	gttaagttga	agaaaggtaa	300
ctcgtgtatg	aaccccgagc	catttccctg	ttgtcctgag	gaggaactcc	aggcctccca	360
tcgtgtgccc	taaggcctcc	tgctcctg	agccctgcct	ccc		403

<210> 23

<211> 403

<212> DNA

<213> Homo sapiens

<400> 23

ccaggctggc	tggttttctt	ggtgaatggt	ctccaggctg	gttatttttc	ttggtgaatg	60
------------	------------	------------	------------	------------	------------	----

taatgtactg	tctttttaga	gtaagttact	aagctgggta	ctaaatcagg	aatatttttag	120
ttataaaact	ttagattttt	aagaatattg	gccaggcacg	gtggctcaca	cctgtaatcc	180
cagcacgttg	ggaggccaag	gcgggtggat	cacctgagat	cgggagttca	agaccagcct	240
ggccaacatg	gtgaaacccc	gtctctacaa	aagaaaaaaa	tacaaaaatt	agctgggtgt	300
tgtggtgtat	gcctgtaatc	ccaactattt	gggtggctga	ggcacgagaa	tcgcttgagc	360
ttggagggcg	gaggttgacg	tgagctgaga	tcgtgccact	gca		403

<210> 24

<211> 396

<212> DNA

<213> Homo sapiens

<400> 24

cttgtatata	gaagctattt	ctcatctcag	ctgtaaatcc	catctgggct	ggactatatt	60
agattacttt	ggtagcctaa	ccaatgctaa	aattttattaa	tgtcttcata	atagcttgc	120
acttggaat	gtttataact	gttgtaaaaa	gcattgtgaca	aggccaggca	cgggtggctca	180
tgctgtaat	cccagcactc	tgggaggccg	aggcgggtgg	atcacctgag	gtcaggagtt	240
cgagaccagt	ctggccaata	tgggtgaaacc	ccgtctctac	taaaaataca	aaaattagct	300
gggtggtagg	gtggggcgct	gtaatcccag	ctacttggga	ggctgaggca	ggagaatcgc	360
ttgaaccccg	gagggggagt	ttgcagttag	ctgaaa			396

<210> 25

<211> 406

<212> DNA

<213> Homo sapiens

<400> 25

cccagcagtg	tttactgagg	acctggtttt	ctagaacagg	tgtgtcctgt	cctcttccat	60
gttccctggg	ggctggtcag	ctccaagtgt	tgggtggcag	agctgtgttt	cagcatgaac	120
tgactagaga	cccatctgga	ggcaaatttt	aagttgccag	gactgctttc	acttcagggt	180
gattgaagga	cacatattga	agtacctaga	atgccagaaa	gtgttctatt	gccccaaaaa	240
caaatcagaa	aagcctattc	ttttttgcaa	cgctgttaat	gattagtggg	gttctgaaat	300
tactttgtgc	cacttggaag	tactgtgaaa	ccgcattcac	tgggattttg	ctgtaattca	360
catccgctgg	actgaagttt	accttgatgt	tagctataag	aaatag		406

<210> 26

<211> 392

<212> DNA

<213> Homo sapiens

<400> 26

gaagaaactc	agagattctc	tgtaacttgc	ccagcattac	cccactgata	gattctgggg	60
attgaatttg	gatccaggtc	ttttcaactc	caagtttcac	cacgtgaact	tgagttggca	120
taagaatcac	ttgaggcttg	gttataatat	aggttctggg	ccctccccag	acctgctaac	180
tccatcacca	gggaaggggc	cctgaaatct	gatgactggg	atgatcaggc	aagtttaaga	240
cattatactc	tactgtatag	cctccttttg	tttaagggtc	tgattctcaa	ggctttccat	300
ttgtaacacc	ttagagggtat	aggcattgat	gccaaaaata	gtaaagaagc	aaatcatgta	360
cagttgacct	ttgaacaacc	tgggggggta	gg			392

<210> 27

<211> 402

<212> DNA

<213> Homo sapiens

<400> 27

ggcggagaaa	gcagaggagg	accggcgggc	caagcttttc	tagcctgaca	gcagccattt	60
------------	------------	------------	------------	------------	------------	----

cggaacgtac	gtcccagccc	tcttttagcta	cttagcgcct	ctgggcccga	gaacacctgc	120
tccttggctc	agtctggcgc	caccggcatc	acggaactgt	acttcccaga	gacgtcacac	180
cgggagactt	ccgattcccg	ctcttgagat	tggactctca	cgtgcaggag	ccagtcctcg	240
ctgggctcta	gcgggcttct	gatggaggag	ctactcctct	gggaggacag	aaattagcag	300
cagcctctgt	caccatccaa	agattacaac	ccatgaaacc	attgaatttg	tgccttgat	360
cagaaagcaa	aggagaatga	aaaagcacag	ctaacattgc	tt		402

<210> 28

<211> 389

<212> DNA

<213> Homo sapiens

<400> 28

catggccaat	ttttttatta	gaaaatatgt	gaccaaaga	ttctatagag	taaaaaatca	60
aagcaaaaca	aaaaccacaa	aaagaccctc	gtactataga	aaatgtaaag	ttggctgaac	120
agatagggctc	ttgaaatttc	aggaacata	taatctcacg	gttcttaaag	attgtcactg	180
tagacatctg	agtaattaat	tttcagttag	taacaggctt	atagaaactt	tgggattatt	240
tacaaatggt	ttaggaaaga	ataagggtata	gtaaaagtaa	tatcctggag	aattctgggc	300
cacctaccca	ccataatcaa	ttcagctgta	ctactgaagt	attgtaaaat	ctgatctcta	360
gaggaaaata	cagtattcta	ccttacgtt				389

<210> 29

<211> 395

<212> DNA

<213> Homo sapiens

<400> 29

gaggatattt	aggggtacag	aatcccacgg	tgtgagttgc	agaagggccc	gagcatctgt	60
ctggtggcac	cttctcagga	ggaacctcac	tgaccggcat	gggtgaaccg	ttcagctagg	120
gtcttgggga	aagtcaggca	tctctggagc	ctccgatgtt	gaggataggg	taagagcagc	180
attgttctct	ggggcccttt	ttccttagta	acacacactc	acccggagcc	agttgtgcct	240
tcttgcaaac	aaacagcttt	caagaagagt	taataaatta	atcttctggg	aaaaagaatc	300
tgctctgcgc	cagcaagacc	tctagcagcc	agggccagag	acttgggcaa	tgtagtcaaa	360
acacacgctg	atcactgtgt	gttactgctg	acgag			395

<210> 30

<211> 402

<212> DNA

<213> Homo sapiens

<400> 30

cctcagcaag	ggcgcggtct	ggtactcgtg	cgtcttttat	cgcctcagtt	tcctccgcc	60
gactagcgcg	cggggcccgg	ttctccatcg	cgcgcacggg	agcctagcgc	aatgaggcgg	120
gcagcactgc	ggctttgtgc	cttgggcaaa	gggcagctta	ctcctggaag	aggactgact	180
caaggacccc	agaaccccaa	gaaacaggga	atcttccaca	ttcatgaagt	tcgagataag	240
ttgcgggaga	tagtaggagc	atccacaaac	tggagagacc	atgtgaaggc	aatggaagaa	300
aggaaattac	ttcatagttt	cttggctaaa	tcacaggatg	gactgcctcc	taggagaatg	360
aaggacagtt	atattgaagt	tctcttgctt	tgggcagtga	gc		402

<210> 31

<211> 405

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (405)

<223> n = A,T,C or G

<400> 31

agacagtctt	taaagcaggg	gagcagggtta	atggataatt	tcttgatcag	agaaatgagt	60
ggttctacat	cagagttggt	gataaaagaa	aataaaagca	aattcagccc	tcaaaaagag	120
gcgagccctg	ctgcaaagac	caaagagaca	cgttctgtag	aagagatcgc	tccagatccc	180
tcagaggcta	agcgtcctga	gccaccctcg	acatccactt	tgaaacaagt	tactaaagtg	240
gattgtcctg	tttgcggggt	taacattcca	gaaagtcaca	ttaataagca	tttagacagc	300
tgtttatcac	gcgaagagaa	gaaggaaagc	ctcanaagtt	ctgttcacaa	aaggaagccg	360
ctgnccanaa	ctgtatataa	tttgctctct	gacgtgatta	aaaga		405

<210> 32

<211> 391

<212> DNA

<213> Homo sapiens

<400> 32

ctacaacaag	aaatgcaacg	cttgctactt	cagcaggaga	tgtaaatgca	gatgagagag	60
caacaatctt	gggtgatttc	acctccacaa	ccctctccac	agaaacagat	tcgagatttt	120
aagccttcta	agcaggcagg	cctgtcatca	gccattgcac	cattctcttc	agactcccc	180
cgtcctactc	acccatctcc	acagtcttct	aacaggaaaa	gtgcatcttt	ttctgttaaa	240
agtcaaagga	ctcctaggcc	aaatgagtta	aaaataacac	ctttgaatcg	aaccttgaca	300
cctcctcggg	ctgtggatag	ccttcctcgg	ttaaggaggt	ttcaccaag	tcaagttcct	360
attcaaaacta	ggtcatttgt	atgttttggg	g			391

<210> 33

<211> 422

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (422)

<223> n = A,T,C or G

<400> 33

gcatgttcgc	aatgtatgag	gaaggtgggg	ctctggggct	tccagcagat	tgaatcgtcc	60
atgactgacc	tggatgcatc	ctttggcctg	accagctccc	caatcccagg	ccttgagggg	120
cgaccagagc	gcttacctct	ggtgcctgaa	tctcctcgga	ggatgatgac	ccggagccag	180
gatgccactt	tctccccagg	ctcagagcag	gctgaaaaga	gccctgggtcc	cattgtctct	240
cgaactcgga	gctgggactc	ttccagtctt	gttgaccatc	ctgagccaga	ggctgctagc	300
cccaccacca	gaactcgccc	agtgaccgga	agcatgggaa	caggagacac	ccctggcctg	360
gaggtaccat	ctagccctct	gcggaaagcc	aagcgagcng	cctctgttct	tcacaattcg	420
ga						422

<210> 34

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (402)

<223> n = A,T,C or G

<400> 34
 cactcctcct ccatgcccag ggaccgcggg tgcttggggc cccgacgcgt acccaggtgc 60
 catctggccc tcacctcccg ccgtagctgg ctgtgacgcc cgccatgggc aactggggc 120
 agtgcagtga gaagacgagg atgcccagca ggctgacaaac ggtgcagaac aggcagaact 180
 tgatgaccgc ggagccccgg agcctgagct tgttcacaaa gaagccggcc aggaaggtgc 240
 cgccaccacc cgctggcacc accagtgtcg ctgacttgaa cccctgcgtc tgcagcttag 300
 tgacatcctg taaacctaca ctttccagcc tctcaccaga gcagactgtc ggcctacatc 360
 cccccacctg caggagggcg gntctttctn tnggccacac ct 402

<210> 35
 <211> 368
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (368)
 <223> n = A,T,C or G

<400> 35
 gtggggcgct gtaatcccag ccactccaga ggctgaggca ggagaatcgc ttgaacctgc 60
 gaggcagaga ttgcagttag ccaagatcaa gccattgtac tccagcctgg acaacaagag 120
 cgaaactctg tctaanaaat ntcttgtnct cncncccaa aaaaggtttt cactcctnna 180
 aaacnaannc atnntaacc aagnnnga atnngntggg acncttntgc aaaaaactgt 240
 atctgtcttt antaaatatt nnnctnntnc tttaaaaanc nttanataa ntngtnccca 300
 aacttntnt ggnnattatn tttttaanat ttttngnnc nacantnnct tntttcaann 360
 aaatTTTT 368

<210> 36
 <211> 383
 <212> DNA
 <213> Homo sapiens

<400> 36
 tgttttcctg actggaactc agtgctgaaa cgggcctcac agttgctcat cgtcagggat 60
 acagaggatc caacgaggat gaagtacaca aggattgtca acctgtgggg gatgactggc 120
 cgcacagccc catgaagacc acctgggcag ctccctctctc aggccttctg acttgaagaa 180
 tggccagctc ctgtggggtc aatacaagaa taacttatgt gcacagaaag aatattttaca 240
 attacttgag cttaaattta tgtaattaaa tttattataa ttataaattt aaaaacataa 300
 ttttcttttt ctttttcttt ttttgagaca ggggtctact ttgtagcccc tgctggaatg 360
 caggggacgg tctcggtct cgc 383

<210> 37
 <211> 396
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (396)
 <223> n = A,T,C or G

<400> 37
 gcccaacctc cctgtcccga ggcccatggg gaggagtgg ggggatttca gaggtaggca 60
 gccagcctc tccgccagcc agtggagggc tcaccgagga gccctgggg cccatggagg 120
 gggagcttcc aggagaggcc tgcacactca ctgcccatga aggaagaggg ggcaagtgt 180

ccgaggaagg	ggatgcctca	cagcaagagg	gctgcacctt	aggttctgac	cccatctgcc	240
tcagtgaag	ccaggtttct	gaggaacang	aaganatggg	agggcaaagc	anctcgggcc	300
aggncacgga	cagtgtnaat	gcagaggaga	tcaaggtagn	ccgtattcat	nantntcant	360
gggttggtgg	aggatgntcc	anaacccaat	gnactg			396

<210> 38

<211> 344

<212> DNA

<213> Homo sapiens

<400> 38

atctcagtg	tttccctttt	tgaacttccc	ttctattaaa	cttaaaacag	atgtcttaat	60
taatcaggct	gtcttggaag	ggatttgat	tgggagacaa	ggggcggtgg	tggacctcac	120
cttcaatcca	agttttcaaa	gatattttct	caataactct	aaaagggagg	tgcttgggat	180
taaggtgaca	gtccacttga	tccttttctt	tgtttttagt	tgaatttcag	cagctccatc	240
tgtcttcag	attgtacttg	agcagtatta	gctgtatgag	ttaattttat	tcagattgaa	300
gatggagggc	tgggttctgc	tcactcagtc	tttttttttt	tttt		344

<210> 39

<211> 378

<212> DNA

<213> Homo sapiens

<400> 39

ctcctctgtc	cagaggtctt	caacaggaag	atgccagctg	gcaccactgc	actgtgatgg	60
gggccctctc	ctctgctgac	tctgccgttt	ctccaggcct	ccgctcagtg	atgagaccaa	120
gagatcggag	acaagcatgg	tgtgtgtgct	tctgtgtgct	ctccagaaaa	tccctgggac	180
acctttgttc	cagcctgggt	tcctgggctg	ggctcaggaa	agctgccaaa	ttcagtccta	240
tgttgggtcc	aagctgcccc	tgtgtgtgtt	ctgtcaagcc	aggtgtggac	attccaagtt	300
catatgcgtg	aacaaaagaa	aagaggaacc	cagtggatgt	aacagaaccg	actccagttg	360
aatgtttaga	tttttgct					378

<210> 40

<211> 385

<212> DNA

<213> Homo sapiens

<400> 40

cgctgctggc	ctggggcttc	ccagccgtct	tggcggtgtc	ctctccaacc	cccgcgctc	60
cgcgtagaac	gccgctctca	ggctgccgtc	aagctcccgc	ggcactctcc	taggtggccc	120
gacgagacct	agagtgacct	gcgggacgcc	tgtatcgacc	gcgtcctctt	cccaccagcg	180
tgggattcgg	ttgaacgtgg	agtccccagc	aatcttcagt	ctctcaccag	ggccagggac	240
tcgtctgggg	cgcgggggaa	agaagcgtgg	cggggctgta	gatgccgcgt	gagtaggatg	300
cagattgcac	cgctggagcg	cttgacaacc	aaccgagcgt	tggcttaatt	ttgttttccc	360
gcacagcaag	ctctctgtct	ttcaa				385

<210> 41

<211> 350

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(350)

<223> n = A,T,C or G

<400> 41 .

ctttgaaaca	agcgaattaa	ctatctacgc	tgcttgcaag	gggccactta	gggcactgct	60
agcaggggctt	caaccaggaa	gggatcaacc	caggaaggga	tgatcaggag	aggcttcct	120
gaggacataa	tgtgtaagag	aggtgagaag	tgctcccaag	cagacacaac	agcagcacag	180
aggtctggag	gccacacaaa	aagtgatgct	cgccctgggc	tagcctcagc	agacctaaag	240
catctctact	ccctccagag	gagccgcca	gattcttgca	gtggagagga	ggctcttcag	300
ccncagcang	tctggagggc	tgataatgaa	cctgctanan	gttttnacat		350

<210> 42

<211> 300

<212> DNA

<213> Homo sapiens

<400> 42

aatttatgac	attgtcagaa	gataagtgat	agatttcata	ccttatttaa	ttcttacatg	60
gctgtgcaga	agataatgct	aagtggatct	ctctaaggtc	acacaggcat	tgatgggctc	120
aagcctaaaa	ccaaggctcg	ctgactccta	gactacaata	ggtactttaa	tttccaaaat	180
gttttcattt	tgaattgggt	ttagcatgag	ttggaccata	gaatcttggg	agatgagatt	240
tgcttaagtt	cctggaatac	catattatgt	gaacaactaa	cagagggtaa	taaaatatat	300

<210> 43

<211> 420

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(420)

<223> n = A,T,C or G

<400> 43

aggatgttca	acaggaaagc	agtgagcaaa	aaaataaatc	aacagacaaa	ggtgaaaaga	60
agccagacag	caatgagaaa	ggagaaagaa	agaaagaaaa	gaaggaaaag	actgaaaaga	120
aatttgatca	ctcaaaaaag	agtgaagata	cacagaaagt	taaagatgaa	aaacaagcaa	180
aggaaaaaga	agtagagagt	ttaaaacttc	cttcagaaaa	gaacagtaat	aaagctaaaa	240
ctgttgagg	gacaaaagaa	gatttctctt	tgatagattc	tgatgtggat	ggacttacag	300
acatcacagt	tagctctggt	cataccagtg	acctttcatc	ttttgaagaa	gatactgagg	360
aggaagttgt	aaccgtctga	tacatggaag	aaggagagat	tncgtcngat	gatgaaaaaa	420

<210> 44

<211> 422

<212> DNA

<213> Homo sapiens

<400> 44

gaccgcgggg	tggttggttc	tagctattgc	catggtacgt	ttttatatgg	aaaaaggaac	60
acacagaggt	ttatataaaa	gtattcagaa	gacacttaaa	tttttccaga	catttgcctt	120
gcttgagata	gttcactggt	taattggaat	tgtacctact	tctgtgattg	tgactggggg	180
ccaagtgagt	tcaagaatct	ttatgggtgt	gctcattact	cacagtataa	aaccaatcca	240
gaatgaagag	agtgtgggtc	tttttctggt	cgcgtggact	gtgacagaga	tcactcgcta	300
ttccttctac	acattcagcc	ttcttgacca	cttgccatac	ttcattaaat	gggccagata	360
taattttttt	atcatcttat	atcctgttgg	agttgctggt	gaacttctta	caatatacgc	420
tg						422

<210> 45

<211> 417

<212> DNA

<213> Homo sapiens

<400> 45

ctgcaacctc	ggtctcccgg	ggtcaagcga	ttctcctgca	tcagcctccc	aaatagctag	60
gattacaggc	gcccaccacc	acacctggct	aatttttgag	acagtctcac	tccagtctgg	120
gcgacaaaac	aagactctgt	ctcaaaaaaa	aaagtgtttg	gcattcattg	gctctttaa	180
ggtacctatt	taagaggctg	tacatgttcc	agtgggatgg	gaagcagcag	agaccaacag	240
agtctgaaga	agcaagcttc	tgagttatga	aagcctgggt	tcaggagact	aacctatatg	300
taggttccta	ggaaagtcca	gttaaagggc	ctactttgcc	actgctgcct	ccttcttaat	360
gctgaacctc	atctcccaca	agggggcagt	ctcagcaggt	gtcagctgag	ccatgtg	417

<210> 46

<211> 418

<212> DNA

<213> Homo sapiens

<400> 46

gttgtttctg	tcaggaaaat	aaatcttaca	gaacaactgg	tggaattgaa	gctgctgcgc	60
tagacttgga	tattttgggt	agtgaagaag	caatggcaat	cttgagtcta	ttattgtata	120
atntagtaaa	agaaaaaat	aatcgttggg	ggctactact	agagaatgca	gcttttttga	180
gttgtcacag	aggctgtgtg	tgccctacac	tgaccagggg	ttgtaaaacc	ccttcattct	240
ggtacaagag	tcgggggtat	aacttttata	cttgaatcta	cctaccaagt	ttacatttct	300
caattccttt	ttgtaagggt	ctatttctgt	atttaaataa	ccttctttta	accgtaaagc	360
tgctttctgc	ttatcttatt	gcactgctag	ttgtatgtag	gtattaattt	tattgctg	418

<210> 47

<211> 414

<212> DNA

<213> Homo sapiens

<400> 47

aagcccactg	cctcctaaat	tgtctgggatt	cccaagaatt	cagcttctag	tgtgaccaa	60
acaaagatgg	agacaagtgc	ccctgcaggg	tagggcacia	tgagggtggg	ggtgggaggg	120
cagagctgct	gacctctgac	ctctgccaa	gcagacgcat	tggaacaacag	agcaggacct	180
gaggtgaggg	taattcctcc	agggtgtgaag	aaacacctta	ggggggccag	gcgcagtggc	240
tcacacctgt	aacccaaca	ttttgggagg	ctgaggcagc	cggatcacct	gaggtcagga	300
gtttgtgacc	aacctggcca	acatggtgaa	accctctact	aaaaatacaa	aatcagttg	360
gtgtgggtgc	aggcgctgt	aatcccacta	ctcgggaggc	tgaggcagga	gaat	414

<210> 48

<211> 418

<212> DNA

<213> Homo sapiens

<400> 48

agcaaaggca	tctcaaagca	aatagagatg	tctgcaaatt	ctcattctgc	agcaaatct	60
ttgtgggtgg	ggtctcaatc	tttctttgtt	ctctgaatac	catcagccaa	cctatacaac	120
cttttgcaag	gtgttatgaa	ttgagcccc	actgttatat	ccacaaaaaa	gaaacaatca	180
gaccccctag	ttgaatttga	tcgctacatt	gaagatagtg	tggtttcaca	ggaacagtac	240
cttgtaacat	tgatagtcct	atgatcagg	cttaaaacag	ctaagggaatg	ggtgattaca	300
tgaaaattat	tgaccagga	atgtgtggaa	agcattctga	gtaaatacag	tgctgttaga	360
ttaaatggat	tttaacattt	aatgaaattg	ccagattatt	tttatgccaa	tatttaaat	418

<210> 49

<211> 416

<212> DNA

<213> Homo sapiens

<400> 49

ggtggctggt	ggtggggccg	tcgaggcggc	ggcgactctg	cgccccggc	tcctgatgga	60
ggcggggccg	catccccggc	cggggcactg	ctgcaagcct	ggggggcggc	tggacatgaa	120
ccacggcttc	gtgcaccata	tccgacggaa	ccagatcgct	cgggacgact	atgacaagaa	180
ggtgaagcag	gcggccaagg	agaagggtgag	gaggcggcac	acgcccgcgc	cgacgcgggc	240
ccgcaagcca	gacctgcagg	tgtacctgcc	gcgacaccga	gatgtctctg	ccccccacg	300
caaccagac	tatgaagagt	ccggtgaaag	cagcagtagt	ggaggctctg	agctggagcc	360
ttctggccat	caactcttct	gcttagaata	cgaggcagac	agtggagagg	tcacat	416

<210> 50

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (415)

<223> n = A,T,C or G

<400> 50

gaccgcgggg	tgggtgggtc	tagctattgc	catggtacgt	ttttatatgg	aaaaaggaac	60
acacagaggt	ttatataaaa	gtattcagaa	gacacttaaa	tttttccaga	catttgcctt	120
gcttgagata	gttactgtt	taattggaat	tgtacctact	tctgtgattg	tgactggggg	180
ccaagtgagt	tcaagaatct	ttatgggtg	gctcattact	cacagtataa	aaccaatcca	240
gaatgaagag	agtgtggtgc	tttttctggt	cgcgtggact	gtgacagaga	tcactcgcta	300
ttccttctac	acattcagcc	ttcttgacca	cttgccatac	ttcattaaat	gggccagata	360
taattttttt	atcatcttat	atcctgttgg	agttgctggg	ngaacttctt	acaat	415

<210> 51

<211> 412

<212> DNA

<213> Homo sapiens

<400> 51

gtcacttatg	cctataagcg	ggcatacaac	aggggcacaa	taaatgtttg	ttaagtgaat	60
gaattctttc	agaactagat	gggatcttag	tccaactctc	ttatttaacg	aggtccacag	120
aggttctgcg	attgtctaa	aaagaaggct	gtgttcattg	cctttgttgt	ttacgtggcc	180
ctgtgattct	cttggctccg	tgaaagtcc	gatgcagaca	ttccggccat	ctagaaaggc	240
atgcagacaa	gccatccagc	tggcatgac	ctgagtcag	ctttctttaa	aagagcttcc	300
aaaactgctt	aagctttgac	tgcacaaaac	ctgcatcacc	tccagttgag	aaactcaaga	360
gaataagtaa	ggtatggagt	tggagacccc	agcttaacta	ctagttttaa	aa	412

<210> 52

<211> 409

<212> DNA

<213> Homo sapiens

<400> 52

ggtctgtctc	ctcctccac	ctccaccatt	ccctggttct	agctttctta	atatcactga	60
ctttctcata	cgtaactgta	tcttttggtt	ccctcatact	gctgcattac	agatttggtg	120
tgtaataatg	ttacttgaat	caagagaatg	tcgaagcaaa	tatccaagg	attagaaaga	180
gctaatatgc	aaatgaaaga	ttttgggtag	gcttatatgg	aagtcacaaa	tgggtcagaa	240
tgactgagat	ctctccttaa	gactggcttt	tgatagggga	tgcaggccag	cattcagttg	300

attcgcagaa gaaaaaccaa ggagttcctt taaactgaac aagaggcagg gctatgtccc 360
 aggtggacag gagggatggg gggatgtttt cttatggaaa tagcaggct 409

<210> 53
 <211> 409
 <212> DNA
 <213> Homo sapiens

<400> 53
 aagttatgaa aacagtgagt tattgtttga tcgtctgtga tcccaatttt cctaggaata 60
 tagactgtta ggaatataga tcctgtcaca agaggcttaa taagtaaagg aaccatgtgg 120
 tttcttggct gttttgcttt tcaaagtctg tatcatttta actagtgtag caatgacagt 180
 ttctttttgt ttcttgataa ccttgctggc tactttgttt cctgataacc ttgttgtcta 240
 ctttgtttcc tgataacctt gttgtctaca ttgtttcctg gttgatttat cctccttctc 300
 cccagcctct ttggaaatct tataactatg gtgtttgtgg ttagagggtta gagtctagta 360
 gaggatggtc aagactttga aggcaaacgc ttgctgtga gggctgctt 409

<210> 54
 <211> 407
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(407)
 <223> n = A,T,C or G

<400> 54
 ggaaaaactc acccccatga ttcaattacc tcccactggg tccctcccat gacacatggg 60
 gattatggga gctgcaattc aagatgaatt aaggtgggga cacagcccga aacatatcag 120
 gaggttcctg gaagaaacag agttgaaagc agttatcttg ctgagtgggg gactcagggc 180
 atgggacagga gactgctgag ttttgtttta catcttacta catttgattt ataaaagaca 240
 gatgtgcata tatcacttca aaaaaacaaa actggatgtg gctgatgcca aagtgcctg 300
 cccagaagag ctgctaacag aacancatcc caggaggctg cagaaggctg aanancaaag 360
 cccacactgc tatggccaca agangcctgg atgccatgga ngccgca 407

<210> 55
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 55
 gaatttgtaa aagttcgtat gctttgcctc tcaactgcat taacatgcca caggctcaga 60
 ctgtttttgt gtaaaggatg tcaaagaacg gcactttttc taaagagaag tttgatattt 120
 tgtatgcttg ttaagaaagt acagtattgg aaattaaagg tggacaactg ataattgagg 180
 agtatgtcaa ttaatttttt atgtatatga cctgtttact tgtacaactt actgtacaaa 240
 ttacatgcag cttcattttc aaatgaatcc ttaaaataag gaaatctttt taggaaaaca 300
 ttttaatttt gtatttttga ttttaaaggc atgagttatg tcaattttca gtgtattaat 360
 gaagatttta acttttcac aggttgagtg ttttcttact a 401

<210> 56
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 56

```

attctgagtt ggggcaggct cagcctgcca gcttcttcga tgtccagcat ctctgcagcc      60
ttgggtgttc tcattccctc tgagcccca cccctgtcat tgcttctagc tctggctctg      120
ggatgtggca gttccaccat aagctaggct acctcttctc tgctctcctc tcagtctccc      180
aaccatgtct tccatccata tgtaaccct ttcttccaat ttatgtatga ggttggctga      240
ccttgagagt tgacatcatt gatggtaa atccaagatg cccactgacc tctccacttc      300
agaaaagata gcatcagaaa gaatccactt agaggtggaa ccctctgcca ccttttact      360
ttctctctct cttttttttt tgagacaggc tctcgctttg c                        401

```

<210> 57

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (407)

<223> n = A,T,C or G

<400> 57

```

gttatactag gaattcttta taaacttaat aaatgaaagc tttttctctt ataggcccga      60
ttctctagtg gacttctggg gaaattatgt ggctaccttc cattaatgtt aatggagggtt      120
atggatataa atccctccat agtgatggaa gaatgagccc cagagagaag aatgtttcta      180
atgaatcact ggattgtgat ataggattaa ctgggtgtcc ctaataccat tttttttcct      240
cctgaaagtt taaggcttta tgtttaggaa ctagtttctc tccaccttaa tcctttattg      300
caagctgcaa taatgttaag aacaggaaaa aaaaaatgta nattcctgga taggcncagt      360
ttttatatta atgnaactat ttaggctaag ttttatatta anggacc                        407

```

<210> 58

<211> 402

<212> DNA

<213> Homo sapiens

<400> 58

```

attctataaa caaaaactct ttgttaaatt aaccatgaca caaattattc tattgtcttc      60
cccgaatccc acaacccctt ccaacattta aaattcatct ttagatagca gattatccct      120
taaagtacca ttttactctc tgaaaaagtc ctagaaatac tactctctgt caatgcagca      180
gaccgctacc ttgcaaggaa aagatggtct acttacataa ttatccttag ttatgtttac      240
aacattgaag caggcaatat ctgactttca ttcctgagtg aaatccagac cacagcccag      300
ggaggaccaa gccatggcat tctgttgctc cccgctgaac gtcccacacc atagggtctg      360
gctttggctg gaagaagggc aacctcacc agtccttcag aa                        402

```

<210> 59

<211> 406

<212> DNA

<213> Homo sapiens

<400> 59

```

cccaaactct tatggctaac ttttttgcca cctagtagac tccagctgct gctaggctgg      60
gtgtgtgtag aataaggccc tgtgaacaca gacatccctc tcgggaataa gagctgagca      120
gtgcacttca cgggtcccag gcggcccaca ccatctgttt gctgcagcag gatggcttgg      180
gtggtccatc cagggccctg cccagagtct cttggggcca aggctttccc acctgtccc      240
tctcactgcc cacctccagg taggcacagt agggagggct ggcaggaatg acccaggagt      300
gaaagcaatc ctcttgtctt ctggtgggag gatggagggg ccagggcaaa ctgtgaacca      360
gcctttggac ggggtaccca cccacttccg tgactctcct tgcccc                        406

```

<210> 60

<211> 404
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(404)
 <223> n = A,T,C or G

<400> 60
 gcatttcaac tcagtattca ttattagttg tgtgtctgga aagattgtac ttacttttcc 60
 tctttacact acagttcgct cttatggggc tctaaactgt ttaactgaag aagcttcgtc 120
 tgtattttga ttgagcataa tttagttatt tatgatttcc aagatgatgt tcttatgtct 180
 atcaagtcta tgtatcaaatt ttataacatc atttaagaaa aaggaatttc cacagatact 240
 tcagttgcaa ttttttggtt catgctactg aaaatacatt tgtttctagg ggttggaata 300
 ttatagaaga tggaggatga aagaaaaccg atagaacaac gaaagaattc tgtttatgaa 360
 attacaggaa ttgtgccact atggnaaagc attgtcattt tagt 404

<210> 61
 <211> 402
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(402)
 <223> n = A,T,C or G

<400> 61
 gcactcccag gatcggttca tcggcacaaa aggagacatt gccacattt atgatattca 60
 gactggcaac aagctgttga ctctgttttaa cccagatctt gccacaact acaagaggaa 120
 ctgtgccacc tttaatccta cagatgatct tgtcttaaat gatggcgctc tctgggatgt 180
 ccgctctgca caggccatcc acaagtttga caagttcaat atgaacatca gtggtgtttt 240
 ccatccaaat ggactggagg tgatcattaa tactgagatt tgggaccttc gaacttttca 300
 tcttttgcac actgttcccg ctctggatca gtgncgctg gtgncaatca cacgggaaca 360
 gtgatgtatg gagctatgtt gcaggcagat gatgaagatg ac 402

<210> 62
 <211> 404
 <212> DNA
 <213> Homo sapiens

<400> 62
 gaaaaatctg tcagtgaagg acctgggtct ggttgagaat tacatcagct tctatgacca 60
 cctggccagc ctgtgggatt ccctgaaaaa gatgcatgtc ttagaagaga aaagagtgag 120
 gactcgacta gaacagggtcc atgagtggct ggccaagaag cgcttgagct tcactagcca 180
 ggaactaagt gacctccgaa gtgaaatcca gaggetcaca tacctgggtga accttctgac 240
 ccgctacaag atagcagaga agaaggtgaa agatagcata gcagtagagg tctatagtgt 300
 ccagaatatc cttgagaaaa catgtaagtt caccgaagag gatgaacaac ttgtgcagga 360
 aaagatggaa gctctgaaag ccaccttcc ctgtctggcc tggg 404

<210> 63
 <211> 399
 <212> DNA
 <213> Homo sapiens

<400> 63
gataaaatga tggctcttggc tgggattgca ggcgggagcc actgcagctg gccatcttac 60
ttaattttta taagaatccc cagaaggtag gttgtgttaa gattcaaact gtataaatga 120
gtaaagtaaa gcgtaatgag aataaatagt tcaagtaaac aaagtgcag aaccagcatt 180
caaattcaag tatctctgac ttcagagttc atgatcttaa ccactctacc atactgcctt 240
tctctgggta cataggagat atggctgttg gaagaagggt taatgtaaca atggcatcca 300
aagtacaatt ttgcttcata gacaaaaatt caaagggtact cctactgtat ataattcagt 360
gatggactag atctaatttt gtcttaacta tattgcttg 399

<210> 64

<211> 397

<212> DNA

<213> Homo sapiens

<400> 64
gcgcccggtc ctgggggtccg cacgagccgg gtcgggcaga ggctgctcct cctccccagg 60
acgccggcgc cacacccgcc ccccgacgcg tgcggcgga cagaagcgga ggcgggagtg 120
ctgggaacag cctttactgc ccacgcccta cacggcgaa atgcgcagag cctcctcgc 180
cgagcggcac tggttcagct ggatctgcac ctctacggtc aggggctcag ggtggtaatc 240
gccttcgtag atcggaatca cggcttccgg cttttctgag aaaatttaag tgcgagcatg 300
agccccggga gacggatggg ctggcggtct cggccgccct gacccatccc atatgcaagc 360
cctggaccct gtcccagcgg gagcacagtt ttggtcc 397

<210> 65

<211> 399

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(399)

<223> n = A,T,C or G

<400> 65
ggggccacca atctggccga cctcaggctc tgggaaacag gctgccctcg tccctctgcc 60
tgtgggtggc tgaggcttct cagcccatct ccagttctct gcagcaaagg cctctgttt 120
ctgtctgca gtgggggccc ttctgtggtt aaacatgtcc ctcccctct cacagaactg 180
agtacctatt gcggtgggc ccgccaacc ctgtgtccct gcacccatgg gttctaccac 240
ctgattcggc tgcagctgtc actgtcccg gtctgtctct tgtcaggcct ctgagtgtg 300
cagacgtatt aacatatcac cgctagttga tggaaagtct tgtttcttat tagaatattt 360
tgngtaggca cagggngccc cagcactgtc tatagcaac 399

<210> 66

<211> 398

<212> DNA

<213> Homo sapiens

<400> 66
ctaataattaa aaagtcatta gaatcagaga acattgcaga gttcaatttt agaatacatt 60
tagcagaaaa tacatgaatt aagagagggt gactgaatgc aatatagttc tgtggagtgg 120
aaaatatgag gtatatgtgt tcagtgatgg accactgaat atatagatag tagtcattgt 180
taatttttaag agtctagatt ggagactaga aaggctctct ggttctagtt agtgaaagta 240
tttgtacaag aagtgactct taagtattgc aacaatgttc caagagtata catattgaaa 300
tccatctctt accatcatca tgatcacact cactgccaca tctctgttcc cagaacaggg 360
catagacatc agtttctgaa acctaatagt acctaggg 398

<210> 67

<211> 395

<212> DNA

<213> Homo sapiens

<400> 67

ggccactggt	ttccaggccc	ccaagtcccc	ctgggcctgt	ccaaagactc	caagaggggg	60
aaccagaagc	cccactgggc	ccaggggtggg	tcagtgccgc	ccagcagcct	ctgagcatcg	120
ggaggaatgt	ggagtgtggg	tgagggggcac	aattctccac	cccagggggc	ttccaggctg	180
tagcaaagca	gccacgtctc	tccacctgcc	cagggcacag	acccggtgct	cagccgcctc	240
cagctccagc	tgagcccctg	ctgcatgggc	ggcccggggc	ctgggggcag	agaggagaga	300
gccgctgtgg	gaggagagtt	tgggggcgtg	gtcaaggcag	agttggtggg	gtttgaagtc	360
cagcaggagt	ggcagagaga	ggacttgacg	tttgg			395

<210> 68

<211> 420

<212> DNA

<213> Homo sapiens

<400> 68

ctgtcttcaa	gtggctttac	aggttttaca	ccgcaaactt	ccccagtttt	gcgtcacct	60
ctgcaatgct	gtgattggct	acctgagtac	tcgcggttcc	tcagtagatg	gcagtcccct	120
actgctat	ctccgagatc	agacgagttc	cagactcctg	gagcagggtc	tgctggtgtt	180
ggagccccca	agactccaga	gcctctttga	ggagcacttg	caggggcagc	tgacagaccct	240
ggctgcacat	cccattgcca	acttcccctt	gcagcgctta	ctggatgcag	tcactacccc	300
tgagctgctg	tccctgtgt	ttgaggagct	gagccctgtc	ttggaagctg	tattggccca	360
gggccaccca	ggggtagtca	ttgccctggg	gggggcctgt	cgcagagttg	gggcctacca	420

<210> 69

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (393)

<223> n = A,T,C or G

<400> 69

gtctttgtaa	ggagcgtaac	attgcttaag	atztatatat	aaccgagtca	ttttctgtct	60
ctgtatcata	ttccttttagg	taagcttttt	caaagttact	ttgaatagtt	gatatagatt	120
tagaacaac	gagtcacat	tctcaggata	cttctattgc	ctttctggaa	taatgcagct	180
cattgttctg	ccaagtatcc	tctaatacagc	ctgaaaagtg	ttttctttta	tttcatcatg	240
acattggggc	ttttaattga	gagtgaata	cattaaaggc	aaattat	gtgtaaatta	300
tggtagattt	agccttacta	cataattttg	gaatgntttt	atgattgggt	gngtatgctc	360
tggcagatgt	ctttatcatg	acttatttta	agg			393

<210> 70

<211> 392

<212> DNA

<213> Homo sapiens

<400> 70

atctcatcca	ttcttgcttc	actcaccact	tcctttttct	cagagggtcaa	tgccatgatgc	60
cagggtccact	cactgaaatt	ccatgaagac	tggaatttgg	tgccattggag	catgtatata	120
cattctcttg	ttattctcct	cccagttcct	catcaggacc	ttctgttgct	tctaatagtt	180

```

aacctcttta aatagcacag tttccctctt ctgcaagtaa agttgcagta gggttctgat 240
ggcattaata ttttaaaaga acttggtgatt ttgtttactt aaaagtgagg gatgtgaaca 300
gatgtcgact caacctgaga aagaaggat ttgttctagt gactaaattt ataaatgaga 360
ttcagagcca cttgattaat agaagatatt ta 392

```

```

<210> 71
<211> 384
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(384)
<223> n = A,T,C or G

```

```

<400> 71
ggattgtgaa ctctggacaa aggagggttt ttagttcttt gcttcttttg acgggtcact 60
ttgccatgag cattagtggg gaattagggt acactttcct gttatgtatt tattatccat 120
ttatatatta tacaaggcat gcttattttt aaaatagagt aaaatccatg ccgaaagccc 180
catttctcac cctgctgttg acagctgctg gagtcctaaa ccttctcata tcatgccgca 240
tgctgcatgc ttactcctgg agccgttttn caaanaagtg cnantacact gtgctattga 300
attttntgca cnnngtnnna atctcccnnt ncttgatttt ttaagaanc ccccccncnt 360
ttactnnttt aagngggncn ttaa 384

```

```

<210> 72
<211> 363
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(363)
<223> n = A,T,C or G

```

```

<400> 72
atggactcca gctgtatcca tgttgctgca aaggacacga tctcattcct tattatggca 60
tataatatcc catggcgat atgtactata ttttctttat ccaatctact gatgatggac 120
acctgggaca aatcaatgtc tttgctattg cggatagtnt ntanttttnc ngncggnanc 180
atgtccctgg ggggtgggnt ctttnnttn ttttnnactn cttttgtttt agncccneng 240
ncacntttca acgnntntnc tttgngnata gtggccaaaa aaacnnaaaa aantttnttt 300
ttttngnaaa aaanaatttt ttgngggggn gnnncattta ttngaaanct tattntcctt 360
cct 363

```

```

<210> 73
<211> 389
<212> DNA
<213> Homo sapiens

```

```

<400> 73
ctctctccca ttctgttttg ccagatagct gatctggcca atgaagatac tccacagttg 60
tatgtggcct gtggtagggg accccgatca tctctgagag tcctaagaca tggacttgag 120
gtgtcagaaa tggtgttttc tgagctacct ggtaacccca acgctgtctg gacagtgcgt 180
cgacacattg aagatgagtt tgatgcctac atcatttgtt ctttcgtgaa tgccacccta 240
gtgttgctca ttggagaaac tgtagaagaa gtgactgact ctgggttcct ggggaccacc 300
ccgaccttgt cctgctcctt attaggagat gatgccttgg tgcaggtcta tccagatggc 360
attcggcaca tacgagcaga caagagagt 389

```


<210> 74

<211> 300

<212> DNA

<213> Homo sapiens

<400> 74

aattccggtg	ctgtcggaaa	atgttaattt	gaagatgtgg	ggcagggaca	gtgacatttc	60
tgtagtccca	gatgcacaga	attatgggag	agaatgttga	tttctataca	gtgtggcgcg	120
cttttttaat	aatcatttaa	tcttgggaaa	attcaggtgt	ttggtgtctg	ccttttttgt	180
tcttttttcc	agcacaacat	aacttaccac	tgatactccc	cctttagtta	ttctgaatta	240
ggatattttt	gtcccaaatt	cttattttac	ttaaccagaa	gggaaaaaaaa	gctgtatttt	300

<210> 75

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(417)

<223> n = A,T,C or G

<400> 75

ggccccgctg	cagcgagcgc	tggacggaga	ggaaagcgac	tttgaagatt	atccaatgag	60
aattttatat	gaccttcatt	cagaagttca	gactctaaag	gatgatgtta	atattcttct	120
tgataaagca	agattggaaa	atcaagaagg	cattgatttc	ataaaggcaa	caaaagtact	180
aatggaaaaa	aattcaatgg	atattatgaa	aataagagag	tatttccaga	agtatggata	240
tagtccacgt	gtcaagaaaa	attcagtaca	cgagcaagaa	gccattaact	ctgacccaga	300
gttgctaatt	gtgaaaattt	tcagaagact	gatgtgaaag	atgatctgnc	tgatcctcct	360
gntgcaagca	gttgnatttc	tganaagctn	cacgtagtcc	caactttcag	attttgg	417

<210> 76

<211> 408

<212> DNA

<213> Homo sapiens

<400> 76

cacacacact	taagaccctt	tgttcctagt	aacattcatc	ctcttgattc	ctggtgaaca	60
cggttaaatt	catgcacatt	tgttcttgta	gtttctaaaa	attagatcaa	tttatttggt	120
agccagcaaa	ttgaaaattc	cattattaga	ttaatgaaat	ttttgctctg	cttatatgta	180
tacgaactgg	aaatctgaat	ttttaaattt	agatctttta	atcaaattat	ttttatgcat	240
attttcatth	aatatagagt	ataccaatcg	attgaagcct	ttcacaagta	gtgcgctgag	300
cttttcttat	tgaagagagt	gaattagttt	ctgagaagca	gtctattgtg	aaaagtttca	360
gatgagatta	ttttctttta	gtctttttta	atatcactat	atgtattg		408

<210> 77

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(417)

<223> n = A,T,C or G

<400> 77

gcttccctcc	aatgggttttt	actccatcct	ctttctggtc	ccaccatcaa	ttaccttgga	60
gacagtagga	aatgaaaaag	aaaagagggtg	gaggtaagag	agaggaaaaga	caagtgggaa	120
cccagggctc	aactagtctg	cacctcctca	accagtagtt	taaaaaaaaa	aagtanaggc	180
caggcncgtt	ggctcacncc	tgtaatccca	gcantttggg	aggccaaggn	ggnggatca	240
cggggtcagg	agtttganac	cancctgggtc	gggatgggtga	agctntgtnt	ttactaaaaa	300
tggggaaaaat	tggctaggca	tgngngnggg	tgccgtgaac	cccagctgnt	tgggaggtg	360
tggcagggga	atcgnttgaa	cacgggaggg	ggaggtggct	gtgagccaca	ttgcgcc	417

<210> 78

<211> 421

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(421)

<223> n = A,T,C or G

<400> 78

ttttttttct	tgagatggag	tctcgctctg	ttgccagtc	tggagtatag	tggcgtgatc	60
tcggctgatg	gcaacctccg	cctccgggt	tcaagcgatt	ctcctgccta	agcttcccga	120
gtagctggga	tcacaggcac	ctgccaccat	gccagctaa	tttttgtatt	tttagtagag	180
atgaggtttc	accgtgttgg	ccaggctggt	cttgaactcc	tgacctcagg	tgatccatct	240
gcctcacatc	tgtaatccca	atactttggg	aggctgaggg	agtgaggcgg	catattgctt	300
gagcccagga	gtttgagacc	acctggcaac	atggggaaac	cccacagggg	gtagaagtga	360
aaaagactga	aaaaaattan	ctnggcattg	ggggcatgca	tctggaatcc	cacctattca	420
g						421

<210> 79

<211> 413

<212> DNA

<213> Homo sapiens

<400> 79

gtttcccgcct	tccagggccc	ggttcggttc	cgcccgcacc	cgtccctctc	ctctgcaccc	60
ctgctgcttc	tgctttgaag	gcggagggtc	catgttgctc	cctcagcgag	tggcagcagc	120
tgcttcaaga	ggagcagatg	atgccatgga	gagcagcaag	cctgggtccag	tgcaggttgt	180
tttggttcag	aaagatcaac	attcctttga	gctagatgag	aaagccttgg	ccagcatcct	240
cttgacaggac	cacatccgag	atcttgatgt	ggtggtggtt	tcagtggctg	gtgccttccg	300
aaagggcaag	tccttcattc	tggattttat	gctacgatac	ttatattctc	agaaggaaag	360
tggccattca	aattgggttg	gtgaccacga	aaaccgttaa	caggattttc	tgg	413

<210> 80

<211> 412

<212> DNA

<213> Homo sapiens

<400> 80

gacctttaga	gataattcct	agctatgaac	gtagtttcta	gaacagataa	gaatttcttg	60
gaaaacggtg	ccttctgtag	tacataagaa	gaattgagtg	tcaatacata	taactaaaca	120
ggagcaaaaa	taacaatact	tctggaaatt	tgacttaagt	catggaaatt	tacttgattt	180
tggacttgag	gtaacaata	tgtctttctg	cttttatccg	cagttgcttg	catatttccct	240
gttataaatg	tttgtcta	gattaaacca	acaaaagttc	tgaaccttaa	gttcaaatat	300
caaattccaa	tttattccca	ttttgatgtt	cctaaaatta	tacctctagt	tcaaattttt	360
agatggccaa	agtgtttgct	ttattcacia	agttgaagag	agactttcag	ga	412

<210> 81
 <211> 412
 <212> DNA
 <213> Homo sapiens

<400> 81
 ctccagagct gcctttgaac atcctaacag taatcacatc tcacctccc tgagggttcac 60
 ttttagacagg acccaatggc tgcactgcct ttgtcagagg ggggtgctgag aggagtggct 120
 tcttttagaa tcaaacagta gagacaagag tcaagccttg tgtcttcaag cattgaccaa 180
 gttaaagtgtt tccttccctc tctcaataag acacttccag gagctttcca atctctcact 240
 taaaactaag gtttgaatct caaagtgttg ctgggagggt gatactcctg caacttcagg 300
 agacctgtga gcacacatta gcagctgttt ctctgactcc ttgtggcatc agataaaaac 360
 gtgggagttt ttccatataa tccccagcct tacttataaa ttctattctt tg 412

<210> 82
 <211> 413
 <212> DNA
 <213> Homo sapiens

<400> 82
 ctgtcccggg ggtcagggga gggaggccag cgggcccggc gggtcgccc cgaccccatc 60
 cacgaccccg actcctatcc gatcctatcc cgggcccgc tcgggccttt ccccttgccg 120
 cctggctcgg ctggctcgac gagcagtaag ttcgtagccg ccctccgaag ccgggcgtgc 180
 atgggatggc agagtggcg tgcgtgcgtg agtccaccag tgtggcatgg gcatgtaagg 240
 tgcgcggagg gactgcacct tctccatcag gtgcagaagg ccacgcatg ctgaacaaga 300
 gccgagaagt agaatcgcca gtgtcaagcc gtccacgttg tgggatgccc actgttcccc 360
 caggatcact caagaccctg tgacttgtag tcaactgatga gtggaccaag tga 413

<210> 83
 <211> 418
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(418)
 <223> n = A,T,C or G

<400> 83
 attttttgta cctataagct ttttccagac catagacaag atcctaaatg ccttttcttc 60
 atccctgctt gctaaatccc ctcttcaaaa catttcagaa aatactgtct ttacttttta 120
 taaagacttc actttccaaa aatgtacccc cacctccatt tcttattact taacaccact 180
 tgttgtaaaa catacaactg cccacttgct tttcttttaa gacactgact ttaccaatag 240
 tagaaactca ttactgacct actcacttta ggctgaagggt tgacagataa agcaagttct 300
 ctctgggtgat ctgtggaccc gccatcagtc cacaatctaa agatagtatt gagatgctga 360
 tgagattggc aatgttaatc tgatgatctg tatgtctctt accacaggnt tttttttg 418

<210> 84
 <211> 413
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(413)
 <223> n = A,T,C or G

<400> 84
gagatgtggt ccaaggggagc catccagtga cgggtactct tgtgtttgct gaattctcca 60
agcccagtgc tgcaagcatt gagtgaagccc tagtgtgtgc caggccctga cctgaagctg 120
atcaggggtc agagtgcctt gggcagccca ggatgaagtg ggctccaaca gcatctggag 180
ggagttagggt gtgcaagggc ctggcacccc atttcccttc cacatggttt aacctgctct 240
gctcactact ccatggctca cccctcgccc agccatcccc aaggcctagc accagttgat 300
gctcaatata catttgacaga ctacagaagt taggttcatt tatcgattg gcagagtgtg 360
gacgctccac ctgacactac cgcttcctgc cattnngtn anttnccaag gat 413

<210> 85
<211> 405
<212> DNA
<213> Homo sapiens

<400> 85
ggccccgcgg ggcagccatg cctggccgtc tgctgcgggg cctgtggcag cgatggcgcc 60
gttacaagtta ccgcttcggt ccctggatcg cactgaacct aagccacaac ccgaggtaca 120
gtatatcaga agtatgagcc gatctttttc cagtccattg gaaatccgtt tatttttaga 180
tgcttgatg ggggtactcat tgatgggaat gacaaaggga tatcaaaagt tgtgtacaga 240
tcttgcaatg ggagggatcg actcggccct ttaaaaatga gtgatagtag atggctaacg 300
tcagaaattc ataaccctct ggctgtggga cagtatgtca acaattgttc caatgacaga 360
gcagctaattg tctgttatca ggaatttgat gtgcctgcag tttcc 405

<210> 86
<211> 398
<212> DNA
<213> Homo sapiens

<400> 86
gttagtcagg atggtcttga tctcctgacc tcgtgatccg ccgcctcgg cctcccaaag 60
tgctgggatt acaggcgtga gccaccgcac ccagccatgc ctggaatatt tttgtaattg 120
aaaaatgaaa tgggagaagt cactgttcct ggctttgagg cttactctga agccacaaat 180
caacattgag gcatggcag acagacgcgt ctgtggagag aagagaggac tcaggccaca 240
caagagagac cagcggagct ttgacagagg cagaaaaccc gttcatcaga tggctctggag 300
cacctgggca gcggtaggca aagccctaag ccctcgttct acagaacagc tcatcagaat 360
gcagggcatt taggtgaaaa cctttgtggc ctggggct 398

<210> 87
<211> 398
<212> DNA
<213> Homo sapiens

<400> 87
cgagaaaaaa gtagctcagg tacaggatac tgcaattctt agaatctggg aaacttttta 60
tgtgggaaat aactcgattt gcttctctgt aactgagcta cttttttctc gagctcattt 120
ttgtttaagg taacactgct aggtttctga gtttgagaag ggatcttcta aaggtaaact 180
taatattgca actttcacca cagggcctct gtctaaattg catttcaagt ggaaggaaaag 240
gggtatgaga agtgaaatcg aattttgctg cagacaaaaa tcattctaca aaatgtagac 300
atggtaacag cttaccacga attcagcaag atttaacgcc aagtacagtg gtgtagactt 360
tacaagtatc cacttccatt ggtgatcag acaagtca 398

<210> 88
<211> 400
<212> DNA
<213> Homo sapiens

<400> 88

aaaagcttgg	gaaccagtgc	ctatttattg	gtaaaactaag	tgaaaatcca	gtgacttcac	60
tgacatattt	ggatcttatt	agtatatggc	tgggaggaga	ttaagtcatt	tgaatttatt	120
tcaattctga	aaagaaagt	ctgcctaaaa	attattatag	tatttgggaa	tatttctacc	180
cagtatacat	ggtggcagaa	aatcacataa	tctgtgtgt	ggcaaaagca	ttgaatagga	240
agccaggaga	tgtgggttcc	agtaccacaca	tgccgtctct	cctgagtacc	caggtggccg	300
tgggctagac	acagctgcag	gtgtctagtt	tgtagggtgat	gggttagaaa	tgggctgtaa	360
atgagatgaa	gattgctttg	gccttggtgg	ggtggagtg			400

<210> 89

<211> 420

<212> DNA

<213> Homo sapiens

<400> 89

aaatattaga	acagtaaaaa	gtcttagaag	aagatgatct	cctgcgagta	gaggagcagc	60
taggctctga	tacaaaggca	attgaaaagt	tagaagagga	acagcatgcc	ctctttgcc	120
gagatgaaga	tctgactaat	aaactttccg	actacgaacc	caaagttgaa	gaatgcaaga	180
cacatttgcc	aacaattgaa	agtgtctattc	actctgttct	cagagtctct	caggatctga	240
tagaaacaga	aaagaaaatg	gaagacttga	ctatgcagat	gtttaatatg	gaagatgata	300
tgctgaaagc	agtgtctgaa	ataatggaga	tgcagaaaac	ccttgaagga	attcagtatg	360
ataatagcat	attaagatg	caaatgaac	tggatattct	aaaagaaaaa	gtcatgattt	420

<210> 90

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 90

ggagaatcca	ttactgaaaa	gcatttaact	taaaaaatca	cctcagaaca	ctgccagttc	60
tgagggtgatt	tttaaatttc	agtattagg	agagccctgc	attecgtgac	tcagattcta	120
cataactaat	gtatgatatc	atatgcttaa	ctattatant	gtgcgtntct	tgngcataca	180
caggntataa	ntttntnttt	ttggcanaag	atctttnttt	aaaaaagntn	nggttttggt	240
mntntntttt	taagnncnct	ttttttantt	gnnggggnnt	nantngngng	ataccctttn	300
tttaaaccctt	ttnttttggg	tgnnnaannn	ctnnnncnnt	ttttntgttt	tttatgntgg	360
gnnnnctatnt	ntccctnttt	tttt				384

<210> 91

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 91

gttttgactt	taatatatga	agggctggtg	gtgaagacag	actctagact	ctaaagggttg	60
gtggctggct	atgtagggga	tgggggagtg	ctaccctgt	caggtggtgg	gggcttcctg	120
gctgcagagt	tgggtgggag	acttggggaa	gatgcttttg	aaggcagtga	gtgggtggtg	180

tcaacttcta	gtagtgcagt	gggagagctg	gtcagggatg	ggatggagtg	aagggggcag	240
aggcatttgg	tgtggggttg	atcaaaggaa	ttttggaaag	gcttggaaac	attcctatgt	300
ntntgaaaca	cacctatgcc	nggcaaagac	tccaaactca	agnttttctc	ttntctctan	360
tcacaaaaaa	catngctttg	gagtgnngaca	ctggngctang	aatccatgac	t	411

<210> 92

<211> 374

<212> DNA

<213> Homo sapiens

<400> 92

tattttccta	ttttctggaa	atttcatttc	tttgaattcg	ggcataagag	atttagaagc	60
ttcactcaaa	tattaagctt	tatttaaaaa	gatgatttcc	agtatttcat	tttatattca	120
cattaatcaa	gtctacatgt	ttcgtttaga	gtaacaggaa	gatggtaata	cgcccaggga	180
actatctgga	agtgtagaaa	ttgggatgaa	caccgggggt	atacttggtt	tgatctgcct	240
gtgggtgctat	gatgacttat	tttctctcat	tattgcatag	aaactcaatt	cagtgatgtt	300
attcagatgt	tattcataag	ttattgccat	gattcatcac	ttttatgtca	tcagagttgg	360
gatggctacc	caga					374

<210> 93

<211> 369

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(369)

<223> n = A,T,C or G

<400> 93

gaacagcctg	accaacatgg	caaaactcca	tctctactaa	aaataccaaa	aaaattagca	60
gggtgtggtg	gtgnncacn	gtcnncac	ctattcaaga	ggcttatgng	cnngaagtgt	120
cgaaccnngg	acgtgcncct	ttnttntngg	ctctntcgag	cctctnnant	tnaangctnt	180
ccgnngcnn	ntntcttta	gggcantcaa	gtgggtccaan	ntcnagctct	tcngggnacg	240
natgtcggt	tttggtttg	aaaagggtgn	tntctcannn	tnncnnngcn	gcngggcgtg	300
tttttntnn	ggacntccct	gtgncnnann	cancctcnnn	gagntatnga	tgtctngncc	360
nncactttt						369

<210> 94

<211> 369

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(369)

<223> n = A,T,C or G

<400> 94

ctttgctatc	ttgaaaaaaa	tttagattgt	tttattttgt	ggacacattc	ttcattcaca	60
ttgaaagcag	agtattacag	agtgttattt	ttaaatttaag	ctgtcaaagt	ttgatttngn	120
cgcnctattn	anttnctttn	atngtntcnn	tattggannn	ntatntctnn	ttnantntnc	180
acatncaatnt	ttcttancta	ntnaancntt	cttanncnnn	tnannaccgn	tatntaatan	240
nntaagntct	tnctnttntt	ttnnnnnnct	ncgtntatnn	tatttcanna	natnttctnn	300
atagnactnc	tccttctntn	ctctccttat	tanaangaacn	catcattatt	cntattattn	360
taatatttt						369

<210> 95

<211> 392

<212> DNA

<213> Homo sapiens

<400> 95

gttccccgcc	gcacccgccc	ctctcctctg	cacccctgct	gcttctgctt	tgaaggcgga	60
ggctccatgt	tgtcccccctca	gcgagtggca	gcagctgcct	caagaggagc	agatgatgcc	120
atggagagca	gcaagcctgg	tccagtgcag	gttggttttg	ttcagaaaaga	tcaacattcc	180
tttgagctag	atgagaaagc	cttggccagc	atcctcttgc	aggaccacat	ccgagatcct	240
gatgtggtgg	tggtttcagt	ggctggtgcc	ttccgaaagg	gcaagtcctt	cattctggat	300
tttatgctac	gatacttata	ttctcagaag	gaaagtggcc	attcaaattg	gttgggtgac	360
ccagaagaac	cgtaaacagg	atcttcctgg	ag			392

<210> 96

<211> 305

<212> DNA

<213> Homo sapiens

<400> 96

aaaaaaaaata	cataaatata	taatgctgat	taggtatgcc	ttataatttt	ctttaatata	60
ggaaatactt	atcttagtag	aactgacact	tatgggaggt	attatgtttt	tggtttacat	120
ctgcaaatct	acataattga	ataggaaaaa	cctggacata	ctgggatcct	cttatatagt	180
aagttttcat	aagtattcta	tcaaatttat	tttggttatt	tggctaactc	ataagttaat	240
ccaccaagt	cttttttagtg	atcttttaac	atctgagtag	taattgggta	atcttttttt	300
ttttt						305

<210> 97

<211> 300

<212> DNA

<213> Homo sapiens

<400> 97

aattccgttg	ctgtcgaagg	atctttgcaa	ggaatatgaa	aaacaagtga	gaaatggaag	60
gcttttttgt	acacgggaga	gtgatccagt	ccgtggccct	gacggcagga	tgcattggcaa	120
caaattgtgcc	ctgtgtgctg	aaattttcaa	gcggcggttt	tcagaggaaa	acagtataaac	180
agatcaaaat	ttgggaaaag	ctgaagaaaa	aactaaagtt	aaaagagaaa	ttgtgaaact	240
ctgcagtcac	tatcaaaatc	aggcaaagaa	tggaaatact	ttctgtacca	gagaaaaatga	300

<210> 98

<211> 300

<212> DNA

<213> Homo sapiens

<400> 98

ctttgatcct	tctggaatta	atcttggtgc	aaggactgag	gtaggggctc	acgtttcctt	60
cccgatgtca	gccactactt	ttggtctttt	aatctataaa	agcagggcac	tgggttagaa	120
tttcctaaat	ctcttatata	tcaaacaaaag	cactcactgc	aaacttgatc	aatagaggaa	180
agtatgcttt	ttttgtattt	taccttttac	cagtttctact	tactgtaaat	cataagggtg	240
tcttacatag	tagaaaaata	gcattatctt	aaacctggct	ttttattact	aaatatatca	300

<210> 99

<211> 511

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(511)

<223> n = A,T,C or G

<400> 99

tgccgtagcc	nangnnntgc	tnaatgannt	ntnaannnga	aanccccga	nnnttcgann	60
agaatccggt	gctgtcgggc	actgtttaag	agtaccatgg	agatagcctc	accttcaaag	120
gatttacaga	cttgctggaa	aatctaaaca	tgagaaactg	ttaaataaat	gagactattt	180
tcaagttccc	aaagcagtaa	tatcctactg	acttctgggt	aaaaaaataa	accagttata	240
agttgatgtc	ctaggaaaat	cgaagagaga	tctgtgtggc	ctggagtagt	tgaggaacat	300
ggcaagaggc	atggatccct	gttgcaaaag	gtggaaagtc	tcgtcagaat	acaaggaaat	360
gaaatgaaga	gatatttcca	gcaagaacag	acaaaattta	ggaaacaatt	agtaaatagg	420
agcacagaaa	atcattccag	tcttgtcctt	caagtttttt	ttttttcccn	tggttaagtn	480
tgactgaag	ttaggctaaa	ttcttgactg	g			511

<210> 100

<211> 300

<212> DNA

<213> Homo sapiens

<400> 100

aattccgttg	ctgtcgcggg	agcggggaca	cggcaggaga	ccgaggggtcg	ccccgcgggg	60
gaatggagga	aaccaggcga	gaaaggagcg	ggaagacctt	ggagccgcgg	tggtcgggct	120
ccgcgtccct	tttccccaaa	aatccacccc	cgccccccgc	agacggaaaag	tcacgcagtt	180
gtttgagact	cgcgcacatt	tcctcctggg	caggggggatg	gcagtaggag	cttcgtctgg	240
gtcgtcatga	ggaatgcaga	gaatggaaac	gggaccttag	aggactaccc	ccatttcaca	300

<210> 101

<211> 422

<212> DNA

<213> Homo sapiens

<400> 101

gcggacgtga	gcgataatgg	cggatatgga	ggatctcttc	gggagcgacg	ccgacagcga	60
agctgagcgt	aaagattctg	attctggatc	tgactcagat	tctgatcaag	agaatgctgc	120
ctctggcagt	aatgcctctg	gaagtgaag	tgatcaggat	gaaagagggtg	attcaggaca	180
accaagtaat	aaggaaactgt	ttggagatga	cagtgaggac	gagggagctt	cacatcatag	240
tggtagtgat	aatcactctg	aaagatcaga	caatagatca	gaagcttctg	agcgttctga	300
ccatgaggac	aatgacccct	cagatgtaga	tcagcacagt	ggatcagaag	cccctaata	360
tgatgaagac	gaaggtcata	gatcggatgg	agggagccat	cattcagaag	cagaaggctc	420
tg						422

<210> 102

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(418)

<223> n = A,T,C or G

<400> 102

atatttttta	aacattttaa	attaattatt	tttgtaagta	cattaattca	gatgagttag	60
atcaatatga	attttggaga	agtgttaact	gtagaatatt	taaaggcaga	gcagttttgt	120

taagtataaa taattgtaga aactgagata acagtattga ttgatagcag tcttaaaggg	180
aactgctcta atgaaaagat tcagataata tagttttaac atgttggtta atatatatga	240
gttctaacga tcccaaacaa ctgagaattt tgaagcatgt ttaaaatctt gtgacttcac	300
aagcgatgat ccaacctatc atttcacctt tcaacattta gcagttttgt gcgtatagtt	360
tatgcaatgn ggnactatgc tagatgctta gtcacctac cagtgggaaa aatagata	418

<210> 103

<211> 421

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(421)

<223> n = A,T,C or G

<400> 103

ctatatacag acctatcgac tatgggatct ttgggaaaga acaacagtta gctttcttag	60
aaaatgtaaa gaggtcactt acacaaggaa gattatggaa accaagtttt cttagaacc	120
ctggcttcct aaaagatgat ttgaggaacc ctcccaaccc ctgagagtca ttaagctcaa	180
attctcccag tagtcaggtg ccagaagatg gcttatctcc aagtgaaccg cttaatatct	240
atgaggatga cccagtggac tcagattgtg acacagacac aaccacagat gatgaatact	300
acctggatga aaatgacaaa gagtcagaac tgtgaggctt tttcaataaa atgctttact	360
tttttcccaa aagcttataa tggactaagg tgnacatgtg catgtgcatg gaangataaa	420
a	421

<210> 104

<211> 410

<212> DNA

<213> Homo sapiens

<400> 104

ctggattttt acaatatcaa gtcagcccct cccctccatt attcttatga aagtctggct	60
gctattcctt tctcagcagg ttctctaaaa gaagctctag aaaggaaaca aacattatta	120
ttggtagtag aagtaaagtc ctttggggtt gtgagtcctt actgtatata acacttcctt	180
tctgacctgc tatttaagcc tcattacaga agatgaccct gaaattgaaa tatttcacaa	240
ttattgggtt cagttcctca aaaacattaa tggagacaat taatatatta tcagagttga	300
atagaggtaa atcattataa tcttgctgta tcagttattg ctctatgaca aaccattcaa	360
aaactcagtg gcttgctgt aatcccagca ctttggggag gccagcgtgg	410

<210> 105

<211> 410

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(410)

<223> n = A,T,C or G

<400> 105

cacaaagcaa atgtctaatt taagcactta atttttaatg tgtgaaatct ggatattttg	60
tgattttctga gcattttatt ttcatattatg tacagtaaaa ttaacaaaat tgcagatact	120
cttaaatggtt ggaatcctag ttttatatta tgttcaaagc ttttttaagt tggagagctc	180
ttaatttttt atttgcattg cagcaggggg cattctaata tagatacaac atttgaaagc	240
agtatttttca aaaaatattt gtctcgcttg ttatattttt tatttagatg aatagcatct	300

actttcattt tcttttagaa acttgagatt tcaaaggagg atctagtaac attgaatctt 360
 taatagtttt ctgtgncaca atttttgaga cagataacct ttaaaaaaaa 410

<210> 106
 <211> 410
 <212> DNA
 <213> Homo sapiens

<400> 106
 ccgctatctg ggtcaggacg cgacggccgc ggcgcgggac cttaggaccc gcgggctcca 60
 gggctactgt ccgtccgcca ctgcgcgcca gcaggctctg gtctccgctc tccaacagct 120
 gaaaggccgg cgcagtgaac acagaaacga aaaccaagaa atgccttatt ccacaaacaa 180
 agagttgata cttggcatca tgggtgggcac tgctggaatc agcttgctgc tcttggtgta 240
 ccacaagggtc cgtaaaccag ggatagcaat gaagttacct gaatttcttt ctctgggtaa 300
 tacatttaac tcaataactt tgcaagatga aatacatgat gaccaaggaa caacagtaat 360
 ctttcaagaa aggcaacttc agatactgga gaagttaaac gaattactga 410

<210> 107
 <211> 405
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (405)
 <223> n = A,T,C or G

<400> 107
 acgatttgta aggatgactg cttgtgttct gttggttggt aaggtaatct ttgtaggcta 60
 aaagtttagc atttttctcaa catttgggac attgtatcaa ttgataacac taaacactat 120
 aaagaagaat aaataatcct tcctgttcaa gccgtgccac actgagtctg tgaacgtgaa 180
 aaattatcag tattatcctg tccccccagc acaatttcat tttgaaaatt ccattatcag 240
 ttttcgagcc aaacactttg gtagaaagaa gttagaaatt ttaatagaag gcagcacatg 300
 cgccctatta tctaaataaa cttggtatgn aaaattttaa atctgattat agaattagag 360
 atttccaata tttttggtgg anttttgggt ctggttttaa ctaac 405

<210> 108
 <211> 403
 <212> DNA
 <213> Homo sapiens

<400> 108
 attgtcacta aatttttata atcatagatc tttgcagttt actctctaag cctgatgaaa 60
 ttaagccaag ggctggatct ggcccatgga ttagaagccc attcattect tatccaggaa 120
 aggaccagag aatagttaat taagaatgtg gctttaacag agctaaactg cttggatttg 180
 atttctgcc ctgccactta ttgcctataa tttttgacaa ataactaac ttaatctcag 240
 gttgtacagt gtgcataaaa tgggaatagg ccaggcacag tgatcatgcc tgtaatccta 300
 gcagtttggg aggctgaggc aggagggcca cttgatcact tgaggccaag agtttgaaca 360
 tgcaagtgagc tatgatatgc cctgcactct tggctaagca caa 403

<210> 109
 <211> 398
 <212> DNA
 <213> Homo sapiens

<400> 109

ctcaatcttt	atgaatatat	ctaaaatggc	tacttaatta	atgttggtcca	atgttggtccc	60
gatgaattca	gagattattg	gtatttggtc	cattctaagg	aagaataaat	taaactaatg	120
aagacatagg	cagccagtct	ggcatcactg	agcacacaga	cctagtatta	ttgacagagc	180
aggtggaaat	ctcctgagtt	ctgggcatat	ctgcggtatga	aaacacactg	ccttcatttt	240
agagagggtgc	aagacagaag	ggctattgga	gacgtaaatt	tatgttaaag	aacagagaat	300
gtccctctct	tttttcctta	ccttaaaaac	aaaacaaatt	ctttggatat	gatagtataa	360
aaatacaaaa	ccctctgctt	tcctgtaatt	ataatgct			398

<210> 110

<211> 398

<212> DNA

<213> Homo sapiens

<400> 110

ggatgaggcg	ctgcagtctc	tgcgctttcg	acgccgcccg	ggggcccagg	cggctgatgc	60
gtgtgggcct	cgcgctgac	ttggtgggccc	acgtgaacct	gctgctgggg	gccgtgctgc	120
atggcaccgt	cctgcggcac	gtggccaatc	cccgcggcgc	tgtcacgccg	gagtacaccg	180
tagccaatgt	catctctgtc	ggctcggggc	tgctgagcgt	ttccgtggga	cttgtggccc	240
tcctggcgct	caggaacctt	cttcgccctc	cactgcactg	ggccctgctg	gcactagctc	300
tggtgaacct	gctcttgctc	gttgccctgct	ccctgggcct	ccttcctgct	gtgtcactca	360
ctgtggccaa	cgggtggccgc	cgccttattg	ctgactgc			398

<210> 111

<211> 394

<212> DNA

<213> Homo sapiens

<400> 111

gtaaacacgc	agcatggtaa	gttaaaaaaa	aatcagataa	tagaaatgtt	aaaacaagaa	60
tggaatttat	taagtgttaa	aaattttaca	tttttaaact	tcagagattt	aagtccactg	120
atgttaaaag	ctgccttgta	gtagaaatag	tataatgtgg	aaaaattagt	ctgtcctttt	180
taaaaattgg	gaaacaattc	tccaacatct	cttgaataaa	ctagagatat	ctggggaggt	240
taccaaacct	gaatgaagag	tctcaaatcc	caagaaagca	ttgtgtacat	tttgcttatg	300
aatattggta	gttctgtatt	gtataataaa	tcttactcct	tgacttggtt	atatgtaatt	360
ctgggctcct	tttttatatt	ttagatggaa	caga			394

<210> 112

<211> 394

<212> DNA

<213> Homo sapiens

<400> 112

atgatccttt	gctgcctaac	tacctcaacg	gcttcgagtg	tttcgtctgt	gactacgaac	60
tggctcggct	ggatgccgag	aaagcccacg	cggcctctcc	cggggacagc	cccgtctttg	120
agccccacat	tgcccagccc	tcacacatgg	actgcccagt	gcccacacct	ggctttggca	180
atgtggaaga	gattcctgag	aatgacagtt	ggaaagagat	gtggctgcaa	gattattggc	240
aaggctctgga	ccagggggaa	gctctcactg	ccatgatcca	caacaatgaa	acagagcaga	300
cgaaattttg	ggattaccta	catgaaatct	tcatgaagag	gcaacatctc	taagtgccct	360
tgcaagagcc	tttaacttgg	cggagctaag	gaga			394

<210> 113

<211> 396

<212> DNA

<213> Homo sapiens

<400> 113

ggctgccctt	cttccctgcg	gagggagggc	ctgggcggtc	gcgttggcgg	gagggaggtt	60
acctttccca	gtctcgctct	ggccgcctga	gccaggagga	agcagcggcg	aggtctgcgg	120
gaggcatggc	gggagctccg	gacgagcgcc	ggcggggccc	cgcggcaggg	gagcagctgc	180
agcagcaaca	cgtctcttgc	caggtcttcc	ccgagcgtct	ggcccagggg	aatccccagc	240
aagggttctt	ctccagcttc	ttcaccagca	accagaagtg	ccagcttagg	ctcctgaaga	300
cgctggagac	aaatccatat	gtcaaaacttc	tgcttgatgc	tatgaaacac	tcagttgtgc	360
tgtaacaaa	gatagacact	tttcttgcca	agactg			396

<210> 114

<211> 385

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(385)

<223> n = A,T,C or G

<400> 114

ctgcgaagat	ggccgctgcg	tcctcatcgg	attccgacgc	ctgcggagct	gagagcaatg	60
aggccaattc	gaagtgggtg	gatgcgcact	acgacccaat	ggccaatatc	cacacctttt	120
ctgcctgcct	agcgtgggca	gatttacatg	gggatgggga	atacaagtgt	ctctctagaa	180
gtgcctgggtg	tggagaagaa	gtttgctgaa	tgaataataa	aaacatcaac	tgccacttat	240
tcctcagtag	cacttacagg	ttctgtaact	cattatctca	cttgattttc	accacatacc	300
atgaaagtat	caccattctg	caagcgggaa	acctgagatt	cagaaagntg	gtggtagggg	360
accttggccc	tggtgggcag	caagc				385

<210> 115

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 115

tagtataactn	aagttttcnn	nnggaaagcn	cccnngcttt	nagcaggatc	ccatcgacag	60
caacggctgg	tttatgtgtt	caggcagtg	ttttacatga	agacaaaaag	aaacaaaaaa	120
caacaatatt	tttgagtccc	cagtcaggta	gcctttccag	taaatatatg	actcagggaa	180
aagcctcagc	gaagaggacc	cagcaggaat	catgagggaa	ggaaaatgca	gcactctaaa	240
tggccactca	ggcgttccta	ttcactcgga	aaattaggtt	catttcacag	gacacagcag	300
tgtagatcag	gcttcaactt	aacatttaag	ggaaatgtca	gatttttttt	taattttaatg	360
aaattgttaa	tgaggaaaaa	tttttaatat	agtcttatct	accacacatc	cccatagatt	420
taaggatttt	aatagaaagt	catgatgtat	gtattttaagc	cacgttaaaa	gaaaaaatat	480
actatgg						487

<210> 116

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(415)

<223> n = A,T,C or G

<400> 116

taataagatg	ttataaaaat	ataacatttt	aaaaaagaaa	ggtccagacc	ttaagcgcag	60
agctagaaca	atatttttta	aataatgggg	ggaaaaaggg	gcactttggt	aatttttagaa	120
atcaggtagt	atactttttt	tttttttnaa	anggggtttn	nccttgtngn	taaggngnggt	180
ttnaancncn	gggnntaaan	nantcntcnn	gcttgggcnn	ccaaaanggg	nggaattncg	240
ggctnnaccn	ncngnnccna	ccnggaaaaa	gggttttnaa	aancngggtt	ancnnggcn	300
tttgagagnt	taaaaanata	ntggntnaaa	nttnantagg	gcngggccan	ntcnnaangt	360
mnttngcann	ggnggaaaaa	nggccnnnaa	tntnganttt	ttttccccna	ccctc	415

<210> 117

<211> 407

<212> DNA

<213> Homo sapiens

<400> 117

gccattcttt	ggtggaata	tcatttcttg	ttgcaaagat	gatttgagac	actaactacg	60
ttgtaaaatg	ccccaaaatt	accatgattt	ccatcatagt	ttaagtacta	gttttcatta	120
ttgttggtct	caaattcaga	gatgaatagg	aatgatggat	aggattttatt	taagtatata	180
tcttaggtat	acattttatt	agtgtgtgct	gattaatgtg	aaagttaagg	tataaaacct	240
agagacaact	ttcagggaaa	aaaaaaagat	atcatattaa	atgttttaga	agtagggatt	300
cccattctat	attgaagata	acatagtttc	aacacttgat	tattataatt	ttttgggggt	360
gggggaacat	gtaataaagt	aaatgtgtgt	agttgtagta	gagttct		407

<210> 118

<211> 405

<212> DNA

<213> Homo sapiens

<400> 118

ccagcctggg	cgacagagcg	agactccatc	tcaagaaaaa	aaaaaagaat	tttcattagt	60
gctggccggg	tttcaaatgg	caaggggaaca	tgggaactat	catgtggcaa	tgtagttagt	120
gttaaaactt	gtgtttgtcc	aaatcctgat	ttatttttca	gttcatactc	ttctgggctt	180
gacatggctg	atggtgtagc	tgaaaccctc	ctaactacta	aagccattta	atcttttctg	240
taataggagc	agaaaatagt	taatcatcca	cctagtaata	taagattact	gggaatatta	300
tcttctatac	attaaaacag	ttctagtttg	tagaataata	ccatacaagt	tttattttta	360
aattctagtt	attttcagtg	cttacttaaa	tgtaattcta	gaatt		405

<210> 119

<211> 418

<212> DNA

<213> Homo sapiens

<400> 119

gtaattagta	tttgccatat	aaaaaatgtg	gcttgagcaa	gatgtacttc	ctgagtgacc	60
ctggggcaaat	tatgtaagtc	atccatgaaa	tggaaaaaat	aacacctatt	tcttgggggg	120
ggactaaaata	aaagtgtctc	cttctgaggc	tgtggtgcta	aaatccttta	cgttggctca	180
ttggatcctc	atgtgtaaag	ttacttagaa	tggacggttg	tcataatgaa	tatgtggtaa	240
atatttaatt	cccttctaga	gtgatgtgct	gggccttggt	aggtagagag	atgaatcgaa	300
agggaatcct	ctgtctcagg	ctcagcttct	gctggagggg	gaggcagata	ttttcatgga	360
ttattacatt	cgaagggtga	tatggtttgc	tgtgtcccca	ccaaatctca	tctcaaat	418

<210> 120

<211> 411

<212> DNA

<213> Homo sapiens

<400> 120

gttttattaa	ttggcagtgg	aaattggaat	gtgatttaag	gaagaaaaca	gacttttctc	60
aaatggacca	catcatctct	cactcacagt	gacaatgctg	ctcctgtaat	tttgtaagaa	120
ttcacacaca	ccagctgtat	ttggaaaagc	catgtctcac	tctcgaatct	cagctgggtt	180
tcactgaaat	tcctggaggg	ctcatatttt	cttccacgtg	cctcttgatc	tgttctgtct	240
tgtggcaggg	ctctaccagg	agggagtgg	atctggggac	acagtggctt	ccaagttttc	300
taaggttcat	gtgaaacctg	agtacattta	caaagctgca	agtggattct	agtgtgagtg	360
cttccaggaa	aaaatcccgt	ttggccaccg	tgacctgcca	aaagttctct	t	411

<210> 121

<211> 405

<212> DNA

<213> Homo sapiens

<400> 121

ctacaatctt	tgcatgaaat	gaagaaaacc	ttttgactgt	tttttaaaaa	tcctttttct	60
tttctcaagt	tctagggggc	atattgcacat	atatttgtag	tcaacatttc	atgggaaagc	120
ggcagacctg	agctgaggaa	cagcgtgggc	agggagggaa	agacccaggg	tctggacact	180
tcctccaaca	caaaacctt	ccccaccac	ctcctgctcc	ctccccctcg	cccaccattg	240
taaaataatc	agaaacttgt	tctattttgt	ggcagtggca	atagttttat	attaaaagaa	300
aaaatacagt	tttcatacag	caaatcttat	acaatatcat	tgttttattt	aatataaaga	360
tcgctaccca	ccttccttcc	atggtcccac	cctccacgtt	atttc		405

<210> 122

<211> 419

<212> DNA

<213> Homo sapiens

<400> 122

cacaccaggt	atgtcacaac	ttgtgctttt	gcaccttaata	cccttttact	tgctactggg	60
tcaatggaca	aaacagtga	catctggcaa	tttgacctgg	aaacactttg	ccaagcaagg	120
agcacagaac	atcagctgaa	gcaattttacc	gaagattggg	cagaggagga	tgtctcaaca	180
tggcttttgt	cacaagattt	aaaagatctt	gttgggtattt	tcaagatgaa	taacattgat	240
ggaaaagaac	tgttgaatct	tacaaaagaa	agtctggctg	atgatttgaa	aattgaatct	300
ctaggactgc	gtagttaaag	gctgaggaaa	attgaagagc	tcaggaccaa	ggttaaatcc	360
ctttcttcag	gaattcctga	tgaatttata	tgtccaataa	ctagagactt	atgaaagat	419

<210> 123

<211> 391

<212> DNA

<213> Homo sapiens

<400> 123

tatacatattt	taatacatatt	tacttttctc	gcatggactg	ttttcttcac	gttgagttgt	60
attttaagt	tttcatggta	aactttcctg	agatgtttgc	taatgttaat	ctgcttaata	120
gttttttttt	aaattgaggt	gtatgtacat	acaataaaat	gtgtatatct	tggctgggca	180
tgggtggctca	cgcctgtgat	cccagaactt	cgggaggtcg	agacaggtgg	attatggatt	240
cttaattttac	tacagtttag	tttatgttag	ttggttttat	tacttcccag	gaaatgcaag	300
aacctgtacat	ttagctcttt	acctccttct	tgtcctttgc	cctattgatg	gtatatatttc	360
ttataaacct	ctaaagcaac	agtattattg	t			391

<210> 124

<211> 393

<212> DNA

<213> Homo sapiens

<400> 124

aacgaatatt	gttagtagac	ttaataagta	acccatctgt	atacatcact	acttttttaa	60
tgtctgtggt	tacttttgac	aataaaaaatt	ccaaatacaa	ctgaagtcaa	aatttttcat	120
tttttttctc	tgacaacaga	aatcaaaaagt	gcaattgggc	attgtttaat	gttccaaaaa	180
ttcctttctg	acttgaaaaa	aaaatgttat	tatagaggca	tttactttc	agaagttaag	240
aattcctgca	tatgagttta	gaaaactaat	ggagttacga	gttaccagcc	tgtaagtttt	300
tatcttagga	aatatggctt	tctaaaggca	tcattttattg	tcagggaata	aaaagtaata	360
aaataaaaaa	tcatactttt	tctgcccttt	ttc			393

<210> 125

<211> 400

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 125

gtctacttta	atcatcaata	tgctgttctc	tgaacatacc	ttatactttc	ctagttcaca	60
tctaagataa	tatgcttccc	tctgcctgac	acaccttaca	cattcttaag	aacccagctt	120
tgacatcact	tccatgaatc	ctaacctgaa	attaactctg	tcaatcttaa	ttacagtcac	180
ctctgacctc	tataaagctg	tacttgtttg	tagttattta	tctagcaatc	ttttctccac	240
tattagattg	ttagatccta	gaggacagag	atcatctttt	ataaatcctg	gggtctcctt	300
cacaatgtca	ggctatagaa	aaaatgatat	tacctataat	aatagctcag	ttaatatggc	360
cattggaaat	ggcctgaatg	ctctgnacta	aggtgnccat			400

<210> 126

<211> 401

<212> DNA

<213> Homo sapiens

<400> 126

ctagaattga	aactactagg	tcaaatcatt	cattttttct	ttctctctca	gaaaattctg	60
ccaaccctgg	gaaatgccag	tgttactgtg	ttttcaccga	cactggatgt	tatcagtctt	120
tatttgttgt	cagtctgaga	gtcagtcaaa	agatgggaac	tcagcattga	atatgtaact	180
tctgtaatta	tgaaagtact	atccttagga	gaatatgttc	ttgtatttag	gttgatttct	240
agcccttcca	aaaatgagaa	tttccttaca	ttctctggaa	ttccatgtcc	taggctcagt	300
aatgaagcta	atccctccct	cctgggggtg	tctgagtatt	gtatcgaaaa	ataaaaaatg	360
tctgacatag	cttattaact	ccattaacta	tgtaggctct	t		401

<210> 127

<211> 397

<212> DNA

<213> Homo sapiens

<400> 127

cattacctga	aatattttatt	ccgtcaaccc	cctctcccat	cctctgtgga	ttttactcag	60
agccagggaa	gttctgggtt	tctttgcatt	aacaaagtta	tgatgttttg	tggaatgaaa	120
aatggagcaa	ttcgagtcta	tgctctaaat	caaaatgata	cttcattgac	cagtttggtg	180
gactactggc	acttcaatat	gcatgacaat	aattatggat	gtattaaaag	tattgctaatt	240
agctttgatg	atcgtttctt	gggtgactgct	ggagcagatg	gcaatatctt	tgttttcaac	300
atthtttctg	aatttatgct	aaggaaagac	atgaaggcca	aagttccatc	tcccagggtt	360

ggaattgaaa cagagccaat tccagaagac attgaag

397

<210> 128

<211> 395

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (395)

<223> n = A,T,C or G

<400> 128

gtgtgatctc	tgcacacacc	agctccccctt	tgctttctgc	catgagtggg	ctgaggctct	60
cacaaaaagc	caagcaaagg	ctggcaccat	gcttctagta	cagcctgcag	aactgtaagc	120
caaataaact	tcttctttgt	tttttttttg	ntnggtttgn	ttttttttca	gaaaattacc	180
cagcctcagg	tnttcnttaa	cancncaaag	gggctaaaac	acagggtcnt	agggatagca	240
ggccccctgng	ccaanccaaa	ncttaaatnt	caactgttaa	tgcagganga	ttngtattga	300
accatnaatt	ttacactgcc	tctcaatgnn	ggngncagca	tttaagggta	tttaaaaaat	360
acancctgaa	ggttcataaa	ggttcattta	aaaaa			395

<210> 129

<211> 383

<212> DNA

<213> Homo sapiens

<400> 129

gtggccatca	agccaatgcc	tttggtatctt	tcctggactc	accttggatt	ggagaaaagt	60
taatcagttt	ccagaaaggt	aagagaccca	gtggagcagg	gccttttgag	aatgaaaact	120
gaccttttct	ttcactgtta	ttgttgat	ttccctggaa	atatattcac	ccccagtttt	180
cctgggccaa	tataaagttg	ttcattttgc	tggtctggaa	atgttattct	ctctccttgt	240
tttgaagtgt	taaatgtgtg	gttttcaaaa	tgcatttctc	aaaccactct	acggaaaagac	300
agcaaataat	ctgataaaaa	aatgttcaag	gatgcctgta	atcccagcac	tttgggaggg	360
aggccgaggt	gggcaaattg	ctt				383

<210> 130

<211> 372

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (372)

<223> n = A,T,C or G

<400> 130

cgacagcaac	ggatctgtta	tctcaacttg	agctttccca	aagcctaagg	acggtccttg	60
cctgtaaact	ccaagatgtc	atcttctctg	tttccatcac	acccaacttca	tcagtcgctt	120
ttccctaattc	tcaggagacc	ccagagcatg	tgcccttccc	caccttgcc	tactcagccg	180
ctcctggact	gtctgtccaa	cctcatgact	cagccgggct	tcacaccagc	gcctcagca	240
aacaaacacc	aattggaact	cttgaccaga	atatttctaa	atgtcagctt	gtcctcacc	300
tccacgcagc	tggtgcttct	gttcccagga	gcccattatt	ccacatgggt	atgactcang	360
gcactgaatc	gt					372

<210> 131

<211> 392

<212> DNA

<213> Homo sapiens

<400> 131

gagatgatgg	ctgatgaaga	ggaagaagtc	aagccgatct	tgcagaaatt	gcaggaactc	60
gtggatcagc	tctactcatt	tcgagactgc	tatttcgaga	cacatagtgt	tgaggatgct	120
gggaggaagc	aacaggatgt	gcggaaggag	atggagaaaa	ccctacagca	gatggaagaa	180
gtagtgggtt	ctgtccaggg	caaggcacia	gttctaattgc	taactgggaa	agcactaaat	240
gtgactcctg	actatagccc	taaggctgag	gagcttctgt	caaaggctgt	gaagctggag	300
cccagagctgg	tggaagcctg	gaaccagctg	ggtgaggtgt	actggaaaaa	aggggatgtt	360
gcagctgcca	cacctgcttc	tcaggagccc	tc			392

<210> 132

<211> 396

<212> DNA

<213> Homo sapiens

<400> 132

gctttacttc	tgattgagct	ctgttattct	ctggcacagt	cttcctaaga	ccaattaata	60
gtgatcatgg	cagtcagcct	gttatcttag	gattcaaaga	aaatatctac	ataaatatag	120
cagtcaatcc	attgaagtag	tgactacaat	actgaacctg	aataaaattt	agtttactaa	180
atgaagatat	gcagattcaa	taaatgatta	tggaccaaca	tttcatcagc	aactgctata	240
aatgtgaaaa	atcattattt	ttcatatata	cacatgatca	tcagaccac	taaaggtaat	300
tcatgtgacc	aaaactttct	gctgctaaga	gattaaaatg	catgttaatc	agtagaattt	360
aagaaagcca	gagtaaaatg	taaattgtga	tgaat			396

<210> 133

<211> 415

<212> DNA

<213> Homo sapiens

<400> 133

gtgtgtgtgt	gtgtgtgtgt	gtgagagaga	gagagagaga	aagaggtgtg	tatctgggtt	60
atgagtcac	atacagcagc	ttagcttagc	cctaagtggg	cattctcaga	gttacaagag	120
cagcaagagg	gcgagcccca	gtggccagat	gcaatggtgc	ttttgaagtc	tgcataggtc	180
atgtttgtta	ttctcatgtg	gccaaagtcca	gagtcagtgt	ggatttacc	aagtgtctgg	240
atacagagag	acatgaacaa	atgtggggcc	atcactatgt	cagtcctacct	caaaagctct	300
tccaattttt	aattgttggg	aactaataaa	aattaataag	attttagggtg	ctaacattgc	360
aggttaaaca	aaacctgcag	tgggctagat	ctgccttggg	taaccatttt	atcat	415

<210> 134

<211> 419

<212> DNA

<213> Homo sapiens

<400> 134

atcaccacta	attccagaac	attgacatcc	cagtaagaaa	ccccataccc	attagtcact	60
ccccattcct	ccctactccc	agccgctggc	taccactaat	ttactttctg	tctctatgga	120
tttgctgatt	ctggacgttg	catataacta	ggaacataac	aacatgctac	tagcttcttt	180
cacttaacat	aatagttgca	aggctcatcc	atgctgtagt	atgtttcagt	actttcttcc	240
tccccctacc	cattatacca	tttactgatg	atagaattat	actggaaaac	tgtcacaaaa	300
gaacaatctt	tgaatagaac	cgtttactaa	gtgaaacatt	tcttgaaata	taacatgcga	360
aagattgtca	aacatgtcag	catagaagcc	cttggattta	tataaagact	ctcgcgagg	419

<210> 135

<211> 408

<212> DNA

<213> Homo sapiens

<400> 135

cttaatatag	gatataagag	ttttcttggg	ctttgaactg	tggacaaaat	ctacaggaag	60
gggaagaggt	gaatattcca	aatcagacac	tggcaagagc	gaaggtgcag	agacaggtat	120
gttcgtggat	ttctgggcta	tggttaacga	atagaccatc	tggagcacat	ggttgatttt	180
ggcgtcagta	gaaggctaag	ttggaaaggc	aggattacat	cagatttttg	agggcttgaa	240
tgtaaggggt	gggaggggag	tctttcactt	ttatcctgca	ggcaatagag	agccattgaa	300
aatttttatt	ttcggtagtt	tattaggaag	atgaatctgc	cgagtgggtt	ggaaacaaga	360
aagattggaa	gataaaccaa	ctggataggg	tcgtctggat	ttcaaata		408

<210> 136

<211> 404

<212> DNA

<213> Homo sapiens

<400> 136

gacgtggcct	gtggcacagg	cctagtggct	gccgagctgc	gggctccagg	cttcctccag	60
ctgcatgggg	tggatgggag	cccagggatg	ctggaacagg	cccaggcccc	cggcctctat	120
cagcgcctca	gcctctgcac	cctggggccag	gagcctctgc	ccagcccga	agggaccttc	180
gacgcggtgc	tgatagtccg	tgccctcagt	gacggccagg	tgccctgcaa	tgcatacctt	240
gagctacatg	tcaccaagcc	aggtgggctg	gtgtgtctga	ccaccaggac	caactcgtcc	300
aaccttcaat	acaaggaggc	tctggaggcc	accctggaca	ggctggagca	ggctgggatg	360
tgggaaggcc	tggtggctgc	ctgtggaccg	ctgtggaccg	ctgg		404

<210> 137

<211> 421

<212> DNA

<213> Homo sapiens

<400> 137

ctataatgaa	gaggtccttg	acttatttga	taccactcgt	gatattgatg	caaaaagtaa	60
aaaatcaaat	ataagaattc	atgaagattc	aactggagga	atttatactg	tgggcgttac	120
aacacgtact	gtgaatacag	aatcagagat	gatgcagtgt	ttgaagttgg	gtgctttatc	180
ccggacaact	gccagtacc	agatgaatgt	tcagagctct	cgttcacatg	ccattttttac	240
cattcatgtg	tgtcaaacca	gagtgtgtcc	ccaaatagat	gctgacaatg	caactgataa	300
taaaattatt	tctgaatcag	cacagatgaa	tgaatttgaa	accctgactg	caaagttcca	360
ttttgttgat	ctcgcaggat	ctgaaagact	gaagcatact	ggagctacag	gcgagaggca	420
a						421

<210> 138

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (475)

<223> n = A,T,C or G

<400> 138

ccgattnttc	natnnnactt	ctggaaatcc	cncaggattn	atcgattcga	acccgttgct	60
gtcggcacca	ttgcactcca	gcctgggcca	caagaatgaa	actccatctc	aatcagtcag	120
tcaatcttgc	agatattgga	gtgtttcaga	tttcagattt	ggggtactta	aactgtacgt	180
gaaaattagc	tgctggggag	gagaggaatt	ggaatatgta	acatggactc	ccacatttta	240

```

aggatttttc taggactgca tctttctctt aataagtcag atccttattt ggttgaaaat    300
gtttactgca tgactatcac tgactatgta agatgctgat gtacaactct atgacttgaa    360
gattgagttg cttctatggg aatatgacac catttgaatt aatttgggtc caatatTTTA    420
aagaagtTTA atgaattctg tTcatataaa atcaaggTca ataatgcggg ctttt      475

```

<210> 139

<211> 485

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(485)

<223> n = A,T,C or G

<400> 139

```

tttgaactcc ataatacaag ctntnagatc ctttngccng atcccatcga ttcgggcttc    60
cgttatgggc ttttccatt ttttttttga cttctaaatc ctttgcatTT tCgtataaaa    120
tttgaagtca acttctatca acttcaggcc aggcccgTgg ctCgtgcctg tataatccca    180
gcactttggg aggccgaggc agggcgatca cttgaggtca ggagttcaag accagcctgg    240
ccaggatggT gagggcccat ctctactaaa aatgcaaaaag agttggccag gcgtggTggc    300
aggcgctgtg aaaatcccag ctactcggga ggctggggca ggaaaattgc ttgaacctgg    360
gaggtggagg tttcagtgaG ctgagatcgt ggcattgcac tctagcctgg gcaaccaaga    420
gtgaaactgt ctcaaaaaaa caacttttat caatgctgca aaaanaaagc ttctgggatt    480
tataa                                           485

```

<210> 140

<211> 397

<212> DNA

<213> Homo sapiens

<400> 140

```

ggcgggtcac gcctgtaatc acagcacttt cagaggctga gtcggggcgga ttacttgaga    60
tttggTctca atctcctgac ctCgtgatcc gcctgcctca gcctcccaaa gtgctgggat    120
tacaggTgta agccaccgcc cttggcctgt ttttgttttt aagagatgag gtctcactgt    180
gttgcccagg ctggacttga actcctgggc tcaagtggTc ctcccacctc agccttccaa    240
gtagctggga ttataggca caggtgtgtg ccaccgtgcc tggctgtgga gggTtcttca    300
gaggcagagc cctgggtTgg tttgaatcct tcatgctttg tgctgctacc ttggTtcact    360
tagtacagag ggcaggggga gtggaaaggg agaagtG                                           397

```

<210> 141

<211> 399

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(399)

<223> n = A,T,C or G

<400> 141

```

attcgacatt gcaccacgaa atgcagtgtt cctgttggtc tctcacagat gccgtctatc    60
aggctgggga ggtttctttc tgccctgTtt gctgagagtt ttaaatttca tgatgtantt    120
gtccactgca gaaacctanc anaaaactan ncaaaattaca ccccaaanca atagaattaa    180
atngattntc aaatgntaaa ccaactctgn tcctgatgtc ttggTgggct tggctcgtg    240
tttctnaaaa ctcttgantt cacattcctt nacgatgttg gaannnaant ttttTgnTt    300

```

tncatttgtt angnagnatt ntttaatggn ntnttncnaa ctannccagt tgnntttttaa 360
 nnnaccanna ncnctcccan ncctatttttn ntngtggga 399

<210> 142
 <211> 370
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (370)
 <223> n = A,T,C or G

<400> 142
 gccc aaaagc gggccagcct gctggagcgg cagcagcggc gagcagagga ggcgcggcgg 60
 cgcaagcagt ggcaaggagg ggagaaggaa cagcggaggg aggaggccgc gaggctggcc 120
 caagaggagg ccccgggccc agccccgctt gtgtccgcag tcccgatggc gactccagcc 180
 cctgctgccc gggctccagc cgaggaggag gtgggcccc ggaaggggga agngtnggaa 240
 gtntttntn ancncntcc cnangnnctt tnttctcnnn gancnnncat ttgtactttt 300
 tantntnnn ncnnnanctn ntattcatnt ntncaaaanc caccatnntc nngtntntaa 360
 nancnttaac 370

<210> 143
 <211> 418
 <212> DNA
 <213> Homo sapiens

<400> 143
 ggcccttctt cacagcagat gtatgatgat tcctggacag tggtcaggat attgcctttt 60
 tgtggaactt ttaacagaaa aggttaactga aggtttgagc atgtccctt tacaggggcc 120
 atctttcccc cacctgtgta gaggtacatg ggtctttcag cggctcaaac aacacaccta 180
 agtgtccttg agtctcacct tattgtgagt gttgcttgta agcagtgttg tactaaatt 240
 ttttcttct ttaatttggt aatttaccag aatatcttct tttctagcct cgatgattat 300
 agctcggtga aatgcctgaa gcatttttga tttctctct cttgctcatg agaattattc 360
 caaaaaaaaa ttttggtctt caccagtgtt aaaaattggt ctgtacctaa gggttacag 418

<210> 144
 <211> 404
 <212> DNA
 <213> Homo sapiens

<400> 144
 gcattttgta aagtga aagctggtga aatgatgaac agtgggttaa actgaacatg 60
 agagggaaca aggaatacct tgtggtgtaa aatctctgtg cttagctgtg ccaaagaatt 120
 tttttcagga aaacttgac aagatcttgg cagtgggtgc ttgggcttta tctttttaag 180
 taagtgttca ttactgctta catcattgtt gctattatta ttttgataag tgtgcattgc 240
 caaggatgct ctgtgtcagg ggttctccaa ctcccatgtg cacgagaatc acacacaggg 300
 cttgtgaaaa tcgcagagtc cataactccc ccagagaact ggattctgca ggtcttgtct 360
 tggaagctgc aattttggcc tttgcattaa ttaaaatttc ttgg 404

<210> 145
 <211> 367
 <212> DNA
 <213> Homo sapiens

<400> 145

```

gtgacatctg aggaattaaa tcatacttcc agatgggttg gtctaattga tacagtttag      60
gaaagtttat tcttttttat tttattttat ttttttaaat ttcttttaga aactgggttt      120
tgctctgttg cccaggctga tcttaaaactc ctggcctcag atgtggagac ccagctggga      180
ctacaggcat gagccaccac gctcagtaga aagtttggtc tttttcagtt ctgtcattga      240
aattctctaa gtgattggat ttttaaacc cttccccctt tcatgaaatt aaacatcaaa      300
taaataaaac tacattatat aattatttag tcagaaatga ctgttgccct ctcttttttt      360
ttttttt                                     367

```

<210> 146

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 146

```

gacagttgaa gacgacttac tgctccaaaa accatttcag aaagaaaaac atggaaaggt      60
ggccataaaa caagttgcag cagaattgct ggatagggaa gaagcaagaa atagaagggt      120
tcattctcata gctatggatg cttatcaaag acatagaaag ttcgtaaagt actatatattt      180
atactatggg ggcaaaaaag aagacttcaa gcgtttgggg gaaaatgaca agacagactt      240
ggatgttata cgagaaaatc atagattcct atggaatgag gaggacgaaa tggacatgac      300
ttgggagaag agacttgcta anaaatacta tgataaatta tttaaggaat actgcatagc      360
anatctcagt aaatataaag aaaataagtt tg                                     392

```

<210> 147

<211> 376

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(376)

<223> n = A,T,C or G

<400> 147

```

attcctttga gacacaagcc aagttttcgc cctgtctcct gagaccattt ccctacgctt      60
tgctgctgct gagagttacc tgaggcactt gttaaaaatt cagactccca ggtccctccc      120
ctcggagagg ctgataaact gggctctggga aggagcctgg ggantttaat tattcacaag      180
atgccccaga tganactcat caccaagcaa attttggaag angctgncaa cagcgcccnt      240
aaatcggaag cannttngna gannnnatat ngaananana atcangggcg ntatttagct      300
nncaaggmnt naagancann caggncggan anggancann ngncnagaga cnacnnttnt      360
nnangacnnn caaaca                                     376

```

<210> 148

<211> 388

<212> DNA

<213> Homo sapiens

<400> 148

```

cggttgctgt cgactgaag tccccaaact tgtcttgatt ggctctctct cttcagggaa      60
attgagaaga atgagagaac cagtgattaa agaggagatg gagggaagaa agagcctaag      120
gatatggaag aataaaggaa gaaagtatgt gattttaaaga agaggagaaa ggagagagag      180
aggcagttaa atctggggat gtgggataat agacttctaa ttttgggctg agtagaaggt      240

```

```

atattttggg agaagttcac acttggttttc tttacttgcc caggaaccca tgggtgtggct 300
cattgtgtga ttgaaaggg tgaaatgcag ggttatgtat gatcagaatg gccaacacac 360
atatagccag gagtgttcta gagacctt 388

```

<210> 149
 <211> 408
 <212> DNA
 <213> Homo sapiens

```

<400> 149
gctgaacgcg tgccgcgcgg ccctcacggt gcttaggctg ggtgcaacct agaacggagg 60
ttcctttcgt accgtacatc caggtttgca cagcgcgctt atgtccctcc tccaatctga 120
tcttgaccca gctctgcagt agtttttctt attatcctca ttttacggag gagagggagc 180
tgtggcttaa agaagttaag agacgtgtcc aaattcatac aacctgttgg gcacctcttt 240
atcccgaacg ctgttctagg ggatagggtt agtgaacaaa aaacgcaaaa gcccctgacc 300
gcctgggcct tacatctatt aggaggagga agacagataa actaaggctc gtgcaaagga 360
gaaaaataaa gcaagggtgac tttctgcaga cttcggactc accagtgg 408

```

<210> 150
 <211> 450
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(450)
 <223> n = A,T,C or G

```

<400> 150
tttgnncent naaancngct acttgancct tttgcaggat cccatcgatt cgcttgagaa 60
ctcatcattg tttgaaggcg ccttgccata gaacttgtct cttaaattctc aagctctgag 120
agagaatctt tactatgaag ctggcaaaat gcttgccatt tctttagtct acggtgggtcc 180
ttcacctggt ttcttttcta aaaccttggt taactgcctt gtttatggac cagaaaatac 240
ccagccaatt ttagatgatg tttcagactt tgatgtggca cagattataa tcaggataaa 300
tactgaaca actgtagctg acttaaagtc aataataaat gaatgctata actaccttga 360
gttaattgga tgtctcagac ttataacgac attaagtgat aaatatatgt tagtaaaaga 420
catacttggc taccatgtaa ttcagagagt 450

```

<210> 151
 <211> 401
 <212> DNA
 <213> Homo sapiens

```

<400> 151
cattaaagtc actaagaata accatttttt ccagtatata tggaatatac accaaaaaag 60
accttatcct ggaccataga tacattttta caaattccca aagattttata ttttcagaga 120
ctgttttctg aataataata ataaattaga agtaaaaaaa attggaaaat tcctaattat 180
ttggaactta aacatcatgt ttgtaaatat ccctgagtgga aaataggtct aacaaaaaat 240
ctactaaaat aagtctaata aataaattta gaacatattt tgaattaaat gataatgaga 300
atataccagt gataatttga gatgaaacca aagcattctt agaaaaaat taataacttt 360
aaaaatcctg gcaagtcaga gtggctcatg cctgtaatcc c 401

```

<210> 152
 <211> 410
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(410)
 <223> n = A,T,C or G

<400> 152
 ttccttgtgt atttttgata ttaaccctt accagatgta tggtttgcaa acattttctc 60
 acttaaattgt gtatgtttta tgtaaggaga ttgcaattat aatttactat attgttcttc 120
 attattgttt gagctaaaaa ttgttaaata cgcataatgaa cttgaatata ttatacatc 180
 acatttatgt tatgtattta cttatatctt gttataaatc acgtgaacac aaatttactc 240
 ttaaaactcag ttaactacca aaacttgaag tgtttggaaa tcaaatttgt gtgttttcca 300
 tgtgttctgt tgtatttttt taatggntgn tccagaacta agcgagttgc atattcacag 360
 ggccaagaac agctgagaaa cctatcttga gtaattggga agaactgagt 410

<210> 153
 <211> 373
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(373)
 <223> n = A,T,C or G

<400> 153
 caagatttca tctattgaat ttgggtacat ggtatgtttt agcagcgttt ttgttttttt 60
 ttttcttcct acnccaggn aaaaangctn tagnatttgn gaatgttggc agcaaatgac 120
 tgnctctac anagggttct ntgtctcccc aagnacccaa atgtggngac ctgnggcnt 180
 caggacagng nggntcacc caggaanccg gggganaacc cgntgcacta angctgtggt 240
 tgccttngga gggtgccctn acttnnaggc canctaacct tgcctccccct gtttaaaaaa 300
 nccnttnnat ncnannggg aaccnncna antnccccn aantnnaant ctngnccctn 360
 ttnnnttcc ccc 373

<210> 154
 <211> 368
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(368)
 <223> n = A,T,C or G

<400> 154
 gaagactcaa taatgtcatg tcagttcttt ccaacataac catatattct gtgcagttta 60
 tggacttgct aaattgagat gcatttaata taccacatca aaatcccagc aaatgatttt 120
 gtggatatct ccatangcnt annacaccta nnaaacccag aatantacta acatcnttgn 180
 aanttggat acgacactac ctgacttnaa natattactgt acgtgcctt aatnatngnt 240
 tnacngtcng gngnnttaat atacatctaa atctttatnt ctttnnttna aatnnnnana 300
 tnttnancnn ccnnttcntc ntttgatnnt tntnnnaag cttatgnttt tctttatnaa 360
 nanttcct 368

<210> 155
 <211> 380
 <212> DNA
 <213> Homo sapiens

```

<220>
<221> misc_feature
<222> (1)...(380)
<223> n = A,T,C or G

<400> 155
gaaaatattt ctaaaagcat caaagagatt ctagatatgt gaacttccat gttaaataatg      60
gtcattattt acaattaaga aatcctggcc gggcgcggtg gctcatgcct ataatcccag      120
cactttggga ggccgaggtg agtggatcat gaggtcaaga gattgagacc ctcttgcca      180
acatggtgaa actctgtctc caaaaataca aaaattagct ggggtgtggtg gngngcactt      240
gtngncncgg tncctganan gctnaggcan gaaaattgnt ttaancntgn ngggggaatn      300
ccnntnnnn ngccccaaaa aaaaantttt tnnggnaatn nggggggggn tccttttttn      360
ccnntcntt tttttttttt
                                     380

<210> 156
<211> 461
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(461)
<223> n = A,T,C or G

<400> 156
tcgaannact ncgnaaacnn ctacttgntc tttttgcagg atcccatcga ttcggttcat      60
ctgcagccct tgcctgagga taaggtttat gattgggtaa agatcagaat accagggccca      120
gctaaggcaa cgactccctc cccaaaccct tgggacctca gccagtocca aggtgcctt      180
gacaatcagg caggctcccc accgtgaggt tantttttnn tttnttttcg nnacncnntt      240
cnntcttttt tnttttngtg gnncacanc ctttactntt tcattcctcn caangtgtnt      300
nttttaanaa nanancactc nttcngtcnn tngngnnan gngtatntnn nncnntntn      360
taantanaaa tagtngnntn ggctctncct nnntcagnan aanaaatntg gntatnaaan      420
nnctccttct atgcnggggn aantnanngc actcnnaaaa a
                                     461

<210> 157
<211> 403
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(403)
<223> n = A,T,C or G

<400> 157
aactgaaaat gaaggatcag tcattgagaa aactacaaca ggaaatggac agtttgacat      60
ttcgaaatct gcagcttgcc aagagggtag aactacttca agatgaacta gctctaagt      120
aaccacgagg caagaaaaac aagaaaagtg gagaatcttc ttctcagttg agtcaagagc      180
agaagagtgt ctttgatgaa gatcngcaat cnacgataga agagaatgac cntntttata      240
cnntggntt gatctnnnnn atangncntt tttttnntc nttnttgcca nnaaaaaaac      300
ttntttttnc anttnccnc cnnnnnnnnn nttntnnng gntnctcat aaaannant      360
tantttcttt ttnaacnnnn nnttnttttn nccnnttttt ttg
                                     403

<210> 158
<211> 407
<212> DNA

```


<213> Homo sapiens

<400> 158

aaaatatttaa	acacaaacta	ccacctacct	cccgggccct	ggaatacagg	tttgaggata	60
cagtgttggc	agcttcaaga	agagaagacc	ttcttgccag	gacataaaat	gataacctcc	120
tctgggagcc	tgcttcgaat	agtgggactc	aggagataa	gaccttcttg	ctggattttt	180
atgacacaat	ctctttataa	ttttacaaat	aaaggaaaaa	agacccatgt	aagatatgtg	240
tgcccttcct	caggggtgtc	tgctggttgt	ctgatgatgg	tgtcagggca	gctaaggaca	300
ggataaaggc	ctggagaggg	tgcttggtcc	cttatgttat	cagcaccgtt	gtcctaggat	360
tcgtgagggg	attctggaac	caataaggga	gttgaactgg	acctgat		407

<210> 159

<211> 420

<212> DNA

<213> Homo sapiens

<400> 159

ggtatatgca	aacaacattt	aaagagctct	tcttattaaa	aaatttttaa	ttataataag	60
ttaaaattat	aataatctaa	gtgtttgtat	tacttccatg	ctacggataa	ggaaattgtg	120
tctcacagag	gtttcatgcy	ttgggtcaaaa	ttacacaaaa	agtaaaaggc	agaacctgaa	180
aataaggggt	cacatcttag	gactccaaga	tggtatacac	atttgacttt	tttgtcttta	240
aacttgctgt	gaacattttt	ccacttttga	ttcttaagta	taaatattaa	gtgccttctt	300
tgtatttcag	tattaggctt	ttaagtcttc	tacttccaaa	aaaaaaatta	aaagtaaaat	360
ttaacaagca	ttctaaatat	tccaattatg	aaatatattt	catattatga	gaattttctt	420

<210> 160

<211> 382

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(382)

<223> n = A,T,C or G

<400> 160

ggtaagactt	atattccatt	gtggatgtat	gtgggaaact	ttaaattgtg	actttctttt	60
tttttngnan	acanagtttt	gctnttggtg	cccaaaactg	agngcagngc	cnaaattgcc	120
ccnttgcnct	ccacctggg	ngatggaagn	naaacntgt	ntcancanca	ncaacaaatc	180
cnttgagta	gttnanctaa	agtacctaaa	taagganatt	tgaggnga	ggnggtcca	240
nnggtntncc	aaaggaaaaa	gtaaaaanat	ttgggttaaa	tnttaaccaa	agncanacan	300
aaaagagggg	agttaaaaaa	anacatctaa	anaggaggct	tancnttatg	aaaagtgccg	360
gaaatanctt	gntngtggtt	at				382

<210> 161

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(429)

<223> n = A,T,C or G

<400> 161

gtcctgacct	caagtgatcc	acttgccctg	gcctcccaaa	gtgctgagat	tacaggtttg	60
------------	------------	------------	------------	------------	------------	----

agccaccacg	cccggccata	aacatTTTTT	TTTTGGACA	aaaataacat	tattatagac	120
atTTTAGAAA	atacaaaaaa	aagaaaagca	aaattaaaaac	atattcctga	gtgaacattt	180
TGGTTTATAG	TTTTGAGAG	TTTTCCGTGT	GGATAAACT	CGGTGGAAAA	caaaaacctg	240
aaaaaaaaaa	aaactaaaaa	anaancTTTn	ggggtNctga	gncccnctga	aaantTntng	300
ggnggaaatn	cctattngtt	TTTTcangtn	cntgttactt	taaatnaagn	TTTTccancc	360
cgngggcccaa	anggggccca	gganggtttt	aaangcggcc	cancataaat	gggnaaattt	420
TTTTaaaac						429

<210> 162

<211> 420

<212> DNA

<213> Homo sapiens

<400> 162

aggactattt	tcacgtttta	atgccgagag	gtctctgtga	cgatttttgg	tggttgcaat	60
tagggattct	gtgaagtcag	taatagagga	gttgctctgt	gaattagtga	tggtggtttc	120
ggggcatggg	gatgggggtc	tgtgacgtcc	gttgatgggt	gtctgtgaca	gggatttctc	180
gggtcattga	tggggtctct	tgggatgagt	gattgggggt	tggggggtcag	tgacgggagt	240
ctgtgggtcag	tgactgaggg	cctgtagggg	cagctatggg	ggtcgggtgag	gactgtgatc	300
agcttgcttt	ctgacctgag	ttgaaagttc	agttctttcc	atttcagcct	gtaatatataa	360
gattaacaag	TTTTgatgtg	tagcaagttt	cgtattgggtc	aaatctaagt	gtttaaaaat	420

<210> 163

<211> 417

<212> DNA

<213> Homo sapiens

<400> 163

ataaacttca	gacctgcatt	tcagaatacc	atccagaaaa	tccattttga	cctcctgtaa	60
ccctccagct	tagcatgagc	aaacctaatac	tcactgtctc	ctccagctca	cttaacagaa	120
tttaatccac	ctatttttgt	aaactagcaa	ttctgaagat	gttctgagct	tcttctccat	180
caccatatac	actctcttgt	tcatacaagta	ctgataaatt	TTTTTTaaga	gacgggggtt	240
tggtctgtgt	gcccagactg	gccttgaact	cgtagggttca	aacagtcttc	ctgcctcagc	300
ctcccaagta	gctgggacta	caggcaagtg	ccactgcgct	ggcttaattt	tacttgagtc	360
atgtgtctca	aatctggcct	ttcatcttgg	tccacacgca	ggccttcac	acctctt	417

<210> 164

<211> 394

<212> DNA

<213> Homo sapiens

<400> 164

atgctgtaga	ctgaattgtg	ttccccaaaa	ttcatatttt	gaacccttaa	ttccccatat	60
gactattgaa	aatagggctt	cagggtggtaa	ttaagataaa	atagagtggg	aacctgataa	120
gacaggaagg	ccttataata	ataataagag	ataccagagc	tctctcttcc	ttgtgagaac	180
acaacaagaa	ctcagtttca	ccatgcccag	ctaattttgt	atttttagta	gagatggagt	240
tttattatgt	tggttaggct	ggtcttgaac	tactgacctt	aggatgatctg	cccaccttgg	300
cctcccaaag	tgctgggatt	acagacgtga	gctaccatgc	cggcctctt	ccagtctatt	360
ttctaacc	atttacactt	ctccctcaca	ctcc			394

<210> 165

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)... (417)
 <223> n = A,T,C or G

<400> 165
 cttcaccctg atctcccaaa taaaaatacc tatgtaacca tattataata atcaagatta 60
 agaaattaac atgaatataa tcaggaaatc aggcattact attataaaat ctattaactg 120
 tacttaaat ttaccagttg tcccactgat gtctttcttc tgggtctaaaa cccaattcag 180
 gatcacatgt tgcatttagt tacttttaat ctggaactta tgaacacttt gacaaatact 240
 tgtcagtatt ttgtatatcc tctctcattt tgggtttgta ttgcattttt catgggttaaa 300
 ttcagggttag gcattttttag caaaacatca aagtcagtgt cctcagngaa tttccatgan 360
 ttggcccctt actggtgatt ttaaccttga tcacttgnta aggggganct gncacat 417

<210> 166
 <211> 493
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (493)
 <223> n = A,T,C or G

<400> 166
 gaaaaaaaaa nttttgaaac ccctttggna cncnttaata caagctactt ggtctttttg 60
 caggatccca tcgattcgca acaaatcatc ctggagctag cattgcactc tcgagaccct 120
 ctcttaataa ggacttcgg gatcacgtg agcagcagca tattgcagcc caacagaagg 180
 cagctttgca gcatgctcat gcacattcat ctggatactt catcactcaa gactctgcat 240
 ttgggaacct tattcttctt gttttacctc gccttgacct agaataga aaacatttgc 300
 gatggaaaag tgactttgta atatcaaag ccaaagctac tatcattcag tgctacatga 360
 actgtgactt taagaatttt ggtgaacttt gatatttttt gtttgtctga aagaaaggaa 420
 tgtgtaagt aaagctgaaa gaagaataac caggatgatg agagctgtgg aagctgtatc 480
 gccaaaggaat tga 493

<210> 167
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 167
 ctggctccta ctacctgtct cactgtgttt cctactactc tcctgccctt tctcctctta 60
 ataaacactg ggctcatggt gtttccttta acatgccagg catgcttgac cctgtcctgt 120
 ctcagggcc tgctgttccc tctgcctgga acattcttcc catagtgtct gcatggctcg 180
 ctctctcact gctttggatt gctgctcaaa agtcacctta tcaaaggcct tcccaaagg 240
 tttaaaaatc attctactat aaagacacat gcatacatat gtttattgca gcactattca 300
 caataacaaa gacttgaac caacccaaat gccatcaat gatagactgg ataaagaaaa 360
 tatggcacgt aagcaccatg gaatactatg cagcataaaa aagaatgagt catg 414

<210> 168
 <211> 487
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (487)

<223> n = A,T,C or G

<400> 168

ttggannccn	tttgagnacn	ntanaataca	agctacttgt	tctttttgca	ggatcccatc	60
gccttactct	tatttgctta	gcttgggggt	tcatcaaagc	aggcacattt	gcaagaagtc	120
atctacttat	tgaacaactc	tcaggaaaag	acataaatgt	cattttgttt	tcaccttcta	180
tgaatcatag	ttggtatctt	caacagagac	agcaagtgc	aaatgtctgg	aaaaatctct	240
gagttagaaa	agacttacag	aaaataagca	aatttaggtt	aaaaatgccc	catctctctc	300
tttttctgaa	acccagacat	acacacacag	agtcaccttg	tttgcttgca	attttaatct	360
ataaaaggta	ctcataggta	atttaaattc	tagtgaatca	tccctttgga	aactaattga	420
aagntttttt	atTTtgaaat	atcaaggcat	ttttctttta	aattctatan	gaagtanggg	480
cttcagg						487

<210> 169

<211> 452

<212> DNA

<213> Homo sapiens

<400> 169

actatagaat	acaagctctt	gttctttttg	caggatccca	tcgattcgtc	ataatgtaag	60
agataattta	ggccaaatat	tgacttggag	tattaaacag	atTTtgtaaa	actgaaaaac	120
aaatggaatc	aagtgagtat	atTTtgata	ctttgaaaac	aaaaatacat	agtcataatt	180
gggctttgtt	aactagttac	agaatcaaga	aagcttgaag	aagtttgaag	gttacactgg	240
ctaatacatg	ttaaaatata	atggaaatag	aaacataaga	agttacattg	ataattctct	300
aagggtttgt	gtaatgggaa	aaaaacccaa	taatttttagt	gactatcata	ttcctttttac	360
tacatctttg	ggtgtatagt	ttaacttcga	acactcactg	atttcaggcc	attcagtcce	420
tttgggcaaac	caacataaaa	atcttttttt	tt			452

<210> 170

<211> 154

<212> DNA

<213> Homo sapiens

<400> 170

actgattgga	actgtattat	attaaaatac	taaaaatcct	aagtgtcttt	cgtctttgcg	60
gatgggaaag	ggaaaaatgc	tacctcgtag	tggtctctga	tggaacagg	acgggggttc	120
tggtgctgcc	ttcctgtgtc	tttttttttt	tttt			154

<210> 171

<211> 413

<212> DNA

<213> Homo sapiens

<400> 171

gttctggagg	ctgggaagtc	caagatcaag	gggctgctct	ggcaagggcc	ttcttgctgc	60
atcatcccat	ggtggagagt	ggaatggcaa	gacagatcaa	gaggggacct	aactggcctt	120
ttataaggaa	cccagttcca	cagtaatggc	attaacccat	ccatgagagc	agagcccat	180
gatctaaca	ccttttatta	ggccctgctt	atactgttgc	actggggatc	aagttgcagc	240
acttggaact	cgggcaacac	attcaaacca	tagcaggcac	cttaataaag	gtggaaaagg	300
gatgtggcag	ctacagtggg	agggaaaagg	tggctccctt	agtgtgcttg	ggaggagggt	360
aagagatgcg	tttgcagttc	tcattggccgc	agactgaagg	ggcctgggta	cct	413

<210> 172

<211> 460

<212> DNA

<213> Homo sapiens

<400> 172
 tctagaatac aagctacttg ttctttttgc aggatcccat cgattcgcac atttcaagtg 60
 cttaacagcc tcatgtggct agtgactgct gtattggacg gtacagatat ggaacatttt 120
 catcatcgaa gaaagtccta ttggacaaca cttctataaa aagtttgaga gcaggaattc 180
 tcatttccat tcgtctgtag cttctatccc caaaggcaaa gaaactaaaa gagaaatgac 240
 tcattgaaga ttggcctctt tcctttctct aagacaaacc taagtaaaaag cctgagcttt 300
 gagtccatg ctcagcacac gggaaggaga tgtaataat taaaataaag ttgatatact 360
 gtctttaggg agttcccttg atctcttgaa agagacacag cccattttac attatttcgt 420
 ggatttcacc agcataagta taagtttttt ctgtaagtcc 460

<210> 173
 <211> 373
 <212> DNA
 <213> Homo sapiens

<400> 173
 atcccacaga cagcagccag ccacgtggac tcctccaacg ctcttcccag ggatgagcag 60
 ccgcccgtg acatgcttcg gcctgacccc cgggacaccc tctatcgagt gcctctgac 120
 cccaagtcgc atctccgcca cgtcctgcct gactgtccct acaaaccag ctatctggtg 180
 gatgggcttc ctctgcagcg ctaccaggga ctccggtttg ttcattctgtc ttttgtttac 240
 cccaatgact ataccgcct gagccacatg gagaccaca ataaatgttt ctaccaggaa 300
 aacgcctact accaagaccg gttcagcttt caggagtaca tcaggattga ccagcctgag 360
 aagcaggggc tgg 373

<210> 174
 <211> 390
 <212> DNA
 <213> Homo sapiens

<400> 174
 cttttttttt gtttgttttt cttaatagat gcgctctgac tttgttgccc aggctgatct 60
 tgaactcctg ggctcaagtg atccttcccg ccttggcctc ccaaagtgtt agggtttact 120
 gcgtgagcca ctgtgcctgg ccaggtttgg tcaatcttta tctcattgct tagagagaac 180
 ctctctgga aatcttcttc tctcggtagc ttattctctt ctagtattgg gtcctgagaa 240
 ctccagagtc ttagcctccc tggacttctt tctagcctta tctccttgac ttacaaaggc 300
 tectgaatcc catgtgattt ccccttctt tgcaggatag tttggaaact tcagtcagtt 360
 aaactggttt gatcaaaaag cttacataat 390

<210> 175
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 175
 gtttcagaag ggcataaaaa tcaacatgga caagaatcgg aggcgaaatg cttcccgggtg 60
 ccgggagtga gcgatgagct ggcttctgtt cctggccac agagtcgcct tggccgcctt 120
 gccctgccgc cgcggctctc gcgggttcgg gatgttctat gccgtgagga ggggcccga 180
 gaccggggtc tttctgacct ggaatgagt cagagcacag gtggaccggt ttctgctgc 240
 cagacttcgt cgtcgtctac actgatggct gctgctccag taatgggcgt agaaggccgc 300
 gagcaggaat cggcgtttac tgggggccgg gccatccttt aaatgtaggc attagacttc 360
 ctgggcggca gacaaaccaa agagcgga 389

<210> 176
 <211> 411
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 176

gaccacctga ttgcctcttc gtgctagacc ttgaaccaga ggcactccgc taagctttct	60
gaccacaga aactatgaga tcataaatgg attgttttaa gccactaaag atttgaagta	120
atttgtcatg cagcataggt aactaataca gtagtgtact tatttgccaa agtaataatt	180
tttaaaggaa tacagcaaaa tataagactc catcataatc tggcatgcaa taaaaaatta	240
ctagacaatg aagaagcagg aaaatgtcac ctataaccag gggaaaaatc agtcaataga	300
tgcagaccta gaacggatag aaatgatagg attagcatgc ngcaatgnaa atatgatctc	360
tgcttaaagt atgtgaaggg aagcatgccc agatgaagaa agaaatgaaa a	411

<210> 177

<211> 449

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(449)

<223> n = A,T,C or G

<400> 177

tagttttgna ctatagaata caagctactt gttctttttg caggatccca tcgattcggc	60
gcttgcacgc tgcaggagcc gcaaacgtca gctgttctgg aaaccgagag ggtcccagag	120
agaggagata cgggcgcatt tgagagcaag ggcctacttg gccgggactg aagcttgcca	180
gttgagctcc agttcggccg gcagttccat cccgcttcag gaacaggaat ccaagggccc	240
acgctctgtc tgccaagggc cattctctgcc cggagcaccc tcttttccct tgcgcttgct	300
ctccggtacc tgttccgcac ctgagctcaa gggcaggag aggccgggccc tctggcagtc	360
cacgaaggaa gccgtctgcc ttcggttatg attttaggaa caagtccaac gaggggtgttc	420
aagcaagtta atggttgtgc taactcttg	449

<210> 178

<211> 365

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(365)

<223> n = A,T,C or G

<400> 178

gagagccggg cggccgagga cggcttccgc aaggcccaga agccctggct gaagaggctg	60
aaggagggtg aggcttcaag aaaagctacc acgcagcccg gaaggatgat aagaccgccc	120
atacgatgga tagccacgca aaggcaaacg gcgcgtctc ccaggagcag ctgctcaaac	180
tgcnagaacg ggtngtacgc tgtgccaagg aggcgcgcaa gacaaaagct tantntgatc	240
antccctggc aanctgnatc gctcactcca cgctacatgg nggacatgtn catgcctttg	300
anaccngcca ngccntnnnn cncagnggn ttnttttctt tanggtntgn tnntcanctt	360
nttct	365

<210> 179

<211> 391

<212> DNA

<213> Homo sapiens

<400> 179

```

agaaagctta cagaaaactc gccctgaaat ttcaccctga caagaactgt gtcctctggag      60
caacagatgc tttcaaagca ataggaaatg catctgcagt cctgagcaat cctgataaga      120
gacttcgcta tgatgaatac ggagatgaac aggtgacttt cactgcccct cgagccagac      180
cttataatta ttacagggat tttgaagctg acatcactcc agaagagctg ttcaacgtct      240
tctttggagg acattttcct acaggaaata ttcatatgtt ttcaaatgtg acagatgaca      300
cttactatta ccgtcgacgg caccgacatg agaggacaca gactcagaag gaggaggaag      360
aagagaaacc tcagactaca tattctgcat t                                     391

```

<210> 180

<211> 401

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 180

```

gaggattccg ctctttctcc atcagtttca tagccctgga attgtagaaa agctctgggt      60
tcaagaccat tgatatccat ttctgtcagg gtgtcgagaca aagagaaaat tgaccaactt      120
caggaagaac ttctgcacac tcagagcaaa atttggaagg tgtaatgata gaaccttatt      180
attatcgata gatgcaaaaag ctaattgaga aataaggaat aaagacagaa ctagataagt      240
atggagttaa ctcatattata tgtaaaaacc tattttgagt gaatcttatg cccaaaaggg      300
agaaagtggc ttgccttata taaacttatg cttgcatttt tacattgata agctaatacag      360
gtaaagaaat tcgagttggg ctaccacatc gtctagnngc t                                     401

```

<210> 181

<211> 405

<212> DNA

<213> Homo sapiens

<400> 181

```

tgcatatgtg atgagatgaa gtgaggtgag gtgaatgatt gtaggcgttg tgacataatg      60
tttggctact gttgactctc caacaggatg tcaggaggag gatcatttga ttcagggtgat      120
ctagatcatc aagtcgtgac agtggtgata gctaaatgtc aggagcaaag agtgtccatg      180
actaacaggc agcatggata tgctgggcaa agggatgatt cacatcttgg gcagcacacc      240
atgagatttc ttcattgctac tcataatgac atgcaattta aaacttataa agtgtttatt      300
tctggcattt ttaatacttt tggaccatgg ttgactgagg gtaactgaaa ccaaggaaag      360
caaaaccaca gataaggggt gactactgtg tgcccatttt tatta                                     405

```

<210> 182

<211> 408

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(408)

<223> n = A,T,C or G

<400> 182

```

agaaaaaagg gtggatggct gaatacaagc tagtctcact tcactagaaa tgtccacatc      60

```

ctaatagtga	acctgatttt	tataagcatt	taagtgtctt	ttcatgttcc	ctttctacca	120
cattcagaaa	ttgctacttt	tcctttaaaa	acatttaatt	tttgttatat	agattttcaa	180
gatgtggaat	aaagaacttt	atgtgagaga	acagcaggat	gcatatgaat	tctttactag	240
tctcattgat	cagatggatg	aatacctcaa	ggtagtaaaa	gttgtagctt	ccctctaact	300
ccctcaaact	ctaattatag	tatgagaata	gtgcttagca	tttgggggta	ctatgaaact	360
gacgaatcag	aaattgatta	tctttaacat	aagaactatt	atnggatt		408

<210> 183

<211> 439

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(439)

<223> n = A,T,C or G

<400> 183

ccaaagtgtc	gggattacag	gcatgagcca	ccgtgcccag	cctacacgta	tgcagataca	60
cacaaatata	cacacacact	gaaacatgca	tgatgggtgt	atagggccta	aattattgct	120
gtgtgggtat	tcctaattct	gcccctttct	cctggtttct	aaggaacatc	ctcttctggg	180
ccagctccca	ggttctcctt	gttgcacaga	accaaactaa	ttcactaata	agagcagggg	240
aaaaaaaaaa	aaantaagcn	gggctnnggg	gctcaccccn	gtaanccnaa	aacttcggna	300
nactgancca	gnannatggg	ttgnnccccg	gagtttttaa	ccanccngga	naacaaaggg	360
anannctcat	ttctaaaaaa	naaaaaaaaa	antttttttt	antnaccncc	ggcgggggga	420
ccctgccctt	tattccacc					439

<210> 184

<211> 459

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(459)

<223> n = A,T,C or G

<400> 184

tttganaccc	tttgagnacc	atagaataca	agctacttgt	tctttttgca	ggatcccatc	60
gattcgaaca	acaacaattg	cattcatttt	atgtttcagg	ttcaggggga	ggtgtgggag	120
gttttataat	ncntnccgt	tentgnggcc	natncttgn	cccatanttn	ccttcttcnn	180
ccatttttnc	tatttngatt	ggaaccctga	tctacnggca	ctgnagcnta	atnaaatngt	240
atcccttctn	ncgttccntt	ntnaaccntg	acttttannc	tcantntntc	tnctgccgct	300
ttttctntnn	ntaaaccnnn	cntnttacct	tgntaatctt	ttaggataan	ctgnangatc	360
nnncatctct	nttaaangnc	nncccccttg	aacgatnnnt	natncngtga	tccaccnatt	420
ccnntnngtc	cccccttnat	cggggnctgn	cagcttccg			459

<210> 185

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 185

gctgggaagc	agagggtaat	aagtggcgcc	ttaagacaac	cctgtagcag	cagcagtggc	60
ggccaaagga	ggctgctcag	ggaacaagcg	gctgtagtag	tctgtggggc	gactggagtg	120
accgaagcca	aggcagttta	gtgcctctcg	tgttcttatt	ttttaacctc	tgactatgca	180
attctgaaac	ctccccatt	cgggggacca	gacagcctga	tagacacctt	ccactctcct	240
tcctcccgcc	gtggtctcga	gaacagaagg	atctctcctt	aacgcctttc	accattaaga	300
ggaaagcgat	ggaggagctg	agcgctgatg	agattcgacg	gaggcgctt	gcacgacttg	360
ctggtggaca	gacctctnag	caaccacccc	actnaccttt	tcccanaagg	agaaccctc	419

<210> 186

<211> 397

<212> DNA

<213> Homo sapiens

<400> 186

aatctctatg	gagtggcctt	cctcctaccc	tagtgatggc	agttcctgcc	acagttatatt	60
attttacctg	ctatgatcaa	ttaagtgtc	ttctgagatc	taagttagga	gaaaatgaaa	120
cctgcatacc	aattgttgct	ggaattgtag	ccagatttgg	tgagtaact	gtgataagtc	180
cactagaatt	gattagaacc	aagatgcagt	ccaagaagtt	ttcttacgtg	gaactgcac	240
gatttgtcag	caagaaagta	tctgaagatg	ggtggatttc	cctttggagg	ggctgggctc	300
ctactgttct	tagagatgta	cctttctcag	caatgtactg	gtataactat	gaaatttta	360
agaagtggta	tgtgagaaat	ctggtttata	tgagcca			397

<210> 187

<211> 413

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (413)

<223> n = A,T,C or G

<400> 187

ctcgggcgct	gacggcgcg	gtggcgctgc	ggtggcgggc	cggtcggaca	agggcagtcc	60
cggggaggac	ggtttcgtcc	cgtcggcgct	ggggaccgc	gagcattggg	atgctgtcta	120
tgagagagaa	ctgcaaaact	tccgagaata	tggagataca	ggtgaaatct	ggtttgga	180
agagagtatg	aatcgactaa	taagggtgat	gcagaaacac	aagattccac	tggatgcttc	240
agtgttgat	attggaactg	gaaatgggtg	tttcctggnt	gaacttgcaa	aatttggttt	300
ctctaataat	actggaattg	attactctcc	ttctgcaatt	caactttctg	gaagtattat	360
agaaaaagaa	aggttatcta	acattaaagt	taaaggnaga	aaactttttg	aat	413

<210> 188

<211> 394

<212> DNA

<213> Homo sapiens

<400> 188

aaattttcta	tataataata	ggctcathtt	aactttaaat	ataaacactc	attattttcaa	60
aagtaaaatt	aatggttctt	ttaagtcata	agaggaataa	tgttataatt	cacttactga	120
agtgtttgtc	tcagactttg	taatgaatac	tttaaaccac	aaattaagtt	ctacatacta	180
tctatggata	aaaagaagtg	gtttgtaaat	ttatctttat	ttttactaaa	ttaaaaaatt	240
taaagccaaa	atgttaggtc	aggattttaa	acaagcattg	ggtggacagg	gtgttgggag	300
taatggttag	attgaaactc	ggtgtcagct	ggttactgat	tgcatcccca	ctttaggatt	360
ttggtaaaa	taaagcaatt	aatgcaaata	aagg			394

<210> 189
 <211> 398
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(398)
 <223> n = A,T,C or G

<400> 189
 gtttaattaa aacaaagcat cgcgaaggcc cgcggcgggt gttgacgcga tgtgatttct 60
 gcccatgtgc gtcattgccc caatgtnann atnatccntn tnntananna ccattggaan 120
 nnnttaangg tatattanta nagtncaaaa nctcttnatt anctacaga nanggataat 180
 ttaaattntcc aangttggna nattcatntn tattangcna tttntntnca gatannngct 240
 tngacncaag tttnncaact gnaatnttaa agtatncatg gttngtacct attnnaagtc 300
 ngctttgaga aaangagggn tnctatnggg ggtattgncc atctnaccgt nananctnga 360
 aaaaaatgga ctgaatgnnt anaaacngga ttaatttta 398

<210> 190
 <211> 409
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(409)
 <223> n = A,T,C or G

<400> 190
 attttgatga atgggttgaa taagttttgt attctgctgt tcttatgtgg actgttctct 60
 aagtgtcaat tgggtcacgc aggttgatgg tgaagttcac atctactatg tcctttctga 120
 ttatccactt gttctatcaa atattgagag aatattggaa atctccaacc attatactgg 180
 atttgtctgg atagtttttc aatcctatga acattcttaa gctttgttct gagatgcagc 240
 taagttcctt ggaaacagtt ttgtgccctt aagtcttgc tttatgattt gtttggtggg 300
 tgtcgagtag tgctcagtgt agtgctaacc attccccaca actgaggaat gaacgcctgg 360
 gtattttaac ctatgcctta tgagttatga ntttttctgt ctgcttggt 409

<210> 191
 <211> 406
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(406)
 <223> n = A,T,C or G

<400> 191
 gccgcgcga tgggggcctg cctgggagcc tgctccctgc tcagctgcgc gtccctgcctc 60
 tgccggtctg cccctgcat cctgtgcagc tgctgccccg ccagccgcaa ctccaccgtg 120
 agccgcctca tcttcacgtt cttcctcttc ctgggggtgc tgggtgccat cattatgctg 180
 agcccgggcg tggagagtca gctctacaag ctgccctggg tgtgtgagga gggggccggg 240
 atccccaccg tcctgcaggg ccacatcgac tgtggctccc tgcttggtta ccgcgctgtc 300
 taccgcatgt gcttcgccac ggccggccttc ttcttctttt tcaccctgct catgctctgc 360
 gtgagcaagc agccgggacc cccggcttgc catccanaat ggggttt 406

<210> 192

<211> 396

<212> DNA

<213> Homo sapiens

<400> 192

ctcaccggtg	gctacaacct	ggccagcgtg	agcgtgtggg	acctggcggc	gccctccctg	60
catgtgaagg	agcagttgcc	ctgtgcaggt	ctcaactgcc	aggccctgga	tgccaacctg	120
gatgccaaac	tggccttcgc	cagcttcacc	agtgggtgtg	tcaggatctg	ggacctgcgg	180
gatcagagt	tggtcaggga	cctcaagggt	tatcctgatg	gagtcaagag	tatcgtggtc	240
aagggctaca	acatctggac	tgggggtccg	gatgcctgtc	tgcggtgctg	ggaccagagg	300
accatcatga	aacctctgga	gtaccaattc	aagtctcaga	taatgagcct	gtcccacagc	360
ccccaggagg	actgggtgct	gctggcatgg	caatgc			396

<210> 193

<211> 385

<212> DNA

<213> Homo sapiens

<400> 193

ggcagttgac	cgaaccggaa	agtggcagga	gttggagtac	ccgagccccg	cttaccctgc	60
ctttgcatgt	gggtcaggat	attgatctcc	aaggacatcg	tcaagtggct	ggcaagcaac	120
tcggggagggt	taaagaccta	tcagggtgaa	gatgtaagca	tgggcatctg	gatggctgcc	180
ataggacctta	aaagatacca	ggacagtctg	tggctgtgtg	agaagacctg	tgagacagga	240
atgctgtctt	ctcctcagta	ttctccgtgg	gaactgacgg	aactgtggaa	actgaaggaa	300
cgaaggtctg	acacaggaac	tttgagaaga	cgtgacagca	atcccttcac	cttttgaatt	360
gtcatggagc	ctatcaaaag	acaag				385

<210> 194

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (402)

<223> n = A,T,C or G

<400> 194

agtttcttgt	gttactat	ttt	gttcattgaa	gagctcttta	tatat	tttttg	aatgtaaatt	60
ctcga	tg	tg	tg	tg	tg	tg	tg	120
tttcaataat	tttgagttat	aggtgg	tttt	ggttacatta	atgagttctt	ttgtgg	tgat	180
ttctgagttt	ttaggtgtac	ctgagcag	tg	tacactgtgc	ccaatatgta	gacttatccc		240
tcat	tt	tt	tt	tt	tt	tt	tt	300
aatntggnnn	acgncnctn	cnttngggg	ntcagganat	cttctncnag	aacctcngcc			360
ctcttgaggg	ggnantttca	nnagggngcc	ccctnntggg	tt				402

<210> 195

<211> 362

<212> DNA

<213> Homo sapiens

<400> 195

aggatggctt	gagcctggga	ggtcaagact	atagtgagct	gtaatcatgc	tactgcactc	60
cagcatgggt	gacagagcaa	gatgctgtct	aaaaaagaat	acttattgta	aagtttgggt	120
acaggaataa	tgaagtcatt	gatagtttat	gaacaggcta	tgaagttgat	gccccaaaga	180

```

aataaacagt ttgtaaatta ataacttatt ttgagttgtg acaagacaat gttgaaagtg      240
atgcatgaag cggcaggcag accatccaca tcagttttac agaaaaaaag ttaatcttgt      300
tcgtgctgca gtgaagagaa cagcaaacag gagaaacaat agtcaggaat tcaataatag      360
cc                                                                                   362

```

```

<210> 196
<211> 404
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (404)
<223> n = A,T,C or G

```

```

<400> 196
acacacacac acaacacaca cacacacaca catgcacata cagactcggg cccaaaaaaa      60
tgtgtccctt tagcagggtt agccttccac ccaagatgta agagaggcct ggtcagggga      120
gaatttgtct tgtgttggtg ttcgttcatt ttcagaaaag tagcaggcaa gtccttgttt      180
aatgtaagggt tgtttttggt tgatggcatg tgaattgtcc cttcagcctt gctgagcatc      240
actcatcaca acaaacaaga gctatcctaa gtagtttgct aatacagcag ttttaaggctc      300
aaaagcatta aaggacaata acatctaata cagttatacc actgnactgg catgacttac      360
tttcacacat attatctggg ngngngggga atcagtaatc catt                               404

```

```

<210> 197
<211> 396
<212> DNA
<213> Homo sapiens

```

```

<400> 197
cggagggttc tgccgcacgg catgggccgg ggcctcttga cccggaggcc aggcacgcgc      60
agaggaggct tttctctgga ctgggatgga aagggtgtctg agattaagaa gaagatcaag      120
tcgatcctgc ctggaaggtc ctgtgatcta ctgcaagaca ccagccacct gcctcccgag      180
cactcggatg tggatgatcg gggagggtgg gtgcttggtc tgtctgtggc ctattggctg      240
aagaactgga gagcagacga ggtgctattc gtagtgtagt ggtggaacgg gaccacacgt      300
attcacaggc ctccactggg ctctcagtag gtgggatttg tcagcagttc tcattgcctg      360
agaacatcca gctctccctc ttttaaccag cttttt                               396

```

```

<210> 198
<211> 407
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (407)
<223> n = A,T,C or G

```

```

<400> 198
atgaatttga agatgaagaa atgctggatg aagaaggtag aaccaggtta aaattaaagg      60
tagaaaatac tataagatgg aggatacgcc gagatgaaga aggaaatgaa attaaagaaa      120
gcaatgctcg gatagtcaag tggtcagatg gaagcatgtc cctgcattta ggcaatgaag      180
tgtttgatgt gtacaaagcc ccactgcagg gcgaccacaa tcatcttttt ataagacaag      240
gtactggtct acaggggacaa gcagtcttta aaacgaaact caccttcaga cctcactcta      300
cggacagtgc cacacataga aagatgactc tgtcacttgc agatagggtg tcaaagacac      360
agaagattan gaatcttgcc aatggctggg cgtgatcctg aatgcca                               407

```

<210> 199
 <211> 371
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(371)
 <223> n = A,T,C or G

```
<400> 199
gaagacgaga cgcaccccaa catcgacacg gccagtctct tccgctggcg gcatcaggcc      60
cgggtggaac gcatggagca gacctctatg aaaatgatta ncccngnntg ttangtgtgn      120
tttaanaanc accatgntgg ntatgactat tttatctatt cagantcgcg nattgntntt      180
nncaagaaan gctnnatcct gttcttataa tgacatttgn agtggtgana taggnntttt      240
ntnntcatan aacagnngng atcanttttc tcttgantna ctcnnttnat ttctttttca      300
cntngngana tttcatgant nncannntc  tnanaannaa ntctttgnga nnnngcnnntn      360
attnatngtg c                                     371
```

<210> 200
 <211> 447
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(447)
 <223> n = A,T,C or G

```
<400> 200
gaaacnnna actctanaat acaagctact tgttcttttt gcaggatccc atcgattcga      60
aagaaagtag gtaaaaaaag aaaagggtag ataatctttc gtatgcaaac ttttccctta      120
tattttgtct ttctttcctt tttgacttta gtagcatcct ccacacattt gtgtgcctga      180
tttgaaanga agccgganca cccaccnngt ttntnttttt nngaattaaa acngganctn      240
acgcncang gcccaacttg nnanngganc cnnncecccc gcnctggagt tcctncattt      300
tacncccaa canggnnncc ngaccctgnn ncctnanga ngatcgcccc ntcaaattcc      360
acnaaaaaan cnggtttnt tttccaaaag ccccanacg ngnggggnnt caaaggtnng      420
aactttcctn ttgnngaanc nggtccc                                     447
```

<210> 201
 <211> 406
 <212> DNA
 <213> Homo sapiens

```
<400> 201
ctccccagc actgaggagc tcgctgctg cctctttgcg cgcgggaagc agcaccaagt      60
tcacggccaa cgccttgga ctaggtcca gaatggctac aacagtcctt gatggttgcc      120
gcaatggcct gaaatccaag tactacagac tttgtgataa ggetgaagct tggggcatcg      180
tcctagaaac ggtggccaca gccggggttg tgacctcggt ggcttcatg ctcaactctc      240
cgatcctcgt ctgcaagggt caggactcca acaggcgaaa aatgctgcct actcagtttc      300
tcttcctcct ggggtgtgtg ggcattcttg gcctcacctt cgccttcac atcggaactgg      360
acgggagcac agggcccaca cgcttcttct ctttgggata tctttt                                     406
```

<210> 202
 <211> 400
 <212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (400)

<223> n = A,T,C or G

<400> 202

gaaggagggtg	gtggctgcgt	tgggctccgg	gaagccgttc	gggctggggc	tgctggccgc	60
ggggcggagg	cactcgcgcg	gggggtaatt	cggggctctg	gttctgggtg	cgcgcagctt	120
tccccgtcta	aaagttaggt	ttaattgggt	gcccacagga	ttgacttggc	ctctacttct	180
tgtaaggaa	attcatctct	tgttttatca	gggtgtgtgtg	gtttcagcgc	agcatggctg	240
tggtcatccg	tttgcaagg	ctcccaattg	tggcggggac	catgcacatt	cgccacttct	300
tctctggatt	gaccattcct	gatggggggc	gtgcatattg	tanggggcga	actgggtgag	360
gctttcatcg	ttttttgcn	ctgatgaaaa	tgcaaggctt			400

<210> 203

<211> 404

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (404)

<223> n = A,T,C or G

<400> 203

gtgcattttt	agtagagatg	gggtttcacc	atgttggtcca	ggatgggtctc	aatctcctga	60
cctcgtgatc	cacccacctc	agcctcccaa	tgtgctggga	ttacagggtg	gagccaccac	120
acctgggcct	ttttatttct	ttttaatttt	gtgtggactt	caatggtaga	agttatagtt	180
gatttgacca	gaaagggaca	tgtgaaaaac	cttctctaaa	tatttccttt	ttttttcttg	240
tgtgtgttgc	tctatctgta	atcattagta	ccccctttc	tatgttcatg	ttagttttgc	300
tccttctgtg	tttttttctg	aaccatatcc	atgttgctga	cttttccaaa	taaaggtttt	360
cactcctccn	ntaannann	anacacccan	cntaanntgg	aaaa		404

<210> 204

<211> 413

<212> DNA

<213> Homo sapiens

<400> 204

ccaagggtata	tcttaaatgt	acttgattga	tgtctcatgt	ctccctaaaa	tgtataaaac	60
caaactgtgc	tctgactacc	ttgggtacat	gttctgagg	tctcctgaag	gctgtgtcac	120
aggccatggt	ctttcatatt	tggcttaaaa	caaactctct	caaataattt	atgtagtttg	180
actcttttcc	tcaatagaac	tcatcattta	accagttaag	tattttgagt	tagtttggga	240
ttaaacacga	gagttttgac	aggagactga	aacaatagta	gtttcatcaa	aagttgatgc	300
tatctacgta	gatccagaca	tgataagata	cattgatgag	tttggcaaac	cacaactaga	360
atgcagtga	aaaaatgctt	tatttgtgaa	atttgtgatg	ctattgcttt	att	413

<210> 205

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(483)

<223> n = A,T,C or G

<400> 205

ttgttggcct	cnanaaaca	gctacttggt	ctttttgcag	gatcccatgc	agaggactat	60
ttctctttct	tcctctcatt	acattcataa	acaatagcca	gagatgcttt	gactatctca	120
gttctgttct	gattatctgt	tgctgtatgt	tccacagtga	gcaggcttat	gcaaacctaa	180
cctcaaaggc	tgaggaggt	gagaggctga	agaaagagac	tgacaaatgc	agtttctctg	240
agaggaacgt	ttaagagaaa	tttaggaaca	gaagccgtgt	cttgggatgg	cctctagaca	300
gtggatcccc	atacctgccc	tccagagagt	attccttatt	tagcaagctt	tttttggtaa	360
aatgtgcaac	tggtcatgtc	ttcaaccctc	ttgtgaaact	caccactggg	gaagttaagt	420
taagtgtttt	tatgagggat	tatctatgct	acaggcattg	cttctttatg	aggggttatt	480
tat						483

<210> 206

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(416)

<223> n = A,T,C or G

<400> 206

tctttatcca	ttttgaatta	atttttgtat	gtgggtgtaag	taagggtccg	acttcattct	60
ttttcacgtg	gatattggat	ttcccagtac	catttggtga	aaagactgtc	ctttcctctc	120
tgatatgtat	tggccccctt	gtcaaacacc	atttgactag	aaatgcatgg	gtttattatt	180
gggctatcta	tattttgttt	cattggttta	tatgtctttt	tatgctggca	ccattgttgt	240
cttgattact	atttgtattt	aagtatgttt	tgaaatcagg	acatgtaagg	cctccaactt	300
tgntgntctt	tttcaagttt	gttttggttc	tatggggcct	ttgagattcc	atatgaattt	360
aaggataggt	tttctgtttt	ctgcaaaaat	gccattggga	ctttgacagg	gatttg	416

<210> 207

<211> 416

<212> DNA

<213> Homo sapiens

<400> 207

gtgggccgta	ggggcgacat	tgttgccgtt	ttctttcccc	ccccagtcce	ggggatggag	60
atgtcgggac	tcagcttttc	agagatggag	ggctgccgta	acctacttgg	cctactggac	120
aacgacgaga	tcattggcct	atgcgacacc	gtcaccaacc	gcctgggtgca	gcctcaggac	180
cgccaagatg	ctgttcatgc	aatattagca	tacagtcaaa	gtgcagaaga	acttctgagg	240
cgtagaaaag	tccaccgaga	agtttatatt	aagtacttgg	caacacaggg	gattgttata	300
cctccagcta	ctgaaaaaca	caatcttatt	cagcatgcaa	aagattactg	gcaaaagcaa	360
ccacaactga	aattgaagga	acgccagacc	agttccaaga	cagaggacat	tcacct	416

<210> 208

<211> 397

<212> DNA

<213> Homo sapiens

<400> 208

gttaagatga	acagtctgtg	ctaacagtaa	accagtatca	ttaaataaaa	caaaagggttc	60
ttgtaattgt	agggcatcaa	actgctatta	catgcattta	gaaaccaaga	tacaagtaaa	120
aatactagta	atgtgtcatt	taagtagctg	gaatctattg	tatattttca	aggccttaaa	180

```

agatttcctc ctgactctgt agctgccttt ggtgataggg tttcctttat tttagtgttt      240
tatttttaaaa tgtaaatagg attccaagta tggatataga gtttcctttc ttttagtatt      300
taatttttaaa atgtaaatag gatttcaagt atggatcaga agcctgttct tttatctaaa      360
aaaatttttt aaataatctg aaataatgat taagagt                                397

```

```

<210> 209
<211> 406
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(406)
<223> n = A,T,C or G

```

```

<400> 209
gtgggccgta ggggcgacat tggtgccgtc gtttttcccc cccagtcctc ggggatggag      60
atgtcgggac tcagcttttc agagatggag ggctgccgta acctacttgg cctactggac      120
aacgacgaga tcatggccct atgcgacacc gtcaccaacc gcctggtgca gcctcaggac      180
cgccaagatg ctgttcacgc aatattagca tacagtcaaa gtgcagaaga acttctgagg      240
cgtagaaaag tccaccgaga agttatatat aagtacttgg caacacaggg gattgttata      300
cctccagcta ctgaaaaaca caatcttatt cagcatgcaa aagattactg gcaaaagcaa      360
ccacnactga aattgaagga aacgccagag ccagttacaa agacag                                406

```

```

<210> 210
<211> 401
<212> DNA
<213> Homo sapiens

```

```

<400> 210
cacttgacac ctcaaagcca cattggactc attttttctg ctacctttat aaaccttcaa      60
actgttcaag agtcaatggt atgtatcatc ttccggtatc aatcatcatg ttttggtttg      120
tttggtttgg tttggtttgg tttggttttt gacaaagtct cgctctgtcg cgcaggctgg      180
agtgcagtgg cactgtcttg gctcactgca acctccccct cctgggttca agcgattctt      240
ctgcctcagc ctcttgagtg gctgggatta caggcgtgtg ctactacgcc tggctaattg      300
tatttttagt agagatggga ttccactgtg gttaccagc ctgggtctgga acttctgacc      360
tcaaatgatc cacctgcttt ggactcccaa agtgctagta t                                401

```

```

<210> 211
<211> 412
<212> DNA
<213> Homo sapiens

```

```

<400> 211
gggtgaccaa gtagggcctg tgacaccagg gtggcgagc tttctgtgtg atgcagatgt      60
gtcctgggtt cggcagcgta gccagctgct gcttgaggcc atggctcgtc cccggagttg      120
ggggtacccg ttgcagagcc agggacatga tgcaggcgaa gcttgggac tggccaagtt      180
ggactttgat cctttgggca gatgtcccat tgctccctgg agcctgtcat gcctgttggg      240
gatcaggcag cctcctgatg ccagaacacc tcaggcagag ccctactcag ctgtacctgt      300
ctgcctggac tgtccctgtg ccccgcatct cccctgggac cagctggagg gccacatgca      360
cacacagcct aactgcccc aaggagctctg ctgccttgct ggctgcctt cc                                412

```

```

<210> 212
<211> 418
<212> DNA
<213> Homo sapiens

```


<220>

<221> misc_feature

<222> (1)...(418)

<223> n = A,T,C or G

<400> 212

gtgagagagg	atgtgtgctg	ggccttggag	gaagggggcc	gagaccgggc	cttacttctg	60
taacgatact	gtgaggcatc	ggaaggccag	cctgttgtgt	ccgttttgaa	ggtcgggtggg	120
ctagactggc	tggccttcta	ggggtgtgga	gacttcccaa	ctctgccctt	gtgctttcct	180
ggaatcccca	atatgcctgt	agtcccagca	ctttgggagg	ctgaggcggg	cggatcatga	240
agtcaggaga	tcgagaccat	cctggctaac	gtggtgaaac	cccgtctcta	ctaagaatac	300
aaaaaaaaata	ttaaccggc	atggtggcag	gcgcctgtag	tcccagctat	ttgggaggct	360
gaggtaggag	aatggcgtga	acctgggagg	cggagcttgc	agtgagctga	nattgtgc	418

<210> 213

<211> 383

<212> DNA

<213> Homo sapiens

<400> 213

cccttgatgc	tccaccaagc	accagcacia	tggatgatga	aggttatccc	aggcctcatt	60
cacacttgct	ttcctggggg	tacagtcagc	tgatccttca	tctaattaaa	cttcctgcag	120
attttataac	caaagagaaa	atgacagaca	tctgcaggtc	ttgtgggttc	tggcctggat	180
atctaattct	ctgtttggag	ctggagagaa	gaagagaggc	cttcaccaat	attgtgtatc	240
tgaatgatat	gagcctgatg	gaaggggaca	atggttggat	cccagagacc	gtggagggaat	300
ggaagcttct	ccttcattct	atacagagca	agagcacgag	gccagccccc	caggagtcac	360
taaatgggag	cctcagtgat	ggg				383

<210> 214

<211> 370

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(370)

<223> n = A,T,C or G

<400> 214

ctctcttgag	tgcgtctccc	tggccagtta	tggcctcgct	ctgctgcata	cccagggctt	60
cgaggtcgca	ctgggtgctc	acgtggtggc	cgatgtgggg	canagcgctg	ancanccaca	120
ggctnatatg	ncagnaccat	ctcngctacc	tantnacntn	cngggncnnc	naatcnntt	180
atctggggga	tgggcannct	ctgnaacgct	nncagngact	ncnggtgttn	ancnactttt	240
ntttacccca	atgacnatac	ccgctgntca	catgganacc	cnaatanaag	nttntacnng	300
gnaaacccna	atncnanaac	tnttanantt	gnnggagtact	ttanngantg	accaanacng	360
anaacagggg						370

<210> 215

<211> 440

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(440)

<223> n = A,T,C or G

```

<400> 215
gaaactcntn nacnctana caagctactt gttctttttg caggatccca tcgattcgtg      60
gaaagtgtgat gagcatcttt tcctgtgctt attaaccatc cgtttatctt ctttggtgaa    120
acgtctagtc aaaaattctc tctcagtcac atgatttgca actataaatt ttcccgagtc     180
tctggcttgc cttctcattt tcttaatagt gtcccttgga atataaacat tttaatntg      240
ntaaanccac tttaccaatt ncnctntnta tggncaanen ntaactgttn nggnntnna      300
ccnttttttt tnttnngcct acannncnnn cattgncnnc nngnttnnat nntnnnanan     360
nccccccnc atatnnnttt tttntttatt naggtcttat ttttttnaaa aaaannnngt     420
ntatttttnc ccnctgggtt
                                         440

```

```

<210> 216
<211> 414
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(414)
<223> n = A,T,C or G

```

```

<400> 216
gttgcttggc agcagacggg caagcctgga cttaggcggc gcgcaggacg gtccgacttc      60
gtgctggaggc ctccctgagg tccgggtcct tgcggccact gcggccactg aagcggcggc    120
ggcggctggc ccatgaggaa gaagtccagc ccatgctatt tcntgttccn tagtnagnna     180
aangctnctc cgtacgacgc nggattcgcg natcnatant ttctaanaga agaaagggag      240
gccacatatn gctnnacaan gcactataca aaccctgang attaangana ncanctgtat      300
gctgagaatn ataccgccac gaaaaaatag gacnataana nnntgggtat gttncgtgtg      360
ncaacnccaa atangagaaa anatcnattt actcagatta agtgacgntg atga           414

```

```

<210> 217
<211> 420
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(420)
<223> n = A,T,C or G

```

```

<400> 217
gacggacggt agccactctg caccagactc tcatecccccac ggccctcagggt ggccccccagg    60
aaggctctgg caatcaaaact ttcattacca gttcgggtat tacttgact gactttgaag     120
gcctaaacgc cttgattcag gaggggacag cagaagtgac agtgggtgagc gatggaggcc     180
agaacatcgc agtggccacc acagcgccac cggctcttctc ctctctctcc cagcaagaac     240
taccctaaagc gacctactcc atcattcaag gggcagccca tccagctttg ctctgtcccg     300
ccgactccat tccagattag tgcttaaaaa aacaaaagga gtgggggaaa ggaattgaga      360
aaaagaaatc ttaaagtaga attctctaaa aggggttgctc ttaatgggtt ctttgntttg     420

```

```

<210> 218
<211> 192
<212> DNA
<213> Homo sapiens

```

```

<400> 218
gtgactgtat ggtagagact gtgatctggg aactttttgc tgtacaaatc tgtttaaaaa      60
aaaaaaagta actcattgaa ttaacttgca gggggggggt tgattctttt ttaaactggc     120

```

ttcagcattg ggcagtttaa aaataagtaa gtaacttaca taaatcttca attgtatgaa 180
 aaaaaaaaaa aa 192

<210> 219
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 219
 gtgggttttca acctctcagt ttgtggtaat ttgttaacag cccaatagg aaacaactac 60
 tcatgcatcc aggggacacc tcatgaacca cccgatctca ctaagttctg ctttcctgtg 120
 accacattgc tatttcaggt ccctgtcagc acttataaat gtggctgcct cttgctaggg 180
 tggcctttat agcacatctg aaacagcact ccttggcttt ttgattgtta tgtttttaga 240
 gacaggggtg tactgtcacc cagtaggggt gacaacatct ctctacactg gagtacagtg 300
 gtgtgatcat agctcactgc agccttgaac tcctgggttc aagtgatcct cccacctcag 360
 ctccaaagta gctgggtcta caggagtgc caacttcacc 400

<210> 220
 <211> 399
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(399)
 <223> n = A,T,C or G

<400> 220
 ggaggcgctg ggattacagg catgagccac cgcattctggc ctggccttcc ttgtttttgt 60
 agcttcctgc ctgtccccct atagatttta aacaatgaat ccaacttctg taataattat 120
 gggaccattt aggttttctg tttcttcttg agtaattttt ttattgtggg aaaaaataca 180
 taacacaaaaa tttgccatct tttttttttt ttnaaaanng nnttnntttt ntccccnngn 240
 nngggggnc a gggnaaaann nttngaaccc naaannncng ggnnnaaaaa anttttnnng 300
 cntaaccnc cggggnggng ggnnttntgg gnttnccccc cctnccccnn naaattttta 360
 ntaaaantttt tttttgnaaa naaannnnnt ttnncccc 399

<210> 221
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 221
 taaccacaag gactgtatgt taaacattaa acctacattt aaataaccaa atcatatttt 60
 cttgaatcca aaattattct gaaaaacaaa acaaagaaat ttaaagtctc aaggctccta 120
 acgtcacaa aatgcttctg taaaaatttt cagctattta ggggggaaat actagtctta 180
 gtaagttttc caaaataaag atgtaatgaa aaatagtatc tcagagtcca tcccagtctt 240
 aagattttta tactctacat aaaccattct tgtaggcatt ttgaaaatat gacctactat 300
 gttaaaacag ggatattctc aaggatctaa aactatcagg cagggttaggg attccaaact 360
 aaacttgggc aatgagccta agcaaatttc aa 392

<210> 222
 <211> 398
 <212> DNA
 <213> Homo sapiens

<400> 222

gaagaaataa	ccaggatattt	agtcttcctg	cagatcaaaa	gggatctcta	ccatggccga	60
ctcctctgta	aaacatcgga	tgctgccttg	ttagcagctt	acatccttca	agcggagatt	120
ggggattatg	actcagggaa	acacctgaa	ggctacagct	ccaagttcca	gtttttccct	180
aaacattcag	agaagctgga	aaggaaaatt	gctgagattc	acaagacgga	actgagtggg	240
caaacaccag	caacatcaga	gctgaacttc	ttaagaaaag	cacagacatt	ggaaacatat	300
ggagtggatc	ctcaccatg	taaggacgtg	tcaggaaaatg	ctgcatttct	ggccttcact	360
ccttttgggt	ttgttggttct	tcaaggaaaac	aagaggggt			398

<210> 223

<211> 376

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (376)

<223> n = A,T,C or G

<400> 223

ggagtgcagg	tggaaccat	ctccccagga	gacgggcgca	ccttccccat	gcgcggccag	60
acctgcgtgg	tgcactacac	cgggatgctt	gaagatggat	agaaatttga	ttcctcccg	120
tactgaaaca	agccctttaa	ntttatncta	ggcangcagg	nggtgatncn	aggctgggaa	180
nanngttttg	cccagatgag	tgtgtaattt	attgcntatt	tgnttttatn	tttttgctta	240
tggttattat	tcttattttt	tntatctnnt	ntancatttt	tctatttcnc	tttgtttttt	300
ttaaatttgn	tnacnttgn	atTTTTTtca	ttntntgctn	tttntttcca	ntttgtnann	360
ttntttcttt	ttttct					376

<210> 224

<211> 400

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (400)

<223> n = A,T,C or G

<400> 224

agcgcccggt	cgcgcgccgg	gaccgggggtc	cggtgcggag	tgcccttcgt	cctgggaaac	60
ggggcgcgcc	cggaaaggaa	gaattcgcgg	ccgctatcta	cgtagatcca	gacatgataa	120
gatacattga	tgagtttgga	caaaccacaa	ctagaatgca	gtgaaaaaaa	tgctttattt	180
gtgaaatttg	tgatgctatt	gctttatttg	taaccattat	aagctgcaat	aaacaagtta	240
acaacaacaa	ttgcattcat	tttatgttcc	aggttcaggg	ggaggtgggg	gaatttcaac	300
tnntentgnc	tnccntcttt	gngaactncc	acttngaana	nanananncc	nntatgnggg	360
atgatgnatc	ctcangnttg	ntnnnccngn	nggttnattt			400

<210> 225

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (381)

<223> n = A,T,C or G

<400> 225
gaaatggatt ccaggcgtgt gcctcgagac aagctggcct gcatcaccaa gtgcagcaag 60
cacatcttcg atgccatcaa gatcacctag aacgagctgg cgtcagcaga tgacttcctc 120
cccaccctca tctacattgt tttgaagggc aacccccatg ctttcagtct aatatccagt 180
atatcacgcg cttctgcaat ccaagccgac tgatgactgg agaggatggc tactatttca 240
ccaatctggg gagtaagtga gttcttggcg ttgtggagaa ggactaggaa gggtgngggt 300
ttggggngnn nnnnnnnnct nnnnnnnnnn nnnnnnnnnn ngctnntnnn nnnnanngnn 360
nnnnnnnnnn nnnnntnctt t 381

<210> 226
<211> 402
<212> DNA
<213> Homo sapiens

<400> 226
gagcccgtca agaagcgggg acgcaagggc cggggccggg gtcccccgtc ctectctgac 60
tccgagcccg aggccgagct ggagagagag gccaaagaaat cagcgaagaa gccgcagtcc 120
tcaagcacag agcccgccag gaaacctggc cagaaggaga agagagtgcg gcccgaggag 180
aagcaacaag ccaagcccgt gaaggtggag cggaccggga agcgggtccga gggcttctcg 240
atggacagga aggtagagaa gaagaaagag ccctccgtgg aggagaagct gcagaagctg 300
cacagtgaga tcaagtttgc cctaaagggtc gacagcccgg acgtgaagag gtgcctgaat 360
gccctagagg agctgggaac cctgcagggtg acctctcaga tt 402

<210> 227
<211> 393
<212> DNA
<213> Homo sapiens

<400> 227
gagctatggc ggcttttggt cgcaggatcc tcagtaaacc tattgaagta caagttggag 60
gcaggagtgt ggtttgctca gatgtggagc aacaagtgat tgtgattgaa gaagaaaaga 120
aattcttgaa gttacttgag cttctaggcc attatcaaga gtcaggatct gtcattatat 180
ttgtggataa gcaggaacat gctgatggtc ttcttaagga tttaatgaga gcatcttatc 240
cttgcattgtc tcttcattgga ggcattgatc aatatgacag agatagcatc ataaatgact 300
ttaagaatgg gacctgcaaa cttcttgggt ctacctctgt tgctgccgag gctagatgtg 360
aaacatctga ttctttagt aaattatagc ttg 393

<210> 228
<211> 382
<212> DNA
<213> Homo sapiens

<400> 228
gtgaatcatt acctagcatt tcagtttttt gcagaagaat attatccctt ctcagaggtc 60
ctggcctatt tcactttctg cctgtggata attccgtttg cgttttttgt gtcactttcg 120
gccggggaga acgtcctgcc ctctaccatg cagccaggag atgatgtcgt ctccaattat 180
ttcaccaaag gcaagcgggg caaacgctta gggatccctg ttgtcttctc cttcatcaaa 240
gaggccattc taccagtcg tcagaagata tactgacccc catgcaggca ggatgtgggg 300
ggcaagatca ggagagtcag gcccctgggc ctctatgcc a ggtggggacc agaagtcggg 360
aaggcaccta ccacctgcct gg 382

<210> 229
<211> 381
<212> DNA
<213> Homo sapiens

```

<400> 229
ggggaactat cactgtacat aagactgatt cttccaatga acctccaaag acatttactt      60
ttgatactgt ttttgacca gagagtaaac aacttgatgt ttataactta actgcaagac      120
ctattattga ttctgtactt gaaggctaca atgggactat ttttgcatat ggacaaaccg      180
gaacaggcāa aacttttacc atggaagggtg ttcgagctat tcctgaactt agaggaataa      240
ttcccaattc atttgctcac atatttggtc atattgcaaa agcggagggt gatacaagat      300
tttggttcga gtgtcttatt tggaaatata taatggaaag ttcgtgacct tttgggcaag      360
gatcagacac aaagggttaga g                                     381

```

```

<210> 230
<211> 416
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(416)
<223> n = A,T,C or G

```

```

<400> 230
aattcggcac gagcccatct ctactaaaaa atacaaaaaa aaattagcca ggcgtggttg      60
caggagcctg taatcccagc tacctgggag gctgaggcac aagaattgct tgaacccaag      120
aggcagaggt tgcagtgagc cgagatggca ccactgcact ccagcctggg caacagagcg      180
agattctgtc tcaaaaaaaaa aanggaatnt gagggggnaa aaaaaantna angnggccac      240
atgctcnttc ntgccacngg aacttttnat atgnnttccc canttcnttt tttgtccccc      300
anttnnacat tnttaactcc ccaatcntnn ttnttttttg accgagncaa acccctactn      360
tgggctnttg ngccanactt tcctnaggna aaattttntca ntttgggggg ggtatg      416

```

```

<210> 231
<211> 396
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(396)
<223> n = A,T,C or G

```

```

<400> 231
aattcggcac gaggtccagg agttattttg cagtgagccg agattgcact actgcactcc      60
agcctgagtg acagagcgag actctaaaaa aaaaaanaaa aaaaaaannt nnggnnanan      120
aancgggcnn atccaaaaan tcccaccccc ttttngggnn caanantnnc ccaggnaacc      180
ggggggccaaa ngggnaaccc naaaangnan cnggcaaatn gntaaaggct naggggggnc      240
anctntnaaa aaaaantcca gggggncceg gncnnggnag gnccccannn tttngggngn      300
tttncntcca ggnnctttnt tnggtcctgn cngggaannt naaaaaaaaa tntcnttgnn      360
nttttggcag gaggaagnna aanggncccn ttgaa                                     396

```

```

<210> 232
<211> 421
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(421)
<223> n = A,T,C or G

```

```

<400> 232
gtgcacctct tcattcagta aagggaggtc accaagagaa tttgatgaac cttaccttca      60
aagttcctgg gcacagtggc tcacacctgt aatcccagag ctttgggagg ctgaggtagg      120
aggattgctt gaacccagga gttcaagttt gcagtgcgct atgattgtcc cactacactc      180
tagcctgagc aacagaccaa gaccgtattg ccaaaatacc aaaaaaaaaa agttcatgga      240
gagccacnta nactnganac cacncttcag cctgaatttt tntaaaacac agttgtncca      300
agcanattac tccacacggt tttccacact gaactctcca gnccttccac ttccttaatt      360
ctgcaaattg aggggggggg gactcttggg aaactactcc tgtaaaattg aagttggagg      420
g                                                                    421

```

```

<210> 233
<211> 386
<212> DNA
<213> Homo sapiens

```

```

<400> 233
atcgcttgaa tccgggaggg ggaggttgca gtgggcccag ttagcaccat tgcactccag      60
cctgggagac agagtggagc tccgtctcaa aaaataataa atgaagtaac aatgggtgaag      120
tttgaagtaa ctgagtgaa gtaacaccta agtggaaatt ccatactcca ctgagtaaac      180
catgcccggc cccctcaaaa tggttttatc tgtcacactg gtgctcctgc aatggacaaa      240
ggagacgttt cctgtaggac cagcatctct ttactcaggt ttttcaatct tggaactgct      300
gacatttttg gccaaagtaat tctttgttgc agggactgtc ctgtgcattt caggatgttt      360
aacagcatct ttgtcctcta cccatt                                     386

```

```

<210> 234
<211> 396
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(396)
<223> n = A,T,C or G

```

```

<400> 234
gaaaaaagta tgaataagtt cataccaata atacctgtct tgctgggtgg ttataaaaga      60
gaattatgtc cagtaccta cccagtgcct ggcaaaggta ctcaaactct ggtgggtgata      120
ttattaaagt ttaaaactta tcctggcaaa ngattccctt catananttca cccatnactt      180
ctattccagn gccccttnt ncccacccca aaacacagtc gctgatctta cctgaccttt      240
gcnggcntnn gttattcaac tcccttctga cttgntaact ntnanctttg antcttntgc      300
tcnnanttgt nnnctcttg anatttannn nacntcgnnc cnnctcttat nncnctnct      360
cttactnatt ctactatatn tncnntncna tatctc                                     396

```

```

<210> 235
<211> 378
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(378)
<223> n = A,T,C or G

```

```

<400> 235
ttcctggcct gatatttcac tggggaccca tcatgattct gcaactattc tcgctcaaca      60
gaacattacc accttgagtt aaagaggcta agaagctaag gttaatcatt attaagtatt      120

```

```

caaggtgggc aaacaccatg tgggcacaaat gcaccccttc atggattaat tactctccaa 180
tgattgtaca tttcattcct gctaccgggc tctattaccc tgcttttttt tttttcancc 240
tgaccagggg ggnaaancca ncctntttt gccaaaanaa nattttctna gggagaaanc 300
atnnaancnn tttttttttn cccccaanna gttnncaggga ntnttanggg ggggttttgn 360
tngcngaaa aaaccttt 378

```

<210> 236

<211> 200

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (200)

<223> n = A,T,C or G

<400> 236

```

aattcaaggc ctcctcgagg gctttttttt tttttttttt tttttttttt tttttaang 60
gggggncntt tttttaaaaa aaangggggg aaaaaaaaaa nnnnnanntn nnnncnaaaa 120
anttttcccc ccnttttttn ngggggnnnn ttttttnaan aaaannnnnt tnnttnnggg 180
ttttttaaaa aaaaaaaaaa 200

```

<210> 237

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (393)

<223> n = A,T,C or G

<400> 237

```

aattcggcac gagggcacgt ggtaggcggt tggtagatgg gaatcgctgt tggggtgtca 60
cctccccaga aagttctcgg ctacagtaag cgcgtccct gccaggcgcc ctggcaatgc 120
agaggagtca ccgagctccg cctttgacca gcgtgcagct gggagagtga gatcagagac 180
cacagcagat cgtggcgctg tgatcagggg gtacactcaa gctgtgggtc ccttacccca 240
gccttgagat cccaggaagg cctgcagcct gaaacgggcc ttgaaagggt cgtagtttct 300
ctgaaaagca tcaccaggt cagaatgaaa ggaaactctc tgtgcagacc gctgtatgtg 360
ggacctttga agacagtcaa atantgttca att 393

```

<210> 238

<211> 412

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (412)

<223> n = A,T,C or G

<400> 238

```

gggcatggtg gcaggcgctt ataatcccag ctactcagga ggctgaggca ggagaattgc 60
ttgaccccgg caagtgtagg ttgcacctag caaccactcc actgcactcc agcctgagcg 120
acagagcgag actctgtctc anaanaaaaa aaaaaagnnt ntancccca ggggtttntt 180
nggnccttgg aancnntngc cgcnggggtt gnnnncnang ggtnngtngn nnnancccaa 240

```



```

annnaannnt tggcnttttt nnaanntnag nggggaaaaa aaaaaacccc ntnntcnttn 300
accnttttta taaccnnggg annaannntn tatttttann gtngcnaann nnacttngtn 360
annngggggg tnaentgcan ttttnaccn acggaatttt tttntttttt tt 412

```

```

<210> 239
<211> 411
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(411)
<223> n = A,T,C or G

```

```

<400> 239
aattcggcac gaggcataag taaggtttgt tcctggcctt ggtgaactga caaaggcgag 60
gaaagaatgg acagattttg gtaagtgtta aaataataac cagctggtgg tgaaccagtg 120
tcctgaacct tgtgcttaag tctcctcacc tacctgggct ccttaccctt acccgtaga 180
gggcccgggtc ccatgtcctt gaagacctgg tctctctggg tggtcagtat gcagtagtat 240
ggcagtgtat aatttgatca ccctctatag tccccgtgga ttggagaaaa aatctgattt 300
aatgccacgt tccccctttc tacgattgga tgccacagat ggcacagggtg gagaagtcaa 360
gagactgaga aaagtcanac agttggcgac tcattcttct caaatggtaa a 411

```

```

<210> 240
<211> 417
<212> DNA
<213> Homo sapiens

```

```

<400> 240
aattcggcac gagggcagac actgcacgtg ttctacagag aagaaagagg atgatggtaa 60
agcagactgc agtcttcagg cctggagcag agaagggaga gttcctgctc tagagaaaag 120
attttgccac gttggctagg ctgctctgga actcttgacc tcagggtgatc tgcctgccac 180
ccaacctact gggattacag tagccagtcc tgccagggtt ctggctgtgc cgggacagtg 240
aatggccact ccgtcccaga tgagctgcag gaagcgtttc gatgtcatgt ggagcaggag 300
ccgccgagtg attgatgggc cccagcttga atggaaagtc cagattccag caacacagct 360
taagagatga aggttgcttg agcaggaaat ccacccatgg cccaaagagg aaagatc 417

```

```

<210> 241
<211> 407
<212> DNA
<213> Homo sapiens

```

```

<400> 241
aattcggcac gagaaaaaat ggaaggaaca ggctcgggaa atggcagata ctgcatgtga 60
ttctgatgtc ctgcttcagc tgggtgcttg ctggctgggt gaagtgttag gtgtcattgg 120
ggactgtcca gagctagtgc agcgctcctt cctgggtggct agtgttctgc ctggccccga 180
tggcaacatt aactcaccta caagaaatgc tgacatgcag gaggagctaa ttgcctccct 240
agaggagcaa ctgaagctga gtggggaaca ttctgagtct tccactccac gaccagatc 300
atctcctgaa gagacaattg agcctgaaag tcttcaccag ctctttgagg gtgaaagtga 360
gaccgagtct ttctatggct ttgaagaagc tgacctagat ctgatgg 407

```

```

<210> 242
<211> 408
<212> DNA
<213> Homo sapiens

```

```

<400> 242
aattcggcac gaggacaggc acagctctgc tgtcagcact gctgtggggg tgactgtagc      60
cccagctctgc cctgggtgtt ttctctctgc cttctccatg ccggcctttg cctctagact      120
gagaaaccgg gggttgactca agtggcacct gcaaaagtga tcatggcagt tcacttagcc      180
tgcaggtgac agggactgtg aatctagtcc ctggcgagcc tggaaagagg ggcaaggtag      240
aggctctggc tgccgggggt tctttgggtg gtccgttcac tcggctggac acagacggat      300
caggaaagat tcctgttgct actcggctgg tggccagagg gagagaggac gtgtccgtaa      360
ctgaagcaag gtggataagc ttcgggaacg agcgaggcac agattctg      408

```

```

<210> 243
<211> 401
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (401)
<223> n = A,T,C or G

```

```

<400> 243
gatggcttaa tctgccctca gcagggatga ctcaacaccg ccctcaacag ggatgactca      60
gcactgcccc tcaacaggga tgactcaaca ggggatgact caacactgtc ccttatcagc      120
gatgacacaa gcaaggatga ctcagcactg cccctcacca aggatgactc agcactgccg      180
ctcaacagac atgactcagg gatggcttag tactgccctc cagcagggat gactcagcag      240
ggatgactca gcaccacccc tcaacaggga tgactcagca ggggatgactc agcactgccc      300
tcaacaggga tgactgcagg gatgactcaa cactgccttc agcagggatg actcacactg      360
ccctcagcag ggatgactca acanggatga ctcancaccg c      401

```

```

<210> 244
<211> 398
<212> DNA
<213> Homo sapiens

```

```

<400> 244
ctgctggagg ccttgcagtc cggggctgcc ttccgcgaca gaagaaaaag gacaccgatg      60
ccaaaagatg ttcggcagag tctcagtcca atgtctcaga ggcctgttct gaaagtttgt      120
aaccatgaaa atcagaaagt gcagttgaca gaagggtcac gttcacacta caatatcaat      180
tgcaactcaa caaggactcc agtcgccaag gagcttaatt ataatctaga cactcatacg      240
tctactggga ggatcaaggc agctgagaag aaggaagcgt gtaatgtaga aagcaacaga      300
aaaaaggaaa cggaacttct tggctctttt tctaaaaatg aatcagttcc cgaagttgaa      360
gccctgctgg caagattacg agctttataa gttaaact      398

```

```

<210> 245
<211> 420
<212> DNA
<213> Homo sapiens

```

```

<400> 245
gtgagcccga aagaaaaaaa ttttctgtaa agtgaagaag gatgctggtt cctggggctg      60
ctctggggcc agaccttacc ctctctgctc gggccactga aggcagagca gggcccagaga      120
ctgggccttg tgggtgttacc gctgccttga gagcaagaga cagggtgac gtgcagaact      180
aggcaggctc caggcaagct tggcgtcagc gctggcagcc ttggtggcgt gggcacagggt      240
gacaggagcc tgggtgaaggg ggtgagcaaa gcattccgggc tactgagctg catggccttg      300
ggcacttcag tgccctctct gggcctgggt gttttccttc tagccctgct gagtgcggca      360
ggtgggcttt acccctgaga ccgctgtgtc ttctaataag aagccatcca atatgctttt      420

```

<210> 246

<211> 407

<212> DNA

<213> Homo sapiens

<400> 246

aattcggcac	gaggggtctga	agactgaaag	agtcgaatgg	tttgttggca	gggtgtcctg	60
gtggattggg	ttctgtaagt	tcagattctc	ataaatcgtg	tgagcgtcgc	cgacacctct	120
gagataaaaag	ggcccctttc	gactagcctc	tgctgaaagg	acctagaaga	atcccttagg	180
atgaagctga	gtcttaccac	ggtagttaat	ggctgtcgcc	taggaaaaat	aaaaaacctg	240
ggcaaaacag	gggaccacac	catggatatt	ccaggctgcc	ttctgtatac	caagactggc	300
tccgcccac	acctcaccca	tcacacgctg	cataatatcc	acgggggtcc	tgccatagct	360
cagcttacgc	tgtcatccct	agcagaacat	catgaagtct	tgacaga		407

<210> 247

<211> 377

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 247

atccgctggc	ctctggaaaa	ggattttggg	ctgagatgct	gggcgtgggg	gacttctatt	60
acgaactagg	tgtccaaatt	atcgaagtgt	gcctggcgct	gaagcatcgg	aatggagggtc	120
tgataacttt	ggaggaaacta	catcaacagg	tggtgaaggg	aaggggcaag	ttcgcccagg	180
atgtcagtc	agatgacctg	atcagagcca	tcaagaaact	aaaggcactt	ggcactgggt	240
tcggcatcat	ccctgtgggc	ggcacttacc	tcattcagtc	tgttccagct	gagctcaata	300
tggatcacac	cgtggtgctg	cagctggcag	agaagaatgg	ctacgtgact	gtcagtgaga	360
tcaaagncag	tcttaaa					377

<210> 248

<211> 385

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(385)

<223> n = A,T,C or G

<400> 248

aattcggcac	gagggcggcg	ggggttagac	aggtaccggg	cagattacgg	tgacacaggc	60
ggcgtggggg	tagacaggta	ccggtcagat	tacggtggca	caggctgcgt	ggggttagac	120
aggtaccggg	cagattacgg	tgccacaggc	ggcgtggggg	tagacaggta	ctggtcagat	180
gcacggggctc	cctaaacccc	tgctgtggct	tcggcagtaa	agacaggacg	cacccatgtc	240
acaagaggag	cacaggcagg	ggtgttgggt	ttggggcagt	cctnanggtc	ttcagacccc	300
agccccactc	acacagcacc	taggaangaa	tgacagagtc	cangtgtcag	cntgggtgggt	360
nttnangggc	tgctcttcct	ggaag				385

<210> 249

<211> 428

<212> DNA

<213> Homo sapiens

```

<400> 249
tctttattga ctttttgccc taaattgcta ggtgtgaccc agcaatcttt taggaagaga      60
ttttacagtg gtgctttatt tatatcaata atccagtata gttaggctgt tcattcctca      120
taatagagta cataacagaa aagtgggact ttcacatttt catatttagg cacgttccaa      180
tttaattcca aaaatactct gtaattctac atctaaaaaa accgattccc taattcgaat      240
ttattggtac caaagctctc tttggctata gacaattaag agttgacctt ttaagttaat      300
gtatatgctt aaaaacagtt ttaggaaaat atttggtaga caaagagttt caactttaa      360
tgttcactat gtcatttagt gccaaacttta cggatagggt gctatctaaa taggcatttt      420
tagtcatt                                     428

<210> 250
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(428)
<223> n = A,T,C or G

<400> 250
aattcggcac gagataatct ggaacatcca acaactcaaa actgaagctg cctcctgtgt      60
gcccacaaga tgtgataagc accatacctg acaccagatt tgcaaagaag ctgctccact      120
gcacccatct tgctgcattt agattctctg tcctattggt aatgcagata tagttgcaca      180
ttaaaacctt ttgtttgtag gccgggctgt gtggctcaca cctgtaatcc cagcactttg      240
ggaggctgag gaaggagaat tgcttgaacc tgggaggggg aggttgagct gagccaaaat      300
tgtgcacat  tgcactccag cctagacagc aagagcgaga ctccatatca taaaaaaacn      360
aaacannaca aaaaactatt gttngtattc tcgntttaag attgtcttat aaaaggtttc      420
tgtcagga                                     428

<210> 251
<211> 427
<212> DNA
<213> Homo sapiens

<400> 251
aattcggcac gagcagagat gagtgcagaa ttcagcttgg aggtcctgga aacttctagt      60
ttactgatgt ttatgctttt gctcatgcac ccacagttcc tgggacacag aatgctcacc      120
tgggggtttg taccccagcc aagaaggtgt cttcacagac tcccctcctt ttagcaactt      180
catgcagatg gagcttgggt ggatggatcc tggcacagtg ttcagaacag tggccctgcc      240
agtgtgtggg cgccgcttgt gcagagcccc tgtgggttct ggtectcaag ggcaggggag      300
ctcactgaca gcggaaccca tagtaccagc ccactcttgg tgggctgttt ccaacccatt      360
catccctgct tagctcttca taagacagcc tgtgctggca gaaaattgcc cccagtgcaa      420
gactaag                                     427

<210> 252
<211> 432
<212> DNA
<213> Homo sapiens

<400> 252
gtttaaagag agcatgctga cactggggaa ggaaagcaag actccaggaa aaagctctgt      60
tcctctttac ttgatctatc cttctgtgga aaatgtgcgg accagtttag aaggatatcc      120
tgctgggggc tctcttcctt atagcatcca gacagctgaa aaacagaatt ggctgcattc      180
ctattttcac aaatggctcag ctgagacttc tggccgcagc aatgccatgc cacatattaa      240
gacatatatg aggccttctc cagacttcag taaaattgct tggttccttg tcacaagcgc      300

```

```

aaatctgtcc aaggctgcct ggggagcatt ggagaagaat ggcacccagc tgatgatccg      360
ctcctacgag ctcggggtcc ttttcctccc ttcagcattt ggtctagaca gtttcaaagt      420
gaaacagaag tc                                                              432

```

```

<210> 253
<211> 436
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(436)
<223> n = A,T,C or G

```

```

<400> 253
aattcggcac gaggcagaat ttgtttggca taaactctct ggatccatgt tgtcagcaga      60
gagttttatgc caaacaaatt ctctgctgac aacatggatc cagattttgt ggagaggcga      120
cggattgggt tagaaaaact tctcttgagg attgcttcac atcccatcct ttgtagagac      180
aaaatcttct atctgttttt aacacaggaa ggtaactgga aggagactgt gaatgaaact      240
gggttttcagc tgaaggcaga ctccagggtta aaagcgctta atgcaacatt cagagtgaaa      300
aaccagagaca agagatttac tgaccttaag cactatagtg atgaactgca gtctgcatct      360
ccatcttctt cgagtcagag ctagagtagc agatcgactc tatggtgtat ataaagnaca      420
tgggaattat ggccag                                                              436

```

```

<210> 254
<211> 412
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(412)
<223> n = A,T,C or G

```

```

<400> 254
caactctgaa tcccagtttc tagtgagcac catgtgtaag acttgcttga tgtgtgtttc      60
atthgtttgt ttcattcatt gtatcaatgg tttcctctcc cactttgcct tctactccca      120
agtactgtca aaagatgatg taccttttcc atagtcacac ctgcgcaaag gaataaaaaac      180
ctggagtgtc agtctctata gtctgtgtga gcagcactcc catcctacaa agaattccat      240
tgccctgtaa ttatgatttg cgatagggta caatatgtac ccagatatca agtccaccgt      300
tggcgctcct cttccccctg caacaccgca angnngtgta cttnaaggag anttttgggg      360
cagntncccn aantcaantg ccattgcttg cctgaacttg ctttaaanca ag              412

```

```

<210> 255
<211> 410
<212> DNA
<213> Homo sapiens

```

```

<400> 255
actttttgag gaactgccag ttttctaaag caggcgcccg caccatttga cattccccatc      60
agctgtgtga ggggtccagt gtcccacat ccagtactta ctattttctg tctttttgat      120
tataggatc tttgtgggtg tgaaatgata tctcattgta attttgattt gtttctaattg      180
actagtttca ttgagcatct tttcatatac ttaactggcc atgtgccccca attgctaaaa      240
cttagcactc tgttttgtga taatttctta gtttgccctc tttgctaact agaatttctg      300
ggagcagaac ttatgctttt tttttttaat cttcatgacc ctgacagcag gacagcactt      360
ggtactaatg ggctctaaaa taattcaatt ggaaaaggaa tagtatcctt              410

```

<210> 256
 <211> 421
 <212> DNA
 <213> Homo sapiens

<400> 256
 cagcagtaaa tggcagctgc ccactcccgt gatcagaggg ctctgggtgc gagctgcage 60
 agggcggtgt ggaaactgcc atgagatgca ggaccctcca attatctagg gggccaggcc 120
 catctcagag gagcagctcc agaggtgagc gcacaccact gctaattctg cagaggggtcc 180
 ggtctgactc ctacctcca cccagccaag gctctcacct gtgtaccctc tcctgtctct 240
 gaggcttcca ggtgatggaa gtttatcctt tcccttgccct atttgcgta tgggcggatt 300
 tatgattgct ttttagcccg ttttatggaa atctttctaa gatgtactag gagcacctcc 360
 tttttccaga tcaacgtaga agtgtcttgt aaacttcgat gactcgggtgc tgtggaaaaa 420
 t 421

<210> 257
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 257
 ttagcaagca tcattatatt tttagaaatg ttttcttttc tccttgcccg tcagttagcc 60
 aagcctccta ccactcactt tctgttgtgt agttctgatt tccgaacag gtgttttagat 120
 gatgaggggt tatattaaga aagtactaaa gaatacgtct tatcacgtga atcagtatct 180
 ttttattcaa catggatgga gtgggagtgg agaccaatct gttttatatt cctgcaatct 240
 gatgagggta agaaaaagtt catgctgttc atattagcta gccagcctct ttctctcttt 300
 cctcccttc cttctttctt ctttattttt tctttctttc ttttgctaata acctaattcc 360
 ttatctcatt tttgggattt tgagagaata attttcatgt ggggcgacag a 411

<210> 258
 <211> 409
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(409)
 <223> n = A,T,C or G

<400> 258
 aattcggcac gagggaggaa gaggcggtag ggggtacggg ggctgggtccc agaagatggc 60
 ggagggcggg gatttctggt aggtcctact ttaggacaag atgtgggtacc gttgaagcgt 120
 cagtctttga ttcacagaca gttgagcttt tcagctggga agcctttcca tttttttttt 180
 ttaacggntt tntgancctn tgaancctng gcaaaaggan anacanagtc ccctggncct 240
 aaaaaggggg gcccatntnt ttenttnnca ctanccaaag ggngaacttg atgattcng 300
 gagtagggct attttttatt ggagnatttc ttgcattang ggtaaaattta cttcaaattc 360
 aaaaaaatgg gccctnttn ccccgagggg gatgnaagca tttttttttt 409

<210> 259
 <211> 426
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(426)

<223> n = A,T,C or G

<400> 259

tgaagaggag	atcgggtgacc	tgggctcctt	atgtgcctga	aagagtttga	gtttcctggt	60
aactccaaat	caacagtatt	ttcaacaaga	aatgtgcaat	tgaaatcaag	tgctgtttta	120
gtgcagctag	gatttccaca	ggaagacact	tgcaagtgaac	agagttatgg	agcagcaaaa	180
acacagatct	atgttgaaaa	agagaaaaa	tatgcgttgt	atgttgcttc	aattataaaa	240
taccatcctc	tcaaaggtgg	ttctaaatta	caaaggactt	tgatttctag	gtagattctg	300
ggtagagact	tcctttcata	ttgaggcatt	aatgacacct	tttaacctgg	gaagcaatat	360
gactggagtt	gtactttgag	aagattaatc	aggtttggtt	gcagaatgaa	aganaagatg	420
aagcca						426

<210> 260

<211> 419

<212> DNA

<213> Homo sapiens

<400> 260

aattcggcac	gagacgtaga	gcatacgggg	tttcttccag	gtagggtctc	acttagagtc	60
cctctcccat	cagcaaata	agatgggttt	tcacatcttc	tctccataca	tttatctctg	120
cttctgatcc	acaaataagg	gctgaaatgc	aggatatctc	acagagtggg	ttgtagaaac	180
catatggtcc	aaatccattc	ttggacaaga	agcatttctc	cagagttaac	agagtctgca	240
gagatgtaat	tttgcctagg	ctttacagct	gtgggtcttg	aacaatcttt	atctcataag	300
ctctttgcat	aattaaactg	cctattcggc	cagtcttcct	aggatgaaga	aattgtctcc	360
acaaagtaag	tagtattcag	tttctacaaa	gagatagtct	attgccaaag	gatatccac	419

<210> 261

<211> 424

<212> DNA

<213> Homo sapiens

<400> 261

aattcggcac	gagaatgata	tcccaccagg	cacttcacaa	gagaacatcc	cagtggggcc	60
agttgtgatg	aattctgaga	tgtggtacaa	gcgtcacagt	attgcaattg	gagaggtgcc	120
agcttgccgt	cttgtccacc	gcagacagct	gacagaggcc	aatgtagaag	agatatggaa	180
gtctatgaca	ttatcatact	tacagaaaat	tcttggcctg	gattccttag	aagaagtttt	240
agacgtcaaa	cttgtcaatt	cgaagttcat	catccataat	gtatatagtg	ttagcaagca	300
gggagttggt	attcttgatg	acaaagtcaa	aagaacttcc	tcattgggtg	ctgcagctat	360
gaagtgtttg	gcaaattggc	ccaactgttc	tgatttgaag	cacctatgtc	ttgggatttg	420
aaaa						424

<210> 262

<211> 422

<212> DNA

<213> Homo sapiens

<400> 262

aattcggcac	gagctgagca	gtaggctctt	tttgtttacc	atgtgcacca	tgagagcttc	60
tccattcaaa	ggcataaaat	gttattggaa	tctacctgca	aaatgaattg	gctgattgtt	120
ttctgttcag	acacagatac	agcaaatgac	cactaagaat	ctgcttttgc	gtataccgtt	180
ggctgtaatt	tatgtagcaa	ctgggtcttg	ggaatttcaa	gaagaaactt	gttttcttat	240
cctcacctat	aaagtaagca	ccaaaattta	aattataagg	cagataacct	aagtccttta	300
cctctatctc	aaccttcaag	gcctgtttct	tggtactctt	gcctgtttca	taggattctt	360
accgtttgtg	ggaggcttgg	agggagtagt	gaggaaccag	ttcctgagga	tgtctcaata	420
aa						422

<210> 263
 <211> 407
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(407)
 <223> n = A,T,C or G

<400> 263
 ctggatttca gattttctagc tttcaaaact gagacagaat aagtttctgt tgttttaagc 60
 tccccctcc catattgtggg agcttggtac ggcagcccta ggaaaataat agggcaaagc 120
 agagtttccct gccagtatg tccccttgct cactactggc ctgcagtcct ggtggtcaga 180
 cttatccttc tcgctctgtg ccttgctagt cacaaccccc ctcagcaaaa tgatgtgcaa 240
 gagaagtttag agaaaagacc tttcatgcaa ctgagaacac agccccgaag cctgacttgg 300
 ttcacacctt gcccaagtct aatttgccaa agaccttgaa agtgacctta ggatgntaaa 360
 gatacatattt ggtagagaga gagagagaga gagagagaga cncttcc 407

<210> 264
 <211> 417
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(417)
 <223> n = A,T,C or G

<400> 264
 ggatcgcgtc attgcactcc agcctgagca acaagagcga aacaaaaaca aacaaacaaa 60
 caaaaaaac ccacccaaat cctttttttt aatgtagtag ggtttatata gatatactaa 120
 tataattgca tttggagaat taaagtatgt atggagccca cacatactgt gatataaagt 180
 gtatatacag atatttggat attttctagt ttgcatgatg attaagagaa ccacatggga 240
 aaatacnatc tncaaagtga tgtttatcct ggaattaccc antttanatt anagagggtg 300
 ttcaaattta actagataac tctagtattgt actgtatagg tgcagttatg acagtaaaaa 360
 aatagcctct tggctcatat ctgtaatccc ccactttggg aggccaaggt gggagga 417

<210> 265
 <211> 419
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(419)
 <223> n = A,T,C or G

<400> 265
 aattcggcac gaggagcctt cttgtaaggc cttctgggtg gatccctggg gggctgcttg 60
 gcctacctgt tgctgtgccc gccttgcaac tgaggcgcag ccaagatgaa gctggagtcg 120
 gcacaggtgg tgaggagga ggacggagag accctgtgcc tttgatgaca atgctggcag 180
 ctgcctctgt cctctcttgt tatcttagca aaacgaatcc taaccctgtt ttatgctctg 240
 ctgggtgagt tttgtgttcc taactgatgg actttaggaa gctgagggct tcttaccgga 300
 ggtagacgtt aaactgtgaa tgctaaaacc aaaccaagtg tccatgtgag tgnngnggaa 360
 ctttaanaca tgtacagnta ttatcaccnc cacgttatat tcangtctga cacttaatc 419

<210> 266
 <211> 416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(416)
 <223> n = A,T,C or G

<400> 266
 aattcggcac gaggaagtac tgtggctgta tacagaacct gtatgctggt tgttcttttg 60
 cgggtccaga taaacataat tgggtgatat atttacctgg ataatgcagc agttggcaaa 120
 aatggcacta caattcttgc tccccagat gtccaacagc agtatttatac aagtattcag 180
 cacctacttg gagatggcct gacagaattg atcactgtca ttaaacaagc tgtgcagaag 240
 gttttaggaa gtgtttctct taaacattct ttgtcccttt tggacttgga gcaaaaacta 300
 aaagaaatca gaaatctcgt tgagcagcat aagtcttctt cttggattaa taaagatgga 360
 tccaaacctt tattatgcca ttatatgatg ccagatgaag aaactccatt ancagt 416

<210> 267
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 267
 aaaaaaacac aaaagccccc ctttataaat aaacctaaac cacacacaca caaagtttgg 60
 tgaatgagta tatatatacc actgatgaaa ggaagggtgaa atgtttgcca tacatatttt 120
 tatgatcggt tacctgaaat taacctttta aattacataa ccaattgttc taaatcacat 180
 tagataaaag ggtttttact gcataatatc cataatatat aaagagctcc taaagatcaa 240
 taagagaaag gtacccacta caaaaagcaa aaagtggcag aagattatac atgggcattt 300
 cccaggaaaa gaagtactgg tgaataaaaa agaaaagatg ttcaaattga ctctggttat 360
 tagggaaatg taaaccgttt ttcaccaga 389

<210> 268
 <211> 405
 <212> DNA
 <213> Homo sapiens

<400> 268
 aattccgttg ctgtcgggtg tggctcacac ctgtaatccc agctactagg gaggctgagg 60
 caggagaatc gcttgaacct gggaggcgga ggttgacgtg agctgagatc acgccactgc 120
 actagagcct agacatgaga gcaagattcc atctcaaaaa aaaaagaaaa gaaaaagaga 180
 gctctgaaca agcgccttta gggtcacaga gaaagtgcaa cctgctggag gctgagagtt 240
 acagggtctg aaggcgccctc tgtgaggaga ggaagcccca ggcgcgagcg ctcatatttca 300
 gtcattctta aatagagcaa accaggctgg gtgcggtagc tcatgcctat aatcccagca 360
 ctttgggagg ctgaggcagg cgggtcactt gaggtcagga gttct 405

<210> 269
 <211> 396
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(396)
 <223> n = A,T,C or G

```

<400> 269
aattccggtg ctgtcgggtga agctggcatg gctaagggac accaaaaagg tcaactgtggt      60
tagcttggaa tgaatgaggg gtggtaaaaa tggaagtggg gagaatgagc acatttgaga      120
tatattttga aagtagaggg aacagagaaa gagatggctc cttatttgtc ctgaacaagt      180
aaaagaggag gagttatagt tagcacagat gaagaagact gtgtgtggag aaattatatt      240
attttatttt attattggtg gtagatggac tcagagttta gttttggata tggttaacttt      300
gaagtgtctt attaattatt gcagtgtgaa accactttat cagacagtag naaaaaatctc      360
tcttataaag ggaaacaaag gagtanaatg tttgtc                                396

```

```

<210> 270
<211> 406
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(406)
<223> n = A,T,C or G

```

```

<400> 270
aaaaaaatag acaaactctt ggtatatacc aggetatctt ggtttgctgc agctgatcaa      60
atgaaacagt ttgttatggt tttacgaatg agaatatcac agactctctt ctaattttaa      120
gccccgtgtg gaaaatgttc agtcaggctg cagcagtata tttcaagagg atgaaatatt      180
cagccaaggt ctctctgcag tccaggcaga cagctggaaa ggtgcgctct gagttctgat      240
taactgtgt ccccatacca ggggcttcct gtttcttgca tcctttacct gagaggggac      300
aatagtctt tctaacttaa ctgagctgat tggcatcttc ccggaaanct tttaattacg      360
tgtggcacc taaaaagggg gatgaccacc gaaccatcac cctgag                                406

```

```

<210> 271
<211> 404
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(404)
<223> n = A,T,C or G

```

```

<400> 271
aattcggcac gagaaacatt ctgttttagt catccttgag gatcggttta actccttgat      60
ctgtaaaact gtcttaagca tcttaacatg ttacatcaca ggggttttagc tcagatttcc      120
aaagagccat attttttgat gcatatttcc agttgaattc cagtgtgaat ttccagttgt      180
actttgcatt ctgattcttt gatatttgaa cttggccatc tgtgggtgct actctcgtaa      240
gactaaaagg cacctactaa atacgaacaa ggataaccag ttctaccaa aacattacca      300
accaaacctc ccctgttctt ttttcagact ttcttttgc tttcaacctc ttaaactgta      360
aaggagagat ttaatgnntc cctattattc tgctttgact caca                                404

```

```

<210> 272
<211> 396
<212> DNA
<213> Homo sapiens

```

```

<400> 272
aattcggcac gagggattac aggcacgtgc caccatgcct ggctaatttt tgtattttta      60
gtagagatgg ggtttcacca tcttggtcag gctggtctca aactcctggg gatccacctg      120
cctctgcctc ccaaagtgtc gggattacag ccatgagcca ctgcaccag ccggcttcat      180

```

```

ctcttcttga aatcactttt ataccattct atgtggttct caccatgagc ttgagtgggtg      240
ggctaaagtg cctctccctg ctttcagctt cctgctggga actcactctc tcaagttcct      300
tccagcacca ccccatagag ttcccatcac tccacactgt ccagtgacaa ctcccaacat      360
ggaagatctg ctagttctac aggggtgctct ctggct                                396

```

<210> 273

<211> 420

<212> DNA

<213> Homo sapiens

<400> 273

```

cacttcccat gctcctaggg ttaggaatag tttcaaacat gattggcaga cataacaacg      60
gcaaatactc ggactggggc ataggactcc agagtaggaa aaagacaaaa gatttggcag      120
cctgacacag gcaacctacc cctctctctc cagcctcttt atgaaactgt ttgtttgcca      180
gtcctgccct aaggcagaag atgaattgaa gatgctgctc atgtttccta agtccttgag      240
caatcatggg ggtgacaatt gccacaaggg atatgaggcc agtgccacca taggggtggg      300
ccaagtgccca catcccttcc gatccattcc cctctgcac ctcggagcac cccagtttgc      360
ctttgatgtg ccgctgtgta tgttagctga attttgatga gcaaaatttc ctgagcgaaa      420

```

<210> 274

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (429)

<223> n = A,T,C or G

<400> 274

```

aattcggcac gagatcttgt tgagcttgta aaatgccagc aatttaaaac taggactttt      60
ccccccataa gccaaggagg tagaattact aatacaaggg ttaaagaagg tagattttgt      120
tttcaatatt tgggtaatat tagaaagatt cttcccacag ggaagaacta gcaagtgtcc      180
caattttttc caaacgttgg ggaggggaaa attcactgta tcatgaaacc ctaagggttt      240
gttgcacttc ctgcttttta ggcttgata acagtatcac catecttatt tacagaaggg      300
taaaactgac tcttaatgag aaaagcttta taagttcaag ggctgtaaaa tatgaactac      360
ttaaggctgt ttgccttcca tgggaacttg gctagactta naaaaagctg ttgttngtct      420
aatgtaaaa                                429

```

<210> 275

<211> 386

<212> DNA

<213> Homo sapiens

<400> 275

```

acgctctcgg gagcagttct gttaatccct gctgggagca gagactgcga aaagctgagt      60
ccgccgatcg tgcccgggac aaggctgcct tccactcgcc gcactctacct ggtaggcggc      120
atgcgcacgg gcttagaggc ttgagagcct ctggaagaga aagggtccca ggaaggaaac      180
ctgcccccg cctaagtgtc ggcgcccaga tcaccacgaa ccccgcacct aggcgccgcc      240
caccaagttc caaagaagtc cgaggcgacc tgggagtcgg tcggatccca gccgagaaaa      300
gaaacaagca ggatagcaat tcttatggga gccaccctgg gagttttagg cagcgtttgc      360
ctttccctgg ttttcttacc aagccc                                386

```

<210> 276

<211> 406

<212> DNA

<213> Homo sapiens

<400> 276

gggaaatggg	gccctaggag	ggtggggg	ggaaggagg	gcaaggtctt	tcaggaacca	60
gacccaacag	gcccttctgt	agcctcccc	ttgccctcaa	agggggagtg	ggggccagct	120
ttacctcacc	cactgtgacc	cgccgcttcc	ccttcagcct	gggaccaggc	tttcctagat	180
cccagcacag	ctctgagctt	gttcctttga	ggcatagaga	gccagagtct	ggcttccaga	240
gcattgactt	cctcttcccta	gacttgaggc	cttttctctg	gctttcctcc	tttgccctgc	300
agtagcaact	ggtgctggga	caagttgacc	cacctctcac	agtcattgggt	gtggccactt	360
gtgggagttt	cctgtccacc	tcccaaagac	ggccacccag	cgggtc		406

<210> 277

<211> 395

<212> DNA

<213> Homo sapiens

<400> 277

acagcactga	gctagaggac	gacgccatct	attcagtgc	cgccctgct	ggcctttacc	60
ggatccggaa	aggggtgtct	gcctcagctg	tgcccttcac	tccctcctcc	ccgctgctgt	120
cctgtcccca	ggagggaagc	cgccacacga	gcaagctttc	ccgccacggc	agtggagccg	180
acagtgacta	tgagaacacg	caaagtggg	acccactgct	ggggctggaa	gggaagaggt	240
ttctagagct	gggcaaagag	gaagacttcc	acccagagct	ggaaagcctg	gatggagacc	300
tagatcctgg	gcttcccagc	acagaggatg	tcattctgaa	gacagagcag	gtcaccaaga	360
acattcagga	actgttgagg	gcacccaaga	attca			395

<210> 278

<211> 391

<212> DNA

<213> Homo sapiens

<400> 278

aattcgccac	gaggtgagg	ctgtgcaagg	gggaacactg	agcagatacc	tttgccccct	60
tccagctttt	actgacagag	agttccaggc	tagacaccat	aaaaaccacc	ccttgttctg	120
aggggctgag	gctggaaata	gattgtacag	acaagcaagg	gttgagtggg	ggttcccaca	180
cgaagtcate	tcttaatcat	cattagcaat	agcagttccc	ttccaaggcc	tcccctcact	240
cccgaaacac	ttacgtccca	tgcaggccca	atgcaaaaaa	aaacatttga	gcttttttcc	300
cgaggggcca	tgaagtcccc	ttaagtcccc	atatctaaga	tggttgactg	accctctccc	360
cttatgtaca	gaagaggaaa	ctgattctca	a			391

<210> 279

<211> 377

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 279

gtaaaggagg	ggtggtgcta	gacgtttcgg	gcagagctcg	gccgctgcgg	aggacaagga	60
actctccctc	tcccactagt	ctgacttctt	ccaaaatgag	cggcctggat	gggggcaaca	120
agctccctct	cgcccaaacc	ggcggcctgg	ctgctcccg	ccatgcctca	ggagatccgg	180
acctagacca	gtgccaaggg	ctccgtgaag	aaaccgaggc	gacacaggtg	atggctaaca	240
caggtggggg	cagcctggag	accgttgagg	aggggggtgc	atcccaggat	cctgtcgact	300
gtggccccgc	gctccgcgct	ccaantgccg	ggagtgcggg	cgggtgcagtg	accaaagccg	360

ggcaggagga tgctcca

377

<210> 280

<211> 329

<212> DNA

<213> Homo sapiens

<400> 280

cctttttgaa	cttcccttct	attaaactta	aaacagatgt	cttaattaat	caggctgtct	60
tggaagggtg	ttgtattggg	agacaagggg	cggtggtgga	cctcaccttc	aatccaagtt	120
ttcaaagata	ttttctcaat	aactctaaaa	gggaggtgct	tgggattaag	gtgacagtcc	180
acttgatcct	tttctttgtt	ttagtggtgaa	tttcagcagc	tccatctgtc	ttcatgattg	240
tacttgagca	gtattagctg	tatgagttaa	ttttattcag	attgaagatg	gagggcgggt	300
tctgctcact	cagtcttttt	ttttttttt				329

<210> 281

<211> 243

<212> DNA

<213> Homo sapiens

<400> 281

aattcggcac	gagcctggat	gtcaaagtcc	tagagccaga	aatatattct	ctcatccctc	60
ttagcattct	cttgctccct	cattcactag	ggcaaatgtc	taaatgaaga	aaagtctctc	120
tcaacacctc	gttcatgcaa	tcagcattag	aatttgtaag	gaaggaaggg	gggtggcatg	180
aaaatttcca	ttcttggggg	atatgactgt	cctgtttccc	ccaggccact	ttttttttt	240
ttt						243

<210> 282

<211> 433

<212> DNA

<213> Homo sapiens

<400> 282

cggaccagaa	ctgtcttagc	ttttccctct	gcggtctgtc	tgggttggtta	ctttgagcct	60
gcctcctcag	cgccgcagga	gagacttaac	agcaaaaatg	actgtgtcct	gagttcagcc	120
cccactgctc	tgggagcttc	cccctgggtt	ctgcacctga	agaatgtcat	cccagccgaa	180
ggttcttagg	agcggggagc	gacaaagaaa	aacaaagaaa	agcagacctg	aaaattggga	240
cctgggagaa	atgtaagaca	tgtgcttaat	ttgaggcaca	gaccaaagaa	agctgagctc	300
gagggccctc	taaaagtgtc	ctcgtgcttg	ggcagcttac	attcttggcg	gcagtagtgt	360
tatgaagagg	accttcggag	ccaggctctg	ccattcttag	ggctccagcc	actgctgagc	420
atcaaacgaa	gtg					433

<210> 283

<211> 426

<212> DNA

<213> Homo sapiens

<400> 283

aattcggcac	gagacaggat	gatgggcaag	ttttactccc	aaatctttaa	atctacagtt	60
tatactgaaa	aactaaacta	tgtaaaattc	atcagtcacc	tcataaacat	taagatacct	120
tgggaaactc	atacaaaagt	aatgggttaa	acatgacttc	agacttagta	aatcatcctt	180
ttagttttgc	aaaacaaagt	aaaacatcca	ttatatTTaa	catctctatt	atatcaaatg	240
tggggcacat	cagacaactg	aaatgtcacc	agcctcaagc	agcccaaggga	gaagcgtgtg	300
tggtgagagt	cctgctggca	gaggtgcacg	ggggctccat	ctctgagtac	gtttcacagc	360
ttgtaccatt	tacatgtcac	cgccttaagg	cagagctctc	attccccctc	ttaagcaggt	420
agttgg						426

<210> 284
 <211> 430
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(430)
 <223> n = A,T,C or G

<400> 284
 aattcggcac gaggatgagt gatcaagaat tagagtgtccc tggaggtcac tcacaagtcc 60
 tcatggagac tctgccgtga cctcgcgcac gcgagcacct tcctgtctct cattttcacc 120
 atctgactgg ggctagggtt ggtagaggg cggtgtaga gcaccctcag gagaagtggc 180
 gccgcagggg tcacgcatgg tccagccctc aggtgggagg gaagtccttg ttggcagagg 240
 gatgtggggc gggaatgagg aaaggggagg gcatgatcct ggcaaatagt ctttcctttt 300
 ccgtaattac agagaaccag ganttttttt aattattgnt attataatta taattattat 360
 tattattgac atgaggaaac ctaacactgg cagagggcac cttctctgct tttaatcttt 420
 caggnttgac 430

<210> 285
 <211> 423
 <212> DNA
 <213> Homo sapiens

<400> 285
 aattcggcac gaggccatca gaactgtgaa agaaaataac attttttctc tctttttaga 60
 aagacacagg ttcagaatgg tggtgtcagg gatcacaagc tcccagcccc gtgattagca 120
 aattgaccct gctgccctgt ctgctggctg ctttcttatt ctgagaattg tgttgacaag 180
 accctctttt cctacagagc tctctcttaa tggtgcttgg aatagccttg tgcctggag 240
 acagtttttag gtctggcagg atctgagaac aggagtgggg atcttggaat gggatctgca 300
 tccctgagct tcatccacaa aggggtgggaa tgtggcttgg gctgtggggg ggaggtagat 360
 gaacagctgg acttgaggt ctatcttctg ttgtttctca ataaagtaga caaagtccat 420
 ctg 423

<210> 286
 <211> 421
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(421)
 <223> n = A,T,C or G

<400> 286
 aattcggcac gaggtggaag gacagcatcg atgaactctc ctggaggtca ctgcaaaggg 60
 tggcagacct tgctgaggtc cctgaatctg cagcctccag acaataaact gaaccttacc 120
 cagaaggctg gcacaaagcc ccagctctg tgggtaggat ctccccttca ctgccctctc 180
 tctgagaaaag gacagcacac ccttgggaaa gggggaggag agagactgag cacaaatcca 240
 ctgctggaaa ttactattca gcagagaagc tgggtcttgg gctgtgaatc actgcaggcc 300
 tcctgataag ctgctgcctc cagccctgca cagctgtctg ttgagagata acagcctcat 360
 aagcttctct gccaaactcca agccagctgg gggggggggg gctntnnnnng ctggaaaact 420
 c 421

<210> 287

<211> 425
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (425)
 <223> n = A,T,C or G

<400> 287
 aattcggcac gagaggacat ggatcagctc ctccagctaa ccaggaagct tgagagtagc 60
 cagcccaggc aaggagaggg taacaggacc ccagaaaagtc agaagaggaa aagcaagaag 120
 gccaccaagc agaccctaca agatagcttc ctcttgacc tcaaattccc tccttctttc 180
 cctgtcgaga tctctgacag gttgcccgct gcctcctggg aggggcagga gtctgtctgg 240
 aacaagcaga cttccaggag cgaagggact caccctgagg gaacatatgg agagcaactt 300
 ggtcttgagc tgtgcaacca atcagagtcc aggggagaag atttcttcct gaagtccagg 360
 ctccaagaac aagatgtcnt ggagaagatc cacttctttc tataaccaca tgtgcaacct 420
 ctggg 425

<210> 288
 <211> 421
 <212> DNA
 <213> Homo sapiens

<400> 288
 acatcttaca aacaaggctg gagaggaaag agaaggggtc agagtacaga tggcctctca 60
 ttctaggcag agaggttggg tctgtacatg gaaggcagta gggagccctt gacaactact 120
 gagcagagat tggcagaact aattggtgtt ttagaatgag cagctgggaa aactccgtag 180
 aagggaccag aagaggcaag tctgaaatca aggagccaca tggggagttg ctttaacagt 240
 agaaggctac tcacagcttt acccctgtgc aaagagaacc ttggtgcaaa ggttgacaca 300
 gccacttacc agccatagga ccttgagcca gttttaaatc ttctgtacc tccttgccgt 360
 atcttgcac tagggatgct cgtgtcatc attcgttcaa ccctaaaagg gcccgtttca 420
 g 421

<210> 289
 <211> 419
 <212> DNA
 <213> Homo sapiens

<400> 289
 agcacttttg gaggccgagg cgggtggatc acgaggtcag gagatggaga ccatcccggc 60
 caacatagtg aaacctcatc tgtgctaaaa tacaaaaaat tagccaggct tgggtggtgtg 120
 cacctgtggt ccagctact tgggaggctg aggcagggga tttcttgaa ccagaaggcg 180
 gaggttgagc tgagttgaga tcgcgccact gcactctagc ctgacaacag agcaagactt 240
 cgtctcaaaa aaacaaacaa aaaaagaaat tacattagtt gaggacctgc tgtatgtgat 300
 atgaacaatg aggatcaact ctttttgtaa tagttttttt acatatgtta tttcatttgt 360
 ttatttcctc tgtgagggta agtattgata gtccagtcac agactggtaa cacaggcac 419

<210> 290
 <211> 416
 <212> DNA
 <213> Homo sapiens

<400> 290
 aattcggcac gagggaaggt agaatttgta aaagttcgta tgctttgcct ctcaactgca 60
 ttaacatgcc acaggctcag actgtttttg tgtaaaggat gtcaaagaac ggcacttttt 120

```

ctaaagagaa gtttgatatt ttgtatgctt gttaagaaag tacagtattg gaaattaaag      180
gtggacaact gataattgag gagtatgtca attaatTTTT tatgtatatt acctgtttac      240
ttgtacaact tactgtacaa attacatgca gcttcatttt caaatgaatc cttaaaataa      300
ggaaatcttt ttaggaaaac atttaatttt tgtatttttg attttaaagg catgagttat      360
gtcaattttc agtgatttaa tgaagatttt aacttttcat cagggtgagt gttttc      416

```

<210> 291

<211> 415

<212> DNA

<213> Homo sapiens

<400> 291

```

aaattgtcta ttaaattgcaa gacgtggtaa tatacagaat ttatcaggca ttaccaagtc      60
taggcacata taggaaatgc agcactcaga atggtttcaa tgtagtagtt gatgcttgta      120
aggtagggga gcttattcag acatagtaga tagtttctct aatgctgtct caattgctgg      180
cctttggcta cctgtacttc cccattatgg cagcccatTT gcgctttttg ttctctctgg      240
gacaccttat gctctgaaat catgagcgag gctgattcaa ttggtgattt gggtagaaag      300
cagtatgttt tgctgacatt aagatgtagg ttatagatag gtttagccct taagtgtatg      360
ttttataact ttaaaataag aaatataacc ttttaagcta tccccctctc cccag      415

```

<210> 292

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(417)

<223> n = A,T,C or G

<400> 292

```

aattcggcac gagggaaaaa ccaaaccctc tcttggttaag ttgtgcctgc cagccctaga      60
aactgtcaag tgtgncactt tccatcttac ctaggaatag tccatttatt ttcgagccta      120
gctttttgtg tttctgtggt tagctgcact cacacgtacc aattttttaga ttcacgtcag      180
ctacatatgg aggggatcgt ttgagtcag atctcactgt ctgttccttt tcgaggggaag      240
caagttttct ctcaagaagg attttgatgn ctccgataaa aatagctatc ttattaatct      300
aatanttgga agttagaggt tctgtgtgtg gagtgggttg tttggtggaa cattcgataa      360
gcagctggna aagnttcctt tctgagtggg ctgtaccttg gaaatgggtc acacaac      417

```

<210> 293

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(416)

<223> n = A,T,C or G

<400> 293

```

aattcggcac gaggttgcggt ggtgggaggg cgccaagac gtctgagcag tatcccaggc      60
accttctcca gccagggtg acctcgaaa gacagagag aacggggact ggaggcgggt      120
gggccctgga aatcctctca tggtgcgggt gggggggtat ggggggtgga ctgtcacagg      180
tgagggcagc aaggcagctc ctggcagcag gaagaggccc aggtgcagca ggaaaccccg      240
tccctggtgc tcaactggtga ccgtgggcag aggagaggac aagtctctcc acacagcagc      300
ctggggccat ggggtacagc catcttttgc aattgtcttc ttttatttat tctgcaaaat      360

```


gccccattccc aaaggcttct gcctcctgtc catcaaacan gacagtcngt gccttt 416

<210> 294

<211> 419

<212> DNA

<213> Homo sapiens

<400> 294

aattcggcac	gagaagccgt	ggggacgcgc	ccagcggagc	taatcagatt	acctggctgg	60
tgtttgcttg	ttctggagtg	atcttctgac	tggaagaa	ctatgtcatg	gatcaaggaa	120
ggagacctct	cactcctgcc	tggtgttcca	acccgttctg	tgccagagt	atacattttg	180
gaacctcttc	gaggccatcc	tgcatgtcca	gatgaaccat	agcatgcttc	agaaggcccc	240
aaacacattg	cattcataat	ggacgggaac	cgctcgctatg	ccaagaagtg	ccaggtggag	300
cggcaggaag	gccactcaca	gggcttcaac	aagctagctg	agactctgcg	gtgggtgttg	360
aacctgggca	ttctagaggt	gacaagtcta	cgcatcagc	attgagaact	tcaaacgct	419

<210> 295

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 295

aattcggcac	gagaccgaga	tctgacttga	atgcagacaa	aaaagcagaa	attctaatta	60
acaagacaca	taagcagcag	tttaataaac	tcattactag	ccaggctgtg	catgttacaa	120
ctcattctaa	aaatgcttca	cacagggttc	caagaacaa	atctgccgtg	aaatcgaatc	180
aggaagatgt	tgacaaagcc	agttcttcta	actcagcatg	cgagaccggg	tccgtttctg	240
cgttgtttca	gaagatcaaa	ggcatactcc	ctgttaaaat	ggaaagtgca	gaatgtttgg	300
aaatgacctt	tgttcccaac	attgatagga	ttagccctga	aaagaagggt	gaaaaagaaa	360
atgggacatc	tatggaaaaa	cnangagctg	aaacnagaga	ttatgantga	gactttgaa	419

<210> 296

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(415)

<223> n = A,T,C or G

<400> 296

aattcggcac	gaggtgcccc	cagccagggt	gagccccctt	cccagaactg	cctcaccacc	60
cagcccttgt	gtgatcctca	tgtctoctgc	cccaggacca	catcctgagc	ttgggtgccg	120
acttcacctt	gatctccctc	ggcagcacca	ggagaaagtg	gagcggctgt	tagaggtgtc	180
acgtgaacct	gacaagggtc	ggcggggact	ggcagacatc	ctgggtacc	aagctgaggc	240
tgtagaaatc	atggcccaag	gccagggtgtg	agcctacaca	ctgctgaggg	actgggctat	300
ccaagaagac	agtgggtgcc	cccacaaggt	gctagagaat	gccctggttg	ccatgggcca	360
cgaaaatgtg	gtccaagtcc	tgggccccca	agctgagggc	tgntgtggt	gtgag	415

<210> 297

<211> 413

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(413)

<223> n = A,T,C or G

<400> 297

cttctgctgg	gactggccat	tatctcaggg	cttctgttgc	attatagccc	tgtgtttctgc	60
tggaaagtag	gaaacacttc	caggggacaa	aacatggatg	atgtcatggg	tttgggtggat	120
tcagaagagg	aagaggagga	ggaggaggag	gaagatgctg	ccgtagggga	acaggagggga	180
gcacgtgaga	gagaggagtt	gccaaaagaa	atacctaagc	aggaccacat	tcacagagtg	240
accgccttgg	tgaatgggaa	catagaacag	atgggaaatg	gattcaggat	cttcnagatg	300
acagcagtca	ggagcaaagt	gacattgttc	aagaagaaga	caggcccant	ctgaanaaga	360
agatggggcca	tggttgtctt	ctctgaaagc	ttggagagct	acatttgaag	acg	413

<210> 298

<211> 409

<212> DNA

<213> Homo sapiens

<400> 298

gtcggcccag	ctccggccat	ttgcccggag	gcctcctctg	ggcctttcaa	cttcctaagc	60
acctttcagg	ttgggtgggc	cgagatctcg	cgagcgctcc	cgacctcttt	ccttttcgca	120
gatccccctc	cctccccctc	ctagtctcct	cggcaacggc	acagatctcg	cgagcttctc	180
ctacttctct	agcgtgtggt	ctcactgaag	cgtactacgc	cggatgtctt	aagatatcgc	240
gagaccttta	cctctggttt	cttacacatc	ctttagaac	tggaatttag	cgagaataca	300
ttctttcata	ctgcctcctc	ccttggtttt	ctgtctcaga	gagatagtct	gtcctaaata	360
tcccatgtag	cccaggccac	tgaattaaaa	cggagcgat	tcgttctct		409

<210> 299

<211> 434

<212> DNA

<213> Homo sapiens

<400> 299

aattcggcac	gaggggtgggt	gtcctgagtt	tggcctggga	gtcaggtgag	gcagtggagt	60
gtttgaagag	aggggtgagg	gtatgggcga	ccgcacaga	cttgaatccc	aggggtcctc	120
cagcagtgtc	gtgaaagggc	tgctcgctggc	tgggactggc	cttaacagaa	gggaaatgca	180
ctatctcgtg	tcttgcgac	tgggtcagca	gctcggctcg	gtcatctggg	atgcaggctc	240
ctttcctctt	tctcctcctc	catttcatag	ctccaggttc	accactgcac	agtaatggcc	300
agagcaagaa	agggaccatt	gtgccctgtg	cccccttctc	aggcaccagg	tagactttcc	360
tctgtctcgt	tgaccaggac	taagtcaaag	tatgtatcct	tagtagggaa	tgtgatgagc	420
ctaattggcat	gggc					434

<210> 300

<211> 410

<212> DNA

<213> Homo sapiens

<400> 300

aagaaaggaa	ccaaacaagg	cgtgagtgtg	ttggggaacc	ttcccagtg	agcaaacc	60
cttaacacac	cagctgttgg	gaacagctgc	ccctaaatcc	aattaaacc	tcatctccct	120
ggtgtgaac	agtctacact	ggcccaggaa	gctaactgtc	gagccgcttg	gagagctttg	180
gtaaacagaa	gacactggaa	gcccactcgg	tcagcagctg	ggcatgagga	tgctcagggg	240

ctttggactt	gaggaaggac	agtcagggtg	catggaatcc	taatgggcct	catgcagaca	300
ctggaagcag	cccagcccc	tgcccaatac	cacagccctg	gggtgtcccc	tgacattcct	360
ggaggccct	gggcaaatac	atttcctgcc	tgggttctca	gggtaggaaa		410

<210> 301

<211> 410

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(410)

<223> n = A,T,C or G

<400> 301

aattcggcac	gaggctacca	gagtttgatg	aaagtagccc	cactaaaaac	atctcacgtc	60
ctttattcta	attctgaccc	acaaaaagc	cttctaagtc	aatgacacaa	tgtctggagt	120
gcctctgtat	gttatgaaag	attgctctag	acatcctacc	cctgttcttt	agtcagatgt	180
gttttccagg	gtaaccaag	aatgacattt	tagcttgtca	gtatcttgga	agtgattagt	240
aagagctcag	tcctaaagac	tggtttggtg	tgagtaaaca	aataaagctg	gattttctgaa	300
acagcaaagc	tgagactcca	gaccagtaat	gctcaacctt	ctttctgtcg	agcatgcctg	360
gnagtaacag	tggctcacat	ggaagtaaag	gagtttggtt	tttgaagggg		410

<210> 302

<211> 413

<212> DNA

<213> Homo sapiens

<400> 302

aattcggcac	gaggctggag	gcattcgaaa	gggactcccc	atgtgggtggg	cggggctgaa	60
ccctgtggct	tctgaggtcc	ctgccagcca	gagacttggtg	tgagtctttg	aatggcttca	120
catgaacaaa	agagcatttc	tgtcaccttt	cctctagtgtt	tttccaccac	accaccagg	180
gagctgaggc	aaggttgttt	ctgttgctgt	ttccttaggt	cagctgaggc	tgtccattga	240
tgcccaggac	cgggttctgc	tgcttcacag	tgagtacggc	tttgtgcagg	ctcaccaagg	300
aaggggaggc	ccactcagca	gagcagggcc	acagaagagt	tttcttatct	tccctccctt	360
ctttattcca	tcctttcttc	ttttctctat	ttttctcact	cattcattta	ttc	413

<210> 303

<211> 410

<212> DNA

<213> Homo sapiens

<400> 303

aattcggcac	gagggctcct	cctccagccg	cggggcaccc	ccttctccca	ccttgccctt	60
ccccagccc	tgagcccca	gagtgagcat	ggcccaggag	gaggggtggga	gcctgcccga	120
gggtgcggcg	cgggtcaggg	ccgcgcattg	catccccgac	ctggcccaaa	agctccattt	180
ctatgaccgc	tgggtcccg	actacgacca	ggatgtggcc	accctgctgt	accgtgcgcc	240
ccgcctcgca	gtggactgcc	tcacacaagc	ccttccaggc	ccgccccaca	gtgcctgat	300
cctggacgtg	gcctgtggca	caggcctagt	ggctgccgag	ggaccttoga	cgcgggtgctg	360
atagtcgggtg	ccctcagtga	cggcaggtgc	cctgcaatgc	gatacctgac		410

<210> 304

<211> 413

<212> DNA

<213> Homo sapiens

<400> 304

aattcggcac	gaggatgttc	acaaaagttt	tatcaactca	ctttgttttg	atactgaagg	60
tcatcatatg	tattcaggag	attgtacagg	ggtgattgtt	gtttggaata	cctatgtcaa	120
gattaatgat	ttggaacatt	cagtgcacca	ctggactata	aataaggaaa	ttaaagaaac	180
tgagtttaag	ggaattccaa	taagttattt	ggagattcat	cccaatggaa	aacgtttgtt	240
aatccatacc	aaagacagta	ctttgagaat	tatggatctc	cggatattag	tagcaaggaa	300
gtttgtagga	gcagcaaatt	atcgggagaa	gattcatagt	actttgactc	catgtgggac	360
ttttctgttt	gctggaagtg	aggatggtat	agtgtatgtt	tggaaccac	aat	413

<210> 305

<211> 410

<212> DNA

<213> Homo sapiens

<400> 305

cccagctggc	caaccctgac	ataccctctg	gcccagccga	gaacttcctg	atgactcttg	60
cctccatttg	cggcctcgct	gctcgtctac	aactctgggc	cttcaagctg	gactatgaca	120
gcatggagcg	ggaaattgct	gagccactgt	ttgacctgaa	agtgggtatg	gaacagctgg	180
tacagaatgc	caccttcctc	tgcactcttg	ctaccctcct	agcgggggca	acttcctcaa	240
tggtctccag	agcagcggct	ttgagctgag	ctacctggag	aaggtgtcag	aggtgaagga	300
cacggtgccg	tcgacagtca	ctgctacacc	atctctgctc	cctagtgtctc	cagacccggc	360
ctgagtcctc	tgacctctat	tcagaaatcc	ctgccctgac	ccgctgtgcc		410

<210> 306

<211> 405

<212> DNA

<213> Homo sapiens

<400> 306

aattcggcac	gagcccagct	aatttttttg	tatttttcagt	agagatgggg	gtttcaccat	60
gtcggccagg	ctgatctcaa	actcctgacc	tcagggtgatc	cacctgcctc	agcctcccaa	120
agcgctggga	ttacaggcat	gagccatcac	acccagcgaa	aagttttgtt	tgaataaaca	180
atatccgaaa	gacaattagt	ttcttcagat	gtattttgaa	attctcctaa	agagctagt	240
tttctattca	ttttcacaa	ttaaaaacag	ctcttaacat	tgctgaagtt	gggagaactt	300
tccatctctt	cttaataaca	gtgcaagatt	ttgtaaattc	ttttttgtgt	ttaatgttta	360
ataaaacgag	tattaagctt	aaattactga	agtacctggg	agaag		405

<210> 307

<211> 403

<212> DNA

<213> Homo sapiens

<400> 307

cctgagtgtg	cagaatgaac	aaacctgaaa	gcctaagtac	tatcttggtc	cgtctagctc	60
ccacacctag	cttgagagta	gcctctcata	tcaatgcttc	cctgctatcc	tttcaaaact	120
ctttttgatg	ggataagtgg	gcaaagatca	tgccatcgct	tcaaagtcta	acttcctttg	180
acaagacagt	ttctcccagg	gatatcccc	acaggcctag	gccaaatctc	tgactcactg	240
caaagggtcca	tgtacactga	actgatagac	atcactatct	ttattggaaa	acacaattta	300
tataacactc	ttcctctgga	ataatactct	ttttgtggac	aaataccgag	ttggctcctc	360
cttctcccag	cacacccac	ccccctccc	atgactgtgt	ttaa		403

<210> 308

<211> 401

<212> DNA

<213> Homo sapiens

<400> 308

aattcgccac	gagattgccc	tttaccat	gccaatact	gcaatggcac	cttaggctgt	60
gtgtgtgtca	gacagaaaa	taaaacatca	gatttttgtt	aattttgggt	gatgagttag	120
gtcagggata	gttattat	tgagactgct	attttttttt	ctctttttta	aaaacagatg	180
gggctgggca	caatggctca	tacctgtaat	cccagcactt	tgggaggctg	agggagggtg	240
attatttgag	gccaggagtt	caagaccacc	ctggccacac	ggtgaaaccc	cgtctctact	300
aaaaatacaa	aaattagcca	ggcgccgtgg	tgcattgccag	taatcccagc	tactcaggag	360
gctgaggcac	aagaatcacc	tgaaccagg	agacgaggct	g		401

<210> 309

<211> 404

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(404)

<223> n = A,T,C or G

<400> 309

cacactccag	gctgagaaag	agtaattagg	aggcctgagg	agggggccgag	gaaaggctgt	60
tgggggtgtgc	tgggggttgg	acccgagcgc	cttccctca	cctcaaccag	agaagagcat	120
ccggttgctt	tttaaagctt	ttagcctgcc	ctagcaagga	caaagcatgt	tagattagag	180
atgcttctgc	tgatcgagg	ggttcttatt	tgaaaacatc	tatgatgggg	gagggtgtggg	240
agggtttttt	tattnnctt	tnannaanca	acgnttncct	caattanatg	gganatnngn	300
ancccnngan	ncttctcat	gaaagtcctt	gaancattaa	agncannttn	nctgctggtg	360
ntctttntgg	caannantta	tnttnncnnc	ncnctcactn	aaac		404

<210> 310

<211> 405

<212> DNA

<213> Homo sapiens

<400> 310

tttaaaagta	aaatgtat	taatgatgtt	agaataagac	taccattcta	aatatcacct	60
acttatgaat	aacatgtaat	aatttttaac	attaatgatt	ccataaattg	tattattggg	120
attagaatgt	gctttatgac	aggttagtgt	ttcctctgag	gcagaaaact	cttttttgga	180
gatatcttcc	atcaagcagt	actcgtgccc	atatacaatc	tctagtggct	aggagaaata	240
aataaaaagg	ccataatgg	ttgttctctt	tcagacataa	tttagtaggg	gacaagaagt	300
ctgttcttca	gtgagtacac	tagagattta	ctctggtgac	tgcttttgag	ttatgggtga	360
agtaaggat	ggctttacca	taaccttgat	tcattcaccc	ttgat		405

<210> 311

<211> 403

<212> DNA

<213> Homo sapiens

<400> 311

ctggcccacc	ccctcctgga	cccatccttc	ggccccagaa	ccctggggcc	aaccctcagc	60
tgcgaagcct	cctcctcaac	ccaccaccgc	cgcagactgg	gggtgccccca	ccccaggcct	120
ccctccacca	cctccagcca	ccaggggctc	ctgcgctgct	gcctccgccc	caccagggcc	180
tggggcagcc	ccagtgggg	ccccactcc	tgcattccacc	acctgcccag	tcctggcccc	240
cacaacttcc	ccctcgggct	ccactgccag	gtcagatgct	gctgagcggg	gggtccccgg	300
gcccggtccc	ccagccgggc	ctgcagccca	gcgtcatgga	ggacgacatc	ctcatggatc	360
tcattctgaat	ccccaacacc	caataaagtt	cctttttaac	acc		403

<210> 312
 <211> 406
 <212> DNA
 <213> Homo sapiens

<400> 312
 aattcggcac gagcatcatt cagcaagggtg gctgggtatg agctgttata tattaataaat 60
 attttcttga aaaaaaatta ggtttgttgt ttttcttaag agatgggttc ttgctgtgtt 120
 acccgggctg gagtgacgtg tctaattgct ggcactatca tggcaggctt cggctctcaa 180
 ctcttgggct caagtgatcc tgcctcaggt cctgaatagc caagagcaca ggctgggact 240
 atagggtgcc accactgtgc cgtgctctat cccgtacttt ttgatattga attattatta 300
 ttattcagtt gggtcagttg ttataaaatt ttccttatat gttctttgac ccttgaatta 360
 cttagaaatg tattttttaa tttctaaata cttacaggtt taaaaa 406

<210> 313
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 313
 ctgctgctct gaaagccttc cgaaggctgg tgaactccca ggggcagctg cgggtgcccg 60
 tggtttttgt tacaatgctt gggaacatct tacaacacag caaagcccag gagctgtcag 120
 ccctgctggg gtgcgaggtg gatgcagacc aagttatcct ctctcacagc cccatgaagc 180
 tcttctccga gtaccatgag aagcggatgc tgggtgtctgg acagggggccc gtgatggaaa 240
 atgcccaggg actgggcttc cgaaatgtcg tcaccgtgga tgagctgcgg atggcctttc 300
 ctctgcttga catgggtggc ctggagcggc ggctaaagac cagcccctc ccgaggaatg 360
 acttcccccg cattgaaggg gtgctcctcc taggggagcc g 401

<210> 314
 <211> 421
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(421)
 <223> n = A,T,C or G

<400> 314
 caaaaaaaga aaagaaaaga gtagactggc cactgacaat actgggccta atggaactcc 60
 ctctaccaaa tctgtcactg cactttgcct tcatcccttt ttccctaac agcagccacg 120
 atgaaataaa gtgaagtgtt aggacctcca tagttgggtt ataagcccag cccagcaac 180
 aaagggtggg tgggggtgact tctggggcac caacagctta tacaaggtat acacttcact 240
 atcctctttc cacaaggatt ttgtataat tcagttacca aaactagtat atgcctttat 300
 ctgtgatcag aggcataaat tggaccatag gataagttct tttttagctg acattgggtt 360
 tttttgggtt tggttttggt ttattttggt ttgagnttag ttgataacat ttaaagagta 420
 g 421

<210> 315
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 315
 aagacttcag ctaaggccct tgatatttaa ttatgattag agacttttgg accttctgga 60
 tcatggcat gtttctgttc tatgaaagtg acttaacttg aagcctggca gaaccaact 120

gttttctttc	tgttatcaaa	gctggtagtt	ttgaaatagc	accaataata	accaggggaa	180
atgtcatgta	atttttatgt	tccattatga	caggtgtcta	atgcatgtca	gcacaaaagt	240
gtcatcactg	ctgtgtcatc	cctcttggtt	ttcactatgc	atctataatt	ttttaagttt	300
gcagggtttg	tggggggttt	tgtttggttg	tttttaaact	ggaaaaacta	gccattttga	360
gagaaggaag	gttctaggct	atgagcatga	aggcct			396

<210> 316

<211> 397

<212> DNA

<213> Homo sapiens

<400> 316

ggtagctggg	actataggca	cacaccacca	cgcccggcta	attttttatg	ttttttgtag	60
agacagggtt	ttgccatggt	gcccaggctg	gtcttgaact	gctgggttca	agcgatctgt	120
tctgctcagc	ctcccaaagt	cctgtgatta	caggtgtgag	ctaccatgcc	tgggcccttt	180
ttacagattt	gaggatgggt	ttatatcacc	tcaatttctg	agaacctcaa	gctatgaact	240
tcgtttaagg	tagttccaag	tttaaggtag	aaccagttcc	aggttcctaa	ccccactccc	300
agatacctgg	cagaatcaaa	gatgaatctc	cggaggaggg	caccttcttc	ctaattttca	360
agggcaatga	gcaagtacag	gcagaaataa	caaagcg			397

<210> 317

<211> 398

<212> DNA

<213> Homo sapiens

<400> 317

tgcaagcacc	taaacagttt	gccaaaggaat	gtttctcctg	agtttggtcc	ttgtgaaggt	60
gaaggaggct	ttggtttgca	caagaagaaa	gacctactca	gtgataatgg	ttctgaatca	120
cttcgcgatt	cagctgcata	cccccttctt	ggaaccttag	gaaataaacc	ctcacctaga	180
tgtaccctcg	gtccttctga	atcaggatgc	atgcatataa	cctttcgcg	ttctaataaa	240
agacttggtt	taaaagtata	taaatgcaat	ccactaatgg	aaagtgaata	tgctgcatct	300
gagaaaagtc	aagggttgga	tggttcaggaa	cctccagtaa	aagatggagg	ggaccttagt	360
gactgcttgg	gctggccttc	cagcagtgca	accttatc			398

<210> 318

<211> 395

<212> DNA

<213> Homo sapiens

<400> 318

cttctgctgg	gactggccat	tatctcaggg	cttctgttgc	attatagccc	tgtgttctgc	60
tggaaagtag	gaaacacttc	caggggacaa	aacatggatg	atgtcatggt	tttgggtgat	120
tcagaagagg	aagaggagga	ggaggaggag	gaagatgctg	cagtagggga	acaggaggga	180
gcacgtgaga	gagaggagtt	gccaaaagaa	atacctaagc	aggaccacat	tcacagagtg	240
accgccttgg	tgaatgggaa	catagaacag	atgggaaatg	gattccagga	tcttcaagat	300
gacagcagtc	aggagcaaag	tgacattgtt	caagaagaag	acaggccagt	ctgaagaaga	360
ggatgggtcca	tggttgctct	gctctgaaag	cttga			395

<210> 319

<211> 394

<212> DNA

<213> Homo sapiens

<400> 319

cttgaatatg	acaatgttgg	agaagcctct	gagcaaaccg	tctccctcct	tttctctctc	60
tgggtggaaa	cggtgcggcc	ttacctcgag	acggtggacg	agtggatcgt	gcacgggcac	120

```

ctgtggggtg gcgccaggga gtccatcatc cagagaaaca aaaatgttcc agttaatcac      180
agagacttct ggtatgcaac ttacacgtta tatagcgtat cagaaaagac agaaaatgaa      240
gaaaaaatga gtgataacgc tagtgcgagt tccggcagtg accagggggc ctccagcagg      300
caacacacca tgggtgtcctt cctcaaacct gtcctgaagc agatcataat ggctggcaag      360
tcgatgcagc tgctgaagaa cctgcagtggt gcggg                                     394

```

<210> 320

<211> 393

<212> DNA

<213> Homo sapiens

<400> 320

```

gacttagcga aatgtcagca gtctatactg acacaccagc ctcatattaca aaaaggagat      60
attaaaacag tgacagtatt ttttttttaa gctctttaca aatccacgtt ttatgtattt      120
tttaatgaca tgagctctcc aggaaatgta cctcatcccc gcagttttcc tccaagggga      180
ttcatattggg agcaaactgc agtcactttc acaagagtcc tctttgatgt caggagggat      240
cacgaaacct tgcaatgccg tgaactggcc atggttatca tcaaaagtcc catgctaagt      300
gcataacttg gagctcacta taacctttgt ggattttcct aaccataaaa ccttgccgct      360
atttttttga ggctttttct tttttttttt ttt                                     393

```

<210> 321

<211> 417

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(417)

<223> n = A,T,C or G

<400> 321

```

tttaaaacct gaggtcagga gtccgagacc agcctggtaa catggtgaaa ccccgctctct      60
attaaaaata gaaaaaatta gccaggcatg gtggcgggca cctatagtcc cagctactca      120
ggaggctgag gtaggagaat tgcttgaacc caggagacag aggctgcatt gagccaagat      180
cacaccactg cactccagcc tgggcagcag agcaagactc catctcaaaa aaaaaaanga      240
aaaagaaaaa gagggttaat cnttcanttn tggagggggn atnaataaan cttgtttgat      300
gttaaggggg gtaaggaggg agnggccttg aaacacttgt nttccaaact ntctggagg      360
tttcagnan cnctactgtt cctaaanggg tttcatTTTT aacttcatct gtttttg      417

```

<210> 322

<211> 393

<212> DNA

<213> Homo sapiens

<400> 322

```

aattcggcac gaggggagaa gcctgagatc tgcagagaag tctgccaggc ggcttgggac      60
taaaagctgc agaagatggg gcatgaggaa gcagtgggca ggcagaagga gtgggcagggt      120
ggtctgctgc tgcctcgggg atgcagcttg agctggactt tctgcctggc tccgtcttgt      180
caccgagttc gcagcataaa cgcatccct cagagacgct gactcgatct ctaataaaag      240
ctatcagcct gtcccccttt actacgagac cctcttagc tctgcagagc atccatcaca      300
gttaggcatt tttgcctttt tttccatcca cccacgcttc caccaccacca ggacgtgagc      360
ttggacttca tcttgtcatc ccagcagcaa ggg                                     393

```

<210> 323

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(393)

<223> n = A,T,C or G

<400> 323

gtgatccaaa agctggtgga gcaccgcgtc atccccgagg gcttcgtcaa cagcgccgtc	60
atcaacgact accagcccgg cggctgcatc gtgtctcacg tggaccccat ccacatcttc	120
gagcgcccca tcgtgtccgt gtccttcttt agcgactctg cgctgtgctt cggctgcaag	180
ttccagttca agcctattcg ggtgtcggaa ccagtgcctt ccctgccggg gcgcagggga	240
agcgtgactg tgctcagtgg atatgctgct gatgaaatca ctactgcat acggcctcag	300
gacatcaagg agcggcgagc agtcatcatc ctccaggaaga caagattaga tgcaccccg	360
ttggaaacaa aagtcctga cagctncgtg taa	393

<210> 324

<211> 383

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 324

tttgaatcta tgatctgttt ccttgagggg tttttgctaa tctgtatttc aatttcccag	60
gtcctagaat ttatgatttt tttttttaa aggttagtac ctaacagggg gaggcagcct	120
cattgttttt agtttctagt tggggggaac tcagccctag ggttgatac ttattaatcc	180
catttttaggg ctttgacat atccattggt attcaggggt tttctctggg cccttccagt	240
ttattttctt ccttaactgg actcttttaa aaaaaaaaaa aaaaaaaaaa tttttngntt	300
tttttttngg nanaaagnaa aaaaaaangg cccctnnttt tttnggncaa ttnnnccntt	360
acaaaaggcc cnnncanaga aac	383

<210> 325

<211> 406

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(406)

<223> n = A,T,C or G

<400> 325

aattcgccac gaggttgcc aggctagtct tgaatttctg acctcaagtg attcatctcc	60
caaagtgtg ggattacagg cgtgagccac cacggccggc taatttttgt attttttagt	120
agtgactggt ttgcgggtg tgaccaggct gattnattaa ctgnntgatt ttggngaact	180
gcctgagagc ntttctatg ncnncngna ccaccnctt tgantaattc ttttttnaga	240
atcaagtgtg ttgangcann aaattgccct aatgcttntt ggaccacact gcttncctna	300
cngaaacnna aggaatattn ttttgcanct nantgtcana ctntnaattn ctacngnaaa	360
aaccttttac ngnctggcaa catgganaat tctgtctntc cnaaaa	406

<210> 326

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(407)

<223> n = A,T,C or G

<400> 326

aattcggcac	gaggaagcca	tctgggagcc	agcacagaaa	tcttgacagc	caagtactca	60
gcaggccgga	aagcagaaga	tggaccctgg	agggactgac	tgtgtgtcag	gcacagggtt	120
agggactagg	gataagatct	ggtccccact	cttaagctta	gacccatgga	ggagctctga	180
atggttgtac	cctgttaagc	ttaggcagag	gattcaaagg	gtgctgtgag	gcaagggtggg	240
agggtgggtg	ggttatatta	gtattctgaa	gagtaataga	accaataggg	tgtgcgtgtg	300
tgtgtgtacc	atatgtagg	agaggggtggg	gttgntaagg	aattagctta	tgcagcatgg	360
aggcccagaga	antcccaaaa	nctgcaccac	ccatangttc	caggttg		407

<210> 327

<211> 407

<212> DNA

<213> Homo sapiens

<400> 327

aattcggcac	gaggaaggcc	agaagtgtgc	ctgaaagata	gcggcggtg	gtggccctgg	60
gatcagccaa	ggcttgccctg	actgacagta	ggaccagaa	ggataaagag	tttgctgaaa	120
acactgaaaa	cttgaaaacc	aaaatgtcag	aactaagact	ctgctgtgac	ctccttgctc	180
agcaagtaga	taaaacaaaa	gaagtgacca	caactgggtg	gtccaattct	gaggagggaa	240
ttgatgtggg	aactttgctg	aatcaacct	gtaatacttt	tctgaagacc	ttggaagaat	300
gcatgcagat	tgcaaataca	gccttcacct	ctgagctgct	ctaccacact	ccaccaggat	360
caccacagct	ggcatgctca	agtcagcaag	atgaaacatc	tattatc		407

<210> 328

<211> 410

<212> DNA

<213> Homo sapiens

<400> 328

gcattgtatc	tgcaatttgc	tacacagtcc	ctaagtcagc	tatgggaagt	agcctctatg	60
ctctagaatc	aggctctgat	tttaaatacta	gagggatgtc	tgccgcgagt	cgtgtgatat	120
tcgggcctgg	tgtgaccatg	tccacctgtg	atgtcatgct	tattgatgac	agcgagtatg	180
aagaggaaga	agagtttgag	attgccttgg	cagatgcctc	tgacaatgtc	cgcattggaa	240
gggtggcgac	agccaagggtg	ctcatttagtg	gtcccaacga	tgccctcgact	gtgtccctgg	300
gcaacacggc	tttcaactgtc	agtgaggatg	caggcacagt	aaagattcca	gttatccgcc	360
atggtactga	cctctctact	ttcgcatctg	tctggtgtgc	aacgcggccc		410

<210> 329

<211> 412

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(412)

<223> n = A,T,C or G

<400> 329

```

ctcggctccg cctggtgctg ccgcgcccg gagggaactgg attatgtcgg ccccgtttga      60
ggagcggagt ggggtggtac cgtgcgggac cccgtggggc cagtgggtacc agaccttgga      120
ggaggtgttc attgaagttc aggtgccgcc aggcacgcgc gccaggata tccagtgcgg      180
cctccagagc cggcatgtgg cgtgtcgggt gggcgccgc gagatcctca agggcaaact      240
ctttgattct acaatagctg atgaggggaa atggactttg gaggacagaa aaatgggttcg      300
tattgttctt acaaagacaa agagagatgc agcaaattgt tggactttct tactataatc      360
tgaatatgca gcggatcctt ggggtgcaaga ccaaatgcan agaaagctta ct              412

```

<210> 330

<211> 408

<212> DNA

<213> Homo sapiens

<400> 330

```

aattcggcac gagtgatcac agatgatgga attcgtcacc tggggaatgg ggcctgcgcc      60
catgaccagc tggaggtgat tgagctggac aactgccac taatcacaga tgcattccctg      120
gagcacttga agagctgtca tagccttgag cggatagaac tctatgactg ccagcaaactc      180
acacgggctg gaatcaagag actcaggacc catttaccca atattaaagt ccacgcctac      240
ttcgacactg tcaactccacc cccatcagta gggggcagca gacagcgctt ctgcagatgc      300
tgcattcatcc tatgacaatg gaggtggtca accttggcga actgagtatt taatgacact      360
tctagagcta ccgtggagtc tctccagtgg aagcaacccc agtgttct              408

```

<210> 331

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(483)

<223> n = A,T,C or G

<400> 331

```

ttttgaactc cntatacan ctactngggt tttgannncc natnncaacg antcgttagt      60
tgcanggaag acacaaataa gaaaactata tagtatgcta gagggtgaca tgctctaaga      120
aagaagataa ggcaggaaaag aggattggga ggcacagaaa ttgagaggac aatattacaa      180
aggtcacgga agaccttgat aagaaggag gcaaggagg gatcgttgta tgtagcttct      240
ccaggcagaa agaagagtga atgcataagt attacaacag gaacaccctt ggtgtgttca      300
agtaccatta caggacagcc ccactaanct agttcagaga cagaccagga gagattaaga      360
ggaaatgggg tcaaagcagg aaagaagcca gatcctgtag tgtaatgtag gcacaggcag      420
gggcactgac tttcactcga ctaaaatggg atcccctggg aaacttggag cagaagggga      480
acc                                              483

```

<210> 332

<211> 455

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(455)

<223> n = A,T,C or G

<400> 332

```

ccccttgacc ccncttgact ttgcgggacc atcgaacgct gcctaaaaan caaaaattag      60
ccgggcgtgg actctatctc aagacaaata aaaaaataat aaagacttgg cttcaccaca      120

```

tagtcactgg	ggaactgtag	gcaaattgct	tttttgtgga	catccacaat	tatcccagta	180
ctgtttattg	aaaagctggt	gtcctttctc	cactgtactt	caatgccacc	ttggtcataa	240
agcaactgtc	ctttcctgtg	agggctctgc	cctggactct	attctagttc	atggctttat	300
ttatctatcg	ttgtcccact	accatactgt	acctttttac	tgaaacttgg	tcttttttta	360
ttgagtgtct	tggctcttgc	atttccataa	gaactttaca	atcagcctct	caagagccac	420
caaaaaaccc	caccataatc	acccactttt	ttgag			455

<210> 333

<211> 465

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (465)

<223> n = A,T,C or G

<400> 333

tttaaaccac	tcttgnntnt	tctgnaggat	ncntcgnat	ccnattcggc	acgagggagg	60
ctgagggcagg	agaatcactt	gccacgatgc	cgggctaatt	tttgtatttt	tagtagaggc	120
aggggtttctc	cattttgggt	aggcttgtct	cgaactcttg	accacagatg	atccgcccgc	180
ctcagcctcc	caaagtgtcg	ggattacaga	catgagccac	tgcacccagc	ctgaaaattc	240
aatttttatgc	aatccactca	ctcgggaactc	aaaatgctaa	atatatatta	ttatatgtct	300
taagttgtct	tatgcattgc	ttatacatgg	atgcatataa	ttgaatggag	ttacaaacct	360
tgcataattat	tcttgatagg	taatgtaaag	atgttccaaa	gtgggttttca	tcatatgtca	420
ctttcaaatt	acataatttt	agaagccaat	cactgaataa	aatgt		465

<210> 334

<211> 426

<212> DNA

<213> Homo sapiens

<400> 334

aattcggcac	gaggcaaggt	caaaaattta	catcaggtat	ctgaatgtgt	agcatataca	60
actgagtgtt	gaaagaagac	aaaatcggtt	tcacacgaa	gaatatgtgc	tcagtaagaa	120
tcagaatggt	caattgtgtg	aaggtgggag	atgggaagat	tggtattatg	gcctggatcc	180
agaaatcagt	cttcactat	aggaaatggg	aatttaaaga	tgatcagaag	acagttggga	240
gcagagttag	aataagaacc	ctcaactgct	gtctcacctt	tcagatcacg	aagaagtttt	300
ttacaatgag	cagaacactc	aacctgaaag	cagaatggat	tgagtcactg	cagcgtggca	360
gtggaatggg	gtttgatgtt	ggcaaaggaa	acatgtactt	ctagactggc	agttttccct	420
taattt						426

<210> 335

<211> 426

<212> DNA

<213> Homo sapiens

<400> 335

aattcggcac	gaggcgaggg	gcaggctgtg	tccaacctct	cggggcaggg	caagcacggg	60
aagaagcagg	tggaccgct	caccatctac	ggcatccggt	gtcacctttt	ctataaattt	120
ggcatcacag	aatccgactg	gtaccgaatc	aagcagagca	ttgactccaa	gtgccgcagc	180
gcgtggcggc	gcaagcagcg	gggccagagc	ctggcgggtca	agagcttctc	gcggaagaacg	240
cccaactcgt	cctcctactg	cccttcagag	ccgatgatga	gcacccacc	tcctgccagc	300
gagctcccgc	agcgacatcc	aggttcaagt	acgtgcagct	ggcgccagtg	agtgaccaca	360
cggtcggggc	acagacgggc	gaagccctgc	agcccacgct	caagccggag	atgcactcga	420
gcaccg						426

<210> 336
 <211> 426
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(426)
 <223> n = A,T,C or G

<400> 336
 aattcggcac gagacagctt tagaaataga taatgcggtt gtggcaaata gcctaattga 60
 catgagaggc atagagacag tgctactaat caaaaataat tctgtagctc gtgcagtaat 120
 gcagtcccaa aagccacca aaaattgtag agaagctttt actgctgatg gtgatcaagt 180
 ttttgcagga cgttattatt catctgaaaa tacaagacct aagttcctaa gcagagatgt 240
 ggattctgaa ataagtgact tggagaatga ggttgaaaat aagacggccc agatattaaa 300
 tcttcagcaa catttatctg cccttgaaaa agatattaaa cacaatgagg aacttcttaa 360
 aaggngccaa ctacnttatt aagaactaaa gatgaaaata agaanaaata tttctgaaat 420
 tcggga 426

<210> 337
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 337
 aattcggcac gagatacctt agagcaaaat ctattagtct ctctcagttt atcaatttaa 60
 atggcttttag gcttataggg ggtgtaaact ttaagaatat aattctccca ttcaagttta 120
 cagcaaacat ctagccacct tcaaaacaaa gaagatacag accatcattt agcaatacta 180
 atacatgatt ttccttgagg atggcagggt tgagaatcct ttagcaacag gacatacttc 240
 ccctaaatta cagtgaatta tttataacga gataaagctt tcagggtacaa gctgaaggcg 300
 ggggtgtctaa caactaaaaa ctatcactaa atctcaaaga gaaagttctt gcaaaatatg 360
 taaagttcac aaggtgcaga cattttcctt ctttaggctt ttatctaagg aagg 414

<210> 338
 <211> 419
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(419)
 <223> n = A,T,C or G

<400> 338
 aattcggcac gagaaaggaa ctaaatagtc tcaaaggaca ttatcatcca agttatgata 60
 gtgatttcgc tttctttaaa aaaaaaatta ttacagatag agtttcttga tgttgcccag 120
 gctggcctca aactcctggg ctcaagcagt cctccagcct cagcctcccg agtagctggg 180
 actatgagaa tatgccacca tgcccagctt tattttgctt tctaattgtc cttttttag 240
 ttcttgcaaa gcataagcat gccttcactt gtggtacctt ttccaatatt ttatttatct 300
 cacatcacta ataagataaa tttatacagc cactgctctg tgccagacat tatttaagaa 360
 gttatttcac gcattatctc atctgccttc caaaacaact cttaaatagg natcacctc 419

<210> 339
 <211> 409
 <212> DNA

<213> Homo sapiens

<400> 339

aattcggcac	gagcttgagc	ccaggagcag	aagggttgag	tgagccaaga	gcctgccact	60
gcactccagc	ccaggtgaca	gtgcgagact	ctgtttcaaa	aagcaaaaca	aaaccatctg	120
ggtgacttta	aagataatcc	agttctggcc	aggcacgatg	gctcacgcct	gtcatcccaa	180
agtgtgaaa	ttacaagtgt	gagtcaccac	gccaggcccc	tctgctcttt	agatgtgtag	240
tagtttgatt	tttttgcct	ctagtgatgc	tgcagctcag	agacaaaggc	agaatcttta	300
tcctgatggg	caacaccgtg	tcctctggct	tctgtgacct	cattggtttc	ttgactctgg	360
aacagggagg	gctgtgtcaa	aggggtctcc	ttccctgtg	gctctcatt		409

<210> 340

<211> 419

<212> DNA

<213> Homo sapiens

<400> 340

aattcggcac	gaggaggaag	atgccttctt	ggcctgataa	tgtgacagcc	acctgctgtc	60
actcattttt	ttcagtgctc	tgaagatgac	cagaacctgg	tcatacaggtc	tcctttaaaa	120
agaacaaaac	acagacatgc	ataaaatcat	acagcataaa	aggatgatgt	cattctcagg	180
gagacagggc	agcatgtgcc	tgtgttcctc	atctactctt	gaaggcatca	ggtctcttct	240
atttcacact	gccagttgct	acctaaaaga	gggaacttct	cgaggagaga	tggactttca	300
tgctcagtga	cttagaaaact	gtgttagagc	tgactgctat	caaataagca	taagactgct	360
ataaaataaa	tagataaata	tcaaacaagc	acaaataaat	aagcaaatac	ataagcaat	419

<210> 341

<211> 420

<212> DNA

<213> Homo sapiens

<400> 341

aattcggcac	gagctcaagt	ttcttgagtt	gctgcttggt	aacacccagc	ttttaactga	60
gtgtttgctc	ctgatggttt	aggagatttt	catgttgtat	cacactgtca	agttttattt	120
tgtcttttta	tccctccgtg	gatgtgagtt	tgaacaagc	acggtacagt	aatcctgcct	180
gatagagtag	tctggaatga	gaattacttt	ttgggtgaga	gagttctcca	ttttaatggt	240
tctaaagttt	ttcatatgaa	cttggcattg	gaaaaggagg	gtaaagaaaa	aggacgttta	300
ctaaaagcag	tgtctactct	tcccttttgt	gagtgtttat	tcattggctaa	tgaaaaaaga	360
gaaggactct	tgggttttgt	gttgccatgt	taagcatgga	gagggatgct	tgacagcatg	420

<210> 342

<211> 409

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(409)

<223> n = A,T,C or G

<400> 342

aattcggcac	gagatagtca	cctacattca	gagaactcag	gacataaaat	cagatgctgg	60
tatgcagcca	agttcaggct	cgtacagggt	gaagcagtga	aggtcattcc	gtagggaggg	120
agaagtaagt	agatttcata	tggaaagaag	catagatgag	aatgcagct	ctggagagag	180
ggcagccatc	cacatgcaga	gcaaaaatct	ggatgcctaa	agactttcca	ggtgtgggcc	240
tgtttggagt	tcttggagtg	gtctagtacc	ctttcagtta	actcngtttt	tatgtaagct	300
ttctgttatt	ttcagccgaa	ataactttga	gttagactta	atacagagct	ctgcacagca	360

cttgtaaaat ttgaaattta gaatcatctt gtcagggatc atggctctt

409

<210> 343

<211> 424

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(424)

<223> n = A,T,C or G

<400> 343

aattcggcac	gaggaattcc	cttagcattt	tgtttctcgc	tctataaaga	cctataatgt	60
aataacatct	ttatagtatt	tgagaactta	ttttctcctc	taaatttata	agcaatgtta	120
aggtaagccc	ttcatctttg	cttatectct	aataccaaac	aaacttccat	aaaaatagaa	180
ggatctcaaa	aactaaattg	aaaaagcagt	ctagttgaaa	aataagaggtg	ctaaagtaag	240
ttgatggctc	ttaaagtatg	ccaggacatt	cttagagtag	tgatggctct	ttgggtttgg	300
tggtaaactta	gaagggaaaa	aaaaaatctg	caggaccaca	tgaccgctag	ggaaacaggc	360
atcaccaacc	attccagaaa	gctgctttga	acaagcctta	tataanaaag	agagaaagca	420
cttt						424

<210> 344

<211> 411

<212> DNA

<213> Homo sapiens

<400> 344

aattcggcac	gaggagaaga	tgaggctgca	gatgaaaacc	cagagtctca	agagatgctg	60
gaggagcaac	tggtgaggat	gttaaccgga	gaagtcattg	acctaatac	ggtttgctgt	120
gtttcaaaga	agggtgctga	ccacagtagt	gctccccag	cagatggaga	cgatgaagaa	180
atgatggcca	cagaggtcac	cccctcagct	atggcagagc	ttacagacct	gggcaaagt	240
ctgatgaagc	atgaggatgt	ttgtacagcg	ctattaatta	cagccttcaa	ttccctggcc	300
tggaagagata	ctctgtcctg	ccagaggaca	acctcacagc	tctgctggcc	tctcctcaaa	360
caagtgtgt	cagggacact	gctcgcat	gcagttacgt	ggcttttcac	c	411

<210> 345

<211> 416

<212> DNA

<213> Homo sapiens

<400> 345

aattcggcac	gaggcctgct	ggcctactca	tgtgccattc	tcagtataa	gtcctttgca	60
tgtgtcacac	aactaatgat	ggagagtcgg	gattcagacc	ccaggaattt	gacttaagat	120
ctcatgttct	taaccacttt	cccatactgg	ctccttcattg	gcaaaaaggc	tcatagacaag	180
gaaaaaaacc	tatcacaaaag	tctgtgtacc	aagatgcaag	cattgtactt	ctgtgtgttaa	240
agagacagta	tctgcacacc	ttacttagat	ccttttccct	cttactctga	gacacaatat	300
caacaaaatt	ggtaatcttt	atatcccatg	tctcagtatg	tgaagagtat	taactaggag	360
aatttcaagt	agaggccagc	tggttaactac	cagctacatg	aaaggctgat	ggagag	416

<210> 346

<211> 415

<212> DNA

<213> Homo sapiens

<400> 346

```

aattcggcac gagaacaaag gaagcaggaa aatgctctta aacccaaagg ggcttcactg      60
aagagcccac ttccaagtca ataaaaagca actcctgcct cccttcctca ccctgtctct      120
ggatttcttt tctatcacct agatgcttca tccagccaga agatagcctt cacgttcccc      180
atctgtcttc agagcaaaaag agctgggaca ccaagaacaa gctgttagat cactgcctgg      240
gaggcttggc ttagtactct catctctggt tccattccag ttcagctaag tcttgcttta      300
aaatttttac ctctagctg ggtgcggtgg ctacgcctg taatcccagc actttgggag      360
gctgaggcgg gcagatcaca agatcaggag ttcgagacca gcctggccaa ccag          415

```

<210> 347

<211> 406

<212> DNA

<213> Homo sapiens

<400> 347

```

aattcggcac gaggagattt tgtactatct ctgtatttct ttcttctcag aacaaccagt      60
gtcaccagggt atgagggcag agtttttagct tggttgctga gccccattct tgaagctcat      120
ttatttatct acctatctgt ccatcaatcc aacaaatata ctgaatgctg ctatgtgcca      180
ggtactggca ctgttctagg tactggggca atgacagtta agataatacc caatgacctt      240
gctctgtacc cttaagagca gactcagttg ggaatgagtt atccaaatat aggggtgtaca      300
tgtagtcagg agagagcctc atacagcttt gcctttggca gaatccttca aacctctttg      360
tcttctact tcttgatatt acaaatcatg agcctttcac atgcat          406

```

<210> 348

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 348

```

ctctactaaa aatacaaaaa ttagctgggc gtggaggcac acacctgtaa tcccagttac      60
ttgggagggt gaggcacaag aatcgcttga accggggagg cggagggtgc agttagccaa      120
gatcgccctg ctgcaactca gcctgggcaa cagagggaga ctctgtctcc aaaaacaaaa      180
acaaaaactg ttagtgaagg ttccctggga cttttgatat tttaaaaatt gttcttatga      240
ctagtagata aattcattgc cataatgagg ctagctccca gataaacagt gtattttctt      300
cttttttttt ttnggggngg ggccaaanct ttaanctact tttccagtag ttngccantt      360
tntccnaggn agttgggctg ctntttcaga aa          392

```

<210> 349

<211> 396

<212> DNA

<213> Homo sapiens

<400> 349

```

aaaaaaacaa aaaagcccc catttataaa taaaccttaa ccacacacac acaaagtttg      60
ttgaatgagt atatatatac cactgatgaa aggaagggtga aatgtttgcc atacatatatt      120
ttatgatcgt ttacctgaaa ttaacctttt aaattacata accaattggt ctaaatcaca      180
ttagataaaaa gggtttctac tgcataatat ccataatata taaagagctc ctaaagatca      240
ataagagaaa ggtccacta caaaaagcaa aaagtggcag aagattatac atgggcattt      300
cccaggaaaa gaagtactgg tgaataaaaa agaaaagatg ttcaaattga ctctgggtat      360
taggggaaatg taaaccgttt ttcaccagac agattg          396

```

<210> 350

<211> 402
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(402)
 <223> n = A,T,C or G

<400> 350
 aattcggcac gagcctcacc ttacctcaag tgttctcctg aggaccctta ggtcagacag 60
 agaagctttc tctttctgat gggaagggtc aaagtggaaa tctcttatct ctagtgtgaa 120
 atgattttct gctttttcat actccctgcc ctctttcttt tccttaataa atcttccatg 180
 tttaagatgt tggcctgaag atctgtccca ttcataccat gcaccagctg ggactgtccc 240
 tatctgatca gaggggagat taaagaatca atgttcccag gggaaagggc cttaaattgt 300
 ttggcttttc aatggctgac actgtctnca actctccctt ctccttnttc tcaagcttct 360
 atgcacceta ctttccancc aggatgggtg gcactgatcc ca 402

<210> 351
 <211> 406
 <212> DNA
 <213> Homo sapiens

<400> 351
 aattcggcac gaggttccct ttggggggaa gatgttggac ctttattatt tgtggtaacc 60
 agccgaggct ggttgtcagg acagcaggtg agccacttta ggaagaaag tgcaggggtg 120
 ggtggatgcc cagattacca aggccagcca cctgatggg gtagggctctg gttatctgtg 180
 ttcaagaagc aaatcccacc ccagccccag cactagctct ctatgtatgt attttccctg 240
 tacaatgttt tataaaagag atcattaatt tatctgctat gttaaggctc gaggggtggg 300
 gcgtagactc tcagctgtat attgctctgg ggtgggcagg gaaggctgag tctcacttga 360
 cttggaagat aaacaggcca gtttggactg gcctccactc cgtggc 406

<210> 352
 <211> 403
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(403)
 <223> n = A,T,C or G

<400> 352
 aattcggcac gagatcteta ttgatgcttt taatgcattg cctgccttca ggttttcttc 60
 ttaccccacc cctcaataag atttggtgaa ttgtaattct agtaaaacat gtcataccat 120
 tggttttcct aaattatcaa ctttctttca ttaaaaaaaa aaaagcccan catggtttga 180
 ctggatanac ncccataatt tattatgaan anaaatttcc atgttngttt ntgttccetaa 240
 accaaagnac gaggtccntg ggaattnaag nanctnccca ttatntatta ttanactgca 300
 ngttcctgca anaactgttt agttnacagc cccgtttcnc cagnggagtt ntgggcaggn 360
 attgctgccn aaggcatnac tgcgttngct nactctanac ttg 403

<210> 353
 <211> 399
 <212> DNA
 <213> Homo sapiens

<400> 353

aattcggcac	gagaattcac	agtttgcata	aactgtaaca	tttcatacta	tgattcaaag	60
tactacttta	aaaaataagg	gccactcagc	agtaacttta	acaattggga	ttccaccaca	120
gaagagctct	tgactttctgt	gtgtacattc	tttcacagag	tgaatccttt	cccagtttca	180
agtatccctt	tctatctctc	actctgtagt	gagttaagaa	aggagaaaaa	aaagacctcc	240
ccattttttc	tttcgtgagc	acaacgacga	ccacaaagcc	attcctctc	cccgtgtgc	300
aatcgaaaat	gaaaaggctg	ggtggatgaa	tagagtcccg	agggttcctt	ttcttctggt	360
agtgtcctaaa	ggttcacttt	caacctggcg	cagactttt			399

<210> 354

<211> 432

<212> DNA

<213> Homo sapiens

<400> 354

aattcggcac	gaggatagct	cagtgtgagg	gaatagtcca	gaaaggctga	aacacagcat	60
gtgatgtgag	tcaaggtagt	tgatgcccaa	ctgtgaaggg	ccgttcta	ctagcatgga	120
ggttagacagt	gtttccttaa	tatggctgca	tatcagaatt	acctagggtca	ggacgaggca	180
tggagatgct	actttaatag	gccctgccgc	agatcttcca	aaccagaatc	ttaatcctgg	240
agtctaggaa	tctttatttt	tcacacaact	catccaagtg	gttctgataa	aatcagtcca	300
gcacttttag	aaccactga	taacagactt	attcctggag	acagcatttg	aggaggaatt	360
gaagattttt	ctaataaaaa	gaaaaagggt	cacatgaaca	gatgttgacg	tgctcctgtgc	420
cagggatttc	at					432

<210> 355

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(416)

<223> n = A,T,C or G

<400> 355

aattcggcac	gaggtgacgg	tgagtgtctc	cttgtccttg	tccttgggag	ataaaaagtc	60
tgttttctac	agctgatgtt	cccaaagtgc	agtggacaaa	aataaccaac	tgggcttccc	120
agtgggcggg	acccttcccc	catccagagg	ggctttgaga	cgtgtccatc	actcctctaa	180
ccagtcaccc	tttctcttta	gttctggtct	taggggaagc	atactgaaga	gctgccctcg	240
gtcgtgagcc	ctaatagagc	catgtctctt	ctgagagtgg	attacagtct	ttgtcctgtg	300
caacccccct	ccctttctgt	cccccttagg	cagaggtgca	gcctcagtgt	ggaagagccg	360
ngggattctc	ttcaggcact	gaaaaccac	atggagtga	ggctgcacca	gggggc	416

<210> 356

<211> 417

<212> DNA

<213> Homo sapiens

<400> 356

ctttattgtg	gtgggtact	gggaacgtta	tttgaaaca	ttcctgtgga	aaaccactct	60
tctcttcccc	acaatgttgc	tcacagtata	tttgtattgg	ctgtgtagat	gggaatttac	120
tctgctttac	tcactttgga	gaacaggttt	ggcagttctc	taccagtgga	ccaatctttt	180
catccccgtg	tacctcacca	tcagagcaaa	aaatattttt	tgggtcccat	gattgcttta	240
tctactgttg	taacatgaaa	ggtcacctgc	agtggaaatt	tgaaactact	tcaagggtct	300
atgcaacacc	gtttgctttc	cataactaca	atggcagcaa	tgaaatgttg	ctggcagcag	360
catctactga	tgggaaagtg	tggatcttgg	aatctcagag	tggacaattg	caaagtg	417

<210> 357
 <211> 378
 <212> DNA
 <213> Homo sapiens

<400> 357
 aaactgtcct actgtatgta gtgacctact tgaagttccc cttagggcaa catatataaa 60
 aggtgaaaag tattatgatt tgtgatacat acacaggcctt atttagtttg aagtgtttgt 120
 actgtttact ttgacctatt atctgtcata ccttttaggt gtgataattc aacttaattt 180
 tctttaccaa gatccacaaa ccccaaataa ttactttttc tcttccatt tctccagg 240
 catacacaaa ttgcagtgtg ttctaaggca ttacaaagta acaaaataat actgttagat 300
 ttataaaatg agtcctaata agacatttca gggacatgtt gaagcatcat cagttgtaag 360
 ttagcactat taaaggat 378

<210> 358
 <211> 384
 <212> DNA
 <213> Homo sapiens

<400> 358
 ggtcttctct tccatttttt aaaaaagaat ttgacctac accaagcaag gcagagacca 60
 gagtcagtcc cccttgggga gcagtctgtg gttttgataa tcaccacctt gggatgaaca 120
 tggctggtga gctgcagagc agttgatttg acttttgggg atggttctag gctggatgtg 180
 atacagggca ggttttgtct ctagagaaaag ttctcatgac cttcagggtct aatgagattc 240
 agatcatcac tttggtttgg tttgaaattt ctttgtttat ccagtgaatt acaagtagaa 300
 taaagatctg gttctaaatt gtcttttggg ggtgaagtgc catagaccat ttcggaccat 360
 ttctatgatg taccagcagc cccc 384

<210> 359
 <211> 404
 <212> DNA
 <213> Homo sapiens

<400> 359
 aattcggcac gaggagagaa ggcaacaag gatgcagaac agaaagaaga cttttcagga 60
 atgaatggtg accttgaaga ggaaggaggt agggaggcta cagatgcccc tgagcaagtc 120
 gaggagattc tggatcacag tgagcagcag gcacgccctg ctcgtgtaaa tggaggcacc 180
 gatgaggaga atggtgagga gctgcagcag gtttaaatg agcttcaact ggtcctagac 240
 aaggaaagaa agtctcaagg agctggcagt ggacaagatg aggctgatgt agaccctcaa 300
 agaccaccaa ggccagaagt aaaaattcca gtccagaaga aaatgaaaac aaccaacaaa 360
 acaaggacta tgctgccgtg gcttagaaga tttttaaaaa gaga 404

<210> 360
 <211> 279
 <212> DNA
 <213> Homo sapiens

<400> 360
 aattcggcac gagtgcctt gctttgtcat ctgatgttaa caggagtctg taatattcat 60
 gccaccaccc aagagtccca ttacaaaagg agcagacttc tggctcttct tagccttttt 120
 tgtttcttcc aacaaaaatc caggetggag tggattaggg caatctcagc tcaactgaaac 180
 ctctgcctcc caggetcaag tgattccctt gcttcagcct ccgagtagct gggattacag 240
 gcactccacc accacatctg gctaattttt ttttttttt 279

<210> 361
 <211> 199

<212> DNA

<213> Homo sapiens

<400> 361

aattcggcac	gaggtcattt	atataaacat	tttaaaaatg	acaggaacag	tctaattacg	60
ttaagtcaat	taagtttttt	ttttgcttga	ttgtttaatg	ctcttatgaa	aaacacatat	120
ttgtaaaaga	aattatttgc	ctagaaaaat	ttaccatgca	atatatttca	tcatattgga	180
gttccttttt	ttttttttt					199

<210> 362

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(475)

<223> n = A,T,C or G

<400> 362

cctcattggn	acctnagacc	gctcttggac	tttatgcagg	anccctcgat	togaattcgg	60
cacgagactg	ccttacaacc	ttattcctct	tcattttgtc	ttctcactta	cctgcagaaa	120
cccagtttat	ttttgttctc	cctttaccac	accagccttg	taactgttat	gaatgacct	180
caatctcact	ggaatctgaa	tcactcagga	attcaagcaa	actggatgtt	ttaaccactg	240
ttcagctttc	ttatggaatg	acagagaact	tgtaaagata	aaacaccagt	ttgcaggaag	300
aaaggaagag	aatggaatg	gcttctggaa	aatactagtt	ttacaatatg	ttttgtttgc	360
tgctctctta	aataaactta	atcctataaa	cattttttaa	gaactagcca	ttaagactgn	420
taagttctca	attataaagg	aataaaatgg	tttaaggagg	attatttgcc	ttgct	475

<210> 363

<211> 438

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(438)

<223> n = A,T,C or G

<400> 363

ctcgggtaac	tgaaaccaca	gaaagcaaaa	catggataaa	gtgggggtcta	ctgtaggggc	60
aatgtttaaa	agcatttgaa	ttgctcttgt	atgccttact	ttgagattaa	ttgtataagt	120
tttcagaatt	attgatcata	tcgaaattta	aatttgatgt	gaaggaagta	tcttaggaga	180
agctaaaaaa	tacataaatg	aacgaagact	ggaagaatct	tcaagatgtt	aaaaactcat	240
ataaccacag	aaataaaaaac	tccaattggt	aaagtcatag	taaagagaag	gaagcaaadc	300
ataataggtc	aaaatataaa	gataaaatga	ccactgaaag	gataataaag	attgtgaaaa	360
tcaggacact	ctcaaacaga	aacccaaaagc	ggaagagaga	tgaaagcnag	agcaaagtgn	420
gacacaattt	gtacgatc					438

<210> 364

<211> 435

<212> DNA

<213> Homo sapiens

<400> 364

aattcggcac	gaggagctct	ctttcctgcc	agagtgtggt	acattttattt	aaaacaagtt	60
------------	------------	------------	------------	-------------	------------	----

tttgtgtgtc	ttatacgtgt	ttaaaatata	tacagaactc	tgattagggg	gtgttgtgaa	120
catctgggtt	ctgagaatga	atttaggttt	caatagcaaa	agtcattgtg	gccgctcctt	180
taggaaagtc	atTTTTctcc	tatgagtagt	catccccggg	agacttgact	gaaatcctgt	240
gttttaggag	gatttggggg	gtgccccgtg	cctcccttcc	tctcattaca	ttgggtcaaa	300
ttagtTTTtg	gtTTTTTTTT	tcccacaagc	ttcgcttttc	taagaagtac	acatttggcc	360
caaattcacc	gggataagt	agaacagcca	gaagcataaa	atgtgatgaa	ggtttctcct	420
gggaccttat	tttac					435

<210> 365

<211> 423

<212> DNA

<213> Homo sapiens

<400> 365						
aattcggcac	gaggcaagat	acaggcttgg	accattagct	ggaaatatgg	tgagaacaga	60
cacagacacc	ctgggggtcgt	cagctagcga	taccagcatc	agttttcccc	agctgagaag	120
gcaaggaagg	agcagggaca	gtcctgagag	ctgtggacac	gccacaccgc	ctgttggggc	180
tggttaatgc	cattgaacac	ctgagcaagg	gcaggcccag	ggaggctgaa	taagtctaga	240
ttcccatgtt	gagtaattaa	aagaactgac	ttttaccaga	tgaaggccag	tttcaaagtt	300
gggctgcttc	tgtgttacca	ctgccctttt	gctgtggtct	gaatgtttgc	gtccccacaa	360
aattcatatg	ttgaaacctt	acccccagat	gatggaatta	agagatgagg	cctttggcaa	420
gtg						423

<210> 366

<211> 420

<212> DNA

<213> Homo sapiens

<400> 366						
aattcggcac	gagctgggat	gatgatactg	aatagtctgg	aatgtggcat	tctttgtctc	60
aaagagagtc	tttaaaaaaa	tctgtgttct	gatggtagag	ttccaatttt	ggcattttgc	120
cttctgtgat	aatagataga	ctttgactct	aggtaaattt	gtggtggagc	aaaagtctgt	180
ttgggggttg	tccacttacc	ccttactctt	tgccctccct	agtcattgtt	gtcctctttt	240
ctttctttat	aggcaatggc	ctgatactca	tagtcaggaa	taataaaata	gttatgggtt	300
aaaatattat	tcttgagagt	atTTTcatct	ttgtctggga	acaaacatgc	ttatttgtac	360
ttgagttcct	gccttctacc	atcatcactg	gaaaaacatc	tctgggtagt	cactgcctcc	420

<210> 367

<211> 406

<212> DNA

<213> Homo sapiens

<400> 367						
aattcggcac	gagagaagat	agaacaattg	gatgagttac	agaaagcaag	caattacata	60
tttgcattaa	agtatatttt	ctttctattt	aacctagact	aagaactatg	ctaattgat	120
atttcaaata	ataaataaaa	tatcatctat	agcctgagag	agaggaaaaa	gaaagagggt	180
agaaggatgg	aatacttgag	ggagaaggga	aagtgagcat	agagttgggtc	aaaggcaatg	240
agatactgct	cgtggcatg	gaaggtaaca	tcacgccttc	aataccaatg	ccctataaca	300
gaagtccatt	taaaggactt	aaccagaaa	aattgagaaa	tgtcaagaat	cttacagagc	360
ttctgtttgt	atactgagaa	tcagggaatg	atcagacaag	tgtatc		406

<210> 368

<211> 408

<212> DNA

<213> Homo sapiens

```

<400> 368
aattcggcac gaggggagaa tcctcaaaaa tagggatatac agatattttct tcgcttttcag      60
aaaaaaacttt tcaaacactt gaatgccaac acaagagaag taggaggggtg aggagatcta      120
aagggtgtgga ttgctgtggg gaaaaatcac aacctcagga aaagtcactc attgggttaa      180
agaatacaga aaataatgac gtagagatta gtgaaacaaa aaaggcagat gtgcaagcac      240
ctgtaagccc atcagaaact tctcaagcta atccatattc tgaaggacaa ttttttagatg      300
aacatcatag tgtgaatttt catttgggtc tcaaagagga taatgatact attaattgatt      360
cattaattgt ttctgaaacc aaatcaaaaag aaaacactat gcaagaat      408

```

```

<210> 369
<211> 399
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (399)
<223> n = A,T,C or G

```

```

<400> 369
aattcggcac gagacaagac tctgtctcaa aacaaaacaa aacaaaaaac tgggaagtta      60
tgagctaata cataaacctt cattgcacag tcttttaaaa tttgttgttt ctactttctg      120
aaaatgaaaa tattaatatcc ttcctgaaaa cagaaaatat caaaaactta actgcattag      180
acagagatat atgttaactt tgagtgcatt taatttttga ttcttgagta ctgtttaaag      240
tgtcttttaa aagttctctc ttattggggc tatatttttt attctgtttg cagtttttat      300
gccaaacttta cacatttgta aatagaatat ttaaaaagaa ttttttttga gggattgatc      360
tctaacttct tggggactta tanntggtct tttgggtgg      399

```

```

<210> 370
<211> 403
<212> DNA
<213> Homo sapiens

```

```

<400> 370
ccattgctta tcttatattc taattcccag agcacccctac ttgaaagcca gttgttttagt      60
tgatcactag atatcaaagt gaaatgatca atattagttg cacttgcctt ttttggtcag      120
aaatgttgga ggcaattttg ggtggtagaa gcagtagttc gtttggtggg attgaatgtc      180
tccatgttta cttgtttcat ttcttattat gcagcagaaa tgtgatgggg cctggttggtg      240
tgtgtatagt ataagtgttg tcagttcctt ctaagacatg cgtttactgt ctaagggaat      300
tttgaacctc attcccattt accatgccaa aacatatata tctattttat gttgccttgt      360
tttttagcata agaagtatat ttacttaacg ttgcttgctt att      403

```

```

<210> 371
<211> 398
<212> DNA
<213> Homo sapiens

```

```

<400> 371
ctccacaaac cacaggcctc ggcgggggaa gagcccggcg ggcgccagcg aagcggaacc      60
aaacggagcc gcggcacgca ggcgcaaagg ctggcgcttcg aggttcgttt acgcgcgcgt      120
tcgccgtgca ggtggtggcg aagcgctcct ccgaaagggt tcggaagctg gtggttagctc      180
tgaagataac gctgcgttag ggcatactgc ggcggaggat ggaactccga ttgaaagcag      240
ttgctggagt ggagcacgaa tttcaacaag ccgcatgttg aagtgtgagg cgtgaaaggg      300
tatgtctgat atttgcttta aaatgctcca gcaaagaaat taagggatgg atgaagcaaa      360
agagccaggt atggtggctc atgcctctaa tctcagca      398

```

<210> 372
 <211> 397
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (397)
 <223> n = A,T,C or G

<400> 372
 aattcggcac gaggtgnctg ttaattgtat taactaacat actagtgtct gttaattgta 60
 ttaattaatg tgtgtacatt tctttttatt atagattcta aagcaacta ctacacgtag 120
 gccatcatgt tccaagtttt tgaaagttca tctttttcat cttgttgata aatttcatca 180
 actttttatgt aggttaattca aatagaaatt tgggataaat tggactgatt ttttgggatt 240
 attgagtatt tttatttcag ctctgtttac agcactgaaa gctggagtaa aagacattag 300
 atatccctag tcacttgaga cttcatttta aaagccagtt gtactggctt tgccatggct 360
 ttgtcttggt tttgatttct accacatttc ctctctct 397

<210> 373
 <211> 393
 <212> DNA
 <213> Homo sapiens

<400> 373
 caagcacctt cccaaacctt gtcttccctc ttctgttgca tcctttccct acccttccct 60
 ccaggtgct cgggtacttta cctagtttct atatatcagt gttttatgtt ggaatttttc 120
 cttgttttta ttttactagt tggtaaacc cgtttatgct gaaacaaata aggaaatggt 180
 atatttgacc atatgtgtta ttcatagaag acagtatgat caaatgtgcc aaaaacaagc 240
 aaacaaaact taattcctga gaagtatgcc ttatttttat tgatctgctt tgtcttacia 300
 ttaaggtcca agagcttggt taaactgtat tatttgcta agtataaaaag aaaacttgaa 360
 ctgcattgca atattgacgt tctttaaaat gag 393

<210> 374
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 374
 aattcggcac gagctcattc ccattttacca tgccaaaaca tatatatcta ttttatgttg 60
 ccttgttttt agcataagag tatatttact taacgttgct tgtcttatta tgagtccttg 120
 ggcaaaacaa gaggcaattg tactttgttc tttgttgat ggggtggcagt tttcagaaat 180
 gcaacagatt tttaaatttc aaaatagcaa acaatggggt ctatctttcc tctgttttgg 240
 ggaagtaaga ataataatta ttttctctcc tagcttttaa agatgaaaat cagtttttat 300
 ttgatattgt aatttaggac atcattttta taattttata tcatatgctt gtctcataaa 360
 taatatacta tacaataaaa tttaatgagg acccac 396

<210> 375
 <211> 396
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (396)
 <223> n = A,T,C or G

<400> 375

ggaaaaccta	acctgattag	agccttgact	atthttgaaga	ttaaattgcac	actttttata	60
taattgtgacc	agttttaaatg	tagtttgtat	tgtactgggg	gaccttttgt	tgttgttgtt	120
tgtctaaact	gtgatttttt	tccccctccc	taatttcagg	ggtgagattg	actttgggaa	180
gacagattag	ttctttgtca	ggccaacaag	tgatggagtg	cgggagagag	aacttggcac	240
ccaaatatat	caaactattc	cgtgccgtgg	atgttttcat	tgccaacgag	ggtgtaatga	300
tttgcttctg	caccttggtc	tagngctggt	ttngngtgtt	tttgtttgta	aattancttc	360
actgcctccc	tgaaagtga	cagtcagccc	aggtct			396

<210> 376

<211> 412

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (412)

<223> n = A,T,C or G

<400> 376

aattcggcac	gagatttcct	acaaaagctt	gatgccatag	agctcttact	gctttagggtg	60
agaatttgag	tctttgaatt	atthtttttg	aacttttatt	ttggcagaaa	taccttttta	120
gaacaatgg	tagctctaac	ttaggacttt	ggttttccta	cgtcgcttta	ttttcctttg	180
ttaaggttcg	tggttaaaat	accatatatc	aggtttaaat	gcttacaaga	tttctttggt	240
gctgaaattc	tggcgctgga	ctgtggctga	taaaatatta	ttgtggtttc	tttactaga	300
agaaactttt	catctgtaga	acttcgtttt	tagttgaagt	cattgagcct	ttctttactt	360
gaaaagaaaa	ttaagtactt	ttcttccatc	ctntgaaaag	ntaaatgaaa	ag	412

<210> 377

<211> 387

<212> DNA

<213> Homo sapiens

<400> 377

gttacaagcg	tgaaacacaa	acttcagatc	aaatctagag	ttgcttcatt	taatgcatgc	60
tagcaacagc	cttaactttg	gattcagtta	tttgaaacac	ttttccggca	tctttccctt	120
tctaattgtg	tgggggtggaa	accggatggc	aatcactgt	gagccggata	cctcagcaca	180
gtccaccttg	tgtgtgactt	cacaaatggg	ggacttcaca	aatggggtaa	ctgaatgtta	240
ttactttcaa	atthttgacat	ggagcattat	gatcaaggaa	atggagctgc	cttatacatt	300
aaaccctgta	tttaatccta	ttgacatttt	catagccatg	cctccagatt	ttatcttttt	360
ggcaaaaattc	tgattccaca	gtttggt				387

<210> 378

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (392)

<223> n = A,T,C or G

<400> 378

agagaagaaa	gagctgcaaa	tccagggtgga	gcactacgag	ttccagacgc	gccagctgga	60
gctgaaggcc	aagaactatg	ccgatcatag	taagtggctg	gcgggagcct	ggaggcgcgc	120
ttgatggg	ctgctctggg	acggctctgg	ttgggggtggg	catggagcgc	cttccacaca	180


```

aggggacgag aggaagccca ttgggagcct cagccatgta ttccagctct ttgtactgct      240
gcctgtttct gtaatgggcc ccagattgtg tgtggaaata agtaaatcag gccactgtgg      300
cccatagcac ttttgcttca gagtgaattc tgaccccccag atcacaagtc tgtggtcctg      360
aaggnccttn ctgaatcttt tnaacagagc tc                                     392

```

<210> 379

<211> 409

<212> DNA

<213> Homo sapiens

<400> 379

```

aattcggcac gaggatatgt tgagacaatg actttgggtc aagaggaaat tacatagctg      60
aaatattaag accttgaaca tagcagaaac ataaacctat gaacaacttg tgttttgtgt      120
gaaagctagg gtagctgata ggattagcag atattggttag aattaagagt caatatttaa      180
attattgcta aagattaaaa tccctcatct tatagtttgt aggggattcc atgatggtaa      240
ggtatagatt gaaattaaat ttagtaacta ggcatttctg accataccat ataaaaaata      300
attgtaatat ggtataaaca ctgattaaaa gtaattatgg attttcatgc ctgaagaacc      360
tttcagtatt cttacagcac tgtatcttct ttattgggtga gaatatcag               409

```

<210> 380

<211> 409

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (409)

<223> n = A,T,C or G

<400> 380

```

ggaaatggag gtgagtgttg ccaaggcaat tgatgacctt attggtgacc tgcttgacca      60
aaagagaata aattattcca aaataagaac cttggctctt tttgctgggc tatggttgtg      120
ttccatttta aagttattta gaaaactaaa cacttgcaag aatctttgtt cttagaagga      180
ctgtattcat agaataagtg aaatctactt tgatttccga cttaccact cccatttttc      240
tcagatattt atcaagtaat gtggtttgta atccaaacaa aaaaaagtgc cttaatccag      300
aacatacaca tggagacaat aacagcagac tgatggtgtt tgtactttac taaaacattg      360
agatcttctc taaaacagag tggttgagaa catagtgtcta aagngaaaag               409

```

<210> 381

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (402)

<223> n = A,T,C or G

<400> 381

```

cacatccac cctgcctccg ggaaggggcc tctcctggac atgtctcctg cagctgctgc      60
tgagccagat ggggaccagc aggacagaca cgtcagcaaa ctcatcctct gcttctttgt      120
cttcggcgcc gtcttgttgt gtgtgggagt cctgctctcc atctttgggt tccaggcatg      180
ccaatataag cccctcccag actgccccat ggtgctcaag gtggcggggc ctgcatgtgc      240
cgtggttggg cttggggctg tgatcctggc ccgctcccgg gcgcaacttc agctccgtgc      300
agggctgcag agaggtcagc agatggaccc cgaccgagcc ttcatctgtg gagagagccg      360
ccagtttgcc cagtgcctta nantttggtt tctgttcttg ac                       402

```

<210> 382
 <211> 388
 <212> DNA
 <213> Homo sapiens

<400> 382
 aattcggcac gaggcagtgt ctccatcagc agtttgctct ccatgggcac acgatgacaa 60
 aatatacctga agcgaaccac tagtctgacc tcagtagcag gattggaagc ttcatgccat 120
 gggagctgtc aagaaaggca tcccaaagag aactgaaatt taaaaataat aatagacctt 180
 caggaatagg tgattgtccc catatactgg ggatgaaata cccaatgtaa ccaaattccc 240
 cagtaagatc acttagtttg gcaatagtct tttcttttga gcagtgtgaa gtttatttgc 300
 tcaatgaagg ctgaaattat aagtcagtat atatgtatta ctaagtagaa cttgaggtaa 360
 ttatatgttt tagtcaaaag cagtttct 388

<210> 383
 <211> 455
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(455)
 <223> n = A,T,C or G

<400> 383
 tttgnctttg anancgcacn cggcttttgc cntttgcagg atccnncnatt cnaanncggc 60
 acgagatcac tctcattatc actgctcatg cttcttctct cccactgcca gttatgattt 120
 tggaggagtg gggactatga catgtttctt tgtatcatct ctagcacaat agtttgctca 180
 ttgtcagtgc cctaaatgta tgcataaaat gaatgtgtga atgaatttga cataaatgaa 240
 tattgttttt ggtacctcag ccattctttc ctttaatcgc tttccagttt ccccaggctt 300
 cttttgcatt tatgttctcc ttccagtccc tcatataaaa cctcctttc aggaaagaat 360
 tgggtgagca tactcaaccc aagatattaa tggccaaaaa atgttagact tttgtggtat 420
 acgcatttaa aagtgtagaa ctcgccggg cgcgg 455

<210> 384
 <211> 429
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(429)
 <223> n = A,T,C or G

<400> 384
 aattcggcac gagaaaagaa ataggggtga attctgataa aaagtgacct attagaaaag 60
 tatttctatt cctctagga catccgttca atttttgttg ttgcttcatt gatttttgta 120
 aaaagggtgtt gcctttttaa aatcatttta gaaaggcaat gtcattttta atgacattac 180
 taccatgcat agttttgtga gaaacctggc tatgttaaag ccatttcatt tgagatacat 240
 tttgaattga aagttattct gttgttcttg ttttcagaag cagataattt tggcgatgtc 300
 tgggccttct tgctgctctt tatctgttta cctacctgct taccacaact aactttctgt 360
 ccagnttttt ttaatcctta gtaaatcagt gnctaagaat cttagtcac tcagttttga 420
 ggatgactg 429

<210> 385
 <211> 407

<212> DNA

<213> Homo sapiens

<400> 385

ttttttttga	attattgaga	atatttcttt	ggaccacaca	ctataaaatg	tgaaaaaaaa	60
taaaaagtat	gccaaaagg	ccacgtgtt	ctacaacaca	cgaaagtaaa	gaataatact	120
gcatgtctaa	tatgcaaata	aaatgtctct	gccaaaatat	cacaacttaa	aatgccatta	180
tgaaacaaac	cacagaaaga	ccttatttgt	gttacatacc	aggaacatac	caaaatttga	240
atgtctgatc	cacacagtga	ttcacataag	atgataaaga	aacaaatgga	tattttgtga	300
cacaaacgta	ttgtgaagcc	ttaatatcac	agatttatat	gcatttaatt	aaccatatag	360
gctatctgaa	aattattgat	acatcacttg	tttctagggt	ctaaaaa		407

<210> 386

<211> 405

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(405)

<223> n = A,T,C or G

<400> 386

aattcggcac	gagattacct	ctaaaatata	gacaggaata	tgacattctt	atttgaagga	60
aatggaaggt	aattcttttc	acaaacttaa	gaatctttcc	atgacataaa	taaatcgagt	120
tttattttata	agtaccctag	tagctagtca	catttctggt	aacctcagcc	aaaaataaaa	180
tctgccaat	ccttgagtca	ttaaaatata	ttttacattt	atattctgca	tatttacttt	240
aatgatattct	gnattttact	gcacttagca	cacaagttta	acaaaatttt	cccaggccac	300
aagaagataa	aatatgacaa	agagtaaccc	agttttgaaa	aatgaagaaa	tgaatactct	360
attgaagcaa	gtcagaatgc	cnaagtcaac	aatttatgaa	ttttt		405

<210> 387

<211> 408

<212> DNA

<213> Homo sapiens

<400> 387

aattcggcac	gaggtttagat	atagcgattg	ggtagtggaa	tgggtgttgg	atgcaacagg	60
atcttgga	atatttctgg	gggttagagg	ataggctgag	aatattatag	atgtttggaa	120
acatttgtgc	caacctgaag	atggtgtttc	tttgtctctc	ccaattagca	cagctgtggt	180
ctgttggtca	tctggttagag	tgatcaatct	agagttagaa	tacctaggga	tgacataaag	240
gaatatgaca	gtccggaaat	ctaccagatg	aagagccagt	ctgagctcag	aggggatttt	300
gagccaaggc	atggcatttt	attttttagat	ggagctgaac	attgtgatag	taaccagcac	360
tagatgaact	aaagtccagg	aggaaaagcg	gaactatcca	agggtgaac		408

<210> 388

<211> 419

<212> DNA

<213> Homo sapiens

<400> 388

gtccccagg	gccgactctt	cgcttttgac	tcagagggaa	attacatgct	gacatgttct	60
gccacaggcg	gcgtcatcta	caagctgggt	ggcgatgaga	agggttctga	gagctgcttg	120
agcctagggtg	gccaccgagc	ccctgtggtc	accgtggact	ggagcactgc	catggactgt	180
gggacctgcc	tcaccgcctc	catggatggc	aagatcaagc	tgaccaccct	cctggcccat	240
aaagcctgat	tacttgcccc	aagggccacc	cgagggaagca	gtattatctg	cgggtggggg	300

aggagatata ggacaggaaa accacgtgct ccactccagc tccctgcagt gcagtgactc 360
 tgcagggaaa gactgcaagg aggtcgaagt gcttccatct gtggtgactg gaatgggac 419

<210> 389

<211> 399

<212> DNA

<213> Homo sapiens

<400> 389

aattcggcac gaggttaatg ctttcgtctc ttgtaaggta aggcataatac tgcttgctta 60
 cacaagaact attggcattt tctttttttc gtttgaaaca aatatgaaaa atagtatttt 120
 ggttttaaga aatttttatt ttagcataca acatataact gacatttggt ttttcttttt 180
 tgtcttgtaa acttaattct taaaacttag gaaaattttt ggataggaca acttggtgat 240
 tcagctataa cagatcttat ttcaataata actttctgca atatgtattc atacattttc 300
 aaatgtgtgc cttaggaaat cacaagtgc tttatagtgt gaagtgttaa tggctgaatc 360
 caactgaatc accaactagt aagtgggggt ctggttagt 399

<210> 390

<211> 400

<212> DNA

<213> Homo sapiens

<400> 390

aattcggcac gagcccagga gccctgctct caggatttac aacaccagaa tcccaagttt 60
 tctgagaatc gggcatccaa cctcctgct tcatcatggc aaaaaaaatc cctggacctta 120
 gacccagata tccaggtaa gtccctgggtc aaaaggacca cacatttccc tgatggttat 180
 ccaccttgcc ttgccacggg ctgtgctcat cctctctctc gtccttcatt cctctctgac 240
 atctttctcc cagagtaact gctaacttcc agtctaaatc ttgctgagga agaagagata 300
 ccacctcatg attcatcttg gagtggccaa gccctccctc acttgtttaa attgccccat 360
 tcccggagac cttgccctgt gccacgcgt gggctgagca 400

<210> 391

<211> 403

<212> DNA

<213> Homo sapiens

<400> 391

aattcggcac gaggggtggca cgtgccttta gttccagcta ctcaggaggc tgaggcagga 60
 ggattgcttg agcccaggct gtgtggttca ccataattgt gtttgtgact agctactgca 120
 ctccaacctg ggcaacatag tgggacttca tctctaaaac aaaacaaaac aaaattacac 180
 ttaagcacta ttgtttaatt ttaattgtc agtttatcat tattttgggt aagacattct 240
 ggggtttctt gaatcttgct caaaaaccag ttgttttgga aaattgcttt aaattgagca 300
 tatttatgta tattggataa aaatgtacta cagagcaaat ttcaaatttt tcattatatc 360
 agtctttttg aaaggatcaa cttggataaa ataaatatat aat 403

<210> 392

<211> 401

<212> DNA

<213> Homo sapiens

<400> 392

cagctttttc atagtggatt tgatggtttt taagtaaaga atggaactgg tatgcttttg 60
 aaatcagtgt ggcttaataa aatcctcatg tgtattttag caccctcatc ataactccat 120
 acagtatact ttttgttccc cttttcattt tccatttatt cctggtttct ttgtatgtct 180
 atgctgtcct ctctactatt ttctcttccc tctgttttga actttttcct ttctctgaat 240
 aacctaagtg gaatttcagg tgggtctcatc tagccactca ggtgctaaac actaaatgat 300

tttatgcctg cctttatttc ccaaagacaa aaagtcactt atgtacaaaa gtgaaagtgg 360
tgctgatgca ggaaagccaa aatggagtc taacacttgc c 401

<210> 393

<211> 416

<212> DNA

<213> Homo sapiens

<400> 393

ctgctgacca ccatacccca ctccagcctc actgagcatt tttgtgtaag gttagtgggtg 60
cagttcattt agcaataaat actgttgtag cttttgcagt agacaactat taactttcat 120
ccttgattct cagttttttc caaaatacaa gtgaatacct ggtttcccca gcaacattgt 180
aagattgaga gtaggaattc attgagattt taatgaattc catggattgt cttaagagct 240
atctaaactt ggaagaaaaa taacttccag agcatctaaa attgaaaaata aaagatcaga 300
agcaaatgaa agatcaattc cacacagctt ttctctctt agacgtccct cttctgccat 360
atcctgtaaa catctgaagt gttctgagta catttgagga gaatatttaa tgatca 416

<210> 394

<211> 384

<212> DNA

<213> Homo sapiens

<400> 394

agcaacccta gcaatagact gactctacta caaaacaatt tgggtatttc tcttactatt 60
tctctattat atctgttgag ggaatgttat catgagcaca ggtattagtc ctatgctttt 120
aatcgggtta gtggtttctt tgtgtctcat tttattcatt tgtaattttt ttaaagacta 180
taaaacttcc acagtttctt tagatcatta agttatatga ctctttttca tgggggtcag 240
ttaacaatac ataagaaaac attcgttcta ggataatata tgacctaaaca gtcttttgtt 300
agacttagag atatcaatat gctttctatg tttcaggcat attttatatt cctggaaatt 360
aaacaatata ttttaggacc ccat 384

<210> 395

<211> 314

<212> DNA

<213> Homo sapiens

<400> 395

aattcggcac gagctgaggt ttctgattcc atattttaatt gactattatc aatagcctga 60
tattgaaaaa catttgtagt ttccagtgtg aaactaaggg gttgaagaat cactattaca 120
atccctatta cagagcattt cgggttttgc ttgtatttta gattctgata catagctgtg 180
ttcactcagg aactacttct accagttaat cagcattatc cagcacttgt ctttaaaatt 240
catttggcgc ttgtttgttt tcaactgagg aaattgagta tagttcattg aagaatggaa 300
tttttttttt tttt 314

<210> 396

<211> 315

<212> DNA

<213> Homo sapiens

<400> 396

gatatgcttt aaaattaagg tgagtggtag tatctctagt ttgagacaaa gagaagcgaa 60
gtaacaaaag gccacataag tgataaatag tggacctgga gtttaaacct gggatcccca 120
cctaattcag aaatacgaaa tcaaccactt ttttgatgat ccagggtcta tgtatattta 180
ttacatgtat gtatatatgt atatatatat gcatgtgtat atatgtacat acatacatat 240
agatgtgctt gtctagtgtt tttccacca gataggtagc ctttcttctc cccttgctca 300
cttttttttt tttt 315

<210> 397
 <211> 386
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <222> (1)...(386)
 <223> n = A,T,C or G

<400> 397
 aattcggcac gagatagtct tattttttat ttcagtatag ctatgggttac ttttttcatt 60
 ctgtgttttg tatatttgta tccttgatct gtcttgctag aggtttgtct ttttaattaa 120
 cttttgatat tgaaaatttc caagcatata taagagagtg taaaaaactt gcaagcacc 180
 attactcaac tttacaact atccatattt tgccatattt ttttttgctt tatcttttta 240
 agaaatgtct tatacagtgg gtgagggtga cnatgcctgn anttctngcc tctgngangc 300
 ngganncttt cncnacnntt cganctcncc ctentacntg nntnngncnn ncanngetnn 360
 cnnnannccc tggntcnntn nctcac 386

<210> 398
 <211> 462
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(462)
 <223> n = A,T,C or G

<400> 398
 ttggcctttg gantntcaca cgagcttttg cangatccgn tggattcgaa ttcggcacga 60
 ggcttctcct cctcttctcc agctcccagg cgaatcatac agaggtgtgc tctcaaatgc 120
 acacacacat acattcactc agcagatagg tgcacactcc ccagaacaaa cccagtctct 180
 gagccccctt caccaccctc ccctctcccg agctcactcc caagggcctt gcctcagtgg 240
 aacactgtga tttggacagg gaatgcatcc tgacttctgc acaccggtat atcacctttc 300
 ctgcatcctt aattaaacaa atcctgagca tttacaattc aaccagtatg cattcagcac 360
 ctactgtgag ccaggcccag ttctaggagg cctggagaga agggcggtga caaaagagac 420
 caaaaatctc tcacagagat gataatgtgt cccacatcgc cg 462

<210> 399
 <211> 420
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(420)
 <223> n = A,T,C or G

<400> 399
 aattcggcac gagaatagat gtatagtgtg tgccatctcc ccatataaaa actctcttta 60
 catcgtttct gagccacttt ctttgctgtc tgcagcattt aaaatatatt atttttccta 120
 attagaaaag tcacaggttt tagaaaattg ggaaaacaaa aagagcataa agaatcatca 180
 atactctggt atagatatag atctttccag tacgtttgtg tatgtgtgta cagccatta 240
 tctacaaaaa agttatgttg aacatggtag ttttaagctg ctttctggta aatgctctta 300
 tacaatatga tttttagtga ctaatatcc ctaatgtgtt catgccagaa ttcacataac 360

cagtaccttg tcaaatagga ggtttctgat taaatagtag tagagacagn atcctgttac 420

<210> 400

<211> 415

<212> DNA

<213> Homo sapiens

<400> 400

aattcggcac	gagactacaa	aatgttaaca	atgggtgaat	gtaggtgaag	agtatgtggc	60
aggggtgttt	ttattctcgc	aaattttgtg	taggtttgaa	gttaccacag	aatagcaa	120
ataagaatga	ttcctgcaga	cacacgagtg	atttcaactg	ttcacagggc	tcaggcagga	180
agcagatctc	ttgccctccc	tctgatccag	gtcacttagt	ccagtccctg	aaagcagtgg	240
atggacaacc	atgccaccct	ctttcttcca	atacacctta	ttttgtatcc	tgcccttttt	300
gtgtagcatt	agatcatgag	cattttcctc	tgctataaat	gtccctcaa	atatgttgtt	360
tcttgtgact	ccctagtgtc	taccacgat	ttcctcggct	gtccacctt	ggggg	415

<210> 401

<211> 407

<212> DNA

<213> Homo sapiens

<400> 401

ctctgagctg	aggaacaag	gtgtcctcca	tccccagtg	ccttcacatc	ttgaggatat	60
gcttctgtac	tttttaaaag	cttatagtgtg	gtatggaaaa	catttttctt	atttttaagt	120
gttattaatt	atatctatgg	aaaaactatt	cctgaaatat	atacagtctt	atgtcccaat	180
cagagtcttt	taacctatga	tttaaaaatg	tataagtaac	agaaattaac	atattttaat	240
gactttactt	tttatttcta	agaaaagtat	ttgaaaaatg	gaataatttt	aatcaatga	300
taattctagg	gatcatgaac	tcccagaaga	ttttattatt	taattgtaaa	ggtagaggcc	360
agacgcagtg	gctcacgcct	gtaattccag	cactttggga	ggccgag		407

<210> 402

<211> 405

<212> DNA

<213> Homo sapiens

<400> 402

aattcggcac	gaggatcatgg	aaatagaatg	caccaccatg	agcatcatca	cctacaagct	60
cctaacaaag	aagatatctt	gaaaatttca	gaggatgagc	gcatggagct	cagtaagagc	120
tttcgagtat	actgtattat	ccttgtaaaa	cccaaagatg	tgagtctttg	ggctgcagta	180
aaggagactt	ggaccaaaca	ctgtgacaaa	gcagagttct	tcagttctga	aaatgttaaa	240
gtgtttgagt	caattaatat	ggacacaaat	gacatgtggt	taatgatgag	aaaagcttac	300
aaatacgctt	ttgataagta	tagagaccaa	tacaactggt	tctttcttgc	acgccccact	360
acgtttgcta	tcattgaaaa	cctaaagtat	tttttggtaa	aaaag		405

<210> 403

<211> 386

<212> DNA

<213> Homo sapiens

<400> 403

gatcatagct	cactacagcc	ttgaagtctt	ggactcaagc	aatcctcctg	cctcagcctc	60
ccctgtctca	aaagttaaaa	aataaataaa	ttttttttta	aaaaagaatt	aattacaagg	120
tgaagttaac	aaggaagggt	atatgttatg	aagaatattc	tactatacga	ttgtaagttt	180
agacttggtc	cagtagcaat	gtggagggtat	tgaagttttt	aagcaggaga	ataaaatgat	240
cagattgagg	atgatggctc	tgatgggttaa	gtataatcaa	gttttagctt	cctaagtgtc	300
tttctttgat	gcacttaaca	atgtgaccac	ggaaatataa	cttactgcct	ttaccctaag	360

aaccatgta gttcttcaag gtctcg

386

<210> 404

<211> 426

<212> DNA

<213> Homo sapiens

<400> 404

aattcggcac	gagacaacct	gtccctgtc	acagcagcag	aacaagggca	aaacagggat	60
gaagtaggaa	gaataaacac	ccagatttcc	tctaccctc	ccatctcttg	ctggtgcctc	120
cagtgcataa	ggaagtccag	atgatgcagt	caatagaggt	cagcctccca	gatgtggagc	180
tagagaagag	caaaaagtgg	cctgggaata	tacagaataa	cgagcacacc	atccttagac	240
agtcacatcc	atccacacat	ccattcacat	ttcagttcat	accagagatc	attgctaattg	300
ttatatagaa	cataataaac	ataaatccca	tttctcactc	attctaaaca	ttacatttca	360
ggtacacagt	acatcccatc	atcatacatt	ctggccacaa	cctacccttc	ccacatcact	420
tctact						426

<210> 405

<211> 408

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(408)

<223> n = A,T,C or G

<400> 405

aattcggcac	gagcatagca	atacactggt	ttattttatt	gttagttatt	attgttaatc	60
tcttactgtg	actgatttat	aaattaaact	ttacaatagg	tacgtacgca	taggactaaa	120
cagtctatat	aggctttggt	actatccaca	gtttcaagca	tccattggag	gtcttggaac	180
atatctccca	tggataaggt	gggctactgt	attggtttaa	gttcctcaga	tttcctggac	240
tacctgacat	taggctctac	aattctttca	tacatgctac	ttcaatcagc	agcatgctta	300
gcacatagca	tgtgtttaat	aaaagttaaa	tttaaaataa	aaatcaagat	ttccagttga	360
actgaagcta	gggaaaccta	cacatatttt	gtgcgttagn	tngtttgg		408

<210> 406

<211> 398

<212> DNA

<213> Homo sapiens

<400> 406

aattcggcac	gagagcaacc	ctagcaatag	actgactcta	ctacaaaaca	atttggttat	60
ttctcttact	atttctctat	tatatctggt	gagggaaatgt	tatcatgagc	acaggtatta	120
gtcctatgct	tttaatcggg	ttagtggttt	ctttgtgtct	cattttattc	atttgtaatt	180
tttttaaaga	ctataaaaact	tccacagttt	cttttagatca	tttaagttata	tgactctttt	240
tcatgggggt	cagttaacaa	tacataagaa	aacattttgtt	ctaggataat	atatgaccta	300
acagcctttt	gttagactta	gagatatcaa	tatgctttct	atgtttcagg	catattttata	360
ttcttggaag	ttaaacaata	tatttttagga	ccccatac			398

<210> 407

<211> 396

<212> DNA

<213> Homo sapiens

<400> 407


```

actacttaga ggccacgatg aaatatttta gctagttttg ttaattaaat aaaaaatatt    60
ttaacttaat tcgatgggaa atatttcaaa gtttctctta cagctaatta agctaagtat    120
taatgtgaat gtgtaaagtg actgattttt aaagctatca ggaaattaca ctctgccaaa    180
tattatactg cagctagaat ctgatgatg gcaggatatg aaaacccaaa aactgtctaa    240
aaattttatt aaaaatatga gtcagtctca atcggtttat caaggcatac attttgttgg    300
agtgccagaa aagaccataa tgtgtatgtg aacatttgct tttgtgttaa attaattagc    360
tttagaataa aaatgtaaaa attatttgcc cacctg                                396

```

<210> 408

<211> 406

<212> DNA

<213> Homo sapiens

<400> 408

```

aattcggcac gagatatagt ccagatgagg aaaataaggc tgaaggcaag ctaaacttgc    60
ctgaagccac attgctagga agtgacagaa ccttgtaaac aagatttaag atttgatata    120
ctttcttatt ttctaaaaat ttcaatgtgc atgtagttct cagatgcttt cctcgaagaa    180
aagggagtgt catctattta tctgaccttg caattatgac atttcttaga agtttttttt    240
tttaactgac cgtatcttat gaaatggtct tgcgatgggtg ttgttgaaat gactttttttg    300
ctgcagtgtg ccttgccctg ataattcctt ctctactacta tgcttcagtg taattatttc    360
tcttactccc actgatactg ggggaaggag aggaaactcc ctgatg                                406

```

<210> 409

<211> 448

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(448)

<223> n = A,T,C or G

<400> 409

```

attcggtctt tnatctnctc ttgttctttn gcnggaattc ggccacgagag tgtgcttgac    60
tccagtggaa ctcacacagt aaatagcgct cgattacaca caccattctc ataactttct    120
ctcctgcctt ctttagcttg gtacagctct gtttgcaaca agatcctgag aaaaggtaat    180
attgatctct tttaaatagc acaaaatgta catgttttac attttataga agctttgtaa    240
cattgccctt ccaggagaat acaaatcttt tgatcaaaat attgctgctc taaanatntc    300
aatgcttana acaattagtg ggaacaagcc aatgagaaga atctggattc aaatcaaaaa    360
aagctgggtg cgggggctna cacctgnaat cccaaacttt tggaaggcca agccggtgga    420
tgnctgagtc aggagtcaaa ccccttg                                448

```

<210> 410

<211> 418

<212> DNA

<213> Homo sapiens

<400> 410

```

aattcggcac gaggagctgc ccccatgatt cagttacctc ccaccaggct cctttcacia    60
tgcacgcgaa ttatgagagc tacaattgaa gatgagattt gggtaggggac acaggcaaac    120
catatcagac cccaagatct cttttcagct ctataggctg atccctgtga ctgcatctt    180
gcagaagaaa acaatggctt ttcagtgcct tttttgtaaa taatatggct gcatagtcag    240
agaatatggg agacagtgtc tcttttattt tgaagacata attgtgggtt ggtggaaaga    300
gctctggact aagagacaga aggcctaggt tttactttta gcttcaatac catgtggcca    360
tgtgaccgga ggaagggtga ctcttctgaa cttcagttcc tctacctgag aaacaaga    418

```

<210> 411
 <211> 416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(416)
 <223> n = A,T,C or G

<400> 411
 aattcggcac gagacccta tcaagatata gcacattctc gtcactgcca gaaagttgcc 60
 ctttgcccct tcctggtcag tacctgctcc cagaagcagt cactggcttg ccttgctcatt 120
 gtgggtcagc cttgcctctt ctagaatttc acagaggggg agtcctgccc cgtggagtcc 180
 gttgggttga gcatcttcgg ctccagcatga tccttttgag atgcagggat gttgggtgtgt 240
 gtgtatcggg agtgtcttcc ttttaagaaat tctttcccgat gagtatttct tcaagcctgg 300
 attttctcatg aggcctccaaa ctgcagaaga tgaaaaggga gggctgnggt tcctgtgtct 360
 canctcctgg tgngcagtaa gngctctgta gatgcttggt gaatgaatgg atgggg 416

<210> 412
 <211> 461
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(461)
 <223> n = A,T,C or G

<400> 412
 tttggcncct tnaatataag ctctttgtgn nnnatncaag aanccatctg agttcnaatt 60
 cggcgacgag cagacaccga gcttcagcaa gctctctcca acggatgaag cccacccgc 120
 ccttcaggat gccagccttg gcaacattgt gagaccctga ttctacaaaa agtaaatgag 180
 tgtagtggtg cagcctgtga ttcccagcta cttgggaggc tgagatggga agatcacttg 240
 agcctgggag gttgaggctg cattgagctg agatcaagcc acggcactcc agcctgggag 300
 acagagcgaa accccatctc aaaaaaaca aagaaagtgg atgcgcgctg ctccctgccat 360
 tggatcatcg cagcattttt cttttctctg atatgcacct ttttctcatc gggggggctc 420
 acgttttcat agttccctct cactactagg ntgggagctg c 461

<210> 413
 <211> 415
 <212> DNA
 <213> Homo sapiens

<400> 413
 ctgctagccc catgtgacca tttgaagttg aattttaaatt tacattaatt aaacttaaat 60
 aaaacatttg taaaaattag tctctcagcc actagtcaca ttttgagtgc tcagtagcca 120
 tcccttgcaa gtattaggac agtatggaac attcccacca ctgcagaaag ttctgtggtg 180
 cagtgtccat ctatgatt ctacaaatgg aagatttagg ggaagaggag aagtaagtag 240
 tgaggtgtac ctaattgctt ctataagtt tagtacaaag aacccttctt ttaaaatatt 300
 gatatttggg gaaacattca gatatcacgt tttaaagtga tttcatggac actaatcaac 360
 agagcaacaa catagatata tcattgctac aaggatggat caatacttgt ctacc 415

<210> 414
 <211> 427
 <212> DNA

<213> Homo sapiens

<400> 414

aactctggct	cttctcgtga	attacatttc	actggagtca	ggtgttttct	gtaaacatcg	60
ttaaaccacg	agaccaactg	cattgaacat	tttttgcaact	acattgtttt	atttcttgct	120
cgtcttttcc	ttgcagagct	ggggctgggg	tgagggtgtg	ggtgtacctt	gcactcaaaa	180
tgtaaggatt	ctcagagtca	tacagggtgca	cggtcagcac	ctgagagtga	gccacccttt	240
aacatttttg	cttctaggtg	cttcacttgc	cttgcccaag	cactaccctt	agattaaata	300
atatgtttct	attagttttt	taaaattata	atattaacaa	taactagcac	ttattgagca	360
ctcccttatg	tgccagcaaa	tgtgacttac	atgtatctgc	ttatttttcc	ttacatgaaa	420
ccctctg						427

<210> 415

<211> 414

<212> DNA

<213> Homo sapiens

<400> 415

aattcggcac	gaggtttcac	cgtgttagcc	aggatgggtct	cgatctcttg	acctcgtgat	60
ccgcccgcct	cagcctccca	aatcgctggg	attacaggcg	tgagccaccg	cgcccggcct	120
gtatctgcct	ttttgaccac	accattattc	gtgggattta	acaggagtta	atgagttaat	180
aatgttcctt	ttccaaactc	agtggttttg	attttacaaa	ttatttgact	tttcttgatt	240
tcaggatctt	gacaatttgc	ctttacttat	tcaaattgta	ttataccaaa	tattttattta	300
aaaagttttt	ttttctttga	ttcctcaagt	tgtagagaga	aatagggata	gggaagcaga	360
atcaagtagt	taaaaagata	gcctcatttg	accctgattt	cccaattggg	aata	414

<210> 416

<211> 414

<212> DNA

<213> Homo sapiens

<400> 416

caattcggca	cgagatgagc	ctttactgta	agctacctta	aatctttttt	ggaaagaggt	60
aggatataaa	ttaaaccatac	acctcccca	gatctcagag	tgttgatgga	ctgattacag	120
agacggggag	caggtatttc	ctcattcatc	actggaggca	gaaaaatcac	ctccaaatat	180
ttgttctctg	atagcagttg	ggaaaagtcc	tccttaaattg	agaggcccac	gaagggatga	240
atagggattt	tggctgacct	ccaaaagtga	gctaagataa	tgctgcctt	cccagtatta	300
cttgaggcta	attactcaga	tataattact	tgcaactctgt	gtttttgctt	ccaatagggg	360
tgggccttgc	ttttgtttat	cttgtatccc	ccattagact	ttgagctctt	taaa	414

<210> 417

<211> 408

<212> DNA

<213> Homo sapiens

<400> 417

gcaccacgcc	ccactacatt	cgctgcatca	agcccaacag	ccagggccag	gcgcagacct	60
ttctccaaga	ggaggtcctg	agccagctgg	aggcctgtgg	cctcgtggag	accatccata	120
tcagtgtctg	tggcttcccc	atccgggtct	ctcaccgaaa	ctttgtagaa	cgatacaagt	180
tactaagaag	gcttcatcct	tgcacatcct	ctggccccga	cagcccatat	cctgccccaa	240
ggctccctga	atggtgtcca	cacagcgagg	aagccacgct	tgaacctctc	atccaggaca	300
ttctccacac	tctgccggtc	ctaactcagg	cagcagccat	aactggtgac	tcggctgagc	360
catgccagcc	cccatgcact	gtggcaggac	caagggtgtc	atgactga		408

<210> 418

<211> 379

<212> DNA

<213> Homo sapiens

<400> 418

gcaacatgta	taaaaataga	agtgcaggac	cagaagtga	caaagggggt	tatatattgg	60
gcaaagtgac	aaaatatggt	agagatatga	catggcggat	ttccctgaca	ataagattac	120
caagaaaata	gattccagag	acaagcaagc	atgtgtatat	atgtgggaat	ttaatatatg	180
atcaaagaag	tatttctgat	caaattgtgaa	aagatgtatt	agtcaataaa	tacctaagga	240
tgactggtta	tccaattggg	aaaaaaataa	atccttacct	catatcaaac	tcaaaagtaa	300
attccagggg	gattaaagat	ctgaagataa	aagaccattg	aagtgttaga	cagaaatgaa	360
ggaaactatt	attataatt					379

<210> 419

<211> 406

<212> DNA

<213> Homo sapiens

<400> 419

aattcggcac	gaggtcagat	tccagatata	tgatgaaagt	agacctgcag	gacttggtga	60
cagattgggt	gtgggaggtg	taagagagga	gtcctggcct	gagtaattta	gaaggatgac	120
atggctat	cctgatgtgg	ggaagactgt	gggagaaaca	cgctggggag	gagtggagtc	180
aggagttgag	tttttagaggt	attaagtttg	agattcctga	catatccctg	taggcagctg	240
aatatatgag	tctggaaccc	aaggaaggac	ttagaaggga	gacatTTTTT	gtttggtgat	300
ttacagttag	accttgtcct	cacattcaag	ttggaccttg	tcctcacatc	cctgcttcat	360
acgtagaaag	ttgttgggtc	tcttctcttt	cccaagaatg	agcaat		406

<210> 420

<211> 384

<212> DNA

<213> Homo sapiens

<400> 420

aattcggcac	gagggaggtt	tctttggaga	gcttctatcc	tactggaaac	ccaggttggg	60
ccccatgtgg	attgatcggc	agtgggaatc	agctagggct	gctgtaactg	agttcgcaga	120
cccagtgggc	tagacagcaa	agaggtactg	ccacgtggct	ttggagacca	gaagtctgag	180
aggaaggtgc	tggcagggct	ggttccttct	gaggctgcaa	tggaaaacct	gtcctggcct	240
ctctcctggc	atctgctggg	tatctttggg	gttccttgta	gacagctgcc	ccctccctgt	300
atcttcatgt	cgtcttcctt	ctctgtgtcc	ttctcttcac	gtagtctttt	taggacgctg	360
gtcgtgttgc	cttagggccc	ccat				384

<210> 421

<211> 409

<212> DNA

<213> Homo sapiens

<400> 421

aattcggcac	gagacaatac	atgagtaatc	tgaaagtatt	taggctgttg	aaattttctg	60
attgcttttag	atttgcattc	catgaaaaac	agcagtcttc	cctacctacc	tttttagtatc	120
ctaccctaga	ggctgttact	ttcagctctt	ttagctat	cttctagcat	tttcctccat	180
gtttacaaat	aatattctta	tattgcactc	tcattttctt	ttccatctat	ttcagacata	240
ctgactttct	cccatgcagg	gtcacagtgt	ggctttctta	caccatttgc	tgcaacacag	300
acactttctc	tgctccttcc	catgtggttc	gtgtgtgtgt	gtgtgtaagt	gtatgtaaaa	360
tccaccctta	gaggggggaat	tgctgctggg	catggtggct	catgcctgg		409

<210> 422

<211> 407

<212> DNA

<213> Homo sapiens

<400> 422

cgcaaagaaa	tattagaata	ttaaaaagac	aagtctgtct	cagtatttca	ttttagccct	60
atcttttatt	aatgcatggt	gtgcaataac	aaatcacaa	aaccagtgtg	tattgagtga	120
tataatatat	tatgctgaag	ttctttcatt	ccatcatctc	atttattctc	accttaaatgt	180
tgtctttatt	ttaaagctgc	attttaaagc	aaaatctgcc	aaagttcacc	catctagtaa	240
atgacagagc	tgggactgga	aaccaggcta	gaatatacct	gtgtatgaat	cagtaatcat	300
ggtaacaag	agattggtca	gggaaaatt	ttggttgga	taggaggaga	gagagtccag	360
tatgtaaaat	gtgattttgc	tattttactt	gaaaattgta	gatttgg		407

<210> 423

<211> 405

<212> DNA

<213> Homo sapiens

<400> 423

aattcggcac	gagacatgta	ccctggaact	ataaaaaata	aaataaaaaca	aacaaacaaa	60
aaacatgtgt	gcaaacatgt	gttaaagact	tgtacacaaa	catgcatagc	agcttttattt	120
ctgatagctc	taaactacaa	acaatccaga	attccaacag	gtacatgggt	aaattttgtt	180
atactcatat	aatgcaatag	tactcataat	gaaaaggaaa	tatcaatata	tttaatgact	240
ctcaaaagaa	tgaaaatcca	agaaatgtca	agcatgccat	aagacaactg	cactcaaagg	300
aaactcaaag	tgagtgaag	gaaccagaca	atagtaattt	gtccacacta	tatgggtcaa	360
tttcaataaa	actgtaggaa	atgcaattga	atctatagca	acaga		405

<210> 424

<211> 168

<212> DNA

<213> Homo sapiens

<400> 424

aattcggcac	gaggtgtga	gccaccatgc	ttgaccataa	agccttacta	tttcttttgg	60
agacacagtc	ttgctctgtc	caagctgaga	tgggaggatc	acttgacctg	ggagttcaag	120
tcaagcctgg	gcaacatggc	aggaccctat	ctttaaaaaa	aaaaaaaa		168

<210> 425

<211> 388

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(388)

<223> n = A,T,C or G

<400> 425

aattctgcac	gagagatcct	tcatactcct	ggaagagcct	tttgccatgc	aagacaacat	60
agccacaggt	ggggattagg	accaggacat	ctttgggggtg	ctgttattct	gcctaccaca	120
ccttcctgcc	actgactccc	acaggagagg	ctacaaaatg	atctggcgca	cagggatggt	180
ttgttttagct	tgcggactct	aacacttaaa	aaaaacccca	gatcagaaga	tctggccatg	240
ctggggctca	cattctcacc	tagcaacaac	tggctggagc	tgggcaccag	ctctgccttt	300
anaaggggtg	tccacttcac	caggtcacca	cagccacac	tacgccctat	cacttccac	360
aatgaggctg	agtgtttgtt	tctactga				388

<210> 426

<211> 420
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(420)
 <223> n = A,T,C or G

<400> 426
 aattcggcac gaggggttaag ggagagaaga ggatgaatag gtaatgcaca gaggattttt 60
 gaggcagtga attaaaagaa aaaaaactcg atccctgtcc ttacggatct ctggtctagt 120
 cggagtcagc aggcacacag aggcctgctg agatggagaa tcgatgctca gattcttcct 180
 ctgtatccag aagaagccag aggaggggtac tgccctggccc tgggaggtt cactagaggt 240
 tttcgagagg aagatgcacc gtctaagggtg tgacgggaaa gggccagaaa gagaatgagg 300
 gaagaacatt ccaagccaca gaaatggcac atggaagaaa gcagagatga gaggagaaac 360
 catctgtgac ttaagtggct cancagactg gagagagtcg ggcaattgag ttgaacacag 420

<210> 427
 <211> 400
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 427
 aattcggcac gagtgtttcc cctgatagcc tctgagtttc ttccggataa cactgcatca 60
 acaatgctac tgagcaccaa ctgagggcag gatgcagaat gctggatggt gtaggaaata 120
 taacagttaa gaccagggct gggattatag gcgtaagcca ctgcacctgg cccaaaatgt 180
 tattttaaat tcttcacaat tacatttttt catttaaggg agggcaattt aaagagcaaa 240
 tcatttgaaa gcttggatgc tncanangcg tattctgntc attttatggn ccattatgag 300
 aaccaganag cttatcagcc tagtttgtaa gcangtttat gagnctgggg nttttaagct 360
 cttcaaaaaa tgtttagngg atggtaaatc ccttaagaaa 400

<210> 428
 <211> 420
 <212> DNA
 <213> Homo sapiens

<400> 428
 aattcggcac gaggtgcctc taggggggtgc ataaatgcat atatatgtgc acatacacac 60
 gtgcatgcat actcatgctg acatatacac agccccccac cttgcctttt acagagccat 120
 gaagcagcag atgcaaccga atactgtgca gcatgagcca cagacgttta cgggaagaac 180
 cggcaggagg cgccgggaaa ctaaaagggt ccagctctct gagtgggtggc tttgccattg 240
 tggctgtgct agctcagcct cctggaaacc cgccctgagc ttgggttaaca agcattcact 300
 ccagggttaa ccagctcca ggttatcgca ggcaggactc ccgagaacag gttcatgttt 360
 gctttttggg aagtgtctgcg ctaaaatgga aaacaccctg ggccgagtgg gacctccag 420

<210> 429
 <211> 413
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (413)

<223> n = A,T,C or G

<400> 429

tatacgtgc	gctttcgggt	cccgcgcca	tcagatggtc	tccaaggcaa	agaagcgcgt	60
gctgctgccc	acccgcccag	cgccccccac	ggtggagcaa	atcctggagg	atgtgcgggg	120
tgctgccggc	agaggatcca	gtgttcacca	tcctggcccc	ggaaggtagg	gggagcccgg	180
tcccggtgaa	aagcggacct	gagaccccgg	cagcaagggg	acgggagaga	agcacacccc	240
taactcctga	ccccacgccc	tggtaacccc	cgcaacatgg	gcacggttcg	tatcctctcc	300
gagtctccct	ctactcctcc	gtagagtggg	accgattttc	agaggggtct	tctgacatgt	360
gtggaagccg	ggcgtgtgg	ttcangectg	taagcccanc	acttttcnga	agg	413

<210> 430

<211> 434

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (434)

<223> n = A,T,C or G

<400> 430

gccgcgatca	caccactgca	tgccagcctg	ggcgacagag	tgagaccctg	tctcagaaaa	60
gaaaaaaaaa	gtaaaaattg	catgtaagtt	gaccgcact	attcaaattt	gtgggtgttca	120
aggttcaact	gtaatttcct	agcagcattt	tgtgtgtttg	agaatctctt	gacactcttc	180
aagtaaattcc	ctaaattaca	actttgacat	caaaaaagct	agacattcct	acatttttgc	240
actacaatac	ataaaaactc	ccatgctgat	cggttgtggg	atcgtgcctg	tgaataacca	300
ctgcactcca	gcctgggcaa	catagtaagt	aagaccttgt	ctcttaaaaa	aaatacattc	360
tgaagaaagt	tctacttatg	aatacatttt	atttataaca	aactggngaa	aatttttagac	420
caaaccatgt	cttt					434

<210> 431

<211> 413

<212> DNA

<213> Homo sapiens

<400> 431

aattcggcac	gagagcacag	gtacatcagc	tgctaacgcc	tgcaagtgcc	atctcaaaca	60
aagaggcaag	cagtggctct	gggccaaaat	ctatgcaaga	tggctgggtg	ggtgatgata	120
tgccattgcc	tggaaatcgc	cccactggct	gggaagagga	agaggatgtg	gagattggaa	180
tgtggaatag	taattcatct	caagagctta	actcatcttt	aaattggcca	ccatatacaa	240
agaaaatgtc	atcgaagggg	ctgagtggca	aaaaaaagga	gaagggaagg	gtgtgtagcc	300
tttttactct	ttctcctttg	tttctactag	taaaaatctt	tagaaagcaa	ctgcaaacat	360
ttatttaacc	tctgctgtgt	gccagggtact	gtgcttggtg	ctgggggatc	aaa	413

<210> 432

<211> 423

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (423)

<223> n = A,T,C or G

<400> 432

aattcggcac	gaggagcatt	gtaatgaagt	gtggttctgt	aaattctcta	atgatggcac	60
taaaactagca	acaggatcaa	aagatacaac	agttatcata	tggcaagttg	atccgggatg	120
taccccaata	tgagtgttta	tattacaaaa	ggggataaatt	ttgaatctaa	ttcattgatt	180
acataattttt	aagtatatat	gtatcaatag	tattcttttc	taagagcatt	ttttatcatt	240
tttacatctt	catgtgttgt	atagataata	tatgtaaagt	aatattatca	acattgttga	300
gtgttttatgt	gctaacaata	atgttaaata	tgtgtatgca	ttatctaatt	taatatcttg	360
aaaaactctg	tgaggngcta	acatctcctg	cagtcagatg	aagaaactga	ggnagaaatt	420
aaa						423

<210> 433

<211> 398

<212> DNA

<213> Homo sapiens

<400> 433

agtttgtata	aggcttagca	cttccttgat	ttcatgcgtc	cactagggat	ctgggaaagt	60
attcctcttg	cataagggga	gactactgta	tgctgcttcc	caaattctgc	tgtatgggct	120
tcccaaaatt	caagctgtgt	ctcaagtcag	tgaataatccc	aggctctgat	tagtctcttg	180
ctccttgggt	tgcagtctgg	gaattccctt	taagcagtaa	ccctggccat	ggtaggactc	240
acctcccat	gtagcctccc	agggtggctgt	gattacaggc	gtgagccact	gcactcagca	300
ggaaagcatt	gcatttttga	caatgcttta	ctagtaagaa	gtaatcagta	agtataagg	360
tattgttaacc	tgtggtctgg	actcacctga	cagggtga			398

<210> 434

<211> 425

<212> DNA

<213> Homo sapiens

<400> 434

tgcccagcta	attaaaaaaa	aaattttttt	gtagcagttc	ggtctcatta	gtattgccc	60
ggctggcctc	tcttagcttc	aagctatcct	cccgcctcgg	cctcccaaag	tgctggaatt	120
acaggcataa	gccacaagcc	actgggccc	gcctctttta	cctgtttcaa	aattgagttt	180
tattgagttg	taagagttct	ttattcattt	taaacacaag	tcctttgttg	gatatactt	240
ttacatctat	ttttcccagt	ctgtggcttg	ccttttcatt	ttgaagagca	aaagtttaaa	300
attttgtgaa	ttatttaaag	ctccgtttgt	tgttttttcc	tgttctagtt	tatacttttg	360
tatcatattt	taggaaaattt	tgcactgggt	atttgatggc	tcttgaggag	gttcaacttt	420
cagag						425

<210> 435

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(386)

<223> n = A,T,C or G

<400> 435

aattcggcac	gagagttcct	gccgctaaga	tttccagggt	tattgtttct	agctggtaat	60
ccccaggggg	ccccaaatcc	tgaaatgctt	tggccctggg	gattgcacaa	cccccaaat	120
ggaaaggcag	ccaggaagac	atgtctgggc	aggctaagaa	ccctctatcc	ggagggagag	180
ggcaaatggg	ggcggacacc	aatctcacca	cttttgtctc	cttagtcacc	atccagggga	240

gactccacct	ctcatcacc	caggtaat	ggggcaacat	ggggctcagg	ggaacacgga	300
antgggtgt	gtgtgtgt	gtgtatgt	gtttgcacac	tgaaagaaa	agaactnaat	360
tcaccctcca	aacggcccca	tcacct				386

<210> 436

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 436

ataaattagc	tgacgtggtg	ggcacacctg	taatcctagc	tactcaggaa	gttgaggcgg	60
gggcatcact	tcaacccagg	agttcactgc	tttagtgagc	tatgaccata	ccactgtact	120
ccagcctggg	tgacagagca	agacctcatc	tctctctctc	tttttttttt	tttnaaacnn	180
agtttcccn	tgtccccag	gttaaagngc	agggacccan	tntaagntna	nngnaantcn	240
ngcntaancc	tctttaaaa	nnggaatnac	ngggngngnc	cccccccccg	ggcnaatttt	300
ttanttttna	taangnggg	angnggggct	aaaaggccng	acctngnant	tngccngcct	360
ngncncccca	angggccggg	nttaaaggca	ggagccccgc	ccctaccaa	a	411

<210> 437

<211> 471

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(471)

<223> n = A,T,C or G

<400> 437

actccttnna	caagccactt	gctctctntg	cnggatccca	tcgnntcnaa	ttcggcacga	60
ggtgacatgc	tgtattggct	actccataaa	gtaggagtat	agatggaatg	gagaaagaag	120
caacctctga	gattccagtg	gtgtgtgggg	gcaagatctg	atggaaactg	acaaagagaa	180
cgaagactac	acaaagagaa	aggaaagaga	agaaacccta	aatgggcaaa	ggaaagcaca	240
tcctgtttgc	ggagctttga	aatattggaa	ccattttctaa	ttgctcctgt	ttttctgggt	300
aacaccagtt	ttctgtagtt	gccactaaag	cagtagactc	ttgagtctca	cttgtctctg	360
agagagacag	aagttagaaa	gttttgactt	ggcgattccg	aaagtatgcc	tttgttgga	420
cttaaatgtc	cagttagact	tcttggcacc	ttagagccct	ctgagatctg	g	471

<210> 438

<211> 418

<212> DNA

<213> Homo sapiens

<400> 438

aattcggcac	gaggctcttt	ctaccagat	tacctcattt	aattatcata	gcaaccatat	60
gagggtgcagg	tcattactat	tttcctcatt	ctataattga	ggtaactgag	gcacagagag	120
atttaaaaa	ttgttccaaa	tcacacagct	agaaagttag	gtaaaccagg	atagtttgat	180
tctagagctt	aacttcctag	ctaagacatg	tgaagtcaag	tttctatgca	tcttttgagg	240
ggtgttgat	ttattttcag	gtctcctact	tgatctcact	gtatgcatta	cagaaatttc	300
ttgtttattt	atttgtttat	tttgagatag	ggtctcactc	tggtgcccag	gctggagtgc	360
agaggctcga	tctcttagct	cattgcaact	tccaccttct	gggctgaaat	gatcctcc	418

<210> 439

<211> 399

<212> DNA

<213> Homo sapiens

<400> 439

ccatggggaa	ttggttccag	gatcctccac	tgatggtaaa	atctgaggat	gctcaagtc	60
cttgataaaa	atggcatagt	atgtatttgc	atattaccta	ctcacatctt	cctgtatact	120
ttaaattatc	tttagatcac	ttatacctaa	cacaatgtaa	atactatgta	aatagttgtt	180
atactgtatt	tttcaatttg	cattatTTTT	attgtatttt	atttttattg	tttttttttt	240
gagtattttc	tatttgagat	tggtggaatc	tgacatatg	agggctggct	ataaaggga	300
ccacaaggaa	gaagccaaac	agaccagaa	tgtgtgaaat	tctacagagc	aaattacctg	360
atttcttcaa	ctaacaggta	gcatgaaaat	caaggggaa			399

<210> 440

<211> 409

<212> DNA

<213> Homo sapiens

<400> 440

aattcggcac	gagacgacat	ctttaagaac	tgtaacactc	accgcagagt	ccacggcttc	60
attcttgaag	tcagtgaag	caagaaccca	ctggaaggaa	ccaattgcgg	acacaaaagc	120
agaagtaagc	actccatttc	aaccacatgt	ggctttctct	tcctactgca	atttaagcta	180
aaatatgttg	aagctgcttt	acctcatttt	ttatatccag	cgaactttgt	cggcatagtt	240
cataccctag	cttctgaag	gcctagttaa	tgcttatctt	tgctttgatg	ttgccatttt	300
caaatcttct	catcacacca	atttcaattt	tctgcattac	cacttttcat	ttctttgctg	360
cctttcagat	ttggtggaaa	cttttatatg	aatttatcac	tggggacga		409

<210> 441

<211> 394

<212> DNA

<213> Homo sapiens

<400> 441

ttttggtgct	aggctttggg	acgagattct	ggggcgtaga	tcttgggata	ctccttctat	60
agcctgtttt	tcaatgggga	tgtttgtctt	ttccttaatg	atctataaaa	ggtgttcata	120
tattagtaca	aacaatttca	cccacacttt	attacgcttt	tggggagaaa	gggcaagaaa	180
gtgttgtcag	cccatattat	tgactaatcc	attctttccc	cacttatttg	agatgccagc	240
tttatcatat	actaaagtat	tttatatgta	tggatatggt	tggggatttt	tgaatttagt	300
tctgtttcag	gaatcttttg	gttccagttc	tagccactgc	actccagcct	agggtgacaga	360
gtgagacccc	atctcaaaaa	gaagagagag	agaa			394

<210> 442

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(416)

<223> n = A,T,C or G

<400> 442

ccctcatgtg	acagaacata	ataagtagtg	tatgtaggtc	attgggctgc	agtgttccat	60
gcagtcattc	agagaccag	gctgacagg	gctctgccgt	ctttaacatg	tgactttcta	120
ggtcagtc	ctggtcattg	cttttccaca	cagcagataa	gacaaaggag	tggaaataga	180

```

ggggtagaga ttttctctta aacgtgtgag gctggagtg tatgcttcat tggcaagaac      240
ctggctcctag cctgcctagc tgaaaggagg ggagtcagg agatgcactt tgcagccaaa      300
attctgttgc caagaagggg aaagnagatt tgggtggatt ttgatctgng gttgctgctg      360
tgtactctat aattcaccat gtctctggag ggtaactat gttgtaccaa ttgatc      416

```

```

<210> 443
<211> 410
<212> DNA
<213> Homo sapiens

```

```

<400> 443
gtaaaatttg cctatataat ttcttgata cacctatttt cggatatcaag gctatactag      60
caatgttttc tttttttgct ctgtggaaac aaattgcacc tgttgagggt ttggtgaact      120
tgacacccaaa accatcttat ctttctatgt ttcatgggg aaattttgta ctagtttttt      180
aataattata agtcttacat gttctctaata tcttcttgaa tctgtttaat ttttctccct      240
tggaattgt taagtgtaca tgtattgtga taactgctat aattttgctt ttattgattt      300
tttttgcttt atatctgcta caatttggtt cctccaaatc ccatgttgaa atctgatccc      360
cagtgttgct ggggatcta ataacaggtg tttgggtcat gggaacaggc      410

```

```

<210> 444
<211> 419
<212> DNA
<213> Homo sapiens

```

```

<400> 444
aattcggcac gagagaagcc agatgcaagg gaataaatac tgtttgatcc tgtttatgtg      60
aaattttata atgtgaaagg caaaactaac ctatgctgat ggagtaagtg gttgcctaca      120
ggggtgaggc ttgattggaa aggtgctcta gggaaatttc caggatgata cccccctttt      180
tttttcccaa gacagggtct cactctgtca cccaggctgg agtgtagtgg tacaatcctg      240
gctcactaca gcctcgaccc aggttcaagc aatcctctca tctcaacctc ctgggtacct      300
gggactacag gtacaagccc cacacctggc taatcttttt atgaaaattt tttttagag      360
atgaaatctc actatattgc cagctggcac aaactcctgg gctcaagtga tctcctgc      419

```

```

<210> 445
<211> 411
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (411)
<223> n = A,T,C or G

```

```

<400> 445
aattcggcac gaggcggaaa ctgcatcctg gcagcgtctg ggactcctct ctgccaggat      60
gacccatgac gctatgacaa gactactttt cctggnaggg ggccttncat cntgtnggct      120
ccccnttaat gncngnntga tctttaantg aacatggctt tgccatcacn taantgnctn      180
cacntgccct tcaggcagat gggatcatta aagnaccctn aacattgcct gngcttggtg      240
acctggancc tgaacgggaa cgcgnaatca ccattgcnat ttcttgtaga atttctacc      300
ancaggacta tgtgctatna tttntnccca ngaccagaaa ctttntnaaa ncatgatata      360
gggacatctt angctgctgg cctgcctaana gttcttgctg gngttngtga a      411

```

```

<210> 446
<211> 418
<212> DNA
<213> Homo sapiens

```

<400> 446

cggcgggaga	gtaaagggtg	ttactatcgt	taaaccaata	gtttacggta	atgttgctcg	60
gtatatttgg	aagaaaagag	aagaagatgg	gcacactcat	cagtggacag	tatatgtgaa	120
accatataga	aatgaggata	tgtcagcata	tgtgaagaaa	atccagttta	aattacatga	180
aagctatggc	aatcctttta	gagttgttac	taaacctcca	tatgaaatta	ctgaaacagg	240
atgggggtgaa	ttcgaaataa	tcatacaaat	atttttcatt	gaccctaata	aaagacctgt	300
aacctgtgat	catttgctaa	agctgtttca	atcagacacc	aatgcaatgc	tggggaaaaa	360
gacagtgggt	tcagagttct	atgatgaaat	gatatttcaa	gacccacagc	aatgatgc	418

<210> 447

<211> 419

<212> DNA

<213> Homo sapiens

<400> 447

aattcggcac	gagcaagagc	aagcccatga	tgatgccatt	tggtcagttg	cttggggggac	60
aaacaagaag	gaaaactctg	agacagtggg	cacaggctcc	ctagatgacc	tggtgaaggt	120
ctggaaatgg	cgtgatgaga	ggctggacct	acagtggagt	ctggaggggac	atcagctggg	180
agtgggtgtc	gtggacatca	gccacaccct	gccatttgct	gcattccagct	ctcttgatgc	240
tcataattcgt	ctttgggact	tggaaaatgg	caaacagata	aagtccatag	atgcaggacc	300
tgtggatgcc	tggactttgg	cctttttctc	tgattcccag	tatctggcca	caggaactca	360
tgctgggaaa	gtgaacattt	ttggtgtgga	aagtgggaaa	aaggaatatt	cttttggac	419

<210> 448

<211> 391

<212> DNA

<213> Homo sapiens

<400> 448

aattcggcac	gaggtggaat	cagctgtgaa	tgcagaaaga	ggaggtgctg	atcggattga	60
attatgttct	ggtttatcag	aggggggaac	tacaccagc	atgggtgtcc	ttcaagtagt	120
gaagcagagt	gttcagatcc	cagtttttgt	gatgattcgg	ccacggggag	gtgatttttt	180
gtattcagat	cgtgaaattg	aggtgatgaa	ggctgacatt	cgtcttgcca	agctttatgg	240
tgctgatggg	ttggtttttg	gggcattgac	tgaagatgga	cacattgaca	aagagctgtg	300
tatgtccctt	atggctatatt	gccgccctct	gccagtcact	ttccaccgag	cctttgacat	360
ggttcacgat	ccaatggcag	ctctggagac	c			391

<210> 449

<211> 420

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(420)

<223> n = A,T,C or G

<400> 449

aattcggcac	gagcctagtc	ttaaactttt	ttttttttta	acttttttaan	cggangtnaa	60
aancnnnanc	nnagacntan	tangcnnggg	cnnncncggg	gtnaanaaaa	nngggtttac	120
cntggccacc	ttcncngttt	gttnnnntgg	anggttttca	ggagcanaan	cacctnngga	180
gccntctttt	cntgtgangg	cagggcctgt	ttttaaanac	ctcctgaagg	atctgngtga	240
ggcnntttta	aagtnnactt	ttttaaaaaa	aantnaaaga	agggggacnn	tcaaatnctn	300
gatnaaaaac	tngttnccgg	ccggncgctg	gnctcanncn	nntaatccca	gnnttttggg	360
aggcccaggc	aggngtatcg	cntnnggnca	gnattctaan	acnancnngg	ccccaatggg	420

<210> 450

<211> 411

<212> DNA

<213> Homo sapiens

<400> 450

aattcggcac	gaggccgcct	cctgccaaagg	aaacagtaat	ccatgtaaaa	gctcattttg	60
actatgaccc	ctcagatgac	ccttatgttc	catgtcgaga	gttaggtctg	tcttttcaaa	120
aaggtgatat	acttcatgtg	atcagtcaag	aagatccaaa	ctggtggcag	gcctacaggg	180
aaggggacga	agataatcaa	cctctagccg	ggcttggtcc	agggaaaagc	tttcagcagc	240
aaagggagc	catgaaacaa	accatagaag	aagataagga	gccagaaaaa	tcaggaaaac	300
tgtggtgtgc	aaagaagaat	aaaaagaaga	ggaaaaaggt	tttatataat	gccataaaaa	360
atgatgatta	tgacaacgag	atcttaacct	atgaggaaat	gtcactttat	c	411

<210> 451

<211> 403

<212> DNA

<213> Homo sapiens

<400> 451

gagagacttc	ttcctgcatc	cttacatggc	ggaagacaaa	agagtggcag	agaatgaata	60
tactcccagt	ccattcgaga	gggaagagcc	ctcacctcat	cacttccttg	aggcctcacc	120
ttctaatact	atcaccttgg	tgataagatt	tcaacatagg	aattagaggg	gaatacatac	180
atccagacta	ttgcagatgg	gattatgtaa	tactttgttc	ctgtttggct	tatttcttag	240
cacaatatct	ttctggtatg	tgcatgtttc	tgcaaatggc	aagattttct	tcctttttaa	300
ggctgagtaa	taattcattg	catgtataga	ccacattttc	tttatgcatt	cattattagt	360
gagagttcct	attacaaatg	ggcgaagtgg	tttttaatat	tga		403

<210> 452

<211> 408

<212> DNA

<213> Homo sapiens

<400> 452

tttagtaata	agactttcag	tatttttaat	gttgacattt	ccagatgttt	catttagtat	60
ccaggggtct	gtctggagac	ttctagagag	ggacagctca	gaagtggagac	ccttgagctc	120
tggtgctgta	agcttggtgca	attaagttga	acagagcctg	ggaatttctt	tcctctgcac	180
agtcccttga	tatttggaat	ccaggttctg	cccccaacc	ctaccaccc	agtggctctgt	240
taagatgtct	cagatggggc	tgggcttggc	ggctcatgcc	tgtactctca	acactttggg	300
aagcaaaggc	aggcagatca	caaggtcagg	agttcagcct	aaccaacatg	gtgaaaccgt	360
gtctctacta	aaaatacaaa	aattagccag	gcgtggtggc	gcacacct		408

<210> 453

<211> 427

<212> DNA

<213> Homo sapiens

<400> 453

gaaaaacatc	acagactttg	aattctatat	ccagagaaaa	tatccttcaa	aatgaaggt	60
aatgtgaaga	tttccagtca	tacagaaaac	ttgaaaagac	cccgccccct	tagacctacc	120
caacaagaaa	tgtgaaggga	agttcttcgg	gtggaaagac	aggccaggtg	aagataagaa	180
tccacataaa	agaatgaaga	tccggaaatg	gggatctaag	tgacctggc	acaaactaac	240
aatatctttt	aagatgaaca	aaaaagacta	ctcatctgag	actcaggcca	tggacactca	300
agtgagtgtg	ctataacact	tcacagaaca	tacaatcaga	catcagggaac	tggctatgta	360
ggctttttta	tagttctaaa	ctaaatacta	catagaactt	tgtgactgcc	tgttatttagc	420
tttagaa						427

<210> 454
 <211> 417
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(417)
 <223> n = A,T,C or G

<400> 454
 aattcggcac gagtgacaac ttattccctg ctattatcaa ctaaagatca ccctttctac 60
 tgctgtctct ggagcaggag ctggcaaact atggcctgct gtctgttttt gtacagtttt 120
 actgaaacac agccatgccc atttgcgtaa ttgccccata tggttgcttt catgccctca 180
 cagcaaaggc gagttagttgt gatggatcaa atggcccaca aagcctgaaa tatttactct 240
 ttgacccttt acagaaaaaa accttggtga cccctgcttt agagaatgag aagccatgca 300
 gggatcagtg atgccagagg aaggggaagga actgcttnca gctattgnga caataataat 360
 aataataata ttgggctttg actagaacgn gnaacatttn caggggggtct cacttgt 417

<210> 455
 <211> 393
 <212> DNA
 <213> Homo sapiens

<400> 455
 ggccggcaga catgcctgga gtgcagcttc gagatcccag acttccctaa tcatttccct 60
 acttacgtac actgctctct gtgtcgctat agcacctgct gttctcgagc ttatgccaac 120
 cacatgatca acaatcatgt tccacggaag agccccaagt atttggcttt gtttaaaaat 180
 tctgtgagtg gaatcaagct ggcctgcact tcatgtacct ttgttacctc tgtgggcgat 240
 gctatggcca agcatttggt attcaacccc tctcacagat ccagcagcat cctgccacgg 300
 ggactcactt ggatagctca ctcaaggcat ggccagactc gtgaccgagt gcatgaccgg 360
 aacgtgaaga atatgtacct tctccttcc ttc 393

<210> 456
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 456
 ggtacttcca agtacatata aaacaattag ccaatctgat ggggtgagaga gactgcaata 60
 caataataga ggactttgtc actccactct tagtaatgga cagattatcc aggcagcaaa 120
 tcaacaaaga gacatcagaa ttaaaactaca cagtagatac ggaaatcctt gaaaaaaata 180
 ctagcaagct gaattcaaca acatattaaa aagatcagcc accacgatca agtagattac 240
 tcctgaggag gcaaggatgg ttcgatatac acaaataaag aaatgtgata catcacatta 300
 acataaccaa gaacaaaagc catatggttg gccagggtgca gtgggtcatg cctgtaatcc 360
 caacactttg ggaggccgag gcgggtggat ca 392

<210> 457
 <211> 378
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(378)
 <223> n = A,T,C or G

```

<400> 457
gagactagtc tggccaacat ggtgaaaccc catcgctact aaaaatataa aaaattagct      60
gggcatgggtg gcgcacgcct gtagttccag ctactcagga ggctgaggca ggagaatcgc      120
ttgaaccggg gaggtggagg ttgcagtggag ctgagatcgc accattgcac tccagcctgg      180
gcaacaagag cgaaactctg tctcaaaaaa aaaaaaanng ggggggggnt nanttgnngn      240
nagggttnga aancacccng nccaannngg gnaaccntn tntttantaa aantntaaan      300
ttaccaggc ttggtanccc ncccntgnaa nccntnttt tnggnngnt gnggcngnaa      360
aatcnntaaa ncnngggg

```

```

<210> 458
<211> 418
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(418)
<223> n = A,T,C or G

```

```

<400> 458
caacaacgag tggacgctgg acaagctccg gcagcgggttc accaagaacg cgcaggacaa      60
gctggagctg cacctgttca tgctcagtgg catccctgac actgtgtttg acctggtgga      120
gctggagggtc ctcaagctgg agctgatccc cgacgtgacc atcccgccca ttattgtcat      180
tgtccanan annnnanntn agaggcttan tantnaagct nctngaantn aacnccccca      240
natctcntca tgnntttgat cctgttnnng annagtatat nnttntcnc taatacggnc      300
ncncntgat ntntaactat tcnctacant tttgnagatg agncngacta tctacntga      360
annangaana atnncggat catcttncnt ntctngntnn nnnnacnnaa tacctcaa      418

```

```

<210> 459
<211> 403
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(403)
<223> n = A,T,C or G

```

```

<400> 459
aattcggcac gagaagcact ctatcagatc cttgggatgc aaaggtaaatt aagacaaatc      60
ccttttaccc aaagagctca ccatcaagtt gggggaggga aagtggaatt caaaacatgt      120
taataaatca tcatagtact gtgagataag tgcaattaag aagctagtta taaagtatag      180
gggaaataga ggagtaatca tgtctgaaa gtcaggaaag tcttcctaga ggtaattttt      240
aagctgattg ttttagaatt agtagaagct tgccagatgg aaaagtccag gcaaagtgtg      300
acatgaatgg gaaaggccac agtctagaaa tggcagatgt tgttcctagt tgtttgtttg      360
ttgttgtacc tgcttgttcc aggaaggatt taatgnggtt att

```

```

<210> 460
<211> 409
<212> DNA
<213> Homo sapiens

```

```

<400> 460
aattcggcac gaggaaaaag ctttgaagag aaaatggagg aagcagaaac cagaaacttt      60
aaatcttgag aaaagaagat tgtctatcat gaaggagatt ctttctgac aataccagat      120
gcaagatgtg ttggagaaat ctgatcatct aatagctgca gcaaaagagc tgtttcctcg      180

```

```

taggcgcaca gggtttccaa atgtaacagt ggctcctgat tcctctcagg gtcccattgt      240
ggtaaatcaa gaccctatca cccaatctat cttaaatgag tctgtcatag aacctcaggc      300
tcttaatgat gtagatggtg aagaagaagg aactgttaat agccagtcag gagaaagtga      360
gaatgagaat gagttggata actctctaaa ctctcagtc t aacacgaat      409

```

<210> 461

<211> 397

<212> DNA

<213> Homo sapiens

<400> 461

```

ctcgcacgaa agccgccgtg gcgcaatgaa ggtgaatgcc ggcgcgctcg ccggccgagg      60
tgggacagat tcataacaca gtgttctttg tggcagtgaa aaacttaatt ttcaaccttc      120
tgatggagtg ttggtgttaa acctataatg aagtgtttcg taattgaaaa ttttcagtt      180
atatcagaaa gcttagtttt cttttttctt ctgggtgaag tgttttgcag gatctgtagc      240
ttttgggttt gcatattagc gtattttata cattttgttt ggccaggaga attttgtcat      300
gtgggtttta cctgatgatt ttgtagatct aaatgtgaca acatcgatct tagctgtttc      360
ttctttggct catttttccc actcagtggt tattata      397

```

<210> 462

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 462

```

caccagcta tttttatatt ttggatgggg tctcactatg ttgccctggg tggtcttgaa      60
ctcctgagct caaggaatct tcccaccacg gcctcccaaa gtgctgggat tacagccctg      120
agcctggcct cactgtggtc tgttttgaga agcctttgtt tttaaacaga accacatggt      180
ggtatttcag agccaactct tctgtcaaga atccaaatca gccaggcacg gtggcatgcc      240
tgtgtagtcc cagcaattcc agaggctgag acagaaggat catatgagcc caggagtttg      300
agatcagact gggcaacata gtgagactcc atttctttag aacaatacta atcacatgag      360
ggtggtaggc cattgcctgg gctggacagg tgagtagagg gcangtgtgc a      411

```

<210> 463

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 463

```

aattcggcac gagcctatct caaaaaaaga aaaaaaaaaa cggcaaatga tctgggtatt      60
tctcaaaaga agacacacaa atggccaaca aatacattaa aaaatgctca acctcactaa      120
tcatacagga aattcacatc aaaatggcaa tgaggtatca tctcacccca gttgggatgg      180
ctattatcta aaagataaaa aaaaaaanca attgntggca aaaatgcaaa aaagggngaa      240
ctntntntcn ctgttagggg ggangtancc tagtcaatcc cntagaaaa cagganggaa      300
gcncctcaaa aanctccaaa tanaactacc ttntgatccn ccangcccnc tnntgggaat      360
ttnttcaaag gaaaggaaat tnctttgaaa anacntctgc cc      402

```


<210> 464
 <211> 400
 <212> DNA
 <213> Homo sapiens

<400> 464
 ctgcacgaa agccgccgtg gcgcaatgaa ggtgaaggcc ggcgcgctcg ccggccgagg 60
 tgggacagat tcataacaca gtgttctttg tggcagtgaa aaacttaatt ttcaaccttc 120
 tgatggagtg ttggtgttaa acctataatg aagtgtttcg taattgaaaa ttttccagtt 180
 atatcagaaa gcttagtttt cttttttctt cttggtgaag tgttttgcag gatctgtagc 240
 ttttggtttt gcatattagc gtattttata cattttgttt ggccaggaga attttgtcat 300
 gtgggtttta cctgatgatt ttgtagatct aaatgtgaca acatcgatct tagctgtttc 360
 ttctttggct catttttccc actcagtggg tattataaca 400

<210> 465
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 465
 ctgaagcggc gcatacggaa aggacgcatg gaatacctcg tgaaatggaa gggatggtcg 60
 cagaagtaca gcacatggga accggaggaa aacatcctgg atgctcgctt gctcgcagcc 120
 tttgaggaaa gggaaagaga gatggagctc tatggcccca aaaagcgtgg acccaagccc 180
 aaaaccttcc tcctcaaagc gcaggccaag gcaaaggcca aaacttacga gtttcgaagt 240
 gactcagcca ggggcatccg gatccccctac cctggccgct cgccccagga cctggcctcc 300
 acttcccggg cccgggaggg ccttcgaaac atgggtttgt ccccgccagc gagcagcacc 360
 agcaccagca gcacctgccg cgcagaggcc cctcgggacc ggaccgagaa t 411

<210> 466
 <211> 413
 <212> DNA
 <213> Homo sapiens

<400> 466
 gagacaccat ctccagattc ccattccactt cctcaccgcc gtgaacttgg agcatccaga 60
 gatgctggag aaagcgtccc gggagctgtg gatgcgcgtc tgggtcaaggg tgagtgtggg 120
 gctctgggaa tcctctggga ggaccttgga tgactttctg accttcccca ggcacgtttt 180
 caggggtcatg atcctgcccc cgcccggggg atctactgtc ctcccagtca caccctctc 240
 cccgcaccgc cttcctgctg ttttctcttc ttcccagaat gaagacatca ccgagccgca 300
 gagcatcctg gcggctgcag agaaggctgg tatgtctgca gaacaagccc agggacttct 360
 ggaaaagatc gcaacgcca aggtgaagaa ccagctcaag gagaccactg agg 413

<210> 467
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 467
 aagaaacctt gaaggtcggg cctcaagtag gtctctttct agatgcagtc gtttttggag 60
 gagaagactt tcgagccagc ataggtgcaa caagtagtaa agaaacctg gatattctct 120
 acgcccggca aaagattgtt gtcatagcga aagcctttgg tctccaagcc gttagctgtg 180
 tgtacattga ctttcgagat ggagctgggc tgcttagaca gtcacgagaa ggagccgcca 240
 tgggcttcac tggtaaagcag gtgattcacc ctaaccaaact tgccgtggtc caggagcagt 300
 tttctccttc ccctgaaaaa attaatgtgg ctgaagaact gattgctgcc tttaaagaac 360
 atcaacaatt aggaaagggg gcctttactt tccaaggagg tatgatcgac atgccattac 420
 tg 422

<210> 468
 <211> 407
 <212> DNA
 <213> Homo sapiens

<400> 468
 aattcggcac gagctcagat ttttaaattgg tctctacaac aaattgtcac ttgttggggtt 60
 caattaagtg ctcattgtat aagtgcacat ggtacaaatc aacaccagct tataggattg 120
 tggaaagaat taagagatga atttagtgat cttatatacc ctgtcagttg gtcataattgt 180
 ggaagagctc tacaaaactt actgtactgt taactccaag attttcttcc aataacaggg 240
 atgctagcca gatatttaaat aatcaaagac caaaaatggc agtttaattt ttctacccaa 300
 tatcctatgg catatgaatg atccaaattt gaagctccaa ggataggaaa aagcttactt 360
 gtgcctgtcc tagacaagtc tagagtttat attgaaatca aaacttc 407

<210> 469
 <211> 405
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(405)
 <223> n = A,T,C or G

<400> 469
 aattcggcac gagggggcat ggatgcaaga ggattggaga tgagggggccc tgtccccagt 60
 tcaagaggcc ctatgactgg tggaaattcag ggtcctgggc ccattaatat aggggcaggt 120
 ggccctcttc agggaccag acaggtccca ggcatttcag ggggtgggaa tcctggagct 180
 ggtatgcagg gtacaggcat acaaggaaca ggcatgcacc ggagcaggca tacaaggagg 240
 agggatgcag ggggcaggca tacaaggagt cagtatacaa ggaggaggta tacaaggagg 300
 aggtatacag ggggcannca ngcaagggtg aagccagcct agcagtttta gtccctgggca 360
 gagccaggct actccncagg atcaggagaa ggcanccttg atcat 405

<210> 470
 <211> 396
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(396)
 <223> n = A,T,C or G

<400> 470
 cggcggcagc ttcccggggg gccgggttcgg gtctccgtcc cctggcgggt accctggctc 60
 ctactccagg tccccgcgg ggtcccagca gcaattcggc tactccccag ggagcagca 120
 gaccacccc cagggttctc caaggacatc tacaccattt ggatcagggc gtgttagaga 180
 aaaaagaatg tctaattgagt tggaaaatta tttcaagcct tcaatgcttg aagatccttg 240
 ggctggccta gaaccagtat ctgtagtggg tataagccaa caatacagca atactcaaac 300
 attcacaggc aaaaaaggaa gatacttttg ntaacattnt ctgaaatnca actggaagct 360
 tcatgtgtca tgaacatctt ggacnaaact tttaag 396

<210> 471
 <211> 409
 <212> DNA
 <213> Homo sapiens

<400> 471
aattcggcac gagcttacat gaacaaggta gagctggagt ctgccttga agggctgacc 60
gacgagatca acttctcat gtaagcttca tccacatcct tcttgatgag gacaaattcg 120
ttctccatct ctgtacgctt attgatctca tctcactact tgttcttgaa gtcctccacc 180
agccctgca tgttgccaag ctccgcctcc agcttcagct tctcctggcc cagagtctcc 240
agctgccgcc taagggtgtt gatgtagctc tcgaacatgt tgtccatgtt gcttcgagcc 300
gtcttctgct gctgcaggag gctccacttg gtctccagca tcttgttctg ctgctccagg 360
aaccgtacct tgtctatgaa ggaggcaaac ttgttgttga gggctcttga 409

<210> 472

<211> 397

<212> DNA

<213> Homo sapiens

<400> 472
aattcggcac gaggcattgca atgatgctac ctgttctgac ccatcatatc cgctaccacc 60
aatgcctaata gcatttgagc aagttgatag gatatacttt ccaagatcgt tgtctgttgc 120
agctggccat gactcatcca agtcatcatt taaatttttg aatgaatcct gatcatgcca 180
ggaattcatt atctaactgt ggaattcggc agcccaaata cggagacaga aaagtccatc 240
acatgcacat gcggaagaaa gggattaaca ccttgataaa tatcatgtca cgcttgggcc 300
aagatgaccc aactccctcg aggattaacc acaatgaacg gttggaattc ctgggtgatg 360
ctgttgttga atttctgacc agcgtccatt tgtacta 397

<210> 473

<211> 408

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(408)

<223> n = A,T,C or G

<400> 473
aattcggcac gaggcgaggg cctggacgta gtgtcttcaa cagttgtaac agcagctgcc 60
atttgctgaa tgacagcatg tgtcacacac tctgctgagt attacaggca tttttttcta 120
atacaaatgc cccaagtgcc aggagagctt tcggcgggcg tcagacctca ccacgcacca 180
gcaagatcac ctaggcaagc ggccataccg ctgtgacatc tgtggcaaga gcttcagcca 240
gagtgccacg ctagtgtgac atcacccggc ccacctggag ccagcacctt acatctgctg 300
tgagtgtggg aagagcttca gcaacagctc cagctttggc gtgcatcacc gcacccacac 360
aggtagagaga ccttatgagt gcactgagtg ngggcgagacc ttcacgat 408

<210> 474

<211> 429

<212> DNA

<213> Homo sapiens

<400> 474
caattcggca cgagggtgag cgagtgtgtt gctttcatgg gcctcttctt tatgaagcaa 60
agtgtgtaaa ggttgccata aaggacaaac aagtgaata cttcatacat tacagtgggt 120
ggaataaaaa tgctgtgagg ccagggcgct ctgaaaaatc tttgaagaca catgaggata 180
ttgtagccct ttttctgtt cctgaaggag ctccctcagt acaccacccc ctctgacct 240
ctagtgtggg tgaatgggtt ccggagagca gagtactcaa atacgtggac accaatttgc 300
agaaacagcg agaacttcaa aaagccaatc aggagcagta tgcagagggg aagatgagag 360
gggctgcccc ggaagaaga catctgtgtc gcaacagaaa aatgggtgaag tgaaaacgaa 420
aaagaacaa 429

<210> 475
 <211> 405
 <212> DNA
 <213> Homo sapiens

<400> 475
 aattcggcac gaggaactat ctagtagctg gttccctccg aagtttccct caggatagct 60
 gggacagcag ctgctgctgt ggaaaggcca gctggcaaga tgatggaaga aatctccatt 120
 atggtagcct atgacgcca tgttttcagc cagctgcacg atgaagactt cctcactagt 180
 ctggtggcca tcagcaagcc caggtctatg gtaccaacca agaagctgaa gaaatatgag 240
 aaagaatatc agacaatgcg agagagtcag ctgcaacagg aagaccaat ggatagatac 300
 aagtttgtat atttgtagg aactccagct gttgcattta tactgggaat cttcataaga 360
 agctgagaga aagagagggg aaaaagaaag tggctttcta ctttc 405

<210> 476
 <211> 426
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(426)
 <223> n = A,T,C or G

<400> 476
 aattcggcac gaggagtcgt cggggtttcc tgcttcaaca gtgcttggac ggaacccggc 60
 gctcgttccc caccgcggcc ggccgcccatt ttgcagcctt gttncaanat tgncccaanc 120
 tctcnaaaan aaaaaaaaaa ccntnaantt ttttttttcc cnnggangna aantttttta 180
 aaaaaaanat ttntntcnta ccaaaantaa annngnantn aantngtttt tnnngaangn 240
 nnnnnaaana nngcctntng gnttnannaa nnaccnnttn nttaangnct ttntttttaa 300
 agggnggganc tttnaanttn cnnaaaangg aaaatggntt ttttttnaaa antgggggtt 360
 tttnttttna nctaggnnaa antttgtaan ggcnttgggtt tttttaaaaa ttctgganaa 420
 tttttt 426

<210> 477
 <211> 421
 <212> DNA
 <213> Homo sapiens

<400> 477
 aattcggcac gaggtggagt gacggtcaca ccgcggcgaa ttaattccca aagactcatg 60
 ttacatgaga aagccaccaa gaagaccaa gaaaaggaga caaggatggc tcttcctcag 120
 ggatgcttga ctttcaagga tgtggctata gaattctctt tggaggagt gaaatgcctg 180
 aacctgcac agagggcttt atacagggcc gtgatgttgg agaactacag gaacctggag 240
 tctgtggatg aagtcttget cttttgtcca ggctgggggtg cagtggcgtg atctcggtc 300
 acggcaacct ccacctccca ggattgactt ctaaggactc ttggtacatg aggaagaaac 360
 ccggaagggg aagaggaaag caaaggcgtc aggaatgggt cttctcagat ggggcctcgc 420
 t 421

<210> 478
 <211> 401
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 478

aattcggcac	gaggttgtgt	tcatgtagga	cccaaggggtg	actgtaaaca	tgataggagc	60
gctgggacat	tgctactgag	gcagacagca	gccactagtc	cacaatgggtt	taaaaagtca	120
gtcctgtcat	gtttacagtc	acccttgggt	cctaaattaa	cagttgngtt	catgnaggtt	180
cgtgncgtcg	ttggctctga	gacattgata	ataaattttt	ctcaacagng	aanaaaaaan	240
ataaannnta	aaaaaaaaaa	aatncccgcc	cntnaaaann	ntagggggnc	tttttncgaa	300
aacccccctt	ttnnnaaaac	ctcngngngn	nnngnccnnc	ccccccctna	atgccgggaa	360
aaaaancntt	ttttnaaaan	ntcngngnnn	ctttnnnttt	t		401

<210> 479

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 479

ccaagacagt	gcactagatg	atgaaagatt	ggcatcaaaa	ctgcaagagc	acagagctaa	60
aggagtgtcg	attccattga	tgcatgaagc	aatgcagaag	tgggtattaca	aagatcctca	120
gggagaaaatt	caaggcaagt	tgttcctttt	tccttttaaat	actgaagtgt	gtgccattac	180
ctccagaatc	tctaagaagg	gatttgttta	atttaaatta	tagtagaaaa	agaagtcaac	240
aagcacacac	gcgcgcacac	acgcagacta	gaagtgtttc	tgatttcaga	tgtttttaga	300
tttcttccca	attttggaat	aattgcattg	tcataccagt	tgagcatccc	taatctgaaa	360
atccaaantc	cataatgctc	tattgaatgn	ttcctttgtg	tg		402

<210> 480

<211> 405

<212> DNA

<213> Homo sapiens

<400> 480

aattccggtg	ctgtcggttt	cattatataa	aaggaacatc	ttcccatagc	atattctatg	60
aaaggggttt	cattccaagt	tgagttttca	aaaaaaagg	cttcctaaag	ctaccatttt	120
caaccgtcct	tggtatctag	tacaacataa	ataacagtct	taaaaattgc	actaatacca	180
gtgccccctt	ggctctccaa	atctgttctt	tgctcttgta	tctgctggac	gcttgaagac	240
agggtgcactg	tctcgatgt	atgtgaatta	tgaacagtaa	tttctaata	attctaaaat	300
ggtcattgta	agtgaagcc	tctcgctacc	acttctctt	ccaactacat	aaatatattt	360
caatgtattt	ccagttttgg	gaaagttttc	aatacataca	tcaag		405

<210> 481

<211> 418

<212> DNA

<213> Homo sapiens

<400> 481

aattcggcac	gagagcatac	acatgcatgc	atgcatgagt	gtatacacac	agtaatgcat	60
actagttaaa	cactcacatc	attttaatta	ttacttttgg	ctaggattta	ttgaagcata	120
atttactaaa	gcttctccag	aagccactaa	ctccaaaaga	cagaatcaca	atacagggca	180
tatgctgagg	gcctctgggt	tgggccaaga	atttcagact	gggcgcatg	accaagggca	240
atctgcagtc	actcaagagt	acttggaaga	ttgatttagc	agtggtgctt	ggaacagact	300

gggccaggaa	gggctataag	cagggagagt	catttaaaag	ttatagtatt	gatttaggat	360
cagggtgaaa	aggaactgaa	gtggagcaag	gtgagacagg	aaggaatgga	ggactctg	418

<210> 482

<211> 409

<212> DNA

<213> Homo sapiens

<400> 482

gcggcgccgc	ctcctgctcc	tcccgcctgct	gctgccgctg	ccgccctgag	tcactgcctg	60
cgcagctccg	gccgcctggc	tccccatact	agtcgccgat	atttgaggat	cttacaacat	120
ggcagacatt	gacaacctgc	ctagggtagt	taaaagacga	gtgaatgctc	tcaaaaacct	180
gcaagttaaa	tgtgcacaga	tagaagccaa	attctatgag	gaagtccatg	atcttgaaag	240
gaagtatgct	gttctctatc	agcctctatt	tgataagcga	tttgaaatta	ttaatgcaat	300
ttatgaacct	acggaagaag	aatgtgaatg	gaaaccagat	gaagaagatg	agatttcgga	360
ggaattgaaa	gaaaaggcca	agattgaaga	tgagaaaaag	gatgaagat		409

<210> 483

<211> 410

<212> DNA

<213> Homo sapiens

<400> 483

aattcggcac	gagacaccag	atcctgaaag	gggttaaata	tactttgaaa	tgaatctgca	60
atcagtattt	caaagctttt	ctggtaattt	tagtgatctt	atttgattag	actttttcag	120
aagtactaaa	taaggaaattt	taacagggtt	ttattaatgc	acagataaat	agaagtacag	180
tgagggtctat	agccatttta	ttaaaatagc	ttaaaagttt	gtaaaaaat	gaatctttgt	240
aattacttaa	tatgttagtt	aagaaccctg	caagcttata	tttgctagac	ttacaaatta	300
ttttaaatgc	atztatcttt	tttgacacta	ttcagtgga	tgtgtaagct	agctaattct	360
tgttttctga	tttaaagcac	ttttaaatct	tatcctgccc	cctaaaaaca		410

<210> 484

<211> 425

<212> DNA

<213> Homo sapiens

<400> 484

aattcggcac	gagagtcaat	ccaaatgatt	tcagagacct	gactttgctg	tttgaccact	60
ctcagctttt	tggtatcaga	ctcccttcac	tggtcccaa	aaactccagg	gccatgtttc	120
tggaacagtg	gaaagcagg	aaatagaaat	ggggcctcag	gaattagaaa	taaggctttg	180
gcattcaaat	gtcgcaccta	gcattgctgt	actagcgata	agtgtgcaag	gagtgttgaa	240
gcagtaggaa	gacttggtgt	gaggcggggc	aggggatggg	ggtgaggggac	ctgcagagag	300
accaggccct	tcctgaagg	ctctgccctt	cccggtggtg	agggggccacc	tggggctacc	360
aacaggatac	tgtgcttctc	cagtaggtcc	cacccctcc	aggacagaga	ccctggtgga	420
ggaga						425

<210> 485

<211> 412

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (412)

<223> n = A,T,C or G

<400> 485

gaacagggtgg	tggtcaccaa	tcccttctgg	gatgctgagg	tgatccggcc	cctacccatg	60
gacagcagtg	cctattcctt	cacggccttt	gtgggagtc	ctgccgtcga	gttctccttt	120
atggaggacg	accaggccta	cccattcctg	cacacaaagg	aggacactta	tgagaacctg	180
cataaggagc	tgcaaggccg	cctgcccggc	gtggcccatt	cgaggcatca	ccgacaaaatt	240
ccncacnagt	gactnatnac	ctgngtgnca	tcnactatgc	gggagacact	ttcttcgana	300
angacacaa	ntccatcctt	ntaaaaanng	acggaatggn	gaatatannn	atatcgcaan	360
ctccnnatca	nctgggttga	atgaaaaggc	ttacaatgaa	agnttgntgg	cc	412

<210> 486

<211> 488

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(488)

<223> n = A,T,C or G

<400> 486

ccctatacaa	gctcttgntt	ntggagctcc	atccantanc	tncnngttng	ngaggctata	60
tcctttcaca	cccatcaggc	actgtgaagt	aagcaggaag	acaacctgag	gttgtctctt	120
tactttgagt	tcctacataa	taaattgcag	cctaatttag	tacataaacc	caaacctaat	180
ttaggagtaa	atthtttgta	gcagatagcc	agatttcagc	caatcacagg	cttccagcta	240
acaagactat	gcccataata	ggcaaatgcc	tcatcacatg	atgctcaa	aaggcagcca	300
cctaggcgag	gccaatcagg	taacttttct	actttgctta	attgtcagcc	tgacaaaatt	360
gctgcttatg	actgctgagc	agagctgcta	aacctcttct	ggtttgaggt	gctgccttat	420
atatgaattg	gtctttggtc	acataaaaatt	gggtaaaatt	aacttctcta	aaggtttgna	480
ttaaattg						488

<210> 487

<211> 413

<212> DNA

<213> Homo sapiens

<400> 487

aattcggcac	gaggaacaaa	gacacaacat	accagaatct	cttggacaca	ttaaaagcag	60
tgtgtagagg	gaaatttata	gcactgaatg	cccacaagag	aaagcaggaa	agatccaaaa	120
ttgacactct	aacatcacaa	ttaaaggaac	tagagaagca	agagcaaa	cattcaaaag	180
ctagcagaag	gcaagaaata	actaagatcg	gagcgaacag	aaggatcctc	tagaagagcc	240
taaagcaaag	aagcacaaaa	aatcaaagaa	gaaaaagaaa	tccaaagaca	aacaccgaga	300
ccgcgactcc	aggcatcagc	aggactcaga	cctctcagca	gcgtgctctg	acgctgacct	360
ccacagacac	aaaaaaaaaga	agaagaaaaa	gaagagacat	tccagaaaat	cag	413

<210> 488

<211> 420

<212> DNA

<213> Homo sapiens

<400> 488

gccaaagtgt	tggactcaca	gggaaagggt	accaagtggg	tcaataactc	tgcagcttcc	60
ctgacaatgc	ccaccctgga	caacatcccc	ttcagcctca	tcgtgagtca	ggacgtgggtg	120
aaagctgcag	tggtgctgtg	gctctctcca	gaagaattca	tggtcctgtt	ggactctgtg	180
cttcttgaga	gtgcccacg	gctgaagtca	agcatcgggc	tgatcaatga	aaaggctgca	240
gataagctgg	gatctaccca	gatcgtgaag	atcctaactc	aggacactcc	cgagtttttt	300
atagaccaag	gccatgccaa	ggtggcccaa	ctgatcgtgc	tggaagtgtt	tcctccagt	360

gaagccctcc gccctttgtt caccctgggc atcgaagcca gctcggaagc tcagttttac 420

<210> 489

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 489

cgacatcaga agatcattga ggaggcccca gcgcctggta ttaaactctga agtaagaaaa	60
aagctgggag aagctgcagt cagagctgct aaagctgtaa attatgttgg agcagggact	120
gtggagttta ttatggactc aaaacataat ttctgtttca tggagatgaa tacaaggctg	180
caagtggaac atcctgttac tgagatgata acaggaactg acttgggtgga gtggcagctt	240
agaattgcag caggagagaa gattcctttg agccaggaag aaataactct gcagggccat	300
gccttcgaag ctagaatata tgcagaagan cctagcaata acttcatgcc tgtggcaggc	360
ccattngcgc anctctctnn cctcgagcag acccttccac caggattgaa actg	414

<210> 490

<211> 430

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(430)

<223> n = A,T,C or G

<400> 490

aattcggcac gagaagacga tcagataccg tcgtagttcc gaccataaac gatgccgacc	60
ggcgatgcgg cggcggttatt cccatgaccc gccgggcagc ttccgggaaa ccaaagtgtc	120
gggattatag gcgtgagccg ccacacccgg cctcaataaa ctatgtttta ttcactttta	180
gtatagtagg ctctggaatg gaatgtatct ttgccactcc tagactgttg cccctgaagt	240
gttctaacat acattcgtaa tcatgcaacc accacctcca ccatccgcac cagaactctt	300
tcattagctc tctgttgcc accactccaa accatagcag ttgggcacct gcaccttctg	360
aatggcagcc tttttgttta tcctgntgcc ctccctaaca tgtactttgc tccttttctc	420
ctggcagaaa	430

<210> 491

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n = A,T,C or G

<400> 491

aattcggcac gagggttgtt cagactgagc ttcttgcttg cctgtacccc gccaacagct	60
tcagaagaag gacgagcccc tgggtgcgtc cactttcttg gcacgtgagg ttgggccttg	120
gccgcctgag cccttgagtt ggtcacttga accttgggaa tattgagaga aacattagaa	180
tcattgccct ttagaagagc agaactatga tgccctctgt cagggatgga acgaggcatt	240


```

ccatgcagat gacaacccaa agagagcaag agtggctcta tttatatcag aaaaaatcga 300
ctttaagtca aaaactgcac aagagacatt aaagtatat atataatgaa aaaagcatca 360
atccccatga agatataaca attattaata tatgcnctca tatcagagcc c 411

```

```

<210> 492
<211> 410
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(410)
<223> n = A,T,C or G

```

```

<400> 492
tccagatgta ccttgaatac tgttgagagc tagtcagatg aatgagactg gcctgccacc 60
tagcatctgc acatgaggta ttcttctaca ctgatttttc atacagggtg gctagatttt 120
aatgggtcac ttaaattcag ttagtctcca acatataaat tctccacaac ataggatata 180
gtatacactc tacttgaccc aagatgataa aactgaaaaa gacaaaaaaa aattttattg 240
ccataaatta atccagtagg tatatttgag aaagcacgca tcagttgggt agggcaataa 300
gcgctctac cacgttgcca tgtgggcnt tgnacngggg tctgctgctg ntcgagatat 360
ctccatctca ancatctgca gaaaaaaatc atggtacata ggggccaggc 410

```

```

<210> 493
<211> 432
<212> DNA
<213> Homo sapiens

```

```

<400> 493
atcatttaga ggcagaagtt aagttctgca aggaggaact ctctggaatg aaaaaataaaa 60
tacaagtagt tgtgcttgaa aacgaagggc tccagcaaca gctaaaatct caaagacaag 120
aggagacact gaggggaacaa acacttctgg atgcatccgg aaacatgcac aattcttgga 180
ttacaacagg tgaagattct ggggtgggcg aaacctccaa aagaccattt tcccatgaca 240
atgcagattt tggcaaagct gcatctgctg gtgagcagct agaactggag aagctaaaac 300
ttacttatga ggaaaagtgt gaaattgagg aatcccaatt gaagtttttg aggaacgact 360
tagctgaata tcagagaact tgtgaagatc ttaaagagca actaaagcat aaagaatttc 420
ttctggctgc ta 432

```

```

<210> 494
<211> 386
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(386)
<223> n = A,T,C or G

```

```

<400> 494
aattcggcac gaggtgctc cagctgagga gaagaaagtg gaagcaaaga aagaagaatc 60
cgaggagtct gatgatgaca tgggctttgg tctttttgac taaacctctt ttattgaaca 120
tggtataaaa gaggttttagt caaaaaaaaa aaaancncgn ccctttaaan ctatagggng 180
ncgtnttncg taaanccann cntganaaaa nncntngnnn agttngnca acccncannt 240
aaaangcngg gaaaaaaang ctttnttngg naaattnggn aggtntngn tttnttngaa 300
nccnttntaa ncngcannaa ncaagtnanc ancancaatn gcnttcnttt tntgtttng 360
gtncnggggg ngggggggga gttttt 386

```

<210> 495

<211> 407

<212> DNA

<213> Homo sapiens

<400> 495

aattcggcac	gagagacagt	cttactgacc	tttatgtcca	acatgcaata	ccattgcctc	60
agagggattt	gccgaagaat	agatggggga	aaatgatgga	aaagaaaaga	gaacaacatg	120
agattaaaaa	tgagactaaa	aggagtagca	ctgtagatgg	gttaaggaaa	agaccctca	180
tcgtatttga	tggaagttca	acaagtacaa	gcataaaagt	gaaaaagaca	gagaatggag	240
ataatgatcg	actgaagcct	ccccgcagg	caagctttac	cagtaatgcc	tttagaaaat	300
tatcaaattc	ctcttcgagt	gtttcacccc	taattttgtc	ttccaatttg	cctgtgaaca	360
ataaaacgga	acacaataat	aatgacgcta	aacagaacca	tgactta		407

<210> 496

<211> 413

<212> DNA

<213> Homo sapiens

<400> 496

aattcggcac	gaggtacacc	ctatatattt	ctgttcagta	tccattcact	agttcttcat	60
ttataaatat	catcttcccc	attctgctgc	tgaatgccac	acatccatcc	agtctgagaa	120
agtgaagag	gcaatcatgc	caagaacaag	ccagcaaagc	tctttcacca	gatgtagact	180
gtagccctgc	tgccctccct	ccagcgagtc	tgccagcatg	cttcttcac	ctttttatat	240
gttctttgct	tcctacttcc	ctgtcttcca	acatactgtt	cacttactct	ggcagtcctt	300
ctgcttttca	ttaagcctca	aaatctcttc	tgttctactt	ggcaccacaa	gctatgccta	360
tatatgtatt	tctgacttgg	caggatagtt	caagggctgg	cagtttttat	tta	413

<210> 497

<211> 412

<212> DNA

<213> Homo sapiens

<400> 497

aattcggcac	gaggagagag	ctaagcactt	tccactgcat	gctaggatat	agggcttgca	60
acatagaccc	agccctacag	ccgtcacccc	agctggggca	ggcagctcct	aggcgctctc	120
tcctgacctc	tgggcagcca	gtcatcaaag	cagagagacg	tggcggcatg	tgggcagcat	180
gcccagggtc	cttgctgact	cagcacttat	ttctgtagtt	ttaaaaaaga	atttaagtgt	240
tttggttgta	tttttttggg	ggggagaggg	tgggcaaaaa	catgggggta	gttctgagtt	300
gttagaaatg	tttctgaatc	aagtttggtt	gaagacacgt	gtgcctttgt	acctattata	360
agatgggtcat	aagacccaag	aactgataag	cttttggtttt	tttttttgtt	tt	412

<210> 498

<211> 398

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(398)

<223> n = A,T,C or G

<400> 498

aattcggcac	gagcagcaac	caaccagagc	agttcgactg	ggccatcaat	gaccgcatca	60
atgagatggg	ccacttcgac	ctgccagggc	aggaggaacg	ggagcgcctg	gtgagaatgt	120
attttgacaa	gtatgttctt	aagccggcca	cagaaggaaa	gcagcgcctg	aagctggccc	180

atttgcgtna	tttgnaann	ncnaanccnn	ggcgtntgac	caaanncacc	aagttcgtgc	240
gggacatgat	tcgggaggtg	tgtggctttg	ccccgtacna	gcggngcncc	atggagttac	300
tgaaggtctn	caggacaaac	ggccctnaaa	tttatcaaga	aaaggggtggg	gacncacatc	360
cgtccaagag	gaacgggagg	agctgagcaa	cgtctggc			398

<210> 499

<211> 397

<212> DNA

<213> Homo sapiens

<400> 499

ggttcaaata	gataaattgg	aatgaggggt	aatcagaagc	taacagggca	gattagcatc	60
caagatggag	ttgctttggc	ctctagatgg	ggcatcctgt	gcaattttgt	aaggtgctta	120
tttggctttc	tctggctcta	agtgtgaagc	aggggcaaaa	ttaaagaaac	tgctattcat	180
tcatttcctg	acgattctgg	gccaatgtt	acacaagtta	ttgtttagct	tcctggattg	240
tcactaaaga	aagcaatctg	gtttcctgca	attctgactt	acagcaggct	gatctcctgg	300
gttggtttatt	gttgatgagg	gtgttggttt	ctcgggcagc	ttgctgcagg	ttgtgggtcg	360
aattttcta	tttacatatg	gcatggccac	tgccatt			397

<210> 500

<211> 416

<212> DNA

<213> Homo sapiens

<400> 500

aattcggcac	gaggcagcac	atatactaaa	attggaacga	tacagagaag	attagcatgg	60
cccctgcgca	aggatgacac	gcaaattcgt	gaagcggtcc	atatttttca	aggagctcac	120
agtatagtag	gggagacaaa	gagatatttg	gagaacaatg	agataagtcc	tgggtgtgat	180
ataacagcat	agataagggc	catctaacc	agtctgggtc	aagaggggaag	aatgagttag	240
aagtcttaaa	atggaagcct	tgagatggaa	gtaaagtagg	tgtttgccag	gtagacagga	300
aaaggacatt	caaaagagaa	ggaatacgat	gggcaaagtc	ataaaggcaa	gaaaaagcac	360
agtacagtgt	ttcatttaag	gaactgcaaa	ttgtttttta	gctgaagaat	tagatc	416

<210> 501

<211> 426

<212> DNA

<213> Homo sapiens

<400> 501

agaagatcat	taagagagtg	attgctcttg	aaggagatat	tgtcagaacc	ataggacaca	60
aaaaccggta	tgtcaaagtc	ccccgtggc	acatctgggt	tgaaggtgat	catcatggac	120
acagttttga	cagtaattct	tttgggccgg	tttccttagg	acttctgcat	gcccattgcca	180
cacatatcct	gtggcccca	gagcgtggc	agaaattgga	atctgttctt	cctccagagc	240
gcttaccagt	acagagagaa	gaggaatgac	tgcatgaatc	tacctgagtt	gctggcattg	300
ggaggccagt	tactggaaa	gaatggaaaa	aagaagcctc	caaaagggaa	aaacttctga	360
caatatgatg	ctgtgcgaga	aatattttaca	gcacattaaa	acgatctgta	ttattaaata	420
aataat						426

<210> 502

<211> 426

<212> DNA

<213> Homo sapiens

<400> 502

ctgacatgtg	ccctgaaaga	aggcgatgtc	actattggag	aagatgcacc	aaacttttct	60
tttagcacca	gtgtgggaaa	tgaggacgcc	aggacagcct	ggcccgaatt	acaacagagc	120

```

catgctgtta atcagctcaa agatttggtg cgccaacaag cagataagga aagtgaagta 180
tctccgtcaa gaagaagaaa aatgtccccc ttgaggatcat tagaacatga ggaaaccaat 240
atgcctacta tgcacgacct tgttcatact attaatgacc agtctcaata tattcatcat 300
ttagaggcag aagttaagtt ctgcaaggag gaactctctg gaatgaaaaa taaaatacaa 360
gtagttgtgc ttgaaaacga agggctccag caacagctaa aatctcaaag acaagaggag 420
acactg 426

```

<210> 503

<211> 470

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(470)

<223> n = A,T,C or G

<400> 503

```

tttgactcct tntacaagcn acttgctntn tngcnggatc ccatcgantc naattcggca 60
cgagcggaca ctggtgaaca aggaagatcc ccccaaagag ctgccagctg ctgagcctgt 120
tctcagccca ttggaaggca ccaagatgac tgcgaataat ctgcaccctc gagtactga 180
ggaggacatt gttgagcttt tctgtgtgtg tggggccctc aagcgagctc gactggtcca 240
tcctggggta gcgaggtgg tgtttgcgaa aaaggacgat gccatcaccg catataagaa 300
gtacaacaac cgggtgcctcg caggggtgaac tctgcctcct ctgtgaccac gcagcccaca 360
gaattcaaaa tcaagctttg agcaggggag tgaggcacca aaagtggggg cagaggaggg 420
tggctctgtt tcccaaggcg aagcttatga ccaatgngcc atctgactgg 470

```

<210> 504

<211> 434

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(434)

<223> n = A,T,C or G

<400> 504

```

ggtgggttgg ttgggcgcag gaggacgggg gcgcgcttcc cataacatta ccctggctga 60
gcgtgaggct ccagggtctg gcaccgggtt gacctcttat tcctcgctga gggcatcggt 120
accgcctgtg gctgcaagcc gaggcgcgcg ggtggaaact gggtcgaggt ctgggtagac 180
gtctgagcga tctgcacaag gagtggcgca gtctggaatt tgattgagga ttctaacgc 240
cctccgcttg atgttctggt gattcccggg ggctcggctt cggaggaagg caccaagaaa 300
ctgataatgt tcctttgaat tggcttctgt atttgcttca tcaatgtctc tcatactgaa 360
tatcttaaga gagatgctgg aatatttttg cgttcctgta gaacaggntt tgctgatttg 420
ggaaaataaa gact 434

```

<210> 505

<211> 399

<212> DNA

<213> Homo sapiens

<400> 505

```

aattcggcac gaggctagac atcatctacc agccacaggc tatcttcaga gtccgggctg 60
tgactcgctg caccagctcc ttggagggtc acagtgaggc agtcatttct gtggccttca 120
gccctacggg aaagtacctg gccagtggct ctggagacac caccgtgcgc ttctgggatc 180

```

tcagcacaga	gacaccacat	ttcacatgca	agggacacag	acactgggtc	cttagtatat	240
cctgggtctc	agatggcaag	aagctggcct	caggctgcaa	gaatggccag	attctcctct	300
gggacccaag	cacaggggaag	cagggtgggca	ggaccctcgc	tggccacagc	aagtggatca	360
caggcctgag	ctgggagccc	ctccatgcga	accctgagt			399

<210> 506

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 506

agctgcagaa	gctgcacagt	gagatcaagt	ttgccctaaa	ggtcgacagc	ccggacgtga	60
agaggtgcct	gaatgcccta	aaggagctgg	gaaccctgca	ggtgacctct	cagatcctcc	120
agaagaacac	agacgtggtg	gccaccttga	agaagattcg	ccgttacaaa	gcgaacaagg	180
acgtaaatga	gaaggcagca	gaagtctatn	cccggctcnc	nngagagcnn	nncagacaac	240
tgtggggaac	gctgngctgt	ntgnanttgg	tcccttgggt	tttttttntc	gcctaattta	300
tgttattncc	aaccaacatg	anctgactat	aancgggttt	ttaatnaaaa	aaaaananaa	360
aaacnncnnc	ccttttnatn	ttntgnngg	ngnnttcngt	ccccgcnntn	taaa	414

<210> 507

<211> 397

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(397)

<223> n = A,T,C or G

<400> 507

aattcggcac	gagcccacct	cccagcccgg	agggcatgac	agcctgggtg	accgctggat	60
ccgcagccgc	ctgacagagg	ctgtgaggct	cagcaatcaa	ggcttccagg	cctacgactt	120
cccggccgtc	accactgcc	attagatatg	ttgnatnana	antatgaaga	catggaacgt	180
gaagaaaacg	gagataatac	tatttncact	ggctctgttg	acagtgaggc	tgacanatgc	240
ccantatgtc	ttaattgtct	attaaaaaag	gaagttgnnt	tnncnaaaag	tgcattnttg	300
actttggatn	aattgnattc	nttaangggc	angnggcttt	tccataagtt	atttganttn	360
ttcnttatat	cacctttgtg	gaanaaccan	atnaaat			397

<210> 508

<211> 485

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(485)

<223> n = A,T,C or G

<400> 508

tttgaanccc	ctnnaaagcn	cttgntttga	tgccnntccc	atcgattcgg	tttgctagaa	60
aacctaattg	ggagtgcgag	gcagagaacg	ttcagcacct	ttgttcctcc	cgaaccctcg	120

ggacagagggc	aggggttctga	gggcagggat	tccccctcgt	cttggeccca	ccgcccgggc	180
tgggcactaa	actcggggcg	cggcggggcg	agcgaggcgg	gctccggagg	gagctgacgc	240
ctgatgatgg	cgcagtccaa	catgtttacc	gtggctgatg	tgttgagtca	agatgaactg	300
cgcaaaaagc	tataccagac	gtttaaggat	cgggggtatac	tggatacact	caagacacaa	360
cttcgaaacc	agctaattca	tgagttgatg	caccctgtat	tgagtgagga	actgcagcct	420
cgggtccattt	cagtaaaaag	ggagctcctc	ttaataggcg	cctctaactc	tttagtggca	480
gatca						485

<210> 509

<211> 414

<212> DNA

<213> Homo sapiens

<400> 509

aattcggcac	gaggggtgttt	gtgaatcgcg	ttccatcctc	gtcctttgtg	cctctctgtt	60
tgctgtgctt	ggggggctgg	caagattccg	gataagggga	actggtgggc	tggaaagagg	120
catgcggtgg	ccctcaagag	ccagaagaat	gactgctaac	tggtgcttgg	gggacctatc	180
ccgccgtaat	tgtggtgcta	gagccgcatt	gtgtcctttg	cctcgggtcca	acctttggag	240
acctttcacg	gctctagcct	tgggtgggag	ccgaggggaag	gagtttggga	atgtttggct	300
ctgtgtaaca	atgaaataat	tcattggtga	tgctctctgg	ccggagtctg	taaagataag	360
gtgcatttca	gaacattgca	actcttgccg	aggggttttag	gtaacgtgaa	atgg	414

<210> 510

<211> 401

<212> DNA

<213> Homo sapiens

<400> 510

tatcgcteta	cccaggcggg	ggtgtcgatc	tacgttccaa	ttggggccgt	accatggcgg	60
agaagactca	aaagagtgtg	aagattgctc	ctggagcagt	tgtatgtgta	gaaagtgaaa	120
tcagaggaga	tgtaactatc	ggtaagaaat	agttttattt	ctgtttttca	agaattgatg	180
tgatttaatc	tatttttagtg	ctttacaatt	agataccgtc	ttccatgttt	atttcaactga	240
tgctcctagtt	ttattgacaa	aataatgcat	tttctcctat	gtgtttaaat	ttctgaaaga	300
atgtagtgtg	atggaggctg	tgtttaaact	cctatctgaa	ataactaatga	ggctgtataa	360
caaagtcatt	catgtattta	agagagatct	gttgtgacct	g		401

<210> 511

<211> 402

<212> DNA

<213> Homo sapiens

<400> 511

ctgaaggatg	cagttgaggt	tgatccaggt	ttatccgaat	atgctacctt	tctgagcctt	60
aaaccttcac	ctctcagggtg	ttgattttct	tctgatagct	tcacatttcc	tcctgaagt	120
ctttttacact	cttctgttag	tttccttggt	tcagtatcat	gaagtgaagc	actgtgtggg	180
tgtggcggtg	gccccatctg	cttataacct	acagtgggac	agctttgctg	ggttccatgt	240
cattcaattt	atcattttca	ttggggatct	ccatttggaa	tccattaatt	catgaggttt	300
tgctctattc	cacacagctt	ccatatctga	agtgttttag	ggagcaaaaa	ttgtaccata	360
aacttgtgtt	tactcttttc	attcggatca	taagtcaaa	gg		402

<210> 512

<211> 415

<212> DNA

<213> Homo sapiens

<400> 512

```

tttagatgtt ccagagtcct cagagtccat gaaaggactc acagtggaga aaagccctat    60
gaatgtaaac aatgtggtaa agccttcaaa tattctagta acctatgtga gcatgaaaga    120
actcacactg gagtgaaacc ttatggatgt aaggaatgtg gtaagtcgtt tacttcttcc    180
agtgcccttc gaagccatga aaggactcat actggagaaa aaccctatga atgtaagaaa    240
tgtggtaaag ctttcagttg ttccagttcc cttcgaaagc atgaaagagc ttatatgtgg    300
taaaaaacaa caacaacaaa acacctctgt caatgtaaga agtgtgttaa agctttcagt    360
tattctagtt tcattagaac accgtgaaaa aattaaaaac tcaaattaga gagaa        415

```

<210> 513

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 513

```

aattcggcac gaggttcggt tgaaggattc tgtgtgctgt cggaccacaga gggtgacggc    60
gccgctagga tgaagctcgt gagatttttg atgaaattga gtcataaaac tgtaaccatt    120
gaattgaaga acggaacaca ggtccatgga acaatcncag gtgtggatgt nnnatgaaa    180
ncccatntta cncctgcnat ncngancntg acttaancct atatcttcnn cntttngctt    240
tgctcatttt nnagntnntn ntttctentt ctnttattcn cntcttnta ttcnncnnna    300
cctcttcttn gnnttttnacn atncctttca ncctctaata tnttctcttn tnagatntnc    360
ttctnctctc ncntttnttc ntntctntgt tt                                392

```

<210> 514

<211> 421

<212> DNA

<213> Homo sapiens

<400> 514

```

aattgccgcc gacgctgctt cagcttattc cttgtggcct ctgcgggtcc tgccctcaacc    60
atgatgatcc acggcttcca gagcatccac cgggatttct gcttcggggc ctggaagctg    120
acggcgctcca agaccacat catgaagtcg gcggatgtgg agaaattagc cgatgaatta    180
catatgccat ctctccctga aatgatgttt ggagacaacg ttttaagaat ccaccatggg    240
tctggctttg gaattgacgc tcaatgctac agatgcgtta agatgtgtaa acaactacca    300
acagaatgct taaagtggcc tgtgctgaag agtggaaga aagcaggacg gaggtgaaac    360
actccaaaga ggttattaaa ccatatgatt ggacctatac cacagattat aagggaaacct    420
t                                421

```

<210> 515

<211> 423

<212> DNA

<213> Homo sapiens

<400> 515

```

aattcggcac gagacgacgc agtggccctg aagtctgcag acattgggat cgccatgggg    60
cagacagggg cggacgtcag caaagaggcc gccaacatga tcctgggtgga tgatgacttc    120
tcagccatca tgaatgcagt ggaggaaggc aagggtattt tttacaacat caaaaacttt    180
gtccgattcc agctgagcac gagcatctcc gccctgagtc tcatcactct gtccaccgtg    240
ttcaacctgc ccagcccct caacgccatg cagatcctat ggatcaacat catcatggat    300
gggccaccgg cgcagagctt gggggtagag cccgttgaca aagacgcctt caggcagcca    360
ccacggagtg tgcgggacac catectcagc agagccctca tcctgaagat cctcatgtcc    420
ccg                                423

```

<210> 516
 <211> 393
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(393)
 <223> n = A,T,C or G

<400> 516
 ccgcagggcc gtaggcagcc atggcgccca gcccggaatg gcatgggtctt gaagccccac 60
 ttccacaagg actggcagcg gcgcgtggcc acgtgggttca accagccggc ccggaagatc 120
 cgcagacgta aggcccgga agccaaggcg cgccgcacgc ctccgcgccc cgcgtcgggt 180
 cccatccggc ccatttgcgt catttcgcaa tttnaannnn nccncctntt ttttntngg 240
 aannanacnt ttttngtttt ttaaaaaaaaa nttnaaaaaa aaaatattgg ggggggttta 300
 aanaaaaaaa annccntttt nnnannngga aaaaanttgt ttttttttat taaanacncn 360
 ccnnantttc taananaana nnnngnagccc ttt 393

<210> 517
 <211> 387
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(387)
 <223> n = A,T,C or G

<400> 517
 gccgtttcag cgggggacgt agccatgaag gaagagaagg agcacaggcc taaggagaag 60
 cgagtaaccc tgtaaacccc cgccggggcc acaggcagcg gtgggtgggac ctccgggggac 120
 agctccaagg ggggaagataa gcaggatcgc aacaaggaga agaaagaagc gctgagcaag 180
 gtggaattc gaagattacc tcccactttg accaaggagc agcttcagga acatcttcaa 240
 cctatgcctg agcatgatta ttttgagttt ttttctaata atacgagttt gtatcctcat 300
 atgtatgcca gagcatacat caactttaaa aaccaaggag acattatatt gttcagggat 360
 cgctttgatg gntatgtatt ccttgac 387

<210> 518
 <211> 415
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(415)
 <223> n = A,T,C or G

<400> 518
 aattcggcac gagcttaaca tttcttatag tggttggttg tgatgaattc tttcagcttt 60
 ttattttattg tttgagagtc ttgctctgtc acccaggctg gaggtgcaatg acacaattat 120
 ggctcactgg agccttgacc ttccaggctc aagcaaacct ccagggtca gcctcccaag 180
 taactgagac tccaggcgtg tgccactatg cttggctatt tttgtatttt ttttagagac 240
 aggttcttac tatgttgccc gggctgggtc cgaactctga ggctcaagcg tctgcccacc 300
 tcagccttaa agngcttcca gcttttatgt gtctgaaaat atctttattt cacttcgcta 360
 aaatatattt tcatcacaca taaaattcta aggttgacag ttttgccctc agcac 415

<210> 519
 <211> 408
 <212> DNA
 <213> Homo sapiens

<400> 519
 ccgctgctca caccttttcta ctgaagcatc ctgatgacga aatgatgaag aggaacatgg 60
 catattataa gagcctgcct ggtgccgagg actacattaa agacctggaa accaagtcac 120
 atgaaagcct gttcatccga gcagtgcggg catacaacgg tgagaactgg agaacatcca 180
 tcacagacat ggagctggcc cttcccgaact tcttcaaagc cttttacgag tgtctcgag 240
 cctgcgaggg ttccagggag atcaaggact tcaaggattt ctacctttcc atagcagatc 300
 attatgtaga agttctggaa tgcaaaatac agtgtgaaga gaacctcacc ccagttatag 360
 gaggctatcc ggtgagaaa tttgtggcta ccatgtatca ttacttgc 408

<210> 520
 <211> 416
 <212> DNA
 <213> Homo sapiens

<400> 520
 aattcggcac gaggggtgggc acacacaagg gcttcgtgca gatctgggac gcagccgcag 60
 ggaagaagct gtccatgttg gagggccaca cggcacgcgt cggggcgctg gcctggaatg 120
 ctgagcagct gtcgtccggg agccgcgacc gcctgatcct gcagagggac atccgcaccc 180
 cgccactgca gtcggagcgg cggctgcagg gccaccggca ggaggtgtgc gggctcaagt 240
 ggtccacaga ccaccagctc ctgcctcgg gggggcaacg acaacaagct gctggtctgg 300
 aatcactcga gcctgagccc cgtgcagcag tacacggagc acctggcggc cgtgaaggcc 360
 atcgctggt cccacatca cacgggctgc tggcctcggg gggcggcaca actgac 416

<210> 521
 <211> 411
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(411)
 <223> n = A,T,C or G

<400> 521
 aattcggcac gagggccacag ccgggtcacg tggccgggtt ccccccatga cttgctggct 60
 gcggggcagt cacgggtgacg ttcgggtccga cctgccgagt ggccaggcta cctcagtcac 120
 ctgtgtggtc cnantgctnn catggacctg ggacctatgc ncaagagnna ccgcggggac 180
 cnagaggcat ttgaggagac tcatntgacc tcccttgacc cagtgaacaa gtttctgtcc 240
 tggtttgagg aggctgttca gtgtcctgac ataggggaag ccaatgccat gtgtctggct 300
 acctgcacca aagatggaaa accctctgct cgcattgttc tgctgaaggg cttcnggaaa 360
 gatggcttac gcttttctact aacttcgaga gtcgaaaagg aaaagagctg g 411

<210> 522
 <211> 451
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(451)
 <223> n = A,T,C or G

<400> 522

tttgnntncc	tttnnccanc	cnntcgcann	ancatatgct	tgtctcaaag	attaagccat	60
gcatgtctaa	gtacgcacgg	ccggtacagt	gaaactgcga	atggctcatt	aaatcagtta	120
tggttccttt	ggtcgctcgc	tcctctccta	cttggataac	tgtggtaatt	ctagagctaa	180
tacatgccga	cgggcgctga	cccccttcgc	gggggggatg	cgtgcattta	tcagatcaaa	240
aaccaaccgg	gtcagcccct	ctccggcccc	ggccgggggg	cgggcgcccg	cggctttggg	300
gactctagat	aacctcgggc	cgatcgcacg	ccccccgtgg	cggcgacgac	ccattcgaac	360
gtctgcctat	caactttcga	tggtagtcgc	cgtgcctacc	atggtgacca	cgggtgacgg	420
ggaatagggt	tcgattccgg	agagggagcc	t			451

<210> 523

<211> 413

<212> DNA

<213> Homo sapiens

<400> 523

aattcggcac	gagtagaggt	taatgggggt	gacctgagga	actccagcca	cgaagaagcc	60
atcacagccc	tgaggcagac	ccccacaaag	gtgcggctgg	tggtgtatag	agatgaagca	120
cactaccggg	atgaggagaa	cttgagagatt	ttccctgtgg	atctgcagaa	gaaagctggc	180
cggggcctgg	gcctgagcat	cgttgggaaa	cgaaatggaa	gcggagtgtt	tattttctgac	240
atcgtgaaag	gaggagccgc	agacctggat	gggagattga	ttcagggaga	tcagatctta	300
tctgtgaatg	gggaggacat	gagaaatgcc	tcacaggaga	cagtggccac	catcctcaag	360
tgtgcacagg	gacttgtgca	gctagagatt	ggaagactcc	gagctggttc	ctg	413

<210> 524

<211> 410

<212> DNA

<213> Homo sapiens

<400> 524

agacagctga	acttaatcat	ctaaagcaac	aggtacaaca	gctacaagtc	ttgttgctac	60
agggccatgg	aggtaccctg	cctggatcta	taactgtgga	accatcagag	aatctacaat	120
ccctgatgga	gaagaatcag	tccttggttag	aggagaatga	aaaattaagt	cgtaggtctga	180
gcgaggcagc	tggtcagaca	gcccagatgt	tggagaggat	catttttgaca	gagcaagcga	240
atgaaaaaat	gaacgccaag	ctagaagagc	tcaggcagca	tgcggcctgc	aaactggatc	300
ttcaaaagct	agtggagact	ttggaagacc	aggaattgaa	agaaaaatgta	gagataattt	360
gtaacctgca	gcaattgatt	accagttat	cggatgaaac	tggttgcttgc		410

<210> 525

<211> 474

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(474)

<223> n = A,T,C or G

<400> 525

tttaatccct	tngaaatccc	cgcctttttg	aggatcccnc	cnattcgaat	tcggcacgag	60
attcgttgac	aaaaacaatg	accttttcta	tcgagacctg	tcccaagcca	tgtggaaggg	120
cagccatgcc	ctcatcaagt	ctttgttccc	cgaaggggaat	cccgccaaaga	tcaacctgaa	180
aaggcctcct	acagcaggct	cacagttcaa	ggcatccgtg	gccactctga	tgaaaaacct	240
acagaccaag	aacccaaact	atattaggtg	tatcaaaccg	aatgataaaa	aagcagcaca	300
catcttcaac	gaggctctag	tgtgtcatca	gatcaagtac	ctgggggcttt	tggagaacgt	360
tcgagtgcgg	agggcaggct	acgccttcag	gcaggcctat	gaaccttgcc	tataaagata	420

caaaatgctt tgttnactaa catggctnat tggaatggac cagcaggtct ggtg 474

<210> 526
<211> 406
<212> DNA
<213> Homo sapiens

<400> 526
gacaagtcgg ggcgtgctgt ctgtgaattc tttttgaaag ctgcctgcgg caaagggggc 60
atgtgtccgt ttcgccacat cagtggtag aagacagttg tgtgcaaaca ctggctgcgt 120
ggcctatgca agaaaaggga ccagtgtgag ttcctgcatg agtatgacat gaccaagatg 180
cccgagtgtc acttctactc caagtccggg gagtgcagca acaaggaatg tcccttcctg 240
cacatcgacc ccgagtccaa gatcaaggac tgccttggt atgaccgtgg cttctgcaag 300
cacgggtcccc tctgcaggca ccggcacaca cggagagtca tctgtgtgaa ttacctcgtg 360
ggattctgcc ggagggggccc tcgtgtaaat tcatgcccct cgattt 406

<210> 527
<211> 410
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(410)
<223> n = A,T,C or G

<400> 527
aattcggcac gagccgcgg cgtgggcaag accagcctga tggagcgctt caccgacgac 60
accttctgcg aggcctgcaa gtccaccgtg ggtgttgact tcaaaatcaa aactgtagag 120
ctaagaggaa agaaaattat attacagatc tgggacacag caggtcagga gagattcaac 180
agcattacct cagcttatta cagaagtgcc aaggggatca tattagtata tgatatcact 240
aagaaggaga catttgatga tttgccgaaa tggatgaaga tgattgataa gtatgcttca 300
gaagatgcag agcttctctt anttgaaat aagttggact gtgaaacgga cagagaaatc 360
accaggcagc aggggggaaaa gtttgcacag cagatcactg ggatgcggtt 410

<210> 528
<211> 385
<212> DNA
<213> Homo sapiens

<400> 528
ccagtcccca tgggctgaag gcaggttgag ttcttcccca ggtctgcgag cctcgaaggc 60
ttctttcaga cagcagaccc cttagaagcg caaggctgct ttctgacaaa gaatcaagtg 120
ttcctttcaa ccagccaagg gactggtttt ctgcctgacc ctttgacagc tccagccggt 180
ccctccgttc gaggtccctg acttctctgca acagactgag atggccttct gagcttttcc 240
agggctgacg accaccttct tgataccttc cctctctctg ttctgaatcc gtgccacca 300
gacggactct agctcttggt gccagactg gggtgcaatg gcgcaatctt ggctcaccat 360
aacctccgcc tctgggttc aagcg 385

<210> 529
<211> 382
<212> DNA
<213> Homo sapiens

<400> 529
gggatgcctc cctctaagaa catgacactg agatgatcaa gggttctaaaa gggcgatcat 60

```

atcactctcc gaaaatgaaa ctgctcagac agaatgacaa ttaaattaat aacaaccaag 120
acactgcccc gatttcatct ccgttcacag cccctcctgt gtgctgtatg atcaggttct 180
tggtgggtggc tccagataca gcaaacagtc aggattaatc cacaagagtg agctgtcagc 240
atgaggttcc cctacagtgg agcttgccaa ggtccgtggc tcccagggca cccgttccag 300
ggctaacaga tgaagcatgg aaatgctgtg tggagtgagc tgacaccatt ctcaggagaa 360
aacagacaaa tcctctgccc ct 382

```

<210> 530

<211> 401

<212> DNA

<213> Homo sapiens

<400> 530

```

gaacagtcta aggtttgtag gacttgcggt ccacctacca aagctaatcg agttagaagg 60
ctccaaactg aggtgtcatt tctcattacg gtggtgagag gacgggacca cacactgtga 120
agtcttcggt cccacatccc acacttcatt cttgccgcct aagttgtcgc cgtgggacta 180
ttgaaagggg atcagcgata ttcatctttc ctataaatgg gatctgcttt ctacagtttc 240
ctgccagatg tgtaaagatt gcaagaattg aagggtatttc ttcaactgaa gacctttaca 300
gatactcaga tgactgaaat cctcttatca ctggctggac atgggtggctc acgcctgtaa 360
tcccagcact ttgggaggct gaggcagaat catcattctg g 401

```

<210> 531

<211> 387

<212> DNA

<213> Homo sapiens

<400> 531

```

cccaggcctg gggcccggtg gaagtccatc tgacaacccc acccaggcca gggtcgaatc 60
tggaatggga gggctctggct tcagctatca gggcacccctc cccagggtatt ggaaacggat 120
gacgggcctc taggcggtct tctgccacga gcagtttctc attactgtct gtggcctaagt 180
ccccctccctc ctttccaaaa atatattaca gtcacaccat aagcacaaac caggctccag 240
ggtcaccctg taggagcaaa ttcctttagt tccaaattgt atgagggcgt ggccacatca 300
gcacttagga gaggtctctg acaggtccac ctcagagccg accctccaga gcaacttttc 360
tgttgtgaag aggtcggttt tctgagt 387

```

<210> 532

<211> 400

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 532

```

gccttgtgcc cggccctggt cacttcaggg cagcctcagg agtaccctgc tcaggcctca 60
tctgctagga tgagccgacc tgggagaagc aaacgcttgg gatattttgc acagacagct 120
tggcagctgg gtgatgggag gggctgggca acgtggcctg ggcacaggca agtaggggaa 180
gtgtctccca gtctgagatg cattgtctgt cccagcactt caccaacctt ggtgctcctg 240
gctagagacc actggggaag gtggtattgc catagtttct tggttcaggg actcaggagc 300
ctcagctggg gcccaagaag gggctctgtg ggaaagcagg caccctaaagt ctggggagggt 360
cctgggggatg ggcttgggaa caagccagca tggnaccttc 400

```

<210> 533

<211> 387

<212> DNA

<213> Homo sapiens

<400> 533

gccttgtgcc	cgccctgtt	cacttcaggg	cagcctcagg	agtaccctgc	tcaggcctca	60
tctgctagga	tgagccgacc	tgggagaagc	aaacgcttgg	gatattttgc	acagacagct	120
tggcagctgg	gtgatgggag	gggctgggca	acgtggcctg	ggcacaggca	agtaggggaa	180
gtgtctccca	gtctgagatg	cattgtctgt	cccagcactt	caccaacctt	ggtgctcctg	240
gctagagacc	actggggaag	gtgggtattgc	catagtttct	tggttcaggg	actcaggagc	300
ctcagctggg	gccaagaag	gggtctgtgt	ggaaagcagg	cacccaaagt	ctggggaggt	360
cctggggatg	gcctgggaac	agccagg				387

<210> 534

<211> 379

<212> DNA

<213> Homo sapiens

<400> 534

gcttcagaag	ggcttatttt	aaagggatg	gaaagcattt	cagttgtagg	aagttaacag	60
ctgtgccaa	caaagtgtgt	ttctcaagtt	tcagaaaatg	ctacagttga	gagagatgca	120
aaaccagggt	tttagttaa	ctaggcagac	ttttttgctt	tgttttgttt	ttttacttta	180
catacttcat	gcaaattctca	cttagccagt	cttcagaagc	cagtcttgaa	tcagtgtcca	240
cagctgtagc	agatcagtaa	tttaactgct	ttttagcttc	tggaatccc	ttgactgggt	300
cagctgacta	tgagtcatt	tatgagaaac	atctgaacac	catagttaca	agacagcagt	360
atccattcaa	caatccaaa					379

<210> 535

<211> 383

<212> DNA

<213> Homo sapiens

<400> 535

cccttttgaa	ggagatcagt	tgctccctct	ctctttctta	gtgtttctca	gcaagactat	60
ttaacattta	agggcgtagg	cattaagaat	ccagggatct	gtgttttaga	gctgaatgtc	120
cttctccaag	ccaagctcag	agccaaagct	ctcaacagct	gaaatacctg	cttgctctat	180
tctttttaac	cagtgcagca	gtgcttcctt	ctaggataac	agagctcttc	tcatatattc	240
cattgactgt	tgaaatctca	gtaagggaaa	cacttttcaa	aatgtcttgt	tatggaaagg	300
attgggccaa	ataaatatat	ttctgttgga	aagtaacgtg	tactttcact	gaaggatagc	360
ttctctacta	cagctactgt	ttg				383

<210> 536

<211> 376

<212> DNA

<213> Homo sapiens

<400> 536

aagaggtctt	gcacaattcc	atcgaggcat	ccctgcggtc	caacaacctg	gtgccaggc	60
ccatcttttc	ccagctgtac	ctggaagctg	agcagcagct	tgccgctcta	gaaggtggta	120
gccgagtggg	caatgaggaa	gaggaagaag	agggagaagg	agggctggaa	acaaatggcc	180
ccccaacccc	tttcagctg	cacctctgc	ctgaaggatg	ctgtaccaca	gacgggtttt	240
gccaggccgg	gaaggacctg	cgccttgtct	ccatttccaa	cgagcccatg	gatgtccctg	300
cgggctttct	cctcgtgggg	gtcaagtccc	ccagcctgcc	ggacccatct	ctggtgtgcy	360
ccgttgacaa	gaggtt					376

<210> 537

<211> 383

<212> DNA

<213> Homo sapiens

<400> 537

cctgcatgct	ttaccagagc	ccagcctcca	gcctccacgg	aaaatgtggt	ttggaatcaa	60
cactctttgc	aaaggtccca	cactgttttc	tggtagcatt	ggcctgggcg	cccaggcact	120
cctttagaac	ccacctgttc	ccccaccca	ccctagtggg	aggaggagag	ggttacactg	180
acagataccg	gcagctctgc	aacccgggaa	caacgcagac	aacatacaac	tcgacagagt	240
cacagaaggt	ggcgtccatc	gcgcctggat	ggtgactact	gccctgcggg	ctgctgggtg	300
ggtgaaacac	acaggggaaga	agcacaaata	cacacacaga	tgtggctcag	ggacatttga	360
atgcttcagt	gtgtgaattt	tta				383

<210> 538

<211> 375

<212> DNA

<213> Homo sapiens

<400> 538

atttctagag	cagcagcagc	agcagcagca	acctcagtcc	ccccagagac	tcttgccggt	60
gatacctgtg	tttcagctgg	cgctgtgctt	cgcccttgca	cagctcacgg	gcgggttcga	120
tgaccttcaa	gtgtgtgctg	accccgcat	tcccgagaat	ggcttcagga	ccccagcgg	180
aggggttttc	tttgaaggct	ctgtagcccg	atttcactgc	caagacggat	tcaagctgaa	240
gggcgtaca	aagagactgt	gtttgaagca	ttttaatgga	accctaggct	ggatcccaag	300
tgataattcc	atctgtgtgc	aagaagattg	ccgtatccct	caaatcgaag	atgctgagat	360
tcataacaag	acata					375

<210> 539

<211> 420

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(420)

<223> n = A,T,C or G

<400> 539

ggtgcagtgc	atctttgcag	agcaccacaga	ggtgggggac	agtgactcac	agaggtgcct	60
ttggccttac	cctgccagca	gcagctcccc	tgctcttgga	atctcccca	gccccctgcc	120
tccctgtctc	ctgagcacct	gccccagctc	agtgactctg	ggggtactgg	ggagaccatg	180
atgttgctac	caccttagtc	agggttgggg	gagcccccg	ccaggtgccc	tccaggatcc	240
gcttccccac	ccctcctggg	aagcctggac	cagcatccct	tcttgggtgg	atggagcctc	300
gtcctcatct	ccagctacat	cagtcattct	ctgcagggca	aaatctcctc	ccctacccca	360
gctgtttctg	cagaanggcc	ctggctgtgt	tggcangact	tcggtgtcca	aggtanatct	420

<210> 540

<211> 394

<212> DNA

<213> Homo sapiens

<400> 540

gttgggacca	cagacacaca	gactacaggt	ctggaaatct	ctccaggcac	cctgcttttg	60
ccctctagaa	tacagacagt	tctgtctcta	agaggccatc	tgtgaggctc	agtctcccaa	120
cacctctgat	tcaccccccg	tctcctgggtg	ggagacaacg	tgctccttct	ggacttcaaa	180
gccagcccca	ctaccctcgg	agtctgtgtg	ctgggcgtgg	acaagtctct	gctttgtacc	240
cactctgtgg	ccgtgaacct	gtgacctata	cttctcagcc	ttgcttttct	tatctgtaaa	300

atgggaatag tcaactggatt tatcttaaag ctgaggtcac tgggtgtctgg gcttgaaaga 360
gaaccggctc atagggaccc tcactcacga gccc 394

<210> 541
<211> 378
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(378)
<223> n = A,T,C or G

<400> 541
gtcagctccc gcgtgtctcc gctcgacagg gtgcttgggc aggtaagggc ccgctcagta 60
gcccaccct ctctgtatgc agctcccaa attcagcgct gcgctcaggc atggcagcca 120
cccgttacgt gggggagggt tgatatgcat ttattgaggt caaataaaat gctggaaatt 180
ggtgcctggt gacactgtca ggttggtggt taccctagca ggtcgccca gccctgaac 240
gcttccatca ctgccgaaag ccctgtgagg aggcgcagag ctgagcattc cccgccgttg 300
cgtgggcccn nntntacctg ncgcntnttt cctctttgct gcagagccca ttgggtannn 360
gcggccatgg ncantcaa 378

<210> 542
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(382)
<223> n = A,T,C or G

<400> 542
gggaggctct ccatgcgcag tcatgagtcg cttcaagttt atcgatattg gtatcaactt 60
gactgaccct atgttcagag gaatttatag ggggggtcaa aagcatcaag tttatgatta 120
caggtggaaa tctacaagac agtaaagatg cactgcattt ggcacaaaca aatggatatcc 180
tcatatttct ttaccacaaa aaaaaatgaa ttaagtaatt ttgaagaagt ctttctgaaa 240
actgcttcag gtatgttttt cagtacagtt ggatgtcatc ctacaagatg tggggaattt 300
gaaaagaata accctgatct ttacttaaag gagttgctaa atcttgctga aaacaataaa 360
gggaaagtgt nggcaatagg aa 382

<210> 543
<211> 382
<212> DNA
<213> Homo sapiens

<400> 543
acagcatggt gaagcctatc cccagtcac agtgatagaa gttcttagtt aaagacgaga 60
atctgtttac tggcctcgag acattgcact gcacctggga agggcaggta gtccgtgtgc 120
tggctccttc agctttccag ggcggaagtg gtgaggggtgc gcgtttctga cttcgtggct 180
gctctctgga gactgctcag tatctttgca catgccaccc tgagatgcat gaccattgat 240
agcctggttt gcctgtaaga caaagcagcc ccacatgca gtaggcgcca gctgtatacc 300
tcacttggtg tcacctgcag ccttgccagc tgaggcagat gcacctgagt gtgagggcgg 360
caattgacct gtctctccat gt 382

<210> 544

<211> 378
 <212> DNA
 <213> Homo sapiens

<400> 544
 gggcgggacg gtacagcacc cggaggaacc ttgattccct gccccgcaag cccagcaccg 60
 gttttgccgc cttgtctcga aggggtcaacc aggccatctc ctgcctcggg acggagagcg 120
 ccctggaaaa ggcggagggg cgcaccttag tcacacaaga gcgatggcaa gattttcacc 180
 caagccatct gacttggaa ccatggatta accaactgcc actggaggca aatccagaga 240
 ccaagggagc agtttatata gaaacagaaa aattagccgg gcatggtggt gggcgctgt 300
 agtcccagct actcgaagg ctgaggcagg agaatggtgt gaaccagga ggcggagggt 360
 gcagtcagcc gagatcgc 378

<210> 545
 <211> 402
 <212> DNA
 <213> Homo sapiens

<400> 545
 cctggctgag aggcgttagg agtccggggg ttcccccggg gagggccggg agcagccgac 60
 catggagccc cagagggata tgcaacgaag catgttgttg aaggctctga accaaggacg 120
 ctgtacagat ttgcctgaa ggtcaccagc ccctctgggg agtgtgagta cagcccactc 180
 gtctcagtggt ctacaaccag agagcccata agtagtgaga cttgcaccgg gctgtcagtg 240
 tgaatgatga agatttgcgt gtccgaatac ttcaaggagg ccgtgttaag ggtgatgttc 300
 ccaataagtt tggctttacc gctctgatgg ttgctgccag aaaggatata ccaggcttgt 360
 gaaaatccta gtttctaatt gcacagacgt gaatctgaag aa 402

<210> 546
 <211> 380
 <212> DNA
 <213> Homo sapiens

<400> 546
 acgcctcgcc ggagtgactg aggcactgaa gccaacagca gccaccagga ccacattgct 60
 gggggggcaag gaagcacagg ccctgggagt cccggggggc tccgctgaga cgacagaagc 120
 cgagtgggggt cctgcggcct ggcccaggga caaaagggcc cgccttaatg ttgcagcccc 180
 ttgccaaaccg cgccccacac attttgtggc cctcatggtg accgagcctg ggctacaagc 240
 agaatgacca agggccagga atacctggtc cacgtggccc cacactgccc caacttccta 300
 gtgcctctc agaacctaca cctgaccctg gccctgctgc gactggcagg cgctggggag 360
 gaggccgctg ccattggagc 380

<210> 547
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 547
 cgaagtgtc aaggacatcg agacggcctg caagctgtc aacatcaccg cagatcccat 60
 ggactggagc cccagcaatg tgcagaagtg gtcctgttg acagagcacc aataccggct 120
 gcccccatg ggcaaggcct tccaggagct ggcgggcaag gagctgtgcg ccatgtcgga 180
 ggagcagttc cgccagcgt cgcccctggg tggggatgtg ctgcacgccc acctggacat 240
 ctggaagtca gcggcctgga tgaaagagcg gacttcacct gggggcattc actactgtgc 300
 ctgcaccagt gaggagagct ggaccgacag cgaggtggac tcatcatgct ccgggcagcc 360
 catccacctg tggcagttcc tcaaggagtt gt 392

<210> 548

<211> 379
 <212> DNA
 <213> Homo sapiens

<400> 548
 ggccacgtct tgagcctggg cgccagcagc ttcgtggagg aggagcacca gacctggtac 60
 ttccttgtga acaccctgtg tctagctctg agccaagaaa cctacagaaa ctactttctg 120
 ggagatgacg gtgagcctcc gtgtggcctc tgtgtggaac aagggcatga cggggccaca 180
 gcagcgtggc aggacgggccc tggctgtgat gtcttgagc gagacaaagg ccacggaagc 240
 ccctctacct ccgaagtgtc cagaggccgc gagaagtgga tgggtgctggc cagtccgtgg 300
 ctaatactgg cctgctgccg gctgctgcgc tccctaaacc agacagggtgt gcagtgggct 360
 caccggcctg acctcgga 379

<210> 549
 <211> 464
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (464)
 <223> n = A,T,C or G

<400> 549
 tttggccnct tnaatcaagt ttgtgtcctt ttgcaggatc ccatcgattc gctcagcagg 60
 aacactaagt ccatggaaaa caggccctgg gcccgctgat gtgcataatt ccacgtttgc 120
 cccccatgta accaggatgg taaattacag gtgtcagata atcacgctct ggagtggtta 180
 cttgaggatg cgatcgacca atttaagctc cgtctgacac atgatcaata gcccgatg 240
 ctgcatggaa ttgcaggcac agcgtccaaa cctgcagagc agtggctccc agctgtggca 300
 actttgcccc ccagaggaca tttggcaatg tctggatag tttgcaattg tcacaactag 360
 gagaggggga tgctattggc atctggcgag tgaggccaag gatgctgcta aacctccat 420
 gatgcacagg agaaaagtccc cacacagacc attctgggccc aaat 464

<210> 550
 <211> 458
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (458)
 <223> n = A,T,C or G

<400> 550
 cccctactng anactcttta aacaagctct tgttcttttt gcaggatccc atcgattcgc 60
 ttagtctttg gcttttgctg acattttccc ctcttatctt ttctcctgac caagtcttag 120
 gtatttcata gggcagtcata ggtgagggtt ggaaccccaa tgagttgggc aacagaaacc 180
 cagctcacac tggctgtcac tgtgggcaag ctgttcccct catctctaaa agtggagatg 240
 agattagtgt atgagtctgg cttccattca actgtgtgtg aaaaaaatt gtaaaatttt 300
 ctttctggtt tacgcaagtt aaaagtttat ttctctcata tgaaaggagt caaggcagac 360
 agaccaggat ggggaggggag atgtctacag ggtcaaggac ccaggctctt atttcgctgc 420
 tgacgtcctt agtatgaggc tttcaccttc caggatgg 458

<210> 551
 <211> 400
 <212> DNA

<213> Homo sapiens

<400> 551

ctggcttctt	ggccaaagag	cccgcgcagc	gaggtggggt	tgggggctgg	gacccagctc	60
cgtgccccgc	cacctggctc	tctgggaaga	atcggacctg	tcaccctcga	aggactggcc	120
gctaaataac	ttcggatttg	agagctgtgt	gagcctcaaa	gggagggccc	agaccagctg	180
gagtctctac	ccccagacag	gataaagggc	aggacttggg	gtcataggag	gaggcggcta	240
acatgaaaac	aacttaggtt	ggagagaagg	agggggccat	ccaatctgca	ccctccctgt	300
gtctgtcccc	agtaggtgct	gtccccctct	cccttccttt	gccaccgatt	ggagggacac	360
tctggaaaac	tcagttgaag	aaagcggaga	gtctgcgtgt			400

<210> 552

<211> 395

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(395)

<223> n = A,T,C or G

<400> 552

ataacatggt	caatttaaag	aaaaaaatct	gaagccactt	aaaagctact	gtttggcacc	60
gatacattat	tccagtaatg	aataatcatt	aaagatatta	ttctggatgc	agttaccatg	120
cagtgatgtg	aataaaatgc	attagatgga	aaattgtatt	tcaagtaa	atatgactg	180
gtagaaatgt	tttaccaccc	actaatatgt	attaattcaa	aaccaa	caactggagt	240
tcgcctacac	gggtttgaat	ggcaggcagt	gatttggaag	tgggaggaaa	taggtttgga	300
tttgggtcaa	tagactgaga	agtgatagt	ggggcgggg	tttatgactc	aaactttaac	360
aggtgagang	actatgccat	ggacagaaca	ggcat			395

<210> 553

<211> 395

<212> DNA

<213> Homo sapiens

<400> 553

gatgaggggtg	tagactgtgg	agtcgcataa	ggacttgacc	gccggcacag	ggagctggag	60
caaacccaag	actggctgag	accattcatc	atgcctgggt	gagcacaatt	taaatctgga	120
aattttctgct	cagccagatt	acagaactct	aaatgacagt	atttaactgc	tgccctgagga	180
ccctggagtt	tctcccatgt	gacgcttccc	gaatcaaggg	agggatgtgc	tctcctcttg	240
cctaggagga	ggtcctggac	tggtcttggt	ctggagagac	tggacacttg	gcacccctctc	300
ccaccatgaa	ctgcccccca	ccgcccata	aaatgttact	gctgggggtg	tgaacaagta	360
aacgtgtatt	attacctccc	ttgccagctg	aggag			395

<210> 554

<211> 389

<212> DNA

<213> Homo sapiens

<400> 554

agcagctggg	gaggagccaa	agcctcggcg	ctcacctaag	ccgcagggag	atacacccaa	60
ctggggagatg	aggaaacagc	aaccagaga	ggagaactaa	cccacacagg	atcatttcgc	120
gaaggagcaa	ggctgaagaa	ccagacctgg	actttcttag	gcaagtaa	tctgattata	180
tcacggagac	ttgctttgag	aaatctgccc	cttttctactg	tgagatggcg	tcattaacac	240
atctagttct	ctcctaagca	gccagcaa	atctattata	cactagatat	tattattggca	300
tttgagatga	tacaaaggaa	taaaatgggg	caattagctc	tagtaatttg	gaggctcaac	360

ttacggatat tccaagttcc tttgaaacg 389

<210> 555
 <211> 391
 <212> DNA
 <213> Homo sapiens

<400> 555
 gttcagcccc tagtgtcttc tgtaaggccc ctaacatcag tagatgggtca gtttaacaagc 60
 cctgcaacac cateccctga tgcaagcact tctctggaag actcttttgc tcattttacaa 120
 ctcaagtggag acaacacagc tgaaaggagt cataggggag aaggagaaga agatcatgaa 180
 tcaccatctt caggcagggt accagcacca gacacctcca ttgaagaaac tgaatcagat 240
 gccagtagtg atagtgagga tgtatctgca gttgttgac agcactcctt gacccaacag 300
 agacttttgg tttctaattgc aaaccagaca gtacccgatc gatcagatcg atcgggaact 360
 gatcgatcag tagcaggggg tggaacaagt g 391

<210> 556
 <211> 406
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(406)
 <223> n = A,T,C or G

<400> 556
 ataaaaaag gcatttaagc aagggttgga actgaaaaaa aaatctgact gtatatctctg 60
 taaaactata ataaacaaga ggaaatggca agtggtttcca actgagaggt tcccagttgt 120
 aatctactgg cattctttaa taggaatatt taatagtcaa ttctcaccaa caagaatgga 180
 cttcaaataa agccacattt tgaaacaata ggttggttac agcagcatag caacggctat 240
 aaagcaacaa ttctaatacg tacttatctt gctggctatt caagaaaaag gtgtagaact 300
 tccttactga gaggatcttg agttataatt tagtactaaa ttataagtaa tgnttggtgtg 360
 gatacaaata tgacacaaaa aatgccttcc tttaaaaccc attata 406

<210> 557
 <211> 386
 <212> DNA
 <213> Homo sapiens

<400> 557
 agaggagtgg tttctggctg aatactatct taggctcaag gagaaacaaa ataaaaatta 60
 gcttccaggc agcctgtttt taaagaaatg ggactaatgg gagaagctgt ttgtcactct 120
 aagagcatcc aagccctggc ctgtctgtgc actcttggtc cctggggaga tatatctgcc 180
 ttctaagaag gcaggccagg tcttgggcac agacctgcat ttgttgacct tgcactcaa 240
 ctatagtgcc ttgcaagtgc tcaacagtac atattggaat gaagtcccta tgagagccat 300
 ttctggccat gttctatacc tcaaagtga gctggcagg acagagatga actgtcacat 360
 gtgatacatt taagccactg gaaaaa 386

<210> 558
 <211> 383
 <212> DNA
 <213> Homo sapiens

<400> 558
 ctgcgagcag ctggggagga gccaaagcct cggcgctcac ctaagccgca gggagataca 60

```

cccaactggg agatgaggaa acagcaaccc agagaggaga actaaccac acaggatcat 120
ttcgtgaagg agcaaggctg aagaaccaga cctggacttt cttaggacaa acttactgca 180
gcttgaagga gccaaccatg gatttgaggg gtgtgaagga atattttctt ggctctacta 240
tcaataccaa atcattagct gctgtgctgt tttagagccc tgggagcgat ctatgtttaa 300
caccatctta ctaaccatta ttgctatggt ggtatacact gcctatgtct ttattccaat 360
ccacattcgc ctggcttggg aat 383

```

<210> 559

<211> 376

<212> DNA

<213> Homo sapiens

<400> 559

```

gacagcctgg ggaacgctgg ggccctgctg aatccccggc tctccaggca cgaacagggg 60
catcccgcgt ccacgccgcg gggaggaggg tttcacccgc tccagggaact tggctcgagg 120
aaattaaact ctaatgagta gctcgagaaa tgttccggga tgggtggatga gcgatcatcc 180
ttaaagaaaa atgctattct gggagctcca acctgcaatt aacctacaga aggaaccttt 240
tgagaggctg gtgcagcgct tcggggaggc agattaagaa cttagttggc ctggttgaag 300
ctctgtgagg agcaaagcag ccctctccag gtgaactgct tgactttacc acctgaagga 360
gtatttactg caagaa 376

```

<210> 560

<211> 380

<212> DNA

<213> Homo sapiens

<400> 560

```

gcagacagga ggctggacag aggggccgtg tgccaggctg caggggagaa gctggtggga 60
gggtgcttgg acagagtgtc gggttttgat ctgacccctc gggggctgtg aggtctgcag 120
aggaaatgca acctcccagg gctggagcct gccctgtcac ctgctcagca gtgtggccga 180
ctgagcatgt cacctctgaa ctgcagatcc tcctccctgc aaggggataa ccacagcccc 240
cccacaccca gggatcctgg gagattaact tcgaggatac agcagggcac gcagcctggt 300
acacgctcgg ggaagaatgt cagcaaacct tcctcctctt cccgtcctga ccctgcagtc 360
acaccctcca gggctatggc 380

```

<210> 561

<211> 404

<212> DNA

<213> Homo sapiens

<400> 561

```

cggctctccac gggagccacc ggtcctgaaa gcgcggagca tgctttgttt gcggaaacga 60
aagcgaatac ttctttccaa ggagacttag gaaagggcag acgctcccac tgctcagggt 120
gttccttggg ggaccttcaa gtggccgcgc tgtgggcggg ctagcgtccc gctgctgcgc 180
tggttccgga gcccttccct tgccctctcc aggggtcctt tccagcgctc ggaggaaggc 240
ccgccgtctg cgagtggagt gcgggtgggt ggaatccctg ggaggattac gaaatcctta 300
aagtgggatt taccaaagc attcctttcc gctcacttcc gttcccgtt acaaacgtg 360
ttggaaacgt gttgctactg aaaggaagtg gcgctgggct gcat 404

```

<210> 562

<211> 387

<212> DNA

<213> Homo sapiens

<400> 562

```

gcagcccttg actcctaagc cccttccctc ttccattctg catccctccc ccatccaacc 60

```

```

taaatgccac agctggggct gagctgtatt cctgtggagg gacctctgcc gtgcctctct 120
gaggtcaggc tgtgctgtgt gatgggcagg ctttgcccca gccacccct ggcaagggtgc 180
acttgttttc tggtttgtac aaggtgtcct gggggcccggt ggcttccctg cagtgaggag 240
tgacttctcc ctctcttcca gtcctgtagg ggagacaaaa ccagattggg gggcccaagg 300
ggagcatgga aaaggccggc tcccctgtct ttccctgggt gtcagagtca gggtaacaca 360
caccaagagt ggagtgcggc cagcaag 387

```

<210> 563

<211> 383

<212> DNA

<213> Homo sapiens

<400> 563

```

aaacgggatg gtttatagga gttcccatTT ggttgaaagc tagaagccct aattgacctt 60
aaagtaacat gctatgggat ggtgggattg tcccctctga cagcacatat gaaatagttc 120
atctatataa tagaaacgca cacacacgaa agagaatctt ctgacttaaa tacaactttc 180
atggagttct tcaccactta tctgtctctg ttaaaatctg aaaatctagc ccatggctaa 240
aatctattat atgtgttctc catatttctt gtataagcca gtccccagca tctgatgttt 300
tgagaagtgc atggagtttc ctaaaactttg cacagaagaa tatcctgggg ccgggcatgg 360
tggtcacgc ctgtaatccc agc 383

```

<210> 564

<211> 156

<212> DNA

<213> Homo sapiens

<400> 564

```

atgccaatTA catatttatt tttccatacc tgattttttt caagtctgta ataaaaaaag 60
tataagttga gattaacata ggttattttt catgaagtat agcaaacgat ctagaatgtg 120
ataggagtgt ggtttccatt tctttttttt tttttt 156

```

<210> 565

<211> 465

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (465)

<223> n = A,T,C or G

<400> 565

```

tttggncnct taaacatttg ntgcctttnt gcaggatccc tngnttctna tncggcacga 60
ggttccctgt agctgcctac agatcaggcc tctccaaggc cccctcccga aagaagaagg 120
gcagcaaagg ccccgatgac aaaatcaccg aaatgtcaga gaagtacttc tcgcaggagt 180
cggaggtctc agagtaaggc ggctggaccc caggaacccc agggcactcc actgcagcag 240
gagggactta agctagactc aagaaagcag cttggagcct ctagggttgag aagagaggca 300
aaaacctgat attgaactga gagagggggt caaaactgac tgtgttttgt gggctgccag 360
ggtgggagag gagcatcacc agtcctcag agccactccg ctccatatca agtatctcac 420
aagtcccatc cttccacctt ctgggcagaa ggttttctga tgggg 465

```

<210> 566

<211> 450

<212> DNA

<213> Homo sapiens

```

<220>
<221> misc_feature
<222> (1)...(450)
<223> n = A,T,C or G

<400> 566
tgaancccta nacaagctnt tgntctntnt gcangagccc ttcgattntt ttctncccc 60
agagcttagc aagacatgat cagcctggat tacagctgcc ctcacgtaac tgggttaaag 120
tggtggccta cttaggcccc tcctgcagtg gcttccttca aagctgatga ggccgattag 180
ggtgctatct ctgagatcta gtcgtgtacc cagaagcctg agggcggtcc tcccctgact 240
agaaagacaa tgactaaggc tggacagcca agggcagagt cagatttgcc cataggagag 300
cactgcccgc agaactcatg tatgcttgta aaagaaccaa ataatatcaa ggctaagtcc 360
ctggattttg aacttcaaaa accaaaccaa ccaatcagtt ttcagggata ggcctagtcc 420
tacacctttg ccatcttcag aacttaaaga 450

<210> 567
<211> 442
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(442)
<223> n = A,T,C or G

<400> 567
tggaccnnt gaagcccttg tctttttgca ggatcccatc gattcgtggg tactttatac 60
aaagaaaatt cagcccttcc tgctgtgtct tcaaattatg cagggttaga taatctgatg 120
ctaacttttt ttttctcttt ggttcttgaa tagcttagtt tctttaataa caagtcaaac 180
tttattacaa caataactga agttattctt ttagggttctc gtgaaattct cactgaaagc 240
cacattctta gcctaaggca tttcatcttt tatgatataa aatgatggct atcaaatgat 300
tttcataca ttgtactgat caagtatac acccaggggt atatacactt tcttcatggt 360
tcttctttgt atatttgggg actgtatcgt catagatgta catattgtgc ggtagggcta 420
tgaggcatgt tacaggaatg ta 442

<210> 568
<211> 442
<212> DNA
<213> Homo sapiens

<400> 568
accctttgac tttctgcagg aaccatcga ttcgctgggc agttcagtc ctatgaatgt 60
ctcttctaca ggaggctacc ctgccctgc taccctggga gaagcctcag ctttctgggc 120
agagtttgct tcctgtcat ttatactctc aggtcttata catttacaca gtaagttctc 180
cctcctggag ggttaaaagg aataatttca acagggtgaa ggcctggcac ggtggctcac 240
aactgtaatc caaggacttt gggaggctga ggtgggtgga tcacctgagg tcaggaattt 300
gagaccagcc tggccaactt ggtgaaaccc tgtctctact aaaaacaaa attagccagg 360
tgagggtggc cacacctata gccccagcta ctgggggagg ctgaggcagg agaattgctt 420
gaacctggga ggcagaggtt ac 442

<210> 569
<211> 424
<212> DNA
<213> Homo sapiens

<400> 569

```

aagatggtaa	gctagatttg	acaataccac	atgcttcaaa	atttaggctt	gggaattgaa	60
tcttttgtaa	tcatatgtgg	atatataaaa	acacattttt	aactcttaaa	tgtattacta	120
ctgtaataat	tagataaatt	tggtctcatc	ctattacatc	caaattgcc	cttaaagtct	180
ggttttaaag	taagaagagc	aaggatcttc	ctggcaacta	taatagtcaa	agaaaaccag	240
cagtgcactga	agaaaaaat	gaactgctga	gatgaaacta	tactgtaac	tcccagcaaa	300
tgtcaatgct	atccttatct	tatacctgtg	attctggaag	ctttcagagt	ttctctttga	360
gacttgctcc	agtaaccaga	tctaaacttt	tccttcctct	ccagttagcc	agtcattgctc	420
taga						424

<210> 570

<211> 394

<212> DNA

<213> Homo sapiens

<400> 570

gctctgcggc	gccgcggctc	cggcaccccg	ggccctgtgg	ctcggccatc	gtattcctcc	60
tttactcagg	gggacagctg	gggtgaaggc	gaagtcgacg	aggaggaggg	atgcgaccaa	120
gtggcccgcg	acctgcgggc	ggagttctcg	gctggggcgt	ggtcagagcc	cagaaagcgc	180
tcggtgctcc	cgcgggacgg	gaacgggtcg	cccgttctgc	ccgataagcg	caatgggtatc	240
tttcccgcgg	ccgcgggcag	cagagcccag	cctcggcggt	ggcgggtcca	ggcctctcta	300
ttctctgctc	gctgctcttc	gccattcttc	tcgccttctc	cctcgccatc	gcctacttga	360
tcgttaaaga	gttgcatgct	tagaaattga	aaaa			394

<210> 571

<211> 398

<212> DNA

<213> Homo sapiens

<400> 571

tccatctctt	cttcctagta	ttcatgtcta	ccaaatgctt	tctttggctt	cctctgaaag	60
aagccagttt	cagcaagtga	gtttgtgatt	ctttctcctt	tcagggtacct	gtttcccagg	120
caactactga	tcaggcattt	ctggacccca	aaacaacaaa	ctgatttctt	agatatctat	180
catgctttcc	ggaagcagtc	ccaccagaaa	attattagtt	atttagaaaa	ggtcattccct	240
ctcatttctg	atgcaggact	ccggtggcgt	ctgacagatc	tgtgcaccaa	ggatttcttg	300
cagttaaccc	ttcctacaaa	tgtggaatct	tgtttagattc	agtgtgcact	aaactaggta	360
agaggagtag	tcaggacttt	cctaacatct	accaatct			398

<210> 572

<211> 387

<212> DNA

<213> Homo sapiens

<400> 572

gttgccatac	tcttgcatat	acaatcggtt	atctagtttt	tgattgtttg	tgtgtatggt	60
gtgtgctgtc	tctctgacca	gatttcaggt	tcctgaggcg	agcctgcagc	tcatactgct	120
catctgtcct	ctcctgtggt	gggtgctcag	ggcctctcac	tgtagttac	tcctctcttt	180
ctgccagtt	ctgcactcaa	ctagtagaag	cagccatcct	ttccccaagc	aggaaattgt	240
agtggctgcc	cttaagagca	gtgtgagggc	agaagattaa	gggaggggaa	gagtccttgg	300
aactggaaga	aggtaaatac	tttgccctga	gagggcgcgc	aatcatttta	ccaaaatagt	360
aatggaataa	agtgtcaaa	ggtgggg				387

<210> 573

<211> 383

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 573

acaagagccc	ctggggagta	ggtggtggcc	tgtgccgtca	tccccatttc	aaagcagggga	60
gctgaggtcc	tgggagggga	aagtgccttc	ctgaggtccc	actgtgttag	tgggtgggca	120
ggactggaac	tcggttctcc	aacagcccag	agctcactct	tttacacca	naggtggagc	180
aggtggctta	gggggtggta	tgtacttcac	aagccaattc	ccttcagcca	ggagctcctg	240
ggtgcatttc	cgtgtcagaa	acagtaccga	gtcccacccc	ctctggaggc	acagctgttg	300
cgtcaggcaa	ggtcacctgc	atttatttat	tgagcagcaa	tgctgtgtna	ggcccagggga	360
ccganccct	ctcctgttnc	cta				383

<210> 574

<211> 381

<212> DNA

<213> Homo sapiens

<400> 574

ccaaagcaaa	tgtattttta	aaggcaaatg	aggtttatta	agaagagaga	aatggcagat	60
gtctccgaga	ctgaagtctc	ttgatcttga	gagtaggggc	tggctctctgt	ctctttactc	120
tagcacattc	ttggtctttc	cttttcaaga	tgagtgcctt	tttgtgcttt	gcaccccata	180
ggtggttatt	aaatacatgt	tgattgggtg	gttggctgtt	tgtctgggta	gaagtggaga	240
gtcagagcta	ggtggaaata	gcacttgcaa	ccattgcagc	tgctgttgga	atgacacagg	300
caagagatca	cttttggggc	aggcgcggtg	gctcatgcct	gcaattccag	cactttggga	360
ggccgaggtg	ggcagatcac	a				381

<210> 575

<211> 375

<212> DNA

<213> Homo sapiens

<400> 575

ccaaagcaaa	tgtattttta	aaggcaaatg	aggtttatta	agaagagaga	aatggcagat	60
gtctccgaga	ctgaagtctc	ttgatcttga	gagtaggggc	tggctctctgt	ctctttactc	120
tagcacattc	ttggtctttc	cttttcaaga	tgagtgcctt	tttgtgcttt	gcaccccata	180
ggtggttatt	aaatacatgt	tgattgggtg	gttggctgtt	tgtctgggta	gaagtggaga	240
gtcagagcta	ggtggaaata	gcacttgcaa	ccattgcagc	tgctgttgga	atgacacagg	300
caagagatca	cttttggggc	aggcgcggtg	gctcatgcct	gcaattccag	cactttggga	360
ggccgaggtg	ggcag					375

<210> 576

<211> 379

<212> DNA

<213> Homo sapiens

<400> 576

tggattgtag	gtgagcctca	gatcttttgt	tttttagtga	gaggtggacc	ttgcaggaga	60
gagccctccc	ttctctgttc	tgcggctgcc	gcactcccca	ttgctgattc	ccattgcagg	120
gtacttgcat	ggtcacccca	tttgcccttac	tccgtggact	cttttctggg	cattgagtag	180
caggctcagg	gtctgagcac	agggagctcc	ctggagagaa	tgttgcatct	ctcacttccc	240
atcccgcac	cccgtgtgta	gccccctgcc	tggattcact	tcccctggaa	agtttctgcc	300
catgaagccc	caaaggcaga	ggagagtga	gagtgaatgc	cacagctggg	tctaggggct	360
ctgccaaaga	tgccacag					379

<210> 577
 <211> 384
 <212> DNA
 <213> Homo sapiens

<400> 577
 atccactcct ctgcagggaa tatggaaatc tttccctcat ttatggctaa ttaggcagta 60
 tagcctcatt aatcatggga tgacagtaca gtgtggtgga aagaggatgc tgtggagcca 120
 cacaaacagg gttcagagcc cagctttcct gccctaattg tggcactgtg caggtcagcc 180
 ctgttgtctg taaaatgggt gtaacacaga ctaatgtgca ggggtgggtgc agggtagag 240
 aaaacttaca tgacaggcaa agcagcgtac tttgtcata gaactcaata aactgttcct 300
 ctgtaattat tattaataaa cattattgca gagtatgggc acagtggctc atacctgtaa 360
 tctcaacatt ttgggaggcc gagg 384

<210> 578
 <211> 383
 <212> DNA
 <213> Homo sapiens

<400> 578
 gggaggagga tcccgtcctc atgggtgcgg gagcaacgtg gcgtgggagt gatcgttctg 60
 ggggagaggg ggcagaagag agcgcgaggc gagcccgggg ccaggggcgc agggaatagt 120
 ggctttggag ctagcgctct gccgaccaga cagtaggaca catgctgggt tgcctactg 180
 agatggcttc ccaccgtaa cctgcttgga gattcttgac actgcctgcc cctctgacat 240
 cgctgccctg agatggctct atagagccag aggactggac aggacctgcc tcccgtcgt 300
 ttggttccgg cctcaggctt aggacaatgg ggtgttccta gcacccgagc gggcctcctg 360
 gtcacagtgc gccttttagg tgg 383

<210> 579
 <211> 387
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (387)
 <223> n = A,T,C or G

<400> 579
 gccgctcccc agcaggacag ggtaaccgcc gaggtggggg gcttcttgtc cgtcccagcc 60
 cccccaactc aggcctctc gctgcccctg gcgaccaccg cgtgcgccct tccccagggc 120
 gggcgcagtc ctggacgct ccgccagcg tgactgcgtg cattttctct cttttccctt 180
 cccaacctgc ggagagaaga cagccccaga gccgtgtctc catcctctgc tgatgcctgc 240
 tgtctttatg ttggcctcgt cgnccgcact gcagtgtggc aggggcgtcc ctcgtttccc 300
 gcggactgag gtgggcgccg ggcattcagt aaacgaagaa accaaagcgg agaaggttgg 360
 gaatcaaacg tctgtcatat ctgccac 387

<210> 580
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 580
 tcagatccga ggacatgttg acgtcgctcc agagtcttaa aatcctgctg tggccggatt 60
 ccagactcgt gggggaaagg ctggatctta atgcaagtca tgaacttgaa tgtgccgatg 120
 aggctggca ttcttgtcca gagacagagt aaggaagtgt tggccacacc cttagaaaac 180

agaagggaca	tggaggcaga	agaggagaac	caaataaatg	agaagcaaga	gcctgagaat	240
gctggagaaa	ctggtcaaga	agaggatgat	ggtttgcaga	aaatacacac	atctgtcact	300
agaactcctt	cagttgttga	aagccaaaaa	agacctttaa	aaggagtgc	atcttctagg	360
gaggtaattg	ttgtggatct	tggaatgaa	tccctaccct	c		401

<210> 581

<211> 382

<212> DNA

<213> Homo sapiens

<400> 581

ccacccccga	ttcctgacca	tgccccctat	cttgtgattt	cagacttggg	agagcaaaag	60
ggaggggaag	aaaataagag	taatgggggg	aggaaggaat	gcatgggtct	gccccttaga	120
gcaagtctga	aaccagaatc	aagagtcttc	ctccccagtg	ggcctgtgtg	ggggaagagg	180
ggcagcctgc	cccaggggtg	caagaggaca	gcaattcagc	ttccaggcca	aagcagttta	240
gacaaggtgt	gcccacaggg	actccctcca	ggccctggct	gtttaccatg	tactgccta	300
ctgtgacttc	atgccctttt	gggataaaga	acacaaaacg	catggaacaa	ctatccatgg	360
ctcttagcca	gaaatgtctt	gc				382

<210> 582

<211> 381

<212> DNA

<213> Homo sapiens

<400> 582

cagcctcctg	catcatcctc	gtcttcatct	tcctgcggta	ccccctcacc	gactactaag	60
gccccccagg	cacggctgct	ggcggagaca	agcactgaga	catgtttatt	ctcatgggtcc	120
ctgaaacgca	ggatcccatg	aggttggggc	agggcagggc	ttcttgtcct	ggggccccct	180
tgagctgtga	actgggcagc	aaggccatca	gaagctgagt	acagcaaggg	gcagtgagct	240
tggccctcag	tccacccctc	ccgcctcctg	gcctccgccc	tgctgtgtgc	tggggcctgg	300
gggcttctcc	cctcgctgct	gcaccctggc	ttccagcgtc	tgtgtccctg	cctacgtgcc	360
ccttcagggc	tcctggggcc	c				381

<210> 583

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (387)

<223> n = A,T,C or G

<400> 583

gcgagactct	gtctcgaaaa	aaaaaatcac	caggctggct	tacaaaggat	ggggtttttt	60
tactgtcgtt	tccagagatg	tgattctgga	ggtcaaggca	gggcccaggg	acacacaggt	120
ttaataggcc	catgggggtt	ctgtgcagtg	cctcgggtca	cacctggaga	accgttgctc	180
tgattgggtat	ttctccaccc	gggctgtgcg	ttagaatcaa	gaagaagcgt	tgagatattg	240
ggatgcctgg	gtcctgctcc	catgctgggc	ttctgggtta	cttgggatga	gattgcatcc	300
agacagagtt	ttaaaagtgt	cccggttgag	tttaatgtac	agttgaagtt	gagacatgaa	360
tctctgcatg	taggggaaat	tntgtgt				387

<210> 584

<211> 387

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(387)
 <223> n = A,T,C or G

<400> 584
 attcccaatt tcacaaattc ctcatgtcct tgagatttga tcagtttgtg aatattttat 60
 gctttgatga tatagtgaga atgcatact tgcaaaaacg atctcaaaag tgtcagcctt 120
 agataaacgt tcagcattaa aaacgcctat tatttcattt actagcattt taggatccag 180
 aagaattcca ccagattgca tgagtttagat tgggaaatgg gagtgggaga taatattgga 240
 ggtatctatt ttaagtcagg ggctttacta gccgatttag ttctcacaat aaccatgtgg 300
 agaagctgtg acatttttaa tttacaacct ttctggggct cagacataaa gttacctatc 360
 caaggggtgca gttgggtagt ggnngga 387

<210> 585
 <211> 391
 <212> DNA
 <213> Homo sapiens

<400> 585
 ggaaaaatctg ttttataatt ccctaaagct acaattacat gcaaaactgga ttcttgaaat 60
 aaaacacaaat tgaatttaaa tgacatctac atgaaaccca ataactcgat tacattgttt 120
 taatgttctt aatgtgggtca aaggcagccc atggctttat catcaattag gtaagctttt 180
 gagggaaatt ctgaaaaatg gcaagtcctc acgtgtggac tgacaactga gcaatttgcc 240
 tgctgtgctt cagaaagaga ggccagctct gtgaggtgct gtcgaaatga ctgaaaacca 300
 cccactgagg atttctactt ccctctatga aaaccagcct tctcagggat tatcaccgcc 360
 aataagaagg gaaaattgcc tgcacagttg g 391

<210> 586
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 586
 ccaggtccac aatcacataa ggagtttgaa gaattgttaa atgtaagaac tagcccaaaa 60
 gtccaaataa ctgcatcagg ggagttggga aaattgtttt tcaaaaagat tttgtgggtg 120
 agtacttatt ttgaattaga caaaaattaa gaaagacatg gtaatttttg ctagtgaat 180
 tctaaaatgt atacataaaa gtgttgaaat tttaataact tgatttccac atctgaatta 240
 ttctatgct gtttaaaaca ggtcatttcg gtgactttct caagggctgt gaaggctttg 300
 tacatagata actagaccaa aaccaacaag ctgtagtatg aaatgtactg tcaactctcat 360
 tatccagata tttatttaca actatttaat ga 392

<210> 587
 <211> 386
 <212> DNA
 <213> Homo sapiens

<400> 587
 ctttgctgtg tgagtgcagc tatcatctat ctgtagcaac aggaaagtaa tgagggcgac 60
 agtggggcac ttgctttgat tccctctttc ccattgccctg tcttaataata cttctctgca 120
 gctgctttcc tgcagcttaa cttgctctca gattgagcac tttcaagctt tttgtgtatt 180
 tctgtctttg gcaggatttg gcataggaat tgggtgcatgg aggagaggag tgtatgataa 240
 aggatccatg cagtccttcc tttattacac atatagtctg gcttgctgtg gaccaaatta 300
 atattctcct cccatcagac tacaaaaaaa ttggactacc acgctacaag tgtgtctccc 360
 ccattccacc tctgatccc tcccc 386

<210> 588
 <211> 376
 <212> DNA
 <213> Homo sapiens

<400> 588
 ggtttacttt acacattttt gattcagtc ttaacccctt gctatttttt ccttctcagc 60
 ttctctgagc tgccttcctt ttccatctca acaaattcct tgtccacacc aagggttaatt 120
 ttgccccatc tgggttagt taactcaca atgactcttt acagcttctt cccctggag 180
 ctgtggtgt tttttatttt cagccttta aaaaatgtta cagagtggag tgcctgccc 240
 actccccacc ccacaacctg ctgtggcacc tctggatggg cagagggtct tgtgtggtct 300
 gtctcacctc ctgtggactc gtgactcagg ctgtccctc aactgatcaa ccaagacaat 360
 ctttttttcc tgtcaa 376

<210> 589
 <211> 376
 <212> DNA
 <213> Homo sapiens

<400> 589
 ggctgctcca gcagcttga ttcagagtga gaaggcataa aggagaatcc ccagctgact 60
 tgtgcagtgg ttaattgaaa ttattcaggc aagagatgat ggtgtcttgg accaggggat 120
 gaggaaggct acaaaatgtg tctacctgta ttctgtgagg agaactgtt ccctggtttt 180
 agatactgtg aagatggatc aggagagagt ttatctagac tgttggggaa ggggtgtgag 240
 attccttcag ctacacagga ttgaaaggag acatttctga aggggaaaaa ggaaatgaaa 300
 gaaaagatgt ttcagattga ggatatgctg tgtggtgaac ttgttcttca ctctgtaggg 360
 ttcacaaatg actctt 376

<210> 590
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 590
 tccgttgac cttctctgac ttcagggtga gtcgtgaggt aggagaggcc cgggttttagc 60
 gatgagacca gtatgaaacg gagggccacg ggagggcccg aggggagcag gcgacgctca 120
 gctatgggtt accttctctt tgggaccgat ggggtgctggg gaggatcccc catttgcatt 180
 ttagccgcac cccctgagcc gtctccgttc gacctggga tcctccagat cccagattct 240
 taggaaggac cttggagatc agctggacca gcccctgact tgcttgggtt cggaagcgga 300
 aaccagcgg tgccttagc tgtcaaggat gctgtgggaa gagtggagcc tcgaaccgga 360
 gacgctagac ccaatttggg gcccatggga gg 392

<210> 591
 <211> 387
 <212> DNA
 <213> Homo sapiens

<400> 591
 acagcactgc aggagtcggc agccagtgtg gagcagtga agaggcagtt ctccatctgc 60
 cgtgatgaga atgaccggct ccgcaacaag attgatgagc tggagaaca atgcagtga 120
 atcaacagag agaaggagaa gaacacgcag ctgaagagga ggatcgagga gctggaggca 180
 gagctccgag aaaaggagac agagctgaaa gatctccgaa acaaaagtga atcatactc 240
 agtcatgtc agagtgcgaa tatgtctctg agaagctaga ggcggcagag agagacaatc 300
 aaaacctgga agacaaagtg cgttccttaa agacagacat tgaggagagc aaataccgac 360
 agcgcacctg aagggtggagt tgaagac 387

<210> 592
 <211> 380
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(380)
 <223> n = A,T,C or G

<400> 592
 aatcccttct gcagcacctg gatcgctttt ccgagcttct ggcggtctca agcactacct 60
 acgtcagcac ctgggacccc gccaccgtgc gccgggcctt gcagtgggag cgctacctgc 120
 gccacatcca tcggcccatt tgcgtcattg cccatttgcg tcattgnccc aaacctttnt 180
 ttgcccanaa tcngtgcttt atgcnaanaa tntgtnantg gnttnnatna ttanaaagac 240
 canttngcnn gnnntanttn tttngtaagt nncgntcctt ctttccantt taaatgcct 300
 tnttanatct gngtannta anttnncant nntantatnt tgnnaaaaa ggagttnnac 360
 ngaannnaan tcccataat 380

<210> 593
 <211> 458
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(458)
 <223> n = A,T,C or G

<400> 593
 tgccccctnt tgaaagcnct tgggtctttt gcaggaaccc atcgattcgt ccggaagtcc 60
 aacaggggag ggagagtgga ggaaggaggc gtctcaacat ctggaacat atttccatca 120
 gatgtgtttc tcaagcactc tgccactcct ttctacctct cctgcgtttg atctgaggac 180
 ggcccggtcc acaggaacac aaaggcacag aagatgaagt aacttgccca cggccacacg 240
 gttgacacca tgaaggctga acaaaggata tctgggggca aaatctgacc catgggctgc 300
 ccattgccac ctctgggcag cctccttga tgggtgtggag tccgcggtcc gcattgggta 360
 acctaactgt gcttcctcag atcagtctgg aattaattat tgaattgtat gcattttcaa 420
 tgccatcctc aagctaacag ccaactatgc gggggaat 458

<210> 594
 <211> 462
 <212> DNA
 <213> Homo sapiens

<400> 594
 tttatacaag ctcttgttct ttttgcagga tcccatcgat tcgaaaacct aaaagaaagc 60
 gaatgaattt gacacctgtt ggttgatga cagaccacac agagggagag tgaccaggct 120
 ttgcttgttg agcgggcac cctgcctagc tatctccttc atgtgcaagg acagtataag 180
 tagtatTTTT catgtgagta aacacacctg cgcagccctg gctgaggtca ctaggctggc 240
 cagaggcagg acaggcagtc ttgaatttcc tctaggggag gcctgcagtt tccccacca 300
 accccttttc acatgctcca aagatgtagt agtgtctgct gttttggatc gaaaatcacc 360
 ttgagtggag gaagtgactt cactgggtct ctggaggctc tcggagcttg agtggctctg 420
 cccaccctga atcatgcacc cataaatgca ggtatgggtg ga 462

<210> 595
 <211> 437

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(437)
 <223> n = A,T,C or G

<400> 595
 tagaccctcc ctngnncntt ttgcaggatc ccatcgattc gcttctttcc aaaacccttc 60
 tttgttctag atagctgtgc tgtagtgac tgccttagcc ctgcttttgt gctgacagag 120
 gctgccccag caggcctctt ccctcctttc agagggaact ttctgttggg tgcagctgac 180
 tctggctaga ggctttttct ctctgcttg cctgagtcct ctcaagactc tgtcactctg 240
 ctgtgcactg ctccgttccc gtccacatg cctccctgca aagaacccca gtaaggagaa 300
 attacaaca atggggcagg cgctgatcag gaccagcaag attcagagtc agagcactga 360
 ggcagggtt gaaatgtctg acatcatcac acagtccac ttccccgtgg ctctccaga 420
 tcttttagatg tttaggt 437

<210> 596
 <211> 425
 <212> DNA
 <213> Homo sapiens

<400> 596
 cccagaact ggagcacaat aagttaaatc atttacctgt ctcaattctt cttggcgtgc 60
 ttaaaagcaa aaatgattcg ctacttcctg tccttcagtc cgggcatttg ggggtgccact 120
 gaagactggg gttatctgct gaggtttggg tgtcttgacg gaagtatctc attgcagttg 180
 attttgatga aaccaaacag taactagggt ccatgcagac cgtgactccc tgattacatc 240
 tagccatgcc ctacttattt cagagagaaa gagaggggga ataaaggcag tattgccaca 300
 ctgattagaa gcacattcat tccactttga tgttgaatat ttttgaccga tacatgcttg 360
 agtatctttt taatagagca catgaaggaa gaagcacaca atatagagaa ggaattgaga 420
 atgcc 425

<210> 597
 <211> 387
 <212> DNA
 <213> Homo sapiens

<400> 597
 cattcttaag gaatacactt atcttttttc tttaaaaaaa gtttttcttc tgctatttaa 60
 aaaaaatgtt ctgagtataa ccaaaaatag gtatttgttt cettggtttt cttttcttct 120
 tctttaacta agtagttcaa agaacaacac aacagaaaag agtaacaaaa agtcacaaga 180
 acataacct taacacacct tgtataaaaa tagcttccgg ccatggctgc tgacagtggg 240
 tgctccccctg tgcaggggtg gatcaggctg gctgggtgcc tgaggctggg gcgcctctgc 300
 aggggacacc cacacccctt caccctccca cacacccatc ccacacatgg tacattccaa 360
 gggcccgggc ctgcaggaca ggaagca 387

<210> 598
 <211> 401
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 598

aatatgtcct	ccatacat	ttt	tatcgaacat	tattaattaa	taaacaacag	ataaataaca	60
acagtgcctt	gtttgattaa	attatatata	tgattatatt	tcttcagtga	aattgttggt		120
tatgcatttc	ttacaaataa	ttcacaaata	ttaatgaatg	tctgtgttgc	agcaggcatt		180
ttgctcacca	cgggtggacct	gggggtatgt	gaaataggca	ccatctctgc	tctcacaat		240
ttaatacgtg	caggctgctg	gattggacta	aagtcctgag	gagaactata	acaatctctt		300
agagggaaca	gtgattaaac	agggatcaat	tgtgccaccc	atatagcctt	cctacttact		360
gatcaagaat	gataagcaga	ccttagcaag	ngccaatcaa	c			401

<210> 599

<211> 375

<212> DNA

<213> Homo sapiens

<400> 599

ggcaggggga	ggtgagggag	gttttttgct	ttctttgctt	tttatcttta	ttttttaata	60
tggctgggaa	tgcagaaatt	ttaaaaatgg	atacatttga	gtgtgttaaa	agtaaaaaact	120
tctcttggac	aaaacataaa	ctgctaaccg	caacggggga	gaagatattt	gccgcacatg	180
taaataacag	agactgttct	acagcaccag	gaggaattct	gactgccaat	gggtgaagac	240
gaggcaccca	gggaaataaa	ggggcagggg	tggggcagcc	ctccacgcag	aggagacgcc	300
tgagaatgcg	cacattcact	ggttgtctat	ctctagacaa	cagcagatgc	ctcttcacac	360
caatcgatgg	caccc					375

<210> 600

<211> 398

<212> DNA

<213> Homo sapiens

<400> 600

gccgcgcgcg	cgctcgctcc	ccgcgctggc	ttcaggagcg	acccggccga	aatgaagttg	60
aaaatagcac	aggagcccac	tatcactgtg	tgaacatttt	gtgaatgaag	acatgtatga	120
aaggatgttt	ggaggcttca	agaaacgaaa	gccgagagtc	tagctagacc	agagccatcc	180
agcccaggag	cgatggccac	gtgtggccgc	tggacaagag	agacgtggcc	agtccaaact	240
gtgcagtgcg	gggcagtggg	agccgttggg	gggcctcagg	caggaacaca	aggtgtcgtg	300
gcagaaaagg	agaagggggc	gggcacggtg	gcccacaccc	atcatcccag	cactttggga	360
gggaggccaa	ggcaggagga	tcgcttcaat	ccaggagt			398

<210> 601

<211> 389

<212> DNA

<213> Homo sapiens

<400> 601

aaaatggggg	gccagtgtcc	tcagactaga	atgttctagt	atcttggggg	aggaatgaga	60
gaatataagc	ctgaatgcca	gcattatggg	agccaaggag	agttgggatg	ccccattcaa	120
tatatagact	ttcattcaag	acccatcttc	agccaggcac	gatggctcac	acctgtaatc	180
ccaacacttt	gggaagttgg	aagattactt	gagcccagga	gttcgagact	acctgggcaa	240
tgtggtgaga	cctcatctct	acaaaaaaaa	atttaaaaga	attagtcggg	catagtagta	300
catgcctctt	gtcccagcta	ctgagcaggc	tgaggtggga	ggatcacttg	agcccaggaa	360
atcaaggctg	cagtgaagcta	tgatggcat				389

<210> 602

<211> 243

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(243)

<223> n = A,T,C or G

<400> 602

gagagagaga	gagagagaga	gagagagaga	gagagagaga	gagagagaga	gagagagaga	60
gagagagaga	gagagagaga	gagagagaga	gagagagaga	gagagagaga	gagagagaga	120
gagagagagn	ggcncncccc	nngcgnnnnn	ttntctctct	ctcacccccc	ccncnctctn	180
tnntttttnt	cnntctctcn	ctctntgtgc	gcncnnttng	gngnnccccct	tttttttttt	240
ttt						243

<210> 603

<211> 429

<212> DNA

<213> Homo sapiens

<400> 603

cttaaaagaa	aatgctattc	tgggagctcc	aacctgcaat	taacctacag	aaggaacctt	60
ttgagaggct	ggtgcagcgc	ttcggggagg	cagattaaga	actgacctag	aaacagaagt	120
gaagtttgaa	gtctgctctc	tgcaaagagg	gtgggagtgg	gtggagaaga	ggcttgtttt	180
aaaagccaaa	aacagaaaagt	aaaaagaaat	gggaaagtaa	aaccaaagca	gcaagtgact	240
ctcttctgat	gtgcactttt	catttttctc	ccccacattt	cagtgttaga	aagaaaacga	300
gaggagctag	ggaaagaagg	agttggggac	agaagactaa	gatttcaacg	tgaaattcca	360
tttacaaagg	ctttactgca	aacaatagct	aatttagtcc	tgtaaacatg	catttatcat	420
acatttttaa						429

<210> 604

<211> 469

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(469)

<223> n = A,T,C or G

<400> 604

cccccttttg	aancccnccg	naaacttctt	anacaagccc	ttggtctttt	tgcaggatcc	60
catcgattcg	ggcaagccca	ccaagggggc	tatggctgca	ggggccatgg	gtacggggct	120
tgctcaggag	agggaggtgg	gtgctggagt	cttctgagcc	tcactttgcc	ctttggcagg	180
ctcctgggaa	gcagccacag	aatgaagcc	tgttccccag	gagccccagg	gatggggaca	240
gaccccgctc	tccctttgag	gagctcccag	gtagaggagg	aaggcagctc	tgtggacaga	300
caaggattcg	gtcgggggca	ccagggctgt	gatcaggagg	tgccggagaa	tcggggattg	360
gaagcagaga	gattcttggc	agttgaagca	aaagtcggat	ctttgggttc	agatgttaaa	420
agcaacatgc	attgcttggt	tctgggtctn	aaatactaca	ttcgcattt		469

<210> 605

<211> 377

<212> DNA

<213> Homo sapiens

<400> 605

cctagctacc	gctcactgga	tatcactcca	ggcaagaata	gcaggaaaaa	agggagtgtg	60
gagaggcgct	cggagaaaga	cagctctcat	agtggaaagga	gtgtgggtcat	ttagtcacca	120
agcacagcac	aacttctgtg	gctacttctc	ggctcctgtg	tgatcatcagc	atcacctagg	180

tttccagctg	acttggggaac	tgcaagtctg	agtctaacag	ttttggctta	gattctgaga	240
atcaaataga	agaattttta	atacaagagt	ttgagattgg	gtatagtggc	tcacacctgt	300
aatcacagca	ctttggggagg	ctaagaatca	cttgagacta	ggagttcaag	atcagcctgg	360
gaaacatagt	gagacccc					377

<210> 606

<211> 382

<212> DNA

<213> Homo sapiens

<400> 606

ggagtgaagt	cctgagcgag	tggaacccggc	agcggggcgat	agggggggcca	ggtgcctcca	60
cagtcagcca	tggcagcgct	gcgctacgcg	gggctggacg	acacggacag	tgaggacgag	120
ctgcctccgg	gctggggagga	gagaaccacc	aaggacggct	gggtttacta	cgccaatcac	180
accgaggaga	agactcagtg	ggaacatcca	aaaactggaa	aaagaaaacg	agtggcagga	240
gatttgccat	acggatggga	acaagaaact	gatgagaacg	gacaagtgtt	ttttgttgac	300
catataaata	aaagaaccac	ctacttggac	ccaagactgg	cgtttactgt	ggatgataat	360
ccgaccaagc	caaccacccg	gc				382

<210> 607

<211> 187

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(187)

<223> n = A,T,C or G

<400> 607

ggcccnnnnn	gnnnnnaacn	gccnactnnc	taagagaccn	cttcgaaaaan	ccagganccc	60
atcgattcgc	agtattagag	ccaccgcgcc	cagttgtgca	tttctggttt	ctaagaatca	120
aaccacttgg	ctgttttttag	gagttacttc	ccatgtttata	aagctgagga	agcttttttt	180
tttttttt						187

<210> 608

<211> 468

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(468)

<223> n = A,T,C or G

<400> 608

ggcgnnnnntc	tgacncngta	aaccngntct	tgntctttttt	gcaggatccc	atcgattcgc	60
atgagatgtt	ttgatatagg	catgcaatgc	gtagtgatga	tatcatggaa	aacgggggtat	120
ccatctttctc	aactagttat	cctttgtggt	gtaaacaatc	cagttaccaa	cccaacctgg	180
aaattgagta	ccagtaatat	aggcagttat	ccacgtggct	ctttgaaacg	tggtcgctaa	240
gctgtgcatg	tttgcaaacg	tggaagctgt	tgtgtagatg	atgttcactc	ccgtgaatat	300
gcagctgtga	tgtggccaac	agaagggaag	gaacacgcct	gtgtgctcta	cgtcttctgc	360
aagccggcac	agctccatgc	gggaccagtg	ctgatgccag	agtgaggtgt	gggggctgtg	420
gcctgtgtct	gccgcacgtg	gtggcattct	agcaaagcca	cgtgggtg		468

<210> 609

<211> 459
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(459)
 <223> n = A,T,C or G

<400> 609
 tctgnaancc ttacngaaac tcttcnnaca agcccttggt ctttttgcag gatcccatcg 60
 attcgcttct tcagggaagg agctgctgtg ttttggaatg tgaaagacaa aactatgaag 120
 catgtgatga aagttctaga aaaacatgaa attcagccct atgaaatcgc actggtacac 180
 tgggaaaatg aagaacttaa ctacataaaa atagagggac agtcaaaact tcacaggggg 240
 gaaatcaagt taaattcaga gctggattta gatgatgcca ttctagagaa gtttgctttc 300
 tccaatgctc tatgcctttc tgtaaaactg gcaatttggg aagcatcact ggataaattt 360
 attgaatcta ttcagtcaat tcctgaggct ttaaaagctg ggaagaaagt gaaactatct 420
 catgaagaag ttatgcagaa aatcggtgaa ctctttgct 459

<210> 610
 <211> 181
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(181)
 <223> n = A,T,C or G

<400> 610
 gaaacccttg nacgnaaact cttanacaag cccttggtct ttttgcagga tcccatcgat 60
 tcgcagtatt agagccaccg cgcccagttg tgcattttct gtttctaaga atcaaaccac 120
 ttggctggtt ttaggagtta cttcccatgt tataaagctg aggaagcttt tttttttttt 180
 t 181

<210> 611
 <211> 479
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(479)
 <223> n = A,T,C or G

<400> 611
 ttgaaacctc cttgntcttt ttgcaggatc ccctcgatcc gcttctcctt tgtctctggt 60
 ttggcaatcg gagctttcag ggcacagtgt ttgtctccag atgttgatgg aagtgggcac 120
 tccttggtgg cctccaacag gaaaagcgtg ttctttcatt gtttctata cacacagaca 180
 accgtttttc caggaaggca gcccattctt tagtcattga ctgcgggcct atcatcagtc 240
 atgacgaaga ccgagtgagg tgtgtgcagg ccagaaacta gcacatcaca gcccagagt 300
 gggctccaaa ccggtagacc agagagcctg caggataatt tcccccttaa gatgggtaga 360
 tttactgttc cacagccaac aggtggatac gcgtaactag aacaatctgt catgggacta 420
 agtgggaagaa tccatcagca ctacacagca tcttttcttc aaatacaact gtaaactctc 479

<210> 612

<211> 377
 <212> DNA
 <213> Homo sapiens

<400> 612
 gattgaatcc tggaaacctca ccatcttccc tattacgtat acttctctat tatgtataca 60
 tcaccatctt ccctattatg tatacatcac catcttccct attatgtata cttctgttat 120
 gtatacttca ccaccttccc tattatgtat acttccctat tatgtatact tcaccatctt 180
 ccctattatg tatacttccc tattatgtat acttcacat cttccctatt atgtatactt 240
 ctctattatg tatacttctc tattatgtat acttcacat cttccctatt atgtatacat 300
 cagttttcaa atattaaacc caccttacat ttctaggata aaccctacat tattattatt 360
 attattattt tcccaat 377

<210> 613
 <211> 391
 <212> DNA
 <213> Homo sapiens

<400> 613
 ttcgtgctcc tccggacctg cctcatcccc ctcttcgtgc tctgtaacta ccagccccgc 60
 gtccacctga agactgtggt cttccagtcc gatgtgtacc ccgcaactct cagctccctg 120
 ctggggctca gcaacggcta cctcagcacc ctggccctcc tctacgggcc taagattgtg 180
 cccagggagc tggctgaggc caccggagtg gtgatgtcct tttatgtgtg cttgggctta 240
 aactgggct cagcctgctc taccctcctg gtgcacctca tctagaaggg aggacacaag 300
 gacattggtg cttcagagcc tttgaagatg agaagagagt gcaggagggc tgggggcat 360
 ggaggaaaagg cctaaagttt cacttgggtga c 391

<210> 614
 <211> 388
 <212> DNA
 <213> Homo sapiens

<400> 614
 agaggttcat taagcatcta atttttcata ttaaatecct ttctgctaaa accagcaaga 60
 gtgttctgtt atctgtaact aatcttgatg cacacatcat ggggacactg gggtcacagg 120
 tttgataagt ggtagaagaa gggggaaaaga agtttgtgca catttcagag acaagaggaa 180
 aaggaaaagc agagatttcc tgtgagtgc aaggcctgtc taggcaaaga tgccccctgcc 240
 caccttgggc catttacaag gaaaacactt acaaaccag cagtagaaaa ccatatcaat 300
 acattcccaa acaattacta cagtcagcag agatgacatc attctccttc ccatacagaac 360
 aataagcctg gctctaactc tataaaca 388

<210> 615
 <211> 453
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (453)
 <223> n = A,T,C or G

<400> 615
 tttgaactct naatacaagc ttntgggtcc ntttgcagga tcccatcgat tcgtgcactt 60
 cgagcgctcg gcccggttcg aggtggctga cgaggacaag cagtccccgc tgcgtacca 120
 gaacctggag aacgatgagg atggagccca ggcctctccg gagccggatg ggggagtcgg 180
 caccagggat tccagccgaa cttccatccg cagctcccag tggctcctca gcaccatcag 240

```

cagcagcacc cagcgctcct acaacacctg ctgcagctgg acccaacacc ctttgatcca      300
gaagaaccgc cgagtgggtgc tggcctcctt cctgctcctg ctgctggggc tgggtgctgat      360
cctggtcggc gtgggactgg aggcgacccc ctctccaggt gtctccagcg ccatcttctt      420
cgtgccgggc ttctgttgtt tggcgctgg agt                                     453

```

```

<210> 616
<211> 378
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(378)
<223> n = A,T,C or G

```

```

<400> 616
agtgtccctg ccaaattcat gtccactgga acctcagcgt gtgacttagc tgaaaacagg      60
gccctgccat ctcatctgtt cctcctcggc cacactggct ggaggcaaag cctctctccc      120
tgtttccgga aatctccaac cctgtgcacc ttttatcagt cttcacttgg gtggattttt      180
ctgttctcta gagtcaact ccaaccgccc atttgccaaa aggcaattga gagctgttct      240
ggcagccgag gctcctccct ctctgctgg aggtccaggg tctgtgggtg tacagagggg      300
cagcctggcg agggcaggga ctctggatct tttgtcctct gngtgcccca ggacctaaac      360
ccggcctgac agtaggtg                                     378

```

```

<210> 617
<211> 414
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(414)
<223> n = A,T,C or G

```

```

<400> 617
ggaaggctca cagggtcgaa tcttgaagaa tgggggttct cagggttaca gagaagggga      60
ggacattctg gacagaaatg gaatgtgtga agatattgtg tacttggaga ttgcagatgt      120
cgtgtggggc taaacattct tggtcagctg caagaacatc tgaaacctgg gaaggctgtg      180
ggaaacataa agaactagat gtataatatt ttcagttttt ttttaaatta gtaactatta      240
atagagtagc acaaattaat tgggtgcttg ttctggacca gatactgtgc tactactgtg      300
ctaggtcctt tgttttttta gacatggggt ctactgctg ttgccgaggc tgaaatgcan      360
ngcacannca cagctcacca cagcctcgaa cttctgcctc aacaatcctc ttgc         414

```

```

<210> 618
<211> 458
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(458)
<223> n = A,T,C or G

```

```

<400> 618
ttctgactca tctnagcta cttgttcttt ttgcaggatc ccatcgattc gagcaagaag      60
cagagtgaga gaggtgggga gaattcaaga tgatgttaga gagatgacag agtctaggtt      120

```

```

agggagggcc tgagtccttg tagactctga gtacgggtgct gagcagggaa gagacaggct      180
ctggccttagg gtttagaagg aacacaggct actgcgatga ggattgtctg aaggggaaca      240
aaggccaagg tggggagacc acttagaact ctactgctct actttagggtg aaatgttaga      300
actgggtgag ccgaaaacat gctcagcatc tgtgaggagg gggcacagag ggagcaagga      360
tggatccagg gtttttagtc tgatcaactg aaagtctgga acagccatta cttaaaataa      420
ggaagtctaa gggaagaaga gatttagggg agaatatc      458

```

```

<210> 619
<211> 387
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (387)
<223> n = A,T,C or G

```

```

<400> 619
gtctttcact cttctggcat cggtggtttt acttcttcga ttgaaccctg cttcctcgac      60
ccccctggga ggccgccttc ttcaggcgcc tcccttctct ccacgagctc gctctgacag      120
ctgaggaact ggcaagatcc tgctaccagc aggggtgaatg ggtatctttc ccggaataat      180
cctaattttt ctaagggtga agtttgcaac ggcggccgtg attgtaagcg gacaccagaa      240
aagtaccact gtaagtcatg agatgtctgg tctgaattgg aaaccctttg tatatggcgg      300
ccttgccctc atcgtggctg agtttgggac tttccctgtg gaccttacca aaacacgact      360
tcangttcaa ggccaagca ttgatgc      387

```

```

<210> 620
<211> 394
<212> DNA
<213> Homo sapiens

```

```

<400> 620
tgggcgttct tataaaacag ttctggaccg ttggagagag tctctccttt cttctgctag      60
tctatcccaa gtttttcttc acctatccac cttggatcgt agcgtgatat ggtctaaatc      120
tatactgaat gcgctgtgca agatatgtcg aaagaaaggc gatgctgaaa acatggttct      180
ttgtgatggc tgtgataggg gtcacatcac ctactgtgtt cgaccaaagc tcaagactgt      240
gcctgaagga gactggtttt gtccagaatg tgcaccaaag caacgttcta gaagactctc      300
ctctagacag agaccatcct tggaaaagtga tgaagatgtg gaagacagta tgggaggtga      360
ggatgatgaa gttgatggcg atgaagaaga aggc      394

```

```

<210> 621
<211> 453
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (453)
<223> n = A,T,C or G

```

```

<400> 621
tatgaggnat gnnaccttca aacaagctac ttgttctttt tgcaggatcc catcgattcg      60
ccagctcata ctttccttcg ctgtccctcc cgcactcctt aggcaagatt tcccagtaaa      120
gattttctgt gcgtatttta aaagtcgtgt taatactcat gataattatt agggacctgg      180
cagcgtgatt ggagtatgga tgtttccgta aaagctggaa ttccgtaaaa gcattgacgc      240
agcccctaca ctccatccca accaagaaac tgcatttcct ggggccagggt gggagctgcc      300

```

```

tttgcacac tgccctccct gttctgctct ctacgtcaac atgtggaaat ccaaggagga 360
caaagactcc agccacgctg ctaaataaggg ctccctctctc ctctctctct ctctaggtgg 420
taaggntggg gattaagtcc aggtacagaa caa 453

```

```

<210> 622
<211> 462
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(462)
<223> n = A,T,C or G

```

```

<400> 622
attgaanccc tattgnaacc ttnaaacaag ctacttgctc tttttgcagg atcccatcga 60
ttcgcaagaa tctgctctta gtagccctgt gcctgacctt cgggggtggag gtgggcttta 120
agttcgccac caagaccgtc atctacctgc tcaacccctg tcacctgggc accatgatgc 180
atatctttct cctggcctgc cctccatgtc ggggagctat cgctgctctc aagctacaga 240
tgcacatgtt gaatggagct cttctggcat tgctgtttcc tgtggtaaac actcggctgc 300
tcccctttga attggagatt tactacattc agcatgttat gctctacgtg gtacccatct 360
acctgctttg gaaaggaggt gcttacactc cagagccctc cagcagtttc cgggtgggctc 420
ttctctcaac tggcctcatg ttcttttatc acttcagcgc tt 462

```

```

<210> 623
<211> 457
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(457)
<223> n = A,T,C or G

```

```

<400> 623
tgaatccata atacaagctt nttgttcttt ttgcaggatc ccatcgattc gcggggacgg 60
agctcggcgt gcttgctgct ggaggggtgat ggccctgcaa ggctgtgggc tccgacctca 120
ccgggagtcg acagcgagag gttcgccgaa gagcgagggt ctgggcgagc gctgaacgcc 180
ggccccaagc accccgggtc ttacacagt ccgcgtccac agactctgac gaagacgtgg 240
atctgctctc gcttttagctg ctgcgggtcc tccagatcat gtccgcgact cctgcgactc 300
cgcgcgga aaagagtttg ccaggcgttg actcaatgac ctttccaagc tgtgcgcctc 360
gctgcctgga ccgggtctga gcgcggctgc ccagggtgac ctttctgcgg gagggctttc 420
tctacgtgct gttgtctcac tgggtttttg tcggacc 457

```

```

<210> 624
<211> 463
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(463)
<223> n = A,T,C or G

```

```

<400> 624
ccccctttgg naacccttaa acaagctact tgggtctttt gcaggatccc atcgattcgt 60

```

```

gcctatctcc caccctcgt ttctcacaa agcaagccat agagactaga attcctcttt 120
ctcaaccctaa aaaatacgtc tgtaactttc ccctgccttt ctgtgtaaga tctggccatc 180
aagacatttt ttgacctacc ttccctcatt ccaggaaggg tctgtcctg taccggggag 240
gaagaaatgc tacacagaga agccaagatg aatctgaaca gacagccttt gtcagttcca 300
cagattccat aaaagttaac tccagagcag agaattgatgc cacagtcggg ataacatcca 360
atatttgcaa tcanaagaaa tatgagagtc ttgtccatca cccaggctgc agtgcagtgg 420
cacgancttg gctcactgca agcttcacct cccgggttca cgc 463

```

<210> 625

<211> 444

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(444)

<223> n = A,T,C or G

<400> 625

```

tttgggnactc tanaatacaa gctacttggt ctttttgcag gatcccatcg attcgccaaa 60
acaaagggga tttggtgatg gaggctttgt tagaaggaat acaaaatcga gggcatggtg 120
ggggattttt gacatcttgt gaagcagaac tacaggagct catgaaacag attgacataa 180
tggtggctca taaaaaatct gaatgggaag gacgtacaca tgctctagaa acttgcttga 240
aaatccgtga acaggaactt aagagtctta ggagtcagtt ggatgtgaca cataaggagg 300
ttggaatggt gcatcagcag gtagaagaac atgaaaaaat caagcaagag atgaccatgg 360
aatataagca ggagttgaag aaactacatg aagaattatg catactgaag agaagctatg 420
aaaagcttca gaaaaagcaa atga 444

```

<210> 626

<211> 456

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(456)

<223> n = A,T,C or G

<400> 626

```

tctgaaancc ttnnngnnac ccttnaatac aagctacttg ttctttttgc aggatcccat 60
cgattcggct atttacttcc cttatctttg ggatctgaca ctaactctgc aacttactgt 120
ttctgtaccc cattttctta cctaaaagga ggttaataat atgactcatc tcacaaactt 180
gttgcggaaga ctgaataaga taaagcgtgc aaagtcttaa gaagaagaca tggcatttag 240
taactaataa aaaatgtcac ctctctcagt atcattatta ccttagaaaa agtccttctc 300
attttcatca gaggccaggc acatagttag ggttcaaaat gcagttgaca aactgactga 360
attagcatag tctttaaaaa ctggaccctg gaaccatata ccctgtttgt ccttccctgc 420
cccatgggta agcaaatatc tccactgcct gggcta 456

```

<210> 627

<211> 458

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(458)

<223> n = A,T,C or G

<400> 627

tctanaatac	aagctacttg	ttctttttgc	aggatcccat	cgattcgctc	aggaggctga	60
ggtaggagaa	ttgcttgaac	ccaggagaca	gaggctgcat	tgagccaaga	tcacaccact	120
gcactccagc	ctgggcagca	gagcaagact	ccatctcaaa	aaaaaaaaaa	nnaaaaannaa	180
aaanagggtt	atncnttcat	ttntggnggg	ggnanaaana	aaccttgtn	nntntnaaag	240
gggnnaaggn	ggnaggggcc	ttnaaacnnt	tnnttncnaa	nctntcnngg	nggttnccag	300
naccnntact	gtncnnaaan	gggttcnntt	ttnanctnnn	tcngtttngt	aancanccan	360
cccantngng	gggatntnaa	agggncttna	gnacntntac	cnntggggng	gccccnttnc	420
ccaaatagtt	aaaaaaaaaa	ttgttntggc	ancctggt			458

<210> 628

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(475)

<223> n = A,T,C or G

<400> 628

ttggnccct	ttttgnactc	tanaatacaa	gctacttggt	ctttttgcag	gatcccatcg	60
attcgctgac	ctctgtgagc	tcagtctgct	ctatgctgag	ctggagggtg	agctgtcgcc	120
agaagtgaga	agggctgcca	cagctcgagc	tggtcacata	ttaaccaagc	tgactgagag	180
cagcccttat	gggccctaca	ctggacaggt	gttggtggtt	cacattttga	aagcgcgaaa	240
ggcttatgag	cacgactgc	aggactgttt	gggtgacagc	tgtgtctcca	atccagctcc	300
caccgattcc	tgtagccgcc	taattagcct	ggctaaatgc	ttcatgctct	tccagtattt	360
gaccataggg	attgatgctg	ctgtgcagat	atacnaaaca	ggtgtttgca	aaactgaaca	420
gttctgtttt	cccagaagct	ctggcgaggg	ggacagtgcc	agctcccaaa	gttgg	475

<210> 629

<211> 451

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(451)

<223> n = A,T,C or G

<400> 629

acccnttttg	ggnactctan	aatacaagct	acttgttctt	tttgcaggat	cccatcgatt	60
cgctgcaaat	ttagagctta	caagatgcta	atggcacctc	agtttccagg	atagtctctg	120
cagactgctt	tcactcagca	ggcttccttt	catgatggct	gccagtaaca	gctacccttc	180
atttacatcc	agcagagatg	aggggtatct	cttcggggag	ttcatgcaaa	aaaaagcaag	240
aaaagctgaa	atcttctcac	ttcaaaggaa	tggcacatga	cagcacttag	ccaataaagc	300
attctcttct	gggactttgc	aatgcaagca	aatgaaacca	ggaacacatg	gcattttattc	360
acccagggga	gttgtccaaa	gcagactatt	gcagctagtc	tgcaatgaga	ccactgctga	420
ggaaactact	ttctagcatt	ctggagtatt	c			451

<210> 630

<211> 461

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(461)

<223> n = A,T,C or G

<400> 630

ccttnnnnnn	nnntttggna	ctctanaata	caagctactt	gttctttttg	caggatccca	60
tcgattcggt	cagcctagca	gccatgatgc	cctcggaacc	tggccctatg	gtatggatgt	120
gaggactacg	cactggctgc	cctgagcccg	gggctggaaa	tcattctttg	ctgccaagga	180
tctggacctt	ttttggagt	gagagtcacg	gttaaaattc	ccagcccggc	ccaggtacgg	240
gaatcccagc	attttgtgag	gccgaggcag	ggggatcacc	tgaggtcagg	agtctctact	300
aaaaatacaa	aaattagaca	gggtgtgtgg	tgggcgcac	tcaggaggct	gaggcaggag	360
aatcacttga	acccgggagg	cagagggtgc	agtgcagccg	atcatgctgc	tgactccag	420
cccggccgct	caccgtgtgt	gttgctgggt	gctggggctg	t		461

<210> 631

<211> 474

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(474)

<223> n = A,T,C or G

<400> 631

tttggncnccn	tttgnnactc	tanaatacaa	gctacttggt	ctttttgcag	gatcccatcg	60
attcgctgga	atggtttctt	cttacaatca	gaatagttag	gatgtaatat	atttttgagt	120
gggcatttta	agtgaaaagg	tacatattta	catagacaca	ggtgataatg	tatctatgta	180
aatgcctttt	gattctgcaa	ctgcaggata	ctctcatcaa	agacacagat	aaaaagcctc	240
tgtgtttcca	aggccttgcc	ctatacctaa	cacataatat	gtccaaatgg	atgaagagga	300
ggcaaggaca	aggatgtgat	gacaaaacat	tctgttatgc	acttgtagca	tttatgtttc	360
ttcctggggg	attttataat	actaaaagaa	tcataatata	aagagatgat	taaaaaaaaa	420
atactgccgg	gcacggnggc	tcattgcctgt	aatcccagca	ttttgggagg	ccga	474

<210> 632

<211> 410

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(410)

<223> n = A,T,C or G

<400> 632

cccacatcca	gttttctcca	taggacaacc	tgtctgctga	aaggggctac	ccactacaag	60
actcctctct	tctgaaagct	ggagactcct	caggatgac	tgcccnttng	aatnatngnc	120
ccacnnatat	aatacnatga	gagccnatgn	cgccgctcan	tcaacanaaa	tgtgcttcna	180
ataaaccnnc	nttatngag	tagntctgct	tgnttctctng	aggnnnnaac	ncganctatn	240
anacctgnnn	anctaangga	ntttaagatg	cctgcctann	cnaagantg	gaggtgnnct	300
ttgttannt	gacgnttctt	ttntnatat	natnngacna	aattatangc	aatgtttnng	360
gannttacna	nanngncacn	acaaatgcct	tactttacaa	nccttttctg		410

<210> 633

<211> 466

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(466)
 <223> n = A,T,C or G

<400> 633
 tttgaacct ntatacaagc tacttgttct ttttgcagga tcccatcgat tcgaattggc 60
 acgagctgct gctcccttct gggttccgag gccatttgc gtcattgcc canngagagg 120
 aagggaggtn angntatcgt ccgnggcccc agnagccent ttncennntt ggncnangnc 180
 cnaantnntt tntatntcat atnanncnac tatataanga ataaacntga tcttntnann 240
 tntnaaatta tnancatagt nanaggtaat tacacatnnt attnnaacaa cnnttggnat 300
 ctataanttg ntcnttnnta tantaatant tttttncatt nannnnntn atatnctaaa 360
 attttnaaat attanntatc tntgatnggt nngnaatgct tacacttttt ganccttatnt 420
 atgggaangn agggggtgnc ntcnnnnntn tnanaannnt ntttcc 466

<210> 634
 <211> 387
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(387)
 <223> n = A,T,C or G

<400> 634
 cttcctctgg aaatattctt ctctttgaca ttttgggtag aaaatgaaaa ttcttgtatt 60
 gtttactgtg ttaaataag agctttaaca aaggctacaa agctgatgtg tcatatttct 120
 tttatatctt cttgaaagat gatgcaatac tttgggcaaa gcaataagaa aactgaagaa 180
 ggatgaaacg gttatcactt atttccttat taccgtcact tttagataaa tccatcatgt 240
 ttccattttc tttggatttt tttctttctt ttacagttaa catgcattgt agaataataa 300
 agcgtttctt ttcaagacct tttataaatc ctgntatctt gctggctggc tcacattgan 360
 nnctgggaag gccagcctgc antggct 387

<210> 635
 <211> 406
 <212> DNA
 <213> Homo sapiens

<400> 635
 ccgcctccgt cgcacagtcg ggaggctttg cagtgaactt cgaccacttc cagatccttc 60
 gggccattgg gaagggcagc tttggcaagg tgtgcattgt gcagaagcgg gacacggaga 120
 agatgtacgc catgaagtac atgaacaagc agcagtgcac cgagcgcgac gagggtccgca 180
 acgtcttccg ggagctggag atcctgcagg agatcgagca cgtcttcttg gtgaacctct 240
 ggtactcctt ccaggacgag gaggacatgt tcatggctgt ggacctgcta ctgggctggg 300
 acctgcgcta ccacctgcag cagaacgtgc agttctccga ggacacagtg aggctgtaca 360
 tctgcgagat ggcactggct ctggactacc tgcgcggcca gcacat 406

<210> 636
 <211> 391
 <212> DNA
 <213> Homo sapiens

<400> 636

```

ccactgccgt ctccgccgcc actgggcccc cagagcccca gccccagagc ctaggaacct      60
ggggcccgcct cctccccccct ccaggccatg aggattctgc agttaatcct gcttgctctg      120
gcaacagggc ttgtaggggg agagaccagg atcatcaagg ggttcgagtg caagcctcac      180
tcccagccct ggcaggcagc cctgttcgag aagacgcggc tactctgtgg ggcgacgctc      240
atcgcccca gatggctcct gacagcagcc cactggctca attcccctac atagttcacc      300
tggggcagca caacctccag aaggaggagg gctgtgagca gacccggaca gccactgagt      360
ccttccccac cccggcttca acaacagcct c

```

391

<210> 637

<211> 399

<212> DNA

<213> Homo sapiens

<400> 637

```

caccaacact gaggtgttga ggaacatggg ctttgcagca aaagcgatga aatctgttca      60
tgaaaacatg gatctgaaca aaatagatga tttgatgcaa gagatcacag agcaacagga      120
tatcgcccaa gaaatctcag aagcattttc tcaacggggt ggctttgttg atgactttga      180
tgaggatgag ttgatggcag aacttgaaga attggaacaa gaggaattaa ataagaagat      240
gacaaatatc cgccttccaa atgtgccttc ctcttctctc ccagcacagc caaatagaaa      300
accaggcatg tcgtccactg cactgcgacg ccgagcagca tcttcccaga gggcagaaga      360
agaggatgat gatatcaaac aattggcagc ttgggctac

```

399

<210> 638

<211> 465

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(465)

<223> n = A,T,C or G

<400> 638

```

atttgaancc ttttгнаacc nnnaaacaag ctacttgctt tttttgcagg atcccatcga      60
ttcgtatctc aattgattgc tcacagtcag ttacagattt aaggccttgt tccactcttt      120
ctcctcttct caccgccgca cttgactaat cttaaaaaaa gagagagaaa gattttgtgc      180
tcttttctgt atgtatgtta tattttactt taaaagaaag tggagggggg tggctgcgat      240
catagccacc aggccacaca tatgcaaatt agagtcttcg agcaacaggt gattccaata      300
tacaccctgg ccaatggctg agctagctag acaaaagcct ttattttctt taaaagatt      360
ttggggccga acaaggtggc tcacgcctgt aatcccaaca ttttgggagg ccaaggcggg      420
tggatcgctt gagcccagga gttcaacatg ggcaacatgg caaaa

```

465

<210> 639

<211> 456

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(456)

<223> n = A,T,C or G

<400> 639

```

tcttgcccct tatcaagcta cnngaacnct tgnacggccc ttggnntttc tgcnggatcc      60
catcgattcg cttaagtgtg aaatgcaaaa ctataacatt cccagaagaa cacaggagaa      120

```

120

```

aatctgtgtg atctggagtt tggcaatgta tttttagata caatacaaaa agcacacctc      180
atgaaaacaa ttgatacatt tgactttatt aaagttaaaa tcttctgcat tgcaaaaaaa      240
ctaagagaat gaaaatccaa gtcataaact gggaaaaaaa tgtttgcaaa atttatatct      300
gataaagaac ttgtatccaa aatatacaaa gaactcttta aatccncnat aagaagacaa      360
cccaatttaa aaataagcaa agatcttaat aaacatctca ccagataaga tatgcagatg      420
gaaaataanc ntgaaatgat gctcaacatc attagc                                456

```

<210> 640

<211> 455

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(455)

<223> n = A,T,C or G

<400> 640

```

ttggttncta tacacaagct cttgttcttt ttgcaggatc ccatcgattc gaaaaagctt      60
ttagtgggaa atcagatctt attagccacc agagaactca cactggggaa aggccctaca      120
aatgtaataa gtgtgagaaa agttaccgac accgttcagc cttcattgta cataaaagag      180
ttcatactgg ggagaagccc tataagtgtg gtgcctgtga aaaatgcttt ggccagaaat      240
cagaccttat cgtgcaccag agagtccaca caggtgagaa gccgtataaa tgcctggaag      300
tatgagaagt ttactcgga gtgccaacct aattaggcac caggcaactc acactcacac      360
ttttaaattgc cttgaatatg aaaaaagctt taactgtagc tcagatctta ttgtcatcag      420
agaattccat ggaagagaaa ccacatcagt ggctg                                455

```

<210> 641

<211> 375

<212> DNA

<213> Homo sapiens

<400> 641

```

gagagttgta atggcccgac tgttgagtga gggggagcag gggatcccaa cggcttgccg      60
tgcctttgcy cagcagccgg cgggcggcca cgtcgcgccc tggctgggga gttgtaagac      120
gttcatcgcc gtgttatcct tgagtaaaga agcgggcttt tgccatgttg tccaggctgg      180
tctctactcc tgggctcaag cagtctcctt gcctcagctc cccaaagtgc tgggaattaca      240
gggaatgaac tctggaagcc cagccaggga caatgcacct tcacagagat tctgcactaa      300
tctgagtga ggtctaaggt ttggaatctc cccctcatgg agagaagctt tgtatggctg      360
tcatgcttaa acagt                                375

```

<210> 642

<211> 386

<212> DNA

<213> Homo sapiens

<400> 642

```

cccactcggg ggctggcctt gcgcgttga gaccgtgctc ctcagtctgc ggttcccgca      60
gatacagccg ctgccccgga ggtggggcca gtgctgcgac ctctctatat ggatgtgcaa      120
gctacaactc ctctggaccc cggggtgctt gatgccatgc tcccttacct aatcaactac      180
tatgggaacc cacactcccg gacacatgct tatggctggg agagtgaggc agccatggaa      240
cgtgctcgtc agcaagtagc atctctgatt ggagctgac ctcgtgagat catttttact      300
agtgggtgcta ctgaatccaa caacatagca attaaggggg tggccgattc tacaggtcac      360
ggaaaaagca cttgatcacc acccag                                386

```

<210> 643

<211> 377

<212> DNA

<213> Homo sapiens

<400> 643

gtcaacagaa	ggagagcgaa	agcaaattga	agcacaacag	aataagcagc	aggccatttc	60
agagaaagat	cgggggaatg	gattttttcaa	agaggggaaa	tatgaaagag	caattgaatg	120
ctatactcga	gggatatgcag	cagatggtgc	taatgccctt	cttccagcta	acagagctat	180
ggcctatctg	aagattcaga	aatatgaaga	agctgaaaaa	gactgcacac	aagccatttt	240
attagatggc	tcatattcta	aagcttttgc	cagaagagga	actgcaagaa	catttttggg	300
aaagctaaat	gaggcaaaac	aagattttga	aactgtttta	cttctggaac	ctggaaataa	360
gcaagcagta	actgaac					377

<210> 644

<211> 493

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(493)

<223> n = A,T,C or G

<400> 644

tgaaccctac	ggtatctttc	tgtnaaagcc	cctcgggatt	tttgcaggat	cccatcgatt	60
cgccgccgcc	ggtgacctcg	gcccagatca	tttggcattt	agctgtgatg	ttgctaaaga	120
acatgatggt	caaaatacat	ttgaagagct	ggagaaacat	ttaggtcgag	taaattttctt	180
ggtaaatgca	gctggtatta	acagggatgg	tcttttagta	agaacaaaaa	ctgaagatat	240
ggtatctcag	cttcatacta	acctcttggg	ttccatgctg	acctgtaaag	ctgccatgag	300
gactatgatt	caacaacagg	gaggggtctat	tgtaaatgta	ggaagcattg	ttggcttaaa	360
aggcaactct	ggccagtcgg	tttacagtgc	cagtaaagga	ggattagttg	gattttcacg	420
tgctcttgct	aaagaggtag	caagaaagaa	aattanagtg	aatgtagttg	caccagtgcg	480
atacttgtat	gga					493

<210> 645

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 645

gccgccgctg	gtgcttattc	tttttttagtg	cagcgggaga	gagcgggagt	gtgcgccgcg	60
cgagagtggg	aggcgaagg	ggaagtgttg	gaggttttta	aattcccctg	cattttatata	120
gtccctaccc	ctatatgttn	cagatcnctc	aggacctgtc	aaacttaacn	ntnccacttt	180
tcgatttgac	ctntactacn	cnactggaga	cctgnatgcc	anccgcncctg	tcccatttga	240
actnnngccc	aancattttt	gagtttttta	cncccctctn	nctttctctnc	cccttncanc	300
ntnctntntt	tctgtccnc	cgnactttcc	cacctactta	tntngattnc	attctgaaaa	360
nttttttcat	gacnaaantc	tttc				384

<210> 646

<211> 457

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (457)

<223> n = A,T,C or G

<400> 646

tctagaatac	aagctcttgt	tcttcttgca	ggatcccatc	gattcgggtcc	acccaatgat	60
ttggaatgtg	ccttgagccc	atatgccttg	taatacaaac	tcgtctccct	cccatttga	120
atagccacca	atcaagattt	aatccggctg	gttgcataca	cacaggatgg	agtgatgcat	180
cccaggacaa	ctttcctcat	ggtagatgag	gaacagactg	ttccttttgc	cttgagggat	240
gaaaacctga	aaggagtggg	gtatacaaca	cgaccactac	gagaagcaga	gacctaccgc	300
atgaggggtcc	gagcctcatc	ctacagtgcc	aatgggacca	ttgaatatca	gaccacattc	360
atagtttata	tagctgtgtc	cgccatatcc	tactaaggaa	ctctccaaag	cctattccac	420
atatttaaac	cgcattaatc	atggcaatca	ngcccct			457

<210> 647

<211> 386

<212> DNA

<213> Homo sapiens

<400> 647

gcggcttagt	cggtggcggc	cgggggcggc	tgcgggctga	gcggcgagtt	tccgatttaa	60
agctgagctg	cgaggaaaat	ggcggcggga	ggtagccac	ccagtagagc	tactgagttc	120
catcctggta	ctggggaatg	tctatagaga	ctcctgtgat	gtgatccatc	ttcagatctt	180
gcagccatga	ctactagcac	ctgctccagg	tcccacgtgt	ttcaatggac	atttgtctcc	240
atcatagcca	catcacacca	cagatttgat	ttttcagttc	atttggtcaa	atgccactca	300
aaacaagaaa	tgctaaagga	gaagaagagt	ccagttcaag	atctgcattt	catttctgat	360
gttggcccaa	caactttttc	tttcag				386

<210> 648

<211> 401

<212> DNA

<213> Homo sapiens

<400> 648

gtccgagtgc	tgctcatgct	gcggaagatg	ggatcaaacc	tgacagccag	cgaggaggag	60
ttcctgcgca	cctatgcagg	ggtggtcaac	agccagctca	gccagctgcc	tccgcactcc	120
atcgaccagg	gtgcagagga	cgtggtgatg	gcgtttttcca	ggtcggagac	ggaagaccgg	180
aggcagtagc	tgcaaagccc	ttggaacacc	ctggatgctg	ttgagggcca	agagatctgt	240
gtggctcctg	ggccggctga	gtggcagcag	cccccttgc	cccacctccc	ccttcccccta	300
cccaaccctg	ccctgcccc	ccccacctca	cagctactca	gtggggctgg	catcaaggga	360
gacaccagtg	gtgcgtttat	aattggctta	aagggatgga	c		401

<210> 649

<211> 377

<212> DNA

<213> Homo sapiens

<400> 649

aaacaattga	aattggactg	gaaatggagt	gggcgaagta	aatacacacg	ttaccagagt	60
gttgagtttg	ggcactctta	acagtcatta	ttactcagt	tttattgata	aatcagacaa	120
aattgccatc	ttagttttga	gtgtctaaat	taggtgataa	tggttattat	aatttggtta	180
ttttgcatga	ctcaagctag	taagtaaata	cactctgtaa	tctcaaccaa	ttttttaatt	240
tgttaaatac	tatcattgtc	aacatctttt	ttcatttgct	tcagacttaa	tgaacaagcc	300

agtgaggaga ttttgaaagt agaacagaaa tataacaaac tccgccaacc attttttcag 360
aagaggtcag aattgat 377

<210> 650
<211> 368
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(368)
<223> n = A,T,C or G

<400> 650
tgggtcactg cccctcctgc cagcggtctct tcatggctct gctcctcaag ggcgtacctt 60
tcacctcac caggtggac acgcgcaggt ccccgacgt gctgaaggac ttcgcccccg 120
gttcgcagct gccatttgc gtcnttngna caaannatcc nttnnccaga tnnncaanta 180
nctgacattc atacggagtc aanacacgtt tctgangact ggntnntana nnttnctgtt 240
tntttaacag ccattnggcc ctgantgntt nngagagcgt gaaaatttct ntganctgnt 300
cagcatgacc ggancaaant agagnatcaa gancatncga tccaaattat ncggctcctc 360
atgcggtg 368

<210> 651
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(389)
<223> n = A,T,C or G

<400> 651
gtagcggccg gagccgtgag agttctctac cctgcttcgc gagcgggcca gagaacgcga 60
gtcccaggat ccccgccacc cagttctctt ccactgcatt ccccgggcgc gtgtgggacc 120
gaggtggaca tggatccgca gaggtccccc ctattggaag taaaggggaa catagaactg 180
aagagacctc tgattaaggc cccttcccag ctgcctctct caggaagcag atcaagagga 240
ggcctgacca gatggaagat ggcttgagc ctgagaagaa acggacaaga ggctgggtg 300
caacgaccaa aattaccaca tcccaccaa gagttccatc cctcactaca gtgccacaga 360
cacaaggcca gaccacagct naaaaagtt 389

<210> 652
<211> 386
<212> DNA
<213> Homo sapiens

<400> 652
actgcctctc tagattccac ctctgtgggc agggcatatc ggaacaaaag gcagcagccc 60
tagtcaggga cttatagtta aaaccctcat cccctggga cagagcacct ggggaaaggg 120
gcagctgtgg gcacagcttc tccagacttc aatgtccctg cctgacagct ctgaagagag 180
cagtggttct cccagcatgg cattcaagct ctgggacaga ctgcctcctc aagtgggtcc 240
ctgaccgctg ttagcctga ctgggagaca tctcccagta ggggccaaca gacacctcat 300
acaggagagt tctggctggc atctgggtgg cgccctctg ggacgaagct tccagaggaa 360
gtatcaggca gcaatatttg ctgttt 386

<210> 653

<211> 332
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(332)
 <223> n = A,T,C or G

<400> 653
 cccctgaac ctccctccct ctgcctagac actgggggtac ccctccagat gtggggacat 60
 tccaccccag tggggacagc cattccccta cctgctccag gagcctggat tggctttaaa 120
 tggctcatca tcttcagct tcttaaactt agcgctgtt ccagactgg agaccttggg 180
 atgggggagg tgtgggagg tttctcnnn nctgactcan ccactncctn ggctgtggna 240
 nnnnaggnn gnnggctctg gatcangcnc cngancctgt gcaggtncc catttgnna 300
 nttncnnnn nnannnnann annacatga tg 332

<210> 654
 <211> 382
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(382)
 <223> n = A,T,C or G

<400> 654
 aggctctagc ccaactccca ggtggtccat tttggtccat attatttttt ttcattgttt 60
 taacttttgg tctcgattct cagtttgctt cgattgaaac gatcacaaca acaattcaag 120
 atttatttcc caaagtgatg aagaaaatga ggggtcccat aactttgggc tgctgcttgg 180
 ttttgtttct ccttgggtct gtctgtgtga ctcaggctgg aatttactgg gtcatctga 240
 ttgaccactt ctgtgctgga tggggcattt taattgcagc tatactggag ctagtgtgaa 300
 tcatctggat ttatggaggg aacagattca ttgaggatac agaaatgatg attggagcan 360
 agagggtgat attctgctat gg 382

<210> 655
 <211> 397
 <212> DNA
 <213> Homo sapiens

<400> 655
 agtggctgct gcgttttctg gtctgagtc ttcctgggtt ctaatgaggg cgcggttctg 60
 ctgtgcccgg cccgcgaggt ctaaggcatg ggcttccagc ctccggccgc tcttcttttg 120
 aggccttttc ttctgcaggg catcctgagg cttctgtggg gggacctggc tttcatccct 180
 ccttttatcc gaatgtccgg cctgcggtc agcgctccc tggcggaga caccgaggg 240
 gtgaccgtgt ccctggcagt gctgcaggac gagcggggaa tattgccaat tccgacgtgt 300
 ggagtgtgta acaatgagac ggaagactgg agcgtgactg tgatccccgg tgcggtgttg 360
 gaagtgacag tgagggtgaa aagaggctct gactggt 397

<210> 656
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 656


```

gcaagaaggg gctgactctg aaccaggaag ctgtgctgtg ctcaccagac actttgatct      60
tggaacttctc agcctccaga actgtgagaa agagatttct attatttata agccaccag      120
tagatgggtac tttgttacag cagcctgaaa ggactaagac accgacctag tctccctgat      180
gaaaaagttt ctctcagact tctacccttt ccaatgtggc caaagctttt cattccgaag      240
aagtttccctt tctgagaacg ctcatgtgtg cgtttggctt tccccgtctc tgcttgacac      300
atgaacccaaa acagaggcag ccaaagcagg gaaaaaaaaa tcctaggatc agagtccact      360
ctatgccctt ttgagcttca aaaggagaaa gagaca                                396

```

<210> 657

<211> 369

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(369)

<223> n = A,T,C or G

<400> 657

```

cagtctcctg ccggaagaaa tgggttgagc ccgaaaggag gctgtctgag gaagggagag      60
ggagggctgg ggttttcctt cccctcccta caccatttcc ttcttgatc gcacnnggn      120
aattctntct gcctncaatt ctntccagan ccctntnant ngncnccana caaatnanc      180
atntttcnnn nctttccgac aacacattna nttctennan ntgccaaacg cattgggaaa      240
gaccttaaca acacntttgn ccatctgtng aaacttaca tcttgcaaaa ancaagtacc      300
tntttntga tnaancacng naaattttnc accttanctn ttcatcanac cggacattat      360
ctnccacac                                369

```

<210> 658

<211> 379

<212> DNA

<213> Homo sapiens

<400> 658

```

ccagtcagcg ggggtggtctc ctgggtcccc agcctcgcca ttctgtgggg ggtggtgact      60
gggcgaactc tcagatgcct cagcaccctc ccacccttc ctcaggcaga acgagatctt      120
gtggcgaggag gtggtgacac ttcggcagag ccacggcggg gccgagcaat gcaggaggca      180
agagaaagct gtccctgatg ctggatgagg ggagctcatg cccaacacct gccaaagtca      240
acacctgccc tctacctggg gcccttctgc aggacccta cttcatccag tcgccctcac      300
agggccaggg gcccacatc ctctgacatc ccagaagact ctccatcccc tgaggggacc      360
aggctttctc cctccagtg                                379

```

<210> 659

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 659

```

ccagtcagcg ggggtggtctc ctgggtcccc agcctcgcca ttctgtgggg ggtggtgact      60
gggcgaactc tcagatgcct cagcaccctc ccacccttc ctcaggcaga acgagatctt      120
gtggcgaggag gtggtgacac ttcggcagag ccacggcggg gccgagcaat gcaggaggca      180
agagaaagct gtccctgatg ctggatgagg ggagctcatg cccaacacct gccaaagtca      240

```

acacctgccc	tctacctggt	gcccttctgc	aggaccacct	cttcattccag	tcgccctcac	300
agggccaggg	gccccatcat	ctctgacatc	ccagaagact	ctccatcccc	tgaggggacc	360
aggctttctc	cctncagtga	tggcaggaa				389

<210> 660
 <211> 395
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(395)
 <223> n = A,T,C or G

<400> 660						
agaaggctgg	ataattggag	gaggcagaaa	attagtgcag	agaagatggc	caaattgcag	60
tttctgaggt	catcagagaa	gatttgccag	aggctttcgc	ttacccaagg	gaagtaatgt	120
taaaggggtca	tgtgtttttc	tgaagcaaag	tatcgctttt	acagagaaat	ggctgctacc	180
tagggccagt	gccttcacag	tttggttatg	ctaagtagaa	gatacagatt	tgtaatgcct	240
aaattctcac	acttctaata	ctacagtcca	attattctgg	catttgctac	aatgtgctct	300
gaagaaatgg	attggaaata	nnnnnnnnnn	tnantaaata	antaattcca	caggaggaaa	360
aaaatgcgtt	ctgaanggat	caggattttc	aaagc			395

<210> 661
 <211> 464
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(464)
 <223> n = A,T,C or G

<400> 661						
agaacctttt	gaaanntntg	naaccataa	tacaagctac	ttgttctttt	tgcaggatcc	60
catcgattcg	agggagcgaa	gcagcgcggg	cagcgagcga	gatgcatcac	cgaggcttcc	120
tcctctcac	cctcctcgcc	ctgctggcgc	tcacctccgc	ggctcgccaa	aagaaagata	180
aggtgaagaa	ggcgggcccg	gggagcgagt	gcgctgagtg	ggcctggggg	ccctgcaccc	240
ccaacaccaa	agattgcggc	gtgggtttcc	gagagggcac	ctgcggggcc	catttgcgtc	300
attccccata	gatatccttg	caantnaatn	ngngttttgc	tnaaagcaat	ntnttnccaa	360
accctagann	tgaccctcca	ntgccctaata	nanngcttgt	tcntggtgan	cnntctatgc	420
cctgnatann	gcttntnttt	ctttgcccaa	anccaaaaaa	aaaa		464

<210> 662
 <211> 446
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(446)
 <223> n = A,T,C or G

<400> 662						
atggagnnaa	nnaaactctt	antacaagct	acttggtctt	tttgcaggat	cccatcgatt	60
cgctcggggc	ccgatgtccc	gacacggcgg	cgctcggtac	agctccgggc	ggccacggcc	120

```

agaatgaaaa cggccgcact gggacacgac ctggacgggc aggacgcgga tgaggatgcc      180
agcggctctg gagggggaca gcagtatgca gatgactgga tggctggggc tgtggctccc      240
ccagcccggc ctcctcggcc tccataccct cctagaaggg atggttcttg gggcaaagga      300
ggagggtggca gtgcccgcta caaccagggc cggagcagga gtgggggggc atctattggt      360
tttcacaccc aaaccatcct cattctctcc ctctcagccc tggccctgct tggacctcga      420
taacggggga gggnggcct gnatca                                     446

```

<210> 663

<211> 394

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (394)

<223> n = A,T,C or G

<400> 663

```

ggcggtggtt ggtttttcgc tcgtcgactg cggctcttcc tcgggcagcg gaagcggcgc      60
ggcggtcgga gaagtggcct aaaacttcgg cgttgggtga aagaaaatgg cccgaaccaa      120
gcagactgct cgtaatgcca ccggtgggaa agccccccgc aaacagctgg ccacgaaagc      180
cgccaggaaa agcgtccctt ctaccggcgg ggtgaagaag cctcatcgct acaggcccgg      240
gaccgtggcg cttcgagaga ttcgtcgta tcagaagtcg accgagctgc tcatccggaa      300
gctgcccttc cagaggttgg tgaggagat cgcgcaggat ttcaaaaccg acctgaggtt      360
tcagagcgca gccatcngtg cgctgcagga ggct                                     394

```

<210> 664

<211> 385

<212> DNA

<213> Homo sapiens

<400> 664

```

gtgggacgcg ccgagccgga ggctgcagga tgatgcggtt catgctatta ttcagccggc      60
agggaaaact gcggctgcaa aaatgggtacc tggccacttc ggacaaggaa cggaagaaga      120
tggtgcgcga gtcctgcag gttgtccttg ctcgaaagcc caagatgtgc agcttctctg      180
agtggaggga cctcaaagtt gtctataaga gatatgccag cctctacttc tgctgcgcca      240
tcgagggcca agacaatgag ctcatcacac tggagctgat ccaccgatac gtggagctct      300
tagacaaata ctttggcagt gtgtgcgagc tggacatcat cttcaacttt gagaaggcct      360
acttcatect ggatgagttt ttgat                                     385

```

<210> 665

<211> 368

<212> DNA

<213> Homo sapiens

<400> 665

```

gcaattttaa tcaaaattaa agcttgaatc tctaaaactg gctaacctca tctggaacat      60
gtggctcccc cttgcaccta agatcacctt ctccattgtc taccaggcta gcgtgagcca      120
cacctgttca gttttccaac tatcagctaa gagaaagact tcattaatat ttggaggata      180
caggccgggc acagtgtctc atacttgtaa tcccagcact ttgggaggct gaggcagggtg      240
gattgcttga ggccaggggt tcaagacctg cctggcaaac acggtgaaac cccatatcca      300
caaaaaatat gaaaatttag cagacatggt ggtttgtgcc tgtaattcca tcttcttggg      360
aggctgag                                     368

```

<210> 666

<211> 368

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(368)

<223> n = A,T,C or G

<400> 666

gatcttctga	ggtcaggagt	tcaagaccag	cttggccccc	agggcgaaac	tccatctcta	60
ctaaaatata	aaaaattagc	caggcatggg	agcagggtgc	tgcaatccca	gctgctcggg	120
aggctgaggg	aggagaaatca	cttgaacctg	ggaggcagag	gttgcaagtga	gctgagatcg	180
cgccaccgca	ctccaccctg	ggcgacacag	cgagactctg	tctcagaaaa	agaaacctcc	240
cttgaattga	aacttcgata	tgaagggtgc	aacctctcct	ttttgttggt	gtggcttggc	300
anactnttng	ngctcctggg	tgtatctcct	gagncncttg	tttcaaaacn	gncnttggtc	360
ggcacatg						368

<210> 667

<211> 402

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 667

tagaccagcc	tgctcaacat	ggtgaaaccc	catatctact	aaaaatacaa	aaaattagcc	60
aggcgtgttg	gtgcgcgcct	gtatccccgt	tactcaggag	gctgaggcaa	gagaatagct	120
tgaacctagg	aggcagaggt	tgcagtgagc	caagattgcg	ccactgcact	ccaacctgag	180
tgacagagcg	agactccgtc	ccccctccca	aaaaacaaaa	aaaaaangaa	gaaangaaac	240
cngaaanttn	tttttttcnt	ancaaaagtnc	ncanacnttt	taagtngact	nttgacaaac	300
ctagttnatg	aacaatngnt	tntntatgta	gcatttngnt	ttttttattg	ncanagnaaa	360
aaaaggcata	tttccatgac	tacttttaaan	ggnttttttt	tg		402

<210> 668

<211> 383

<212> DNA

<213> Homo sapiens

<400> 668

gggaaagtct	aggagtagga	ctgtgttttc	cagtgaatgg	aaaacttcaa	atgtgacttg	60
gcaatgcttt	tgagtagcac	atgagcacct	agtacttggg	aaaactgaga	tacagctctg	120
ttcaacttcg	agtgtctaac	ttcactaaat	cacagtaatg	agaccttga	gataggagaa	180
atctgtaacg	gagccacaga	agaatacttt	ttggaaaggg	ctttccggtt	tgatccagga	240
gtttatcagc	attctggtac	ttcatgtatt	tgtcatttgt	gcctttaagt	aaatacacat	300
ctttatgtgt	agtaccctca	aaactaacct	atcaggagac	ttcctactgt	tagagatatt	360
gtagtttttc	tctgatgcct	taa				383

<210> 669

<211> 385

<212> DNA

<213> Homo sapiens

<400> 669

```

gaataatacc tcaataaagc tgttataaaa atatacaatt cagtggttct tagtacattc      60
acagagttgt gcaaacatca catctaattc cagaacattt tgatcactcc tcccaaactc      120
catagacaac acaattttta ctaagattcc aattgggatt tctgtggaac ttgatgagtt      180
agggccaaaa gtaatcaaga tattcatgag gaaggataac agaatggcaa aacttgcttt      240
aataatttgt gcagggatag acaaatactg tacaccagtc tctcaatagg gagatcaaaa      300
ccaaattcac acagacatga aaagttgatt tatgacagat gatgttgacg tccctgggga      360
aagaatggaa atggtgctag aataa                                           385

```

<210> 670

<211> 368

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (368)

<223> n = A,T,C or G

<400> 670

```

caaaaatatg taaaaattga cctctgttct tatttcctat tgtgagcatt ataaagataa      60
gtccttatgt aaaaccttgc tctcagatga gtaaaatatg tatcacagca tagctcagca      120
ataattcatg ctacagctgtg gggaccttgg gggctttttg aagatgatgg aaccgcacta      180
gggttgaaac tgatggctgt ggagttaatt gtgttttcga gcttgaatct cacctgtgat      240
tttttttttt taangnnggn catgactnga ttttctnat aagccaangn atttgtaggn      300
ttactggatn tannntnang gagnggggnt nnnncccttt tnnccncngg gnntnttttt      360
tnngggggg                                           368

```

<210> 671

<211> 374

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (374)

<223> n = A,T,C or G

<400> 671

```

cttccaagta tctccagccc agaacccttt tgagtccagg acctgtcatt catatccatc      60
ccagaaccct tttgaaccca ggacttgtea ttcatatcag accaccacga gcatttcact      120
acagcctctg atggtcttcc ctgtttcttc acttttgccct attttttttc ttttctatc      180
cctcttaagt gggccacact tttgttcccc tacctgaaat cctgtagcaa gtccctatag      240
gataggcatg tggtagctg tgaagctcct gagtggtcaa cagctacccc gtgacaacat      300
gccacactcc atgtgccact ccctcccgcg gctgctgtgt cttggcccag tggtnctctc      360
cggctgacag ccgg                                           374

```

<210> 672

<211> 439

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (439)

<223> n = A,T,C or G

<400> 672

cccatctcta	caaaaaagtt	taaaaaatta	gccaggcgtg	gtggtgcacc	tgctcgtctta	60
gctacttggg	aggctgaggt	gggaggatcg	cttgagcccc	gaagcttgaa	gctgcagtga	120
gctgggatcg	tgccactgca	ctccaacctg	ggtgagagag	cgagaccctg	tctcaagaaa	180
aagaaaaatg	cagagaaaca	ggagtcttgg	ctactccttt	agaggcagac	tcagaccctc	240
ctgcctcaca	gctttatctt	tgtatttgcc	ccttacttta	tcttgtgcct	tgagaaattg	300
ctggggagag	aggtatgtcc	actgggcagc	tgtacaggat	ggaggatcta	gggcgtttcc	360
actcccagca	gccagggtccc	tcacccaag	ctcaccact	gttggggaga	ttatctncat	420
acccccaaaa	cacattggg					439

<210> 673

<211> 372

<212> DNA

<213> Homo sapiens

<400> 673

gttctctgag	tctgtttggt	catgtgcaga	aaggggttct	aggcgcagct	cagacgtaga	60
tggggacgca	gatgtgagta	cctagggtgag	tctggctggg	cacgtgtgga	ataagtgggtg	120
gtggctgcca	ttactcttta	agcattcttg	gatctagtgc	ctcctctgcc	actgagtaca	180
gaattccttt	tcaaattcgg	gcttatgagg	catgttttga	tccaggctgt	cgtagcaagg	240
gatttgatgc	tggagtctgt	gactgctgtg	cggtgtggagg	cttccggaag	gcagccagtg	300
ctggttactg	cttggagttt	ggggagctgc	cattttggat	tgcctacctc	atgccttctg	360
agaaacatct	gt					372

<210> 674

<211> 348

<212> DNA

<213> Homo sapiens

<400> 674

tgcagctgtg	cgtgaacggc	tgccccctga	gtgaacgcat	cgatgacggg	cagggccagg	60
tgtctgccat	cctgggacac	agcctgcctc	gcacctcctt	ggtgcaggcc	tggcctggct	120
acacactgga	gactgccaac	actcaatgcc	atgagaagat	gccagtgaag	gacatctatt	180
tccagtcctg	tgtcttcgac	ctgctcacca	ctggtgatgc	caactttact	gccgcagccc	240
acagtgcctt	ggaggatgtg	gaggccctgc	acccaaggaa	ggaacgctgg	cacatthttcc	300
ccagcagtgg	caatgggact	ccccgtggag	gcagtgattt	gtctgtca		348

<210> 675

<211> 369

<212> DNA

<213> Homo sapiens

<400> 675

gatgacctgc	cggccgcctt	tgtggatggc	accaccagtg	gtggggacag	cgatgccaaag	60
agcctgcgta	tcgtggaaag	ggagagtggc	cactatgtgg	agatgcacgc	ccgctatata	120
gggaccacag	tgtttgtgcy	gcagggtggg	cgctacctga	cccttgccat	ccgtatgcct	180
gaagacctgg	ccatgtccta	cgaggagagc	caggacctgc	agctgtgcgt	gaacggctgc	240
cccttgagtg	aacgcatacg	tgacgggcag	ggccagggtg	ctgccatcct	gggacacagc	300
ctgctcgca	ctccttggtg	caggcctggc	ctggctacac	actggagact	ggcaacactc	360
aatgccatg						369

<210> 676

<211> 373

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(373)
 <223> n = A,T,C or G

<400> 676
 gccagctggt ggactatgcc cactgccag gaaacaggcg ccggaagggt ctctgacaag 60
 atctcgcttt ctagggcg tgaggcggt caaagggtcgg gaaggggagc tgggagaagc 120
 ggggcagcgc tgagccatgc tcgcgaactg tgggtctgtc tgtgaagaga cccagtttcg 180
 tgggaccacg gtggcgctg cgctgggagg tgagcttggt acagagcgaa aactacaatt 240
 cccagcattc ctgtggtgcc agaactacct tgccgaaagc ctgtgcgaga tttaccccg 300
 ctccgctcc ttccaccgga aaactctgag gacatgaata atcgagggt tggcggttct 360
 tgntnttcca aag 373

<210> 677
 <211> 378
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(378)
 <223> n = A,T,C or G

<400> 677
 gctgcttcag atgctagagg aggaccaagc tgggtttcgc atcccatga gtctgggaga 60
 gcctcatgca gaactggatg caaaaggcca gggatgtacc gcctacgacg tagctgtcaa 120
 cagcgacttc taccggagga tgcagaacag cgatttcttg cgggagctcg tgatcaccat 180
 cgccaggagg ggccttgagg acaaatacaa cttgcagctg aatccggaat ggcgcatgat 240
 gaagaaccgg ccattcatgg gctccatctc gcagcagaac atccgctcgg agcagcgctc 300
 tcggatccag gagctggggg acctgtacac gcccgcctcc gggagagctg agtcanggcc 360
 ttgaaagcct nactggat 378

<210> 678
 <211> 381
 <212> DNA
 <213> Homo sapiens

<400> 678
 gccggagaag gacaaattct gagtctcttc gattacactc attagctgca gaagcccttg 60
 tcacaatgcc tataagagct gcagagttga caagagccaa cctggggcac tatggagata 120
 taaacctttt agatccagat actagtcaaa ggcaagtaga tagtacattg gcagcgact 180
 caaaaatgat gtcgccactt aaaaactctt cagatggatt aactagtctt aaccaaagca 240
 actccacctt ggtagcactc ccagagggtg ggcagggaatt gtcagatggg cagggttaaga 300
 caggcatcag catgtcctta ctaccgcat tgaaaaattg agagaaagga cagacaaaaa 360
 cgcttcagac gatgacattt t 381

<210> 679
 <211> 423
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(423)
 <223> n = A,T,C or G

<400> 679
 catttttcatt atcagaacaa caattagatg cccgacgtcg gggattggaa gaatatctag 60
 aaaaagtgtg ttcaatacga gtaattggtg agagtacat catgcaggaa ttcctatcag 120
 aatccgatga gaactacaat ggtgtgtccg acgtagagct gagagtagca ttaccagatg 180
 gaacaacggg tacagtcagg gttaaaaaga acagtactac agaccaagta ttcaggcta 240
 tcgcagcaaa ggttggcatg gacagtacga cagtgaatta ctttgcctta tttgaagtga 300
 tcagtcactc ctttgtacgt aaattggcac ctaatgagtt tcctcacaaa ctctacattc 360
 agaattatac atcaactgtg ccaggcacct gcttgaccat tcgaaagtgg ntttttacia 420
 caa 423

<210> 680
 <211> 409
 <212> DNA
 <213> Homo sapiens

<400> 680
 ccggactggg aagatggacg cagctactct gacctacgac actctccggt ttgctgagtt 60
 tgaagatttt cctgagacct cagagcccgt ttggatactg ggtagaaaat acagcatttt 120
 cacagaaaag gacgagatct tgtctgatgt ggcactctaga ctttggttta catacaggaa 180
 aaactttcca gccattgggg ggacaggccc cacctcggac acaggctggg gctgcatgct 240
 gcggtgtgga cagatgatct ttgcccagc cctgggtgtgc ggcacctagg ccgagattgg 300
 aggtggacac aaaggaagag gcagccagac agctacttca gcgtcctcaa cgcattcattc 360
 gacaggaagg acagttacta ctccattcac cagatagcgc aaatgggag 409

<210> 681
 <211> 338
 <212> DNA
 <213> Homo sapiens

<400> 681
 ctttttcaaa acccgcccca agcccattat caccaggagt gtgtttgaca aggactgcaa 60
 aaggtttctc caggtggatg attttcccat acaggatatg atgccccacg atcagcacag 120
 ggattccctc agtgggtgta ttaggtctc ccaggaggtt tccagctaatt ccagtgtgt 180
 agcgagcctc gatctcccc ttagctcca tcagcaccca ttctgccagg cctccagccc 240
 tcgcaactgga aataacaatt tgcaccatga gctttctgtc tttaaaaagc aagtgaana 300
 aagctgcaat ggcggccgca ggagttttt tttttttt 338

<210> 682
 <211> 280
 <212> DNA
 <213> Homo sapiens

<400> 682
 gcgccagtcc acttgagaat ggaggcaggc acctccttgg aagggaataa ttaactttca 60
 cgttgcctaa tcctgcattt ctggtgtaa tctagtggta ggtttatagc tgaagctttc 120
 tacttaagcc gggtttaaaa acacgtccac aaaaggatat tttcttataa aaccagagtt 180
 ggccccggcg agtggctcac gcctgtaatc ccagcacttg ttcgagacaa acctggcgaa 240
 catggtgaaa ccccgctctt acttttaaaa aaaaaaaaaa 280

<210> 683
 <211> 487
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 683

tttgaancct	tttgnactct	anaatacaag	ctacttgctc	tttttgccag	atcccatcga	60
ttcgaattcc	gttgctccat	ggtctactgg	catgcactgg	actctggaga	tgccctccca	120
gtacaggctg	tgtttgcccg	gggaattgct	gccagtggcc	acttcactctg	tgtgggtgag	180
ggagccaagt	gcagggcatg	gaggggtgct	ggggcatgtg	ggctgtggcc	agganaataa	240
tgagggcctg	aggaaattgt	ggaaagtac	aggggaagggt	ggaagtggag	tggaatcaca	300
gactccagta	aaccatggaa	gggttcagag	ggtcaggggtg	ggataagaca	aggctagtga	360
atgaaggggc	atggccgttg	gagcagtgtg	aggggggtttt	gttactaagg	tttctgggat	420
ggagtaagt	ttgagtatgg	tggctggaga	cccaggagggt	tcaggaagtc	atcactgnag	480
tactggt						487

<210> 684

<211> 428

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(428)

<223> n = A,T,C or G

<400> 684

ttgagnnctt	ttgtgnactt	agaatecnct	cnnggacttt	ntgcaggatc	cctccnttgc	60
tntnnngcna	ccgngnttg	agtgtcata	gtacatctgc	aaccgcgacc	atggctcgga	120
agaacaagca	gcgaactaaa	gggaacctga	ggccttcaaa	cagtggccga	gctgcagaac	180
tccttgccaa	agaacaggga	acagtgcctg	gattttattgg	ttttggaaca	tctcagagt	240
acctaggcta	tgttctctgct	attcaaggag	ctgaagaaat	tgacagtctt	gtagattctg	300
atttccgaat	ggtgctgcgg	aaactttcaa	agaaagatgt	caccacaaaa	ttaaaagcta	360
tgcaggaatt	tggaaccatg	tgtacagaga	gagacacaga	aactgtgaaa	ggagttcttt	420
catattgg						428

<210> 685

<211> 339

<212> DNA

<213> Homo sapiens

<400> 685

agttcgtgtt	tgtgtggcgt	ggctgccttc	catcagcaag	tttgagtgtt	gatgtgaggc	60
caccctcttt	tgaaatggat	tgtggtcggt	ttggaatagt	tacacagtgc	tgtgccattt	120
ggtaactcca	cacatgtacc	gaaagggtgag	cccacagtgg	aacgctcctc	aaccaaaagt	180
gtttaaagtt	gcagaaaagg	gtaattgtgc	tggttggtgt	gtgtgctgaa	tttgtagcga	240
catcagagtc	aagcattatt	tgtcctgctg	ctttcttggg	gttcacagta	actataaaac	300
cgtgagccag	caaggcagag	aggacccttt	ggggtgaagg			339

<210> 686

<211> 440

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(440)

<223> n = A,T,C or G

<400> 686

```

gctccgcccc ggatgggatg tggcgccctt ttccgctcgc cctcgcgccc cccccgcccc      60
gcgcagctaa attccggcgg aggggcgagc tggcaggccg gtcctcccca ctctgggcag      120
cggggtcccc cgtccctccc cccactatct ggcagcgtct gggggtctgg ggcagcttcg      180
ttcattcacc cgggggagtt ggggttccgg gaagggtcgg aaagtcctcc ctcgcttcct      240
ggtgggtaat ggggtgggtg cctttgactc cgggggtgga aaagcgacct cacattcaag      300
gacgccaatg gcatgttgag ctttcccaat ctaaaccagg tgcgtggagg gaagcaagtg      360
cttactccca gcttgaaccc tgagcagcgg tctctaactt tagtgtcctg tggccanacc      420
tggaagnggg taagaacctt

```

<210> 687

<211> 423

<212> DNA

<213> Homo sapiens

<400> 687

```

gggtaggaca aggaaggagg gggtagttt agcagccagt tggggaaagg atgcttgtag      60
agtgtcagtg taacttggat tcccactcat ctcttctctc tccaaggat cctgaatcaa      120
cgtagtgtga agggacaaga gtgagcacct attgatcacc tatgataggt cagacactgt      180
ccaaggctcc ttctctacac tggctcattt aatctttaca tctcactata gaatagatgt      240
accagggtgt ttccacatca acgaccacca cgcgccccat ccaccccacc cagatgtgtc      300
tacaccctca gatttcactt gaaatgttcc atccttagtg cagccttccc cagccctca      360
gaccaggtta gatctccctg tcctatgttc ttatgtcccc tatgctttcc ctccatggac      420
tta

```

<210> 688

<211> 408

<212> DNA

<213> Homo sapiens

<400> 688

```

attgtgtttg catgttatat tacttgatac tctaagcata ttacaaagtt ttcccacatg      60
taaaccocgg aaaggtagtg ttcattagat ttttgtggca gaaattttta tgaagtgtta      120
cgtactggag aggtttcata agtatatact tattttatta ttggcatact ctattgaaag      180
gggttttgct gtagctgtta gaaacaacta tatttgacat aagaatatgt atgtatttta      240
agacataagg ttaatagggc tgacaaatat gagaaccagc tgattgggta ggtcgtggg      300
aaaacttata acttgggatg tttctgggtg tctagttgta tttcttgagg gagaagccgt      360
gtgatgtaaa tgccgttggt taacaccact ttgagaccag agctgggt      408

```

<210> 689

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(407)

<223> n = A,T,C or G

<400> 689

```

gagcaagaga gaagacagtg ggtgaagtcc tggttccaga ctcccccttt tgccgggata      60
tgatggatct gtcagctggg gcctagagtc ctacagagct agagatggag ggaaattcag      120
atcatctaaa cccttcagcc cttcactgga cagaagagga aactgaggct ccatctgcat      180
gacgttccca gagtcacggc acaaattcat ggaaaaagca acaggaaact cagttctcca      240
cactgggtcc aatgtgtgtt ttaaaaatat ctccacaggg ttaatgactc aatttttcat      300
gcatgattgc tagtaatgac aatcatgtta tgtttgttcc tgtacttttg aaatcactcc      360

```

ttcacttgag ttccaggtcc caactgncca cacctgcagg aatgagg

407

<210> 690

<211> 410

<212> DNA

<213> Homo sapiens

<400> 690

gcttctcctc	ctcatggtct	agtgtggtcg	caccggtctt	ggccctcata	cctcccggca	60
ggaagccttc	ttctaggtga	agaagagcaa	atccccacct	ttcaaggacc	ctcactgcaa	120
gttggtccctg	tgactccgtt	tgtgtcccat	tgagtacgac	gcttccctgc	acaggatgct	180
aggacacggt	gtctttatct	cgcacacagc	tgaaatttct	tactgagaag	aggaaaagtg	240
ctgttgaaca	aaaactagca	acctcagcca	gtcagtgcac	gaggggcagg	gtaagaagag	300
atgaagatgg	aggggcagcc	cgaggccggc	tcccagagcg	ccgcgtgacc	agagcggacc	360
ctggagtacc	gtcagtgcag	gaggacgtgc	ataggagaga	tcagagcaga		410

<210> 691

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(407)

<223> n = A,T,C or G

<400> 691

gcaacagcca	caggcagact	gaggtggcaa	taggaaatct	gccgagatgt	tcagtcaggt	60
gcccaggacc	ccagcctcag	gctgctacta	cctaaattcc	atgacacctg	agggccagga	120
gatgtacttg	cgatttgatc	agactacaag	acgctctcct	tacaggatga	gccggattct	180
agcacgccat	cagctagtga	ctaaaattca	acaagggtgag	tggccggcag	tggaaggctg	240
ttgctcattc	tgattactgt	tggtctctatt	tcatgctaac	ccagtttttt	ttgtttgttt	300
gtttccactt	tataacatat	ggatttctat	gccacactac	ccgtagcttt	gaaaaataac	360
tttangctgn	agttttcagc	aaacaggaca	gtccttanct	gccacat		407

<210> 692

<211> 408

<212> DNA

<213> Homo sapiens

<400> 692

attcaccatt	atgagaaatg	cttccagtca	caaaaatgca	gcccagctca	ctctgaggaa	60
gaagcaggac	ttggtacggt	tttacacaac	tccttaccat	taaactgaat	cagaaatcca	120
ttttctggct	gaataaaaag	tttggttgct	ctgtgtaatg	cccactccct	tccccctggc	180
tccctagtga	tgggacatat	atgagagaga	agtgtttttc	tatcatagac	accacagggg	240
aaagtgttggg	gatgaaggag	agcttaaaag	tgtttcaatt	aagttagaaa	actgacacag	300
gctgttgaga	attcttttgc	cttttcccac	cccaaaacag	catggggcct	gacatcttct	360
gccttggtcc	cctttctctt	gatgtggaaa	gtctgaatgc	agtattta		408

<210> 693

<211> 424

<212> DNA

<213> Homo sapiens

<400> 693

aaaacgccgc	tttgactgtg	ccttggtctc	acagctggcg	ggaagcaagc	gccttttcga	60
------------	------------	------------	------------	------------	------------	----

aagccagagg	ctcgagttac	ccctcttacc	accgtcatgg	cagtcccagg	ttgcaacaag	120
gacagtgtca	gagcaggctg	taaaaaatgt	ggctaccctg	gtcacctgac	ttttgaatgc	180
cgcaattttc	tccgagtaga	ccctaaaagg	gacatagttt	tggatgtcag	cagtacaagt	240
agtaaagata	gcatgaaga	gaatgaagaa	ctgaataaat	tgcaggcatt	acaggaaaaa	300
agaataaatg	aagaagagga	aaagaagaaa	gaaaaaagca	aagaaaaaaa	tcaaattgaa	360
aaaaaaaaag	aaaaggtctt	actcatccag	ttccactgaa	gaggacactt	caaaacaaaa	420
gaac						424

<210> 694

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (386)

<223> n = A,T,C or G

<400> 694

ctccctacca	gatgcaggaa	ctcctggact	ccttgggtggg	ctggccctgg	ctagcccttg	60
ggcctcggag	atgatcagag	gtgaagaacc	gcctggaaga	ggaaggccag	ggtttggccca	120
ggagaactaa	gaaggtctca	actccaggct	ttgttgtgtt	taagctattg	agagccccag	180
gccacaccag	gacttgcaat	gggtgggaatc	cattcctctt	ctgccctgtg	ttgcagggaa	240
ctaggaggta	agggngnang	gccancnttt	cntcctctgn	tggcgngnga	ccatncnata	300
cctgcttttn	ttgatggcca	ancagtatna	acngnatcnt	gagcgnnctn	naangngncn	360
tgncaggnac	ntaactcntn	netctc				386

<210> 695

<211> 389

<212> DNA

<213> Homo sapiens

<400> 695

ccaggctgga	gtgcagtggc	acaatctcag	ctcactgcaa	cctctgcctc	ccaggctcaa	60
aggatcctcc	cacctcagct	tcccaagtgg	ctgggactac	cggtgtgtac	caccatgcct	120
ggctagtttt	aaaatttttt	gtagagacaa	gttctcacta	tattacccat	gctggctctt	180
aactcctggg	ctcaagtgat	cctctaagcc	ttggcctccc	aaagtgtctg	atttgagggc	240
atgagccaca	ccactcctgg	ccctggttgt	gttttctaag	ctagactctg	tgcttgccag	300
caaagcttca	tgacttctct	aaaggggcaa	taagtttgcc	tttagagaag	tcaggagagct	360
atattcaggc	atccagccca	accagttgt				389

<210> 696

<211> 387

<212> DNA

<213> Homo sapiens

<400> 696

gagatttcct	actaaccatt	tgcatcggga	cagtgaggct	gggggaggga	ttcagtgaga	60
gattactgaa	aaaatgagta	tttatcacta	cagaaagggt	aatttgcttt	tcaccgttta	120
aactttttta	aacatgggtc	tttatcagaa	ttggcatttt	gagaagaggg	tgaactgagt	180
taaacaatga	agcaattcta	gagctctgtt	gtccagtgtg	gcagccacca	gcaacatgtg	240
gctattttaat	tttaagctat	ttatggccag	tgcggtggcc	cacgcctgta	atcccagcac	300
tttgggaggc	tgaggcaggc	aggtcacctg	acttctctga	ggtcaggatt	tccagaccag	360
cttggccaac	atggcaaaac	cccattct				387

<210> 697

<211> 402
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (402)
 <223> n = A,T,C or G

<400> 697
 aagaataagc tgggcacggt ggctcacacc tgtaattcca gcattttggg aggccaaggt 60
 aggcggatca cctgaggctg ggagttcaag accagcctga ccaacaggga gaaacctcgt 120
 ctctactgaa aatagaaaac agttagccgg gcgtggtggc acatgcctgt agttccagct 180
 gcttgggagg ctgaggcagg agaatacatt gaacccacga ggcggagggt gcggtgagct 240
 gagatcacgc cattgcgctc cagcctgggt aacaggagtg aaactccgtc taaaaannaa 300
 aaaaaaaaaan gnattnnntn ncgnnnaaaa aaaaaaaaaan aaaanncgng naaaaaaaaa 360
 aaannaaaaa aaantgggaa anaaaatttt aagggccggc cc 402

<210> 698
 <211> 389
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (389)
 <223> n = A,T,C or G

<400> 698
 gcctggagct aagtgccgag agcggaggccg agatggccga gtggatgcag catctctgcc 60
 aggctgtgtc caaaggggna nnngtgnaag gtttnactnc canccctgc atacnntgct 120
 gcctggtcct cacggatgac cgcntnttta catgccatga ggattgccag accagcttct 180
 tccgtctttt gggcacagcc aagctgggag acatcaagcg ccgtctccac cganccgggc 240
 aaggagtact gcgtcttgga gttcttccag gacagccagc agctcctccc gccctgtgtc 300
 atctatctga gctgacttnt gaactggacc gattgctgct gcactgaact ctgggtggaa 360
 aaccatttat nangtggacc tccccacac 389

<210> 699
 <211> 391
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (391)
 <223> n = A,T,C or G

<400> 699
 ggggaaccaa cggaagccga agccagagct agagcatcta atgaagatgg tgacattaaa 60
 cgtattttcta ctaaggaatg ggctaaatca actggatatg atccagctaa actttttacc 120
 aaggttagat ttactttttt ttataatcat ggatagatgt attgttgtgc atagatgtat 180
 tgctctagtt ctgcttggtt taaaatagcc cataaaattg aattaagctt ctatgtatat 240
 gccttgatgat gtcctaataa aatgattgat gccgtccgga tatgcaagtt ttaaaatggt 300
 accatctaca ctaagtctat cagtatagca tctaaatagg aggtaaaang agaggtggct 360
 tgtatacctt nttggnggc ttttcttctc t 391

<210> 700
 <211> 405
 <212> DNA
 <213> Homo sapiens

<400> 700
 gattgtggga gaggtgggtg ctgtgagggg gtctgctgtg actggactgt aacaggattt 60
 acttgagaat ttgaggtgtg ttgggggcag ggtcaggagc aaaggcttgt ttcccctact 120
 cagcggctgc tgctgcaggg ccgggcaaca gtggaggtca tgcagggaagg gtgttcgctg 180
 aagaccgtgt tctgtgactt gaagatgggt gttcctcccg tgggggtgga atggagactg 240
 gacgccgtgt ggcttgagag tggcatcctg cgtgacctg cgtgtagtgg gcttacagca 300
 gagctagtcc ttccctctata gattcttttc atagtttgcc tgcctttaga ttctctgatt 360
 aacgcactctg aggtgggtcc caggagtctg ccacctgccca gccag 405

<210> 701
 <211> 408
 <212> DNA
 <213> Homo sapiens

<400> 701
 aagaaaaggc ttaatgggta ggatttttaa gtattcccaa agatctgaag ggtaataaaa 60
 tgtactggat tttttaaggt ggtaccaaaa atgaatgtct gtcatatatt tatattacaa 120
 atacattata tttatgttct attcatcttt tgaatgttta gtatgctatt aagtcattct 180
 gaatctttgt atttgctttt gcaaataagg atttcaaagc tcttttccta actggttaag 240
 taaaataaaa aattgagctt tctagaatat ttgcctaatt gggaattaaa aagtaaaata 300
 ataggccagg catgggtggct catgcctata agcaccctgg gaggccgagg caggcagatt 360
 atttgagctc aggagtttga gaccatcctg gcacatggcg aaacccta 408

<210> 702
 <211> 383
 <212> DNA
 <213> Homo sapiens

<400> 702
 gcccctgtgg agggcagccc cgacaggaag cagtcctcgt ccagtctgag catagccctg 60
 agcagtgggc tggagaagct caaaacagtc acatctggga gcattcagcc tgtgacctag 120
 gccccccagg ctggccagat ggtggacacc aaaaggctga aggactcagc tgtgctggac 180
 cagtcggcca agtactacca cctgaccac gatgagctca tcagcctgct cctgcagcgg 240
 gagcgggagc tgagccagcg ggacgagcat gtgcaggagc tggagagcta catcgaccgg 300
 ctgctggtgc ggatcatgga gacctaccc acgctgctgc agatcccccg ggccccccca 360
 aatagccttc tcaccctacc cca 383

<210> 703
 <211> 393
 <212> DNA
 <213> Homo sapiens

<400> 703
 gcctttctcc ttagaggcca gaggtgctgc cctggctggg agtgaagctc caggcactac 60
 cagctttcct gatcttcccg tttggctcgt gtgaagagct accacgagcc ccagcctcac 120
 agtgctccact caagggcagc ttggctcctt tgtcctgcag aggcaggctg gtgtgaccct 180
 gggaaactga cccgggaaca acagtggtc cagagtgaat gtggcctggc ccctcaacct 240
 agtgctccgtc ctcctctctc ctggagccag tcttgagttt aaaggcatta gtgttagata 300
 cagctccttg tggctggaaa acaccctct gctgataaag ctcagggggc actgaggaag 360
 cagaggcccc ttggggtgct ctcctgaaga gag 393

<210> 704
 <211> 367
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(367)
 <223> n = A,T,C or G

<400> 704
 gccaaaggact gaggtttctc tggacttgtg agagcgacat gtgcagcacc tgggcaggcg 60
 tgaggggtgg acttactttg tggaaacacat gggagcatga aagcagcacc tgttcatgag 120
 gaaacagaac gacgttgaag tttaaaaaag agaagcagca tgtatccaac agttaaatac 180
 ctgaatgctt agaagggaaa gtgtgctcac aagaaaactt cacctttctg tgacccaaat 240
 tccccactaa acagtgatat actgggctgt gacaaaagac tgaagcttag accaaatgaa 300
 gaagaaggca gtgggtactt aatagaaggg acaggccgcc agcccaccag cgccagggcc 360
 tgnnggc 367

<210> 705
 <211> 377
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(377)
 <223> n = A,T,C or G

<400> 705
 aactggagca aggtggtgag ttcaggctca gacatgaacc tgggaaggcc cacagcctgg 60
 atgcacacat ggcctggggc tggatgagtg tggacctgag ctgaagtggg gcctggcagt 120
 caccattgag gatgaatttg cccaagctag ctgggcagag tgacagcaaa gggtaaagggt 180
 agaacccttca cccatggaa acatccagag cattcactca ctcaccattc attcattcat 240
 tactcactc cacaaatcca cgggtgagcc ctctgcgct ccaggtagtg ttctctgtgc 300
 aggggcatta gtgtaagggt cctgtctcct ggagctcacg gtctatggca gaaactgcag 360
 tgaccaccng acatcat 377

<210> 706
 <211> 407
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(407)
 <223> n = A,T,C or G

<400> 706
 taggatcctg gtgggcgggtg ggacttgggt tcaaagaaga ccaagcaggc agacgtgttc 60
 gggggcccg gggttccgag actggagact ggaccttttg ctgtcccccac gtgcattcta 120
 ggtcaacggt gcggtggcag aaccctgggg ctctcccccg cggaactcgg ccctggccga 180
 ggcccccaacc acgctagtag gaggaggccg agcatccctc ctcgaaatcg cgaaatccccg 240
 gcccagacaat gtagccacgg agtcgaaagc cgcgtgcgaa cttggcactc acaaagccta 300
 gataaccgtc tatTTTTctcc tgtaaaatan gagggatgga ccccccacaga tcattgtaaa 360
 aggtcttaca aagaaaaatc ctctctggact ggcacgggtg ctcacgc 407

<210> 707
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 707
 gtatttggaa aattggttca agctgggtat gagacataag tgtagtcagc tctgggagaa 60
 ggttgctctt aaggagaagc agggacctgt ggtttagcag caggaagtgc aaatgggact 120
 ggcttgctgt ctacctggca gacctggatt ggcttcaggc agccagtgcc tggaaaagcc 180
 tggagaattg ggccgtactt gacctgatt ctcctcaggc acagatgaat cacaggcacc 240
 taagaatcgg cacagaactt ccatgaggcc tcagtcagca ttttttcaca aaatgagctg 300
 aggccattca aggaggctag aaagaggga ctgaatccag agaggaagag tctatagtca 360
 tcaagttgta tccatgccag cctccctcca ca 392

<210> 708
 <211> 401
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(401)
 <223> n = A,T,C or G

<400> 708
 gggagccaag gcctgccagg gagaggctct tggagtggcc cgaccgggaa ctggatcggg 60
 tcaacagctt cctgagcagc cgtctgcagg agatcaaaaa cactgtcaaa gactccatcc 120
 gtgccagctt cagtgtgtgt gagctcagca tggacagcaa tggcttctct aaggaggggg 180
 ctgctgagcc tgagcctcag agtctacccc cctcaaacct cagtggctcc tcagagcagc 240
 agcctgacat caaccttgac ctgtccctt tgactttggg cccccctcag aaccacacgt 300
 tacaagctcc aggcgagcca gccccaccat gggcagaaat gagaggccn nccccnccat 360
 ngnccgaggt gagggggccc ctccggtatc gccccgagaa c 401

<210> 709
 <211> 382
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(382)
 <223> n = A,T,C or G

<400> 709
 attctgtgga caccgagtc agcctccggg aggacgctga gggaaccttt tgggacagcc 60
 agggcagaga acgcctttta cttcttaagg ctctggatca aaacagagaa gcttctgttt 120
 tggagcctgg caatcctcga acatcagtg gtattttaag ccataaagcg caatactgat 180
 taaaaacagg aatacggagg gcttccttta aactgcttca agaaaacaaa ctctcgggg 240
 acttccgaaa ggagctctca ccatagctcc tgcaatccac tctgaacagg aaaccttctc 300
 atctatattat taaaactgac cccagaaaga ttttcaacag ggaagcctgg ctttatgttg 360
 nggtatagcc ncaanagaaa ga 382

<210> 710
 <211> 408
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (408)

<223> n = A,T,C or G

<400> 710

gccccccagc	ccgagcgggg	aggcgagcat	gagcccccca	gccggccctg	tgccctctctg	60
gatgaggatg	ggagtgaagg	cctccctggg	cccagagggg	aggccctctg	aggcagcgct	120
cactatgggg	ggccctcccc	tgagaagaag	gcaaaaagt	cctctggggg	cagctccctt	180
gccaagggcc	gggctagcaa	gaaacagcag	ctcctagcca	cagcgggcca	caaggattct	240
cagagcatcg	cccgttctt	ctgccgaagg	gtggaaagcc	cagctctgct	ggcatcagcc	300
ccagaggcag	aagggtgcctg	ccctcctgtg	aggggggttca	gggacccccg	atggccccan	360
agaagtacac	aggggaggaa	gatggacccg	ggggacattc	cctgccct		408

<210> 711

<211> 357

<212> DNA

<213> Homo sapiens

<400> 711

gggtgttttg	ctggagatca	gtcaacagtt	ctctgaagca	gtgtcgatgg	gcctatccac	60
gtcaggtctt	catttctgat	attgctttaa	atagaaatga	aattctattt	gttacgcaag	120
atggagaagg	atttagaggg	agatggtttg	aagagaaaag	aaagagttct	gaaaagaaaag	180
agattttatc	aaaccttcac	aattcctcat	cagatgtgtc	ttatgtctct	gatataaata	240
gtgtgtatga	aagaattcga	cttgagaaac	ttacctttgc	acatagagct	gttagtgtca	300
gcacagatcc	aagtggatgc	aactttgcaa	tctgcagtc	agatcctaaa	acaagcc	357

<210> 712

<211> 353

<212> DNA

<213> Homo sapiens

<400> 712

aacatgttga	aatgtcacat	tagtagtaaa	gtgggggttta	tttatatagt	ggttaagaaa	60
tgtcagttta	cactgctgta	tacttcttct	tctgtgtccc	taaggcctgg	tacagtgcc	120
agcacatact	tggtatccaa	taaatatattg	ttggatgaat	gtatgcatat	gtattcagta	180
tatttttaaat	gaataatcac	agaagtaagt	ttaatatattg	tcctattttt	ctctgtcact	240
tcctttttct	ctaaggcagg	aaaggaaaga	cattaaacca	ttaattaagt	caatcctctt	300
ggagactcaa	aagactatga	agtgatcact	ctatataaaa	tataaataca	gtg	353

<210> 713

<211> 355

<212> DNA

<213> Homo sapiens

<400> 713

gcatggatcat	ttgtttggga	ggtaatgata	ggagcagaaa	tgaaaaatct	ttgagaagat	60
tgtgaaattg	gaaagtgtgg	agttctagaa	cagaataaat	tctagagtta	gaggaggtgc	120
tttttcatga	atgggtgtac	cgtgtgttga	gagagtggag	tgagaaatgt	acttctttga	180
tctgtttcac	atagaagcat	gtatcatata	gaaattcagt	ggtagccggg	tacggcggct	240
cagcctgta	atcccagcac	tttgggaggc	cgaggtgggt	ggaacacttg	aggtcaggag	300
ctcaagacca	gcctggccaa	catggtgaaa	cccctcctct	actaaaaaat	taact	355

<210> 714

<211> 385

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(385)

<223> n = A,T,C or G

<400> 714

agggtctttgg	ccttcctctc	taaattgtga	tttcctacag	agtaaggctt	cttatctttt	60
tacctagcat	tattggtgct	catcaatatt	aagtgcatta	agtgcattga	actcatgcat	120
tcattgagact	aagtttttagt	taagtgttaa	ttgcagaaaa	atttagtata	gtaaaaatgaa	180
agttttattct	gttctgtggg	acactctgag	ccaccagggt	catagattat	tttaagttgt	240
ctgtgccttt	gctgatagg	aactttgatg	agcaaagagg	aacctggtag	tggtagagga	300
ttgtgaactg	gcctgtgntc	antcatcatt	gganatttan	aattgaengc	tcnngggtgg	360
ntcccattta	naanacttnt	gattt				385

<210> 715

<211> 348

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(348)

<223> n = A,T,C or G

<400> 715

aaaaaatatt	gtttccttaa	tggaattctc	acttcatttg	aatataagat	tttggatgaa	60
aggatttggt	ataaagtttg	ggtttttgct	tcaaggattt	gatccatatt	tatccctaaa	120
tatttcttaa	gggatgtaac	tttttataac	cattaagtgg	ggggaagggg	gngnagnggn	180
tgncctnnnn	tataactgna	agggnantnt	ctcctatgaa	aancctnctt	ccccnacttt	240
actntgnntt	tactngngan	nccctanana	ttntngaate	naantttngc	ccccnnanna	300
anatanattn	nnntnnncnt	ngnngnccaa	nncannaatt	ntngttaa		348

<210> 716

<211> 383

<212> DNA

<213> Homo sapiens

<400> 716

gcaggcctca	tgggaggatt	tgatgaagat	gttaaagcga	aagtggagaa	ccttctcggg	60
atttccagcc	tggaaaaaac	ggaccctgtt	aggcaagcac	cctgcagccc	tccctgtccc	120
cttcttcccc	ttcccttccc	ccgccctggg	agacagctgt	tctcagcagg	gctctccgca	180
gggagggggc	cggctccttc	cctggcagca	acatccttgc	ccttgtcaca	caagtcagcc	240
tccatctgcg	cagctctgtg	gatgcgctgc	tggagggcaa	caggtatgtc	actggctggg	300
tcagcccta	ccaccgccag	cggaaagctca	tccaccgggt	catggttcag	cacatccagc	360
ccgcagcgct	cagcctcctg	gca				383

<210> 717

<211> 348

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(348)

<223> n = A,T,C or G

<400> 717

gtagaaggct	cagtttctct	gctcatcaca	cggccttcgg	cactgtagct	ttgggtggtg	60
ggctgcagat	taattttgta	accaccttaa	gaaaaatacg	gtaaggatgat	atttaagaaa	120
aatatttgcg	aaatgcgctc	ccgagtcaaa	catcggttga	cttgacacta	ctacagtttc	180
catcacagtc	aggcatgata	gattcagggtg	gagggagttg	aagattgttc	ttgatgaact	240
gaatgcagct	aatacatctt	cagtgccgtt	gatgcctcta	tgactccgta	aaataatcgg	300
aactctaact	ccttgccact	caagaaatgn	cctccctttc	agaatatg		348

<210> 718

<211> 379

<212> DNA

<213> Homo sapiens

<400> 718

gtctggatca	tattttcaac	acagggcaca	tgagacagtt	gaccatgata	atcaaagacc	60
agctgtgatg	agagaaagg	tttctgcctt	ggggcctgta	aaaaaaagg	tcaggaaagg	120
tcgaggggct	agatgtcagt	atacattcct	cagcatctgg	ccctggactg	cctgccacct	180
ccacacatgc	cacccaccac	ctcacttgaa	ggatgttggc	cacaaaagag	gttatctgct	240
cttccaagac	agaaatgagg	ctctgacaaa	tcatgtagtc	aaccaggcgg	gcaaactttc	300
ccagctgcag	ccaccaggcc	tctgcttgct	tcagcttctg	ctccagttgc	ttgtgctgta	360
ccctctgaag	gtatatgga					379

<210> 719

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(386)

<223> n = A,T,C or G

<400> 719

ggtctgcctt	gcctagttga	gcctgtgcac	tctgtctctg	cctcccttca	gatagggaaa	60
ggagcttcaa	attacggggt	gatgtcatag	cacggagtgg	agatgggggtg	gcaggagagac	120
agggaggctc	agggtctctg	gcacacattc	ctcccagagc	aactgtagga	agcaagccag	180
tacagaggta	ctctaagcgc	tagacaggac	gggggtgagt	tcgtaacatc	gtctcctctg	240
ggctggccct	gcttctgctt	agctctgggc	ataagactga	ctccagtaca	gtcacaatta	300
tgtctctgag	ctcaccagtc	cctgggttca	ggttcccanc	tctgacctgg	cgagacacac	360
acangctggg	gctgngggat	gcttgg				386

<210> 720

<211> 344

<212> DNA

<213> Homo sapiens

<400> 720

gcgggggtacc	agcagagtgg	atgacaagcc	cagctcaccg	ggggacagct	cgaagaagcg	60
aggccccaag	ccccggaagg	agctcccga	cccctcacag	aggcccttag	gcgaaccag	120
cgccggcctc	ggagagtacc	tcaagggcag	gaagctggac	gacacccctt	cgggggcagg	180
aaagtttcca	gccggccaca	gtgtgatcca	gctggcccga	agacaggact	cggacctggt	240
gcagtgtggt	gtgaccagcc	ctagctcagc	tgaggccacg	ggcaaactgg	ctgtggacac	300
cttcccggcc	agggtgataa	agcacagggc	tgcttcctgg	aggc		344

<210> 721
 <211> 355
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(355)
 <223> n = A,T,C or G

<400> 721
 cagaaattcc tgtttctccct gagccagcat atcaactggg tccgctgtgc caagttctcc 60
 cccgacgggc ggctcatcgt gtctgccagt gatgacaaga ctgttaagct gtgggacaag 120
 agcagccggg aatgtgtcca ctctgtattgt gagcatggcg gctttgtcac ctatgtggac 180
 ttccacccca gtgggacgtg cattgccgct gccggcatgg acaacacagt gaaggtgtgg 240
 gacgtgcgga ctacccggct gctgcagcat tatcagttgc acagtgcagc agtgaacggg 300
 ctctctttca cccgtcggga aactacctga tcacagcctt cagtgactna accct 355

<210> 722
 <211> 339
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(339)
 <223> n = A,T,C or G

<400> 722
 ggtgcccata acgggggtggg cctgccgctg actcgggtct ccgccatgca cgcgtggact 60
 ctcgatgag ctacagcagaa ccgcacagcc agagccccag gtcagaagtg cagaccaggg 120
 ttctcagcac agtgcccgtc gtgcttccat ggcttgctac ggagagagac ctctggatcc 180
 aactggggc tgcgtctggc ccgttggtcca gcaaccctgc ggtaccgcaa gccatgcac 240
 canngtctcg ggggganttn ctgatgngct angagnannc ccncganntt tgnnnangct 300
 aatnnnnnca ngcanntntn ancttttctc natnngcgc 339

<210> 723
 <211> 308
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(308)
 <223> n = A,T,C or G

<400> 723
 aaggagcggg gccagactgc tgggaacccg ttctttgagc gttttggcat tgtggtggca 60
 gccactggca tggcagtggc cctctttctca tcagtgttgg cgctcggcat cactcgccca 120
 gtgccaacca acacttgtgt catcttgggc ttggctggag gtgttatcat ttatatcatg 180
 aagcactcgt tgagcgtggg ggaggtgtgg gaggtttttn nnnnncttnt nannttnnnn 240
 atntnaacat gannctgntg nncctgctgn cccgctgntt naccctggg gangcactgn 300
 tgnnattg 308

<210> 724
 <211> 259

<212> DNA

<213> Homo sapiens

<400> 724

aagatggaga	aaagtagaat	aaaaaagacc	atcttttgtc	accatcgttt	cataaaagca	60
ttttaactcc	ctaaaaata	agtgggacta	tctcaaagaa	cactgaacaa	tccattaaat	120
tgaattctga	tggttaacag	atgaaaaact	cacactgtcc	ttgttttgtt	catccgttca	180
gcttagacct	gtgaaaattc	tattgcccac	cattgaggtc	cagtttttgg	gaaaaagtaa	240
tgtataaaaa	aaaaaaaaa					259

<210> 725

<211> 450

<212> DNA

<213> Homo sapiens

<400> 725

gaaaaagttc	tcctcttatt	tggggaatgg	atttcagaag	agaccagaag	atgttctcgt	60
gttctcacca	cagggaaggc	agaagcacag	agccccacag	gctaagaaaa	tgagagcatt	120
ggcaacccgt	atggcccaag	acacatgcaa	aagcaagtcc	cagggtcctc	cttcacatga	180
tgctggcctc	aaagacccca	tgaagagcaa	aaagcagcca	ctctctcaaa	ataacagaac	240
tgcctgcttc	ataaaagagc	aaccacaagc	ccaagagaaa	gattctgtga	atccatctaa	300
ggacgtagac	cccagcaagg	gcattctctgt	tccatgccaa	aatcaagagg	tttccaccaa	360
caccatagaa	caaggctcta	gttccagccc	agctagtgat	agtggaatgg	catgtgctga	420
tgagaccaga	tcaaaagatg	ttgttttaag				450

<210> 726

<211> 418

<212> DNA

<213> Homo sapiens

<400> 726

aggcaattct	gctatgtttg	ttcttcacta	tgatttactg	tgtgccaaag	gagttttgac	60
agggtacaga	gtatttttact	aaaagtattt	ttaaatgttt	ctcatgtgat	ttctgtacct	120
tcttctcctc	gccccctttg	ctttttttaa	gaaactgggg	aaggatttat	gaatacacca	180
ccaccagagt	ggataatgct	tagaattctt	tattgggtggc	cctactatgg	tgatgatcta	240
gaactgactt	acttcaggac	agaagaaaaa	acaatcacac	ccttaacctt	taagccagtt	300
agatcagggg	gttgcaacaa	ttgggttaaa	ctttgggtat	acattggaag	caccagggca	360
tgtttgcttt	ttttgtttat	gtgtttgttt	tttgagacgg	agtctcacac	tgtggcca	418

<210> 727

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(415)

<223> n = A,T,C or G

<400> 727

gtggaggctg	ccaagcctgg	attccagccg	gtcccaaacg	ccaggctgag	gaggctttgg	60
actttgtcca	gtgtcaccac	aggcttctgg	gcagagctgg	tccaatgggg	gttgggggac	120
agtggcatat	ctgacatcaa	cccctgggtt	attgacatca	gccccgggaa	tgcattagtg	180
atgcattcca	cgggcccagg	ggtcatccac	tgccttcggg	tcaagcaaat	ggccagtagc	240
tgcccaggct	gatagagggtg	tgtgttggag	gggggcacag	gccactggcc	ctcgccctg	300
gcctggcagc	agggaggcct	cagatcttag	atgcctgaga	gctaccccaa	gaagggtctc	360

ggcacagcta tggcccccat gcctagtggg gctggggcctt ctnggtgctg cagat 415

<210> 728
 <211> 408
 <212> DNA
 <213> Homo sapiens

<400> 728
 atttttggtc attattgtct aaacaataca gcttaacaac tgttttcata gtatttccat 60
 tatattaggt attataagtc tagagatgac ttaaagtata tgagaggctg tccatagggt 120
 attatgcaaa cactacgcca ttttctatca gggatttgaa catttgacaga ttttggatc 180
 cataggatgt cctggaacca gtccccact ggtactgagg gacagctata cttaaagact 240
 aatatatatg ctctgttttc ctttagagta cttgactcta cacatttcct atagctttga 300
 agacttgtct tccttgaagc agactaaaag ggggacagat gggaggatgg gaagaaccac 360
 acttcataa tcttagaatt attccttcct tgctatgctg acaaaggg 408

<210> 729
 <211> 407
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(407)
 <223> n = A,T,C or G

<400> 729
 caaatcacag cattaataac agtgccttaa ttatgagctg caataattgc tttccagagt 60
 tagacttcaa atcactgagt agctgactta ttaaaagttt ttattgttct gaaatgtaaa 120
 ctaatacagt tacttgtaga ttgctgatga agtggttaata ttgagatgtc ttaattgggc 180
 ctccctggcat tctttgaatg aaatgatttg tggctcaaaa atgctgcggc agcaganacc 240
 ataaanagca ctnnancata gatggccttc naganaaacn naatatccat ngngncaan 300
 taacgannac cccatagant gcannncgga gaaanacccc ngngaattgnt nnnaaacngg 360
 gaaacancct ccccnannga nanccttccc cagcaneng ngcgac 407

<210> 730
 <211> 406
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(406)
 <223> n = A,T,C or G

<400> 730
 tatacacata aagtttaata gttaatgtta ccagattccc tggtaagatc ttaaaatgag 60
 cttccttggtg ttctcaacaa cattgtact aaaaacgaag tgtggaatat actcttcaga 120
 tagcagcaaa tgttttgtca tttcctttgc ttctgttgat tttcaaaagt ttacctcctt 180
 aaaatacata aactattgtg ttgtagaaga ttccacatga tgaagggcat taattttctt 240
 gtgccactgg tgccagtga tcagaccaac ctaacatgcc tcagtttcat gcatattctc 300
 acttgttttc cttctgaata aaagttatc taaatcttcc tcttgacttc tttgtttagg 360
 ggagtgggtc gaacctgctg tgcttctacc tacttgatag gngagg 406

<210> 731
 <211> 407

<212> DNA

<213> Homo sapiens

<400> 731

aacccatagg	aaatatgata	ctgagggcacc	gaggatgggt	ataggacgtg	gtctgctgct	60
gcatgttgca	ttactgtatg	ctgggttttt	ggtactcttt	ctcaaggctc	tgattattagt	120
tggtaggctc	cagtaatgaa	tatagaggac	tgacagagt	ggattaactt	atttgcaatt	180
gtttcctact	gaaatcaa	gcacgggttt	cccaatttaa	gacttgggtc	cttgtacctt	240
gatttgattc	agaaagccat	ctgtgatgtt	tttgtttcct	ggcgctgca	ggaaaactca	300
tttgtcatga	gttacaatta	ccttgacgtc	attgctatgt	ggttgtagca	cactcattgc	360
taaaaatgg	tatgagtgc	ccttaatcca	tgagctcaac	tggtgtgc		407

<210> 732

<211> 401

<212> DNA

<213> Homo sapiens

<400> 732

aacccatagg	aaatatgata	ctgagggcacc	gaggatgggt	ataggacgtg	gtctgctgct	60
gcatgttgca	ttactgtatg	ctgggttttt	ggtactcttt	ctcaaggctc	tgattattagt	120
tggtaggctc	cagtaatgaa	tatagaggac	tgacagagt	ggattaactt	atttgcaatt	180
gtttcctact	gaaatcaa	gcacgggttt	cccaatttaa	gacttgggtc	cttgtacctt	240
gatttgattc	agaaagccat	ctgtgatgtt	tttgtttcct	ggcgctgca	ggaaaactca	300
tttgtcatga	gttacaatta	ccttgacgtc	attgctatgt	ggttgtagca	cactcattgc	360
taagaatgg	tatgagtgc	ccttaatcca	tgagctcaac	t		401

<210> 733

<211> 402

<212> DNA

<213> Homo sapiens

<400> 733

gtttttccat	gtcgtcattg	agtcattcaa	gttttatggc	tctggatatt	tgaaattatt	60
ttggacaccc	aaatttgga	tgtttctttc	tgaattgtga	taacgccaga	aaatttttga	120
gacagaaaa	gggcagttta	tttgctttta	aataatacag	cttttgtagg	ggactcgtga	180
tacttgggca	ttatttcctc	tccacattaa	aaggaaagca	gtgggcagga	aagatgcata	240
cagcacataa	cctcattaca	taatacaatg	tttcttttga	accagtagga	atgagttggt	300
ctggaaaaa	atttgtagag	gttttatcac	ttttagctct	ttaagattta	tcacttttag	360
gccaggcgca	gtggctcacg	cctgtaatac	tggccttttg	ga		402

<210> 734

<211> 398

<212> DNA

<213> Homo sapiens

<400> 734

aaaacgagtt	aaatatattg	gaggcttgac	agctacctgc	attgtagaac	cttttcttat	60
ctcagtgga	ccttctataa	cctaaatata	ccattgatga	ttcttcttcc	attcagtgac	120
atccacagat	tatgcagcta	tacttgtaga	atcgtgcagt	aggccccagg	gcaccgttct	180
agaacaacgt	cacttcacac	aggcagctga	gaaaggttct	cttgcttttc	cagatcttcc	240
ctaaggatgg	agcccaaaat	tgagagcag	taacttttga	ataaaaccag	ggtgggtata	300
aaacttctta	ttcttaaat	tacatataag	atctattaag	cttgacacat	ctgtgtcatc	360
acgcactgaa	gacaggaagc	agttcactga	gtcagctg			398

<210> 735

<211> 397

<212> DNA

<213> Homo sapiens

<400> 735

gataaatatc	aattttaatt	aatactctaa	gaacatacaa	aaatggcaag	ccctttacca	60
tcactgttta	ttattgatgg	caacaagtca	aagctagata	tattttattt	gctttgagat	120
gattttttgg	ttatgatttt	atagccagca	atgcttgta	tgcattccatc	aacaaaaagt	180
tgttaaccac	ctactgccaa	agaaaaatca	aaatgtcacc	atcaaggcca	tcattggtgta	240
agaaaacaga	cctatactca	ggcaacttca	gttcagtatg	atggatactg	tattagaaaa	300
agtatctggg	cgctttgtat	gaggaaggac	atgtcattgt	gtggagaaga	tgaagcttca	360
ctgaggagag	agtgccctgg	cagtcctaac	atttggt			397

<210> 736

<211> 388

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (388)

<223> n = A,T,C or G

<400> 736

aaaaaaaaaa	actcccatga	ttaaagttaa	cctacataac	aaacctgcag	ttgtaccact	60
gaacttaaaa	taaaagttaa	aaaataataa	taataatttt	tttttgtaaa	natggggngt	120
tgntntggng	cccaggctgg	nctntcaa	tcctgggctc	aagcaatcct	ccgacctcag	180
cctccaaaag	ngctgggatt	acaggcntga	gctacctcgc	cagcctaaat	acattnttga	240
atatgtanct	ttgggaanat	ttattanttg	attaaggact	aggagggtcca	gctaaaaatgc	300
aattggattt	ataaggggct	taaatcccca	tttaagggat	gaaatcaaaa	atggcgaana	360
aatcantgaa	ctgnggtctt	aaaaaatt				388

<210> 737

<211> 383

<212> DNA

<213> Homo sapiens

<400> 737

ctctttcttt	tctttccttt	cttccctactt	tctctttctt	tctccttctt	tctttctctt	60
tccttccttc	cttcccttcc	ttattctttc	cttttttcc	tctctttatt	ttttctttat	120
tctctatctt	gctctttctt	tcctttctct	gtctctggct	ctttttcttt	ttctctcttt	180
tttcttttct	ctctctgtgc	cgctctcttt	tctctttttt	tctccttcc	tcctccttc	240
cttccctcct	tccttcctcc	tgtccttccc	agataaaaaa	tattatctgg	tcaactgtc	300
ccatctgttt	gggacaaagg	agatccactg	agattttgta	caagacgtac	atttttaaaa	360
aggaaggggg	gtagagggca	gga				383

<210> 738

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (384)

<223> n = A,T,C or G

<400> 738

gttttctgaa	ttcagatata	atgcttttctt	ctgctttttt	tttgctgtgc	tccaaatctc	60
agaaggcact	gaagccagat	taaaagttaa	atgaacagg	gacatattaa	agttacagg	120
ttatgagttt	ccccactcca	ctgttttcat	gtagctccag	aaccttatag	gataatggaa	180
gacagattca	gtccaatgct	gtttttcaga	gtagaatcta	tcattgtttt	aaagttaaaa	240
attntcagng	tacntattaa	atacaagttt	ttcagattta	gaatttggtc	ttntgaaaat	300
aagagtcctg	aatgtctcct	ggacagaaaa	ccctgggtct	gggggtttta	ggatccanaa	360
nacagcatgc	ccanatgggc	ttgg				384

<210> 739

<211> 386

<212> DNA

<213> Homo sapiens

<400> 739

aggagggtgac	cctcagactg	acagtgagtg	agtccgagca	tcagtggcct	ctggagcaga	60
ccagccacgt	ggaagagaag	ccttacagag	atgggtcggc	agagccctgc	tgatggctgg	120
gccttggtggg	cagccactct	gtgtgagcag	ggtgttgggc	ccatacactt	caaagaccag	180
agccctgcac	tgggagagtg	ctcctggccc	aggctgggaa	tcacctttcg	aggcccttca	240
gactctggcg	gggcttgctg	tggcctccct	ccagctagtg	gtgtggctga	gcagactcca	300
ggggccagggc	cagttccctt	ctccctccc	gccaaaccca	gacctcagact	ctaagaagct	360
ggaatggagg	gcagggatcc	atggga				386

<210> 740

<211> 383

<212> DNA

<213> Homo sapiens

<400> 740

gggactggaa	gcctgccatg	gcggcttctg	cggcggagac	gcgcgtgttt	ctggaggtgc	60
ggggacagct	gcagagcgcg	cttctgatcc	tgggagaacc	gaaagaagga	ggtatgcccc	120
tgaatatattc	cataatgcca	tcttcactcc	agatgaaaac	ccctgaaggc	tgcacagaaa	180
tccagcttcc	agcagaggtc	aggcttgtag	cttcctcttg	ccgtgggcta	cagtttggtg	240
ttggagatgg	actgcacctg	cgactgcaga	cgcaagcaaa	attaggcaca	aaactgattt	300
caatgttttaa	tcaaagctcg	caaacccaag	aatgttgcac	gttttattgc	caatcctgcg	360
gtgaagtcac	aataaaagac	aga				383

<210> 741

<211> 408

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(408)

<223> n = A,T,C or G

<400> 741

cagggtctgca	caggagcaag	agtggaggcc	ctgggtcagg	cagatctaga	ttcaaactcc	60
cgagaaggggt	ggagggaaat	gctccaagca	gagcagagac	tgaaggcggg	agagcctggg	120
gcaccgcgga	cctgcagggg	gaaggcgtga	gagctcgggt	cactggggac	ctgcatgggg	180
aaggcgggag	agctcgggtg	actggggacc	tgcatgggga	aggcgtgaga	gctcgggtgca	240
ctggggacct	gcatggggaa	ggcgggagag	ctcgggtgcac	ctcggacctg	cagaggggaag	300
gtgggagagc	ttggtgcacc	gcanacctgc	anggggaagg	cgggagagct	tggtgcactg	360
cagacctgcg	gggggaagg	gggagagctt	ggtgcactgc	acacctgg		408

<210> 742

<211> 400
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 742
 gcacctccag agcatgaggc tctaagggga catgagtaaa gcatgtctgt gacctcagtga 60
 ggaagggaga ggccagctgc actcctgcac ggggttccta gctgcagaag ggtcccgccct 120
 aggccgaggg gaaacacctg atagcagaag aggcctggat gcacacctgg cacgccgagg 180
 ctctccgccc agacacagtg ctccatgtca gcccctgcac ctggggtgtg tgattcacgt 240
 gcacagatgc cacaatcctg caccaatatc ccacagatgg gggaagggtga gaggaagggg 300
 gaagtgatgt gtaactgctc aagagatgct taaacctcca tagagaggag ccgggcgcag 360
 gggcatctgt gtgtccgtca cacactgcag canggaaggg 400

<210> 743
 <211> 378
 <212> DNA
 <213> Homo sapiens

<400> 743
 gggcctacgg ggcgggggag gggcggcagt gagctcggcc ggcaaccgag ggaccgcgct 60
 ccagatcttc agtgtctatt ggatttttcc aagagaaaagt ttgtaaaatt ccttacactg 120
 tagatgtgga tcagatacga tgattcagta gaagagcaca tgtcaggggc agtggaggct 180
 ggctgctgaa ggatgaacgg agaggaagaa ttctttgatg ccgtcacagg ctttgattct 240
 gataactctt ctggggaatt ttcagaggca aatcacaaag tcacgggaat gattgactta 300
 tacaccagca aaaataatag gattgggaaa actggggaga ggccctctcaa gaaaacggaa 360
 ttcagaaaca caggacat 378

<210> 744
 <211> 403
 <212> DNA
 <213> Homo sapiens

<400> 744
 gcaaaatata ctttcaaatt aagaatgggt ctgtgatgtc acatctagga gcacctaccc 60
 atggacagac atgtcttccc atggaggagg ctttcgagct acccttggat gattgtgaag 120
 tgattgaaac tgcagcagcg tccgaagtga ttaaataatga gtatcatgtc ttatattcct 180
 gtagctacca agtgcctgta ctttacttta gggcaagctt tttagatggg agacctttaa 240
 ctctgaagga catatgggaa ggagttcatg agtgctataa gatgcgactg ctacagggac 300
 catgggacac tattacgcaa caggaacatc caatacttgg gcaacccttt tttgtacttc 360
 atccctgcaa gacgaatgaa ttcatgactc ctgtattaaa gaa 403

<210> 745
 <211> 153
 <212> DNA
 <213> Homo sapiens

<400> 745
 gtcaaaaata aaggaatcat acatctcaac ttactgagca atgccgtagc tatggaatat 60
 gaagcatttg ttgcactctt tttgtgagcc aggcattgct cagtaagttg aggtcaaaaa 120
 taaaggaatc atacatctca aaaaaaaaaa aaa 153

<210> 746
 <211> 398
 <212> DNA
 <213> Homo sapiens

<400> 746
 gcgctggcca tgaaacacat ggatctgaag cagatggagc tggacacggc ggcggccaag 60
 gtggatgaac tgaccaagca gctggagtcg ctgtggtcag actctcccgc gcctcctggc 120
 ccgcaggccg gacccccttc tagggtaagc ctggttccca ccttgatctc caaagccagc 180
 ctctcgccac agtcagacc agaggcctgg atttcaggca aaattgcccc atatagttat 240
 gcaggttgtg ggctcttcaa gggaacttga aaaaagggga ccaggccagg cgcgatggct 300
 cagacctgga atcccagcac tttggaaggc gaggtgagag aattgcttga gactaagagt 360
 ttgagaccag cctctacaaa tgatttttta aaaatctg 398

<210> 747
 <211> 372
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (372)
 <223> n = A,T,C or G

<400> 747
 gaagaattct aaaggaagag actgctatga gatttgaagg attagtaagc actagctaag 60
 taatgtaggg atgcacagag tgggaacaag ggggtccatta tcacagcaaa agaaatcacc 120
 caaagattct gtgccagttg gagtgtgaaa cttctcagga tctgaaaaaa tccagagtag 180
 gtaaattaca gagaataagg gagagaatgc tgcaacctga tgcctataag agctagaata 240
 gcctcgtaa ggtctgatgt cttactcaag agtaaagtat tataagctgg gtgggtgagag 300
 gagtaagtgt ccttatcaaa gtaatgaact gctgtagagt tgattaaaga gaggnaagat 360
 ttatctgaag ag 372

<210> 748
 <211> 374
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (374)
 <223> n = A,T,C or G

<400> 748
 gcggagccta cggagttcac ggtgcaaggc atcgctccgc actggaccag tgaggcgag 60
 gcgcgagctc cccaggggga ggtgtgggag gtttttcnan nanaactttc naanatgttc 120
 cctgtgaggn cganngcngn gcgnttatag tntnaaagtg gtattgaggt atttttattn 180
 ggtaanagcc taggntntgt tcacccaang gaanaaanaa nntncnancc cnancaactt 240
 ctggggcgtg gtccgttcac acgctactct annaccntg ggcattnatgg aagttgtant 300
 tnanacnatt aaggncaccg tttcctgtna aacggnttcn naatncccta aaaaaggctt 360
 gggaactttn ctta 374

<210> 749
 <211> 373
 <212> DNA
 <213> Homo sapiens

<400> 749

gaggtggtca	cggaatgggg	ggcgctgctg	tcctccccgg	gggctgcagg	ccgagaccgg	60
gtgaggggcg	ggggtgatgc	tggcactctg	gacggaaggg	cgtcgtcttc	gcagccgaac	120
aggttggtga	cgcccaatcg	tttttctgcc	cgtagtccca	atccgaagct	aagctgtgtg	180
gttttccctt	gaaagctccc	cagccagget	tgctgcctcc	acccctttcg	catctgaagc	240
attttgcctc	ccactcgaga	gaaatcaatt	ttcttaaaca	aacaaaaaaaa	aagatgtgca	300
ggatttctaa	taaatagcat	ccttggatgg	aggagaagag	gaatgactcc	ctcatcctgc	360
cacacacacc	ccc					373

<210> 750

<211> 399

<212> DNA

<213> Homo sapiens

<400> 750

ccagccttcc	ccgccctctt	cggcgccagc	acctcccttg	ccctccagga	ggaccccagc	60
ggcagcatct	gaaacgtccg	catttgagca	gcacctgctg	gactcccacc	ggcagcaggg	120
cgccctgctg	tcctcctggg	cccagcagca	gagcacactc	atggcccagc	aaaacctgct	180
gctgcagcgg	ctggccgagc	agagccagcg	tctggccgat	ggcgtggagg	ccctcaaccg	240
gaccctcgag	aggctggtgg	aagcacgccc	taccgggaa	gcctcaccct	cactccagga	300
cggtagtcct	gccagtggag	tggccagggg	cctgctggag	gctcccagga	cagccccaag	360
ggcaccctc	cggggctcga	ggtcttctca	gggatgatac			399

<210> 751

<211> 369

<212> DNA

<213> Homo sapiens

<400> 751

tttaaaatcc	aactacagaa	aaatttttaa	ctgaaagatg	ccttaataga	atgatctata	60
tcctttagag	aaaagattag	gacagtccct	tatcccttg	aattactttt	ttaaattttta	120
attttctgat	tttaattgca	ataactgatt	atcatatata	agtactagga	ttctggaaaa	180
agtatttcat	ctcaaatttc	ctctaagtag	ctaactcttcg	agaatggtaa	cttatgggaa	240
cccccttgat	tccttgctt	tatgacactg	agcaagttac	ttgagctttc	taataccatt	300
ttattcatgt	gtggtatgac	aatggggatc	atgattatat	tgatttatgt	taccaaata	360
tttgagggg						369

<210> 752

<211> 364

<212> DNA

<213> Homo sapiens

<400> 752

aaacacacag	gcctcctgaa	agaggccgag	gctgagatgc	aggagcgcta	ctttgagcca	60
ctggtgaaaa	agaacaaat	ggaagaaaag	atgagaaaaca	tcagagaagt	gaagtgccgt	120
gtcgtgacat	gcaagacgtg	cgcctatacc	cacttcaagc	tgctggagac	ctgcgtcagt	180
gagcagcatg	aataccactg	gcctgatggg	gtgaagaggt	ttttcaaata	tcctgttgga	240
aacagaagca	tctccttgga	cagactcccg	aacaagcact	gcagtaactg	tggctctaca	300
aatgggaacg	ggacggaatg	ctaaaggaaa	agactgggtcc	aaagatagga	ggagaaactt	360
ttgt						364

<210> 753

<211> 386

<212> DNA

<213> Homo sapiens

<400> 753
 attctacgtc actgctcaag tgtcagtcag ataaaagcca gtggcagact tgggacgaat 60
 tgggttgagca tctgcagttt ctgctgtcca gttatcaaca tgttttaaga gaacacttaa 120
 ggagttccgt gatcgaccga aaggacttaa taatcaaaag gattaagccc aaaccccagc 180
 aaggagatga catcacagtg gtagacgtag agaagcagat tgaggccttc cgcagccgcc 240
 tgatccagat gctgggggag cctcttgtcc cccaactcca agacaaagtg cacttgttga 300
 agctcctgct cttctatgct gcggacttga accctgatgc agagcccttt caaaagggct 360
 ggagcggctc ctgagggcct gcaagc 386

<210> 754
 <211> 391
 <212> DNA
 <213> Homo sapiens

<400> 754
 gcatctccag agcatgaggt tttaagggga catgagtaaa gcatgtctgt gacccagtga 60
 ggaagggaga ggccagctgc actcctgcac ggggttccta gctgcagaag ggtcccgctt 120
 aggccgaggg gaaacacctg atagcagaag aggcctggat gcacacctgg cagcccgagg 180
 ctctccgccc agacacagtg ctccatgtca gcccctgcac ctgggggtgtg tgattcacgt 240
 gcacagatgc cacaattctg caccaatatc ccacagatgg ggggaagggtga gaggaagggg 300
 caagtgatgt gtaactgctc aagagatgct taaacctcca tagagaggag cccggggccgc 360
 aggggcatct tgtgtgtccc gtcacacact g 391

<210> 755
 <211> 390
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(390)
 <223> n = A,T,C or G

<400> 755
 caagacaatt ataggagatt ttcagaagga acagaaaaaa tttgttgaag agcaacatac 60
 aaagaagtca gaagcagctg tgcccccctg ggttgacact aacgatgaag aaacaattca 120
 acaacaaatt ttggccttat cagctgacaa gaggaatttc ctctgtgacc ctccggctgg 180
 cgtgcaattt aatttcgact ttgatcagat gtaccccgctg gccctgggtca tgctccagga 240
 ggatgagctg ctaagcaaga tgagatttgc cctcgttcct aaacttgtga aggangaagt 300
 gttctggagg aactactttt accgntntcc ctgnntaanc agcanccccc tcangggcct 360
 gctgccaca gcagncnna gggnnnggagg 390

<210> 756
 <211> 384
 <212> DNA
 <213> Homo sapiens

<400> 756
 ggagaacgtc cctccttccc ttttgtcct gtcccgacc ttctacctga tagatgtgaa 60
 gcccaagccg attgagatac cactcagtgg ggaggctcca aagactgata ttcttgtgga 120
 attacctact ttactgaat cttaaagagaa catgggtggat cttgcacctc aactgaaggg 180
 aactaaggat gaagacttta tacagccgcc accagttaca tcatcaccca taacaccatc 240
 aacacctatt tcattacctt aaggacctat cacttcttct gaagaacctt cactccaggc 300
 caaatcacia atgacggccc agaacagcaa ggctagtcca aaaggagcat aaaggactac 360
 ttgaggatgg agtccactct cttc 384

<210> 757
 <211> 384
 <212> DNA
 <213> Homo sapiens

<400> 757
 ggaggcaaaag agctgttggg agtggtttgt ggggtctctt cttccttctt tgtggctaca 60
 tgaagcctga gtctcagcct ctgggtttctt gggtttctttc cactgccctg ggcaaaccag 120
 cttcgactga acgtcagcca gtccagagag taattaaaag agttaagtct caaaagtaaa 180
 tctccgggaa gagccctcag tggtttcaga cccccaggca cttgtcctcg tgccctccct 240
 gaggcgtcct gtccactagg acatgctgga gcctgccctg gtccttgtgg accatggaat 300
 ttgcccgggg ttggggggca ggggtggaga gaaataaaac ttcctgtgat ctatgtatcg 360
 gccagtaga tagatctgga taga 384

<210> 758
 <211> 374
 <212> DNA
 <213> Homo sapiens

<400> 758
 gtttgtaaac ctgtgcttta taagatttga aggaaaggca ttcattggtaa ttacagacgg 60
 tgccaccaga aaatgctctt gctaaatgca gccagtagtt agattgcttc tttctccagt 120
 ctccccgca aagaaatttg acgtgattct gaatgcactg gacatgtctt gattgctgtc 180
 ttacatttca cagtgtctta aaagaaaggc aagccagttg ttaatttcag aatcagattt 240
 atgctctctc aatttaaaaa atgctgggca acaagagcga aactcctctt caacaacaac 300
 aacaaaaagt ttggtatggt tctctcaaga aaaaagcatg gtgagtcag acagcagcaa 360
 aagcttttgt gaaa 374

<210> 759
 <211> 373
 <212> DNA
 <213> Homo sapiens

<400> 759
 gcctctgctg ccgccagccg ctcatctcca aggcctttga gatcatgttg gctgcgggag 60
 aagggaaggg tgtcaacaag aggatcacct acaccaacc ctacctctc cggaggacat 120
 tccacctgca cagcgaccac ccggagctgc tgcggttcag agaggactcc tccagggtcg 180
 ggggtggaga gacctacacc atcggtctgc agtttgcgcc tagtcagaga gtgggtgagg 240
 aggagatcct gatctacatc aatgaccatg aggacaaaaa cgaagaggca ttttgctgta 300
 aggtcatcta ccagtgaggg cttgaggggtg acgtccttcc tgcggcaccc agctggggcc 360
 tgtctgtgcc cct 373

<210> 760
 <211> 348
 <212> DNA
 <213> Homo sapiens

<400> 760
 gtgaccatag agatcatgct ttacatgctt tgcattttgt ttgtagcatt aaaaagatga 60
 catttttcaa tgtcaattac tatactgtga cattgtactt cataattgca caatatgaat 120
 gtaccatggt ttatttaact aatctcataa atttttgtga tttttttccc ccacggaatg 180
 cttcattatt gtaaataaca atagaatacg catecttgta acatatcttt actaattata 240
 tctttactaa catgttaatg ttaatttgta gatggactgt tggtcagatt atttatgttc 300
 atcaaagtct ttttccacta attcctaata taccctccag aaacattg 348

<210> 761

<211> 347

<212> DNA

<213> Homo sapiens

<400> 761

gtccttaaga	atctagactg	acatagtggg	aaataaggta	cagttggagc	gaggtgagaa	60
aagcccagta	agagtttgat	ctggtcctta	agaagcctcg	gaaggttttt	agcgatgaag	120
agcattgtgt	gtgtgtgtat	aaagaattgc	aagggggcaa	ggctggggcc	ccaagcctgg	180
atgggtggcaa	gaaatcgggt	tgtgtgtcaa	gtgtctgtat	aacctgggat	actagaaatg	240
aaggaggggga	gtggtttgaa	agatactgaa	agcaagaatc	atgggatttc	tgctgtcag	300
ataggggcat	tttaataagt	ctcctaagaa	aggaatgccc	tttgatt		347

<210> 762

<211> 348

<212> DNA

<213> Homo sapiens

<400> 762

gttacactgt	atgtcctgtt	gtaaatttct	gtctctgttt	atcaggcaac	tttctctcag	60
aagctcactt	ggaaatcaag	ggaaataata	caccgtgcag	aggaaagaga	atctgggtccc	120
ttgtgcctcc	ctgctgtggg	gcagcatggg	ctgatgacca	agggcacagg	atcctatttc	180
taggattagt	cagaaagaat	tgagcacatg	tctgtagact	tttgctcag	tattatattt	240
tagatgggtt	agtcggagct	gttacatttg	gcagcattcc	ttgttagcat	ttgataaaca	300
attattgcc	aatgttagca	aggaaacctg	ccaaatgtta	cagctcaa		348

<210> 763

<211> 349

<212> DNA

<213> Homo sapiens

<400> 763

gggactggaa	gcctgccatg	gcggtctctg	cggcggagac	gcgcgtgttt	ctggagggtgc	60
ggggacagct	gcagagcgcg	cttctgatcc	tgggagaacc	gaaagaagga	ggtatgccc	120
tgaatatttc	cataatgcc	tcttctactc	agatgaaaac	ccctgaaggc	tgacagaaa	180
tccagcttcc	agcagaggtc	aggcttgtag	cttctctctg	cgggtgggcta	cagtttggtg	240
ttggagatgg	actgcacctg	cgactgcaga	cgcaagcaaa	attaggcaca	aaactgattt	300
caatgtttta	tcaaagctcg	caaaccgaag	aatgttgac	gttttattg		349

<210> 764

<211> 345

<212> DNA

<213> Homo sapiens

<400> 764

ggaaggggaag	gcaggacatg	ggccggggccc	tggcccagga	cggcccaa	ccaaaaacct	60
tcagcccaag	atccaggaat	atgaattcac	tgatgaccct	atcgacgtgc	cacggatccc	120
caaaaatgat	gcccccaaca	ggttctgggc	ttcagtggag	ccctactgtg	ctgacatcac	180
cagcgaggag	gtccgcacac	ttgaggagtt	actgaagccc	ccagaagatg	aggctgagca	240
ttacaagatc	ccaccctggg	ggaagcacta	ctcccagcgc	tggggccagg	aggacctgct	300
ggaggagcag	aaggatgggg	cccgggcagc	ggctgtggct	gacaa		345

<210> 765

<211> 339

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(339)
 <223> n = A,T,C or G

<400> 765
 ggaggctgag gcatgagggt tgcttgaacc tgggagatgg aggttgcagt gagccaagat 60
 ggtgccatta cactccagcc tgggtgacag agcaagactc catctcaaaa aaaaaaanac 120
 accaaanatt ttnttaatcn ctgancnctn tttntntnca nttataagaa attgaaaatt 180
 ntaatnancc tcctatttta tnaatnaana atngatttta ngattnagtt naaaangtta 240
 aattcntttt aaaaanancec attacntggt ancncaaana ncatgttttt nttntntttt 300
 nttttnaaac aaagtntcnn tntgttgccc aggctggag 339

<210> 766
 <211> 338
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 766
 aaacacttta attattttct gttaatatta ctcttaatat aaaattcagg tgcattgaaa 60
 ctgtagagga taagcaccta atcttgacgc atcagagctg atgctagtgt gaattgcttc 120
 tttgtggtta tgaggaaaca acgctctttt ttgcatatgg agagagctgt acctaggcc 180
 caacatgtta cttggccaaa tgtttttgtg cagtgtaccc cctgtacagc tgtatgtgat 240
 tggccaacct tatctcttat cteccatagc agccttaatg tctccttggt aactctcatc 300
 tcacttaaaag ttacttgntg aatgnccttc attcttgc 338

<210> 767
 <211> 417
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(417)
 <223> n = A,T,C or G

<400> 767
 gtcaatgaat aaagaaactg gtctcagtgc ctgtgaaaac atcgaggaaa aggacagctt 60
 taaaaacttg cttctgacc tcaggatgac cgccgccta ggcctcccaa agtggtggga 120
 ttacaggcgt gagccactgc acctggccag ttgagctttt taaagataac agaaaggact 180
 gctgagaatg agtaaaccta tgtccgtaaa gagaattgca tgatttactg caagtattcc 240
 tgggagtga gcatcacgta cacactgctg gtctcgtgct ctcctgaaga tagccccca 300
 cacttcacag tgggttgaga aggttctttt tctctcctgt cttccctctg ggtccacac 360
 ggtctagcat tttcatctgt gttgaaattt gnttttcatt tctgttttaa gtccttg 417

<210> 768
 <211> 418
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(418)
 <223> n = A,T,C or G

<400> 768
 agtgggtaac tgcattcttt gctctatctt tgtgtgtctc cgtatattcg ttttttgttt 60
 ataattagtt gcattttatt ttatgggttc tgtatcttaa aatttttttt aagttataga 120
 agaaatacat gctatcagca aaaaaaaaaa aaaaaaaaaa tccagctncn canaancgag 180
 gagngcgaag caaatagccg nttcacgtcc cacaccctgg cagcagntgc gcccgggtct 240
 gtccgganat gnggtgtgca ancgtattcc ancncaaaaa tctggacttc tgtttnttat 300
 gaaagcagct gatgccacac tgtgtgccct gtgccgtact gtgccaggca cctggacgga 360
 cctggnntct cctgtgcct ctgaaggggc gacggcggtg tgtctgcncg gcctgcag 418

<210> 769
 <211> 414
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(414)
 <223> n = A,T,C or G

<400> 769
 ggtgctcctc tggcttttca aggtttggta agagctaggg gtcccgggtc tctctgggt 60
 tttgtaggtt tggaggagg ggatccatct ggctcactc tgcctcacc attaaatgct 120
 ttgcccatag gaaagtctga agataacacc agcatgggaa tttatttaag ggggtgggaac 180
 cacaagctgg gacaacctt gcccaagcag gaagcttata aaattcatct cagacagagg 240
 gatggcaggc tgctgccggg ggtggggggc gccctctct cccaccacc cctgctggca 300
 tcagcagctg caacagaatc ctctcacac ctggtgctta ttataaaact accccttgc 360
 tcagctccat cagaattggt aaagccaaag ctacaggaga ataaaatgna gata 414

<210> 770
 <211> 408
 <212> DNA
 <213> Homo sapiens

<400> 770
 gtaggcaagg acgtcagagg gctgatgggg ccatatcagg tggggccttg agggctggcc 60
 atggggactt tgetttctacc ctgagtgaga tggagctatg gatgtgaact gataggggtg 120
 ttcacgggct ccttgggagg aggggaaggag gggctgagag accagggagt aggtgctgg 180
 gctggtccag gcaagaggta acagtggaca ggaccaggcg gagtgagaag aggtcagatt 240
 tgggaattatt gtgatcagca gacagctctt acctgggggtg tgaggggaaag aggagcccca 300
 gaggactccc ctgtttttgc aactggaaag caatggctcag ccatggcagg gtttgcctg 360
 catcaagaca agcgagccct tgctggcaca atgctcatgc tgtaattc 408

<210> 771
 <211> 423
 <212> DNA
 <213> Homo sapiens

<400> 771
 ctttggtact acgtaggcat aggagaacga aacttctgta cattttaatc tgaataattc 60
 ttcaggatctt aaaattaatt ggctctggct tgggtggacc gtactcggat ctgccacct 120
 ctgcgtttcc cgagtcactg gcgaagagaa ccacatcaca tcaccgtcag ggagaagaag 180
 atagcaaaat tggggaagcc tatttctgtg tagaatgtat gttaataact tatttacttc 240

taaagttgga	aggcaaagaa	gagagtgagt	ttactgttct	aaaccctgtg	acctaatagt	300
cctctaatagc	tccggtccca	gttcctctgg	gaatcgtcct	gtatgcaaca	tcttcacaag	360
agtggcaggc	agttgaatct	ctggccttcg	tgggaccact	ggacatctgg	cagagaacca	420
gga						423

<210> 772

<211> 397

<212> DNA

<213> Homo sapiens

<400> 772

gcgagactcc	atctcaaaaa	tagcaaaaaa	caaaaaaaca	aaaaccaaga	aacaatttta	60
gacattagct	tctttttccc	catcattata	aagttatttt	gccatttggt	tttggttcct	120
atattggttt	tatcagaatt	aggtaaatcc	tttttttctt	gcttcttcca	cctaaaaaat	180
gatagtaaaa	catatctttc	tgcagacttc	tgaagaaaat	tatataaaat	tacatgaagt	240
ggtagcatta	gtgttatcaa	gtagaacctt	caggataggt	ggcagatttg	gaagtttccc	300
acctatttta	atgttagaga	ccacatatct	attgcattat	tgctaaaaaa	aaaaattcct	360
cactcaatca	aacatatttc	caatacctgg	gaaaagc			397

<210> 773

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 773

gagactttca	attttggaag	caaactgagc	tattcttacc	agccaaagtt	atactaaata	60
agagacttgg	gggagcaaat	gtttttcagc	cttcagaaat	gaaagttaag	gatttttagca	120
ctaggtaaaa	ttcagtataa	taggctgaag	tggagtaagt	gaaaacctgc	cttttgccac	180
tcttaaaaaat	tgtgccc aaa	atataaaagt	gtggaacttt	agaacttgga	ataattttat	240
tgcagtcttc	cattacatgg	aaatagcata	tctaatatct	aggttacttg	agagaccagc	300
taatcatctc	tgttgacat	gtttaattgg	caaaaagcaa	ttcatgataa	ataaaattac	360
tgctttccat	ctactgggta	aaatgactat	tgaaataagt	atgaatgtgg	ncagaggat	419

<210> 774

<211> 390

<212> DNA

<213> Homo sapiens

<400> 774

cttatccctg	tttgatttct	gagtttggat	taataactat	gttttttaac	ttcaacattc	60
tcacaaacaa	tttctgcata	aaacttcttc	tttaaagctt	aaaaagaaaa	aaaaatctac	120
ctaattggagc	actgaactag	aacacaaaat	acttgggttc	taggcctggg	tctgccatca	180
actagcagtg	tgtgagtttg	ggcaagtgtt	ttcatcatct	atccaggcct	gctttgctcg	240
tttgtcaaag	agggatggct	ttgcagatgg	ctaagtttcc	ttcagggtct	gacatctgcc	300
tcatgacttt	ggcactcttg	tcatgaagat	gaagtgacag	ttctttttaa	gtgggaagcc	360
agacacaggg	tttctagttt	gcctgagatt				390

<210> 775

<211> 392

<212> DNA

<213> Homo sapiens

<400> 775

```

ggtgcgcgct gtgggctgcc tccccgtgct gtgtagcggg acggcaggct atttattggg      60
gaggcagtgt tccctaaaca ccttaccagc agcttccatt ttggcatgga agagtgttct      120
cggcaatgtg actgcagatg agctgtggaa aggcgcttta gcagagactg gtgctggagc      180
aaaaaaaggga agaggcaaaa gaactaaaaa gaagaaaaga aaggatctga acaggggtca      240
gatcattggg gaagggcggt atggttttct atggcccggg ctgaatgtcc ctcttatgaa      300
aaatggagca gtgcagacca ttgcccagg aagcaaggaa gaacaggaga aggtggaggc      360
agacatgatc cagcagaaaa aaaaatggga cc                                     392

```

<210> 776

<211> 415

<212> DNA

<213> Homo sapiens

<400> 776

```

ctgtttttcc cagcccgtta ctctgttagc tctgaatgga aacagcagct cacatgtcac      60
ctctgtgtga cggactcggc cccaccaga cacacagggt tggttgtcag cgagcacctc      120
aggagaactg agaagctctt tttcaccatt ctttcccaa atcagtcaaa accttttaaa      180
aaccattatg agttgtgaga aggtttcaac agctatgttt tcaaagtgtg tgtatatgat      240
ggcactgtgg tcagttcacc aagagcagca ctgagatggg tggatccagg tgcaccttga      300
aaagttaatt gcacaaacct ttgctttgac cccaaatacg cttgctagtg cccttccctg      360
cagcttccca gacaatcaac aggttccatg ggggcagggc ctggcacagc aatgc         415

```

<210> 777

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(393)

<223> n = A,T,C or G

<400> 777

```

gctttttcca gaacctcggg atccctggag agagcatttc ccttggcttc agctgcagcc      60
cctcttttcta gatggaggga gctccatcgc ggggggtcccc cagggggaca gataccttcc      120
tggtccctct gcccaagggc ccacgctcag agcactgcct cccacactgt ccctctgcag      180
atcaaccgag gcattgactc caacagagag tggattctaa tttagtcttg gctggggaccc      240
ctttcccgca aaaagatatc tgacctgatg tcttgccaag tctctaccct cctcgggctt      300
acatcatgga aactgtctct tttacttcat ggaattcaag aacactttct tccttctggg      360
cctgaatctg aagccagtca cnaagggaag gcc                                     393

```

<210> 778

<211> 392

<212> DNA

<213> Homo sapiens

<400> 778

```

gttcaacata ctacagactc ttctctcgaa gaaaaacaaa ggacattaga ctcaggcacc      60
tctgaaattg tgaaatctcc cagaatcgag tgttctaaga caagaagaga aatgcaatca      120
gatctcatat atagaacctg tgacaatgct ttcatttttg cgcttttcac ttctattgtg      180
gttcaactca taatgacaag agacagtgat gggtatgaaa actcaacaga tgggtgaaatg      240
tgtgacaaaag atgctctgga ggaagattca gaaagcgtaa gtgaaatagg aagtgatgag      300
gaatctgaaa atgaaattac aagtgttggt agagcttcag gtgatgacga tggaagtgaa      360
gatgatgaag aggaggatga agatgaagag ga                                     392

```

<210> 779
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 779
 agcggcgctg gcttttaggtg aacgacgtga aaattacttt tcccactgaa acacacccaa 60
 gtatatgccc agccttcatg aaagtgaaca gagaacgaa gcgcctttat gtgggtggcc 120
 ttagccagga catttctgag gcagacctac aaaatcagtt cagcagattt gaggaagttt 180
 cggatgtgga gatcatcaca cggaaagatg accaaggaaa cccacagaaa gtttttgcat 240
 atatcaacat cagtgtagca gaagcggacc tgaaaaaatg taatgctgtt ttaaataaaa 300
 caaaatggaa aggtggaaca ttacaaattc aactagcaaa agaaagcttt ctgccagatt 360
 ggcccaagag agagaagcag caaaagctaa gaaagaagaa t 401

<210> 780
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 780
 gttagcatgg atgaggaaaa atttgtggat gccgttaact ctgccttttg gagtgatgct 60
 gaccacacgg acttcacga cacagctggt gccatgctgc agtatgctgt cagccttctg 120
 aagcccacta aggtctcggc tcgccagctg cccccaagcg tagccagggg ggatgccaaa 180
 agccgagttc tgtttcctct tgggttggga catgctgctg agtacgtcag gcctcgggtg 240
 gcgctcattg gggatgcagc ccacagagtc catccgcttg caggacaggg tgtcaacatg 300
 ggctttgggg atatctccag cttggcccat cacctcagta cggcagcctt caatgggaag 360
 gacttaagtt tcatgaccca cctcacaggg tatgaa 396

<210> 781
 <211> 385
 <212> DNA
 <213> Homo sapiens

<400> 781
 gtaactacaa gttactgggc agggatgggt agctgggagg tatggatttc atttccatta 60
 ctaatgcctg caattgctga taatagacgt gccccaggaa tcgctgcaag ggaaatggaa 120
 catgggtctc cttctgtggc ccaatctgga atgttagtgg tgcaatctcg actcactgta 180
 acctccgcct cccggattca agagattctc ctgcctcagc ctcccaagta gctgggatta 240
 cacgtacgca ccaccatgcc cggcaaattt ttgtattttt agtagagata gggtttcaac 300
 atattggcca ggctgggtctc aaactcgtga cctcaagtga tctgcccgcc tcagcctccc 360
 aaaatgctgg gattataggc gtgaa 385

<210> 782
 <211> 376
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(376)
 <223> n = A,T,C or G

<400> 782
 aatttttgta tttttagtag agacgggggtt tcaccatggt ggccaggttg gtctctaact 60
 cctgaccttg tgatccgccc accttggcct cccaaagtgc tgggattaca agcatgagcc 120
 actgtgcccc gctgagtcta cttttttttt tttaggagtt gtaaataaaa caagaaaata 180

```

acactattag ttattttatt actaactata caactacttt aacanaacac tnttttttcc      240
caggggnggg gtngggngta aangggcctn ttgtaaaaat nactnttggn catggnaatg      300
ggggattnat aanaattttg ccatnttagg gctgctcaca gnatttgggg ccaaacccta      360
cgngaataata tgtggg                                           376

```

```

<210> 783
<211> 381
<212> DNA
<213> Homo sapiens

```

```

<400> 783
gctaaatgca ttttagaaat ggtgacttct gtggttttct tagcatttgt ctctaacaaa      60
tggtgaaata attactcatg gccctctctg ccattgtctt tcattttttc acagtgaaat      120
tagacccttt tacttcacca ttctgccact gcaaattaag tataaagaaa atagcaagag      180
tgtccacacc agtagacagt aagcttctct acctgtaagt gatgaaatca tagctaattgc      240
acttgccatg gagttttcaa gatgattggg gtcagacagt tttcactttg tttaaaaagt      300
gttgggtggc ttttgtgggt gtgttacaat cctctggggg cttaggagga tgttgatgca      360
acttttagaa gcttttaatt t                                           381

```

```

<210> 784
<211> 393
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (393)
<223> n = A,T,C or G

```

```

<400> 784
gctcattatc tcttgttgaa ttaccatagt ctaaggggta atttaccatg gatagtatta      60
gggattccaa aaccccatct tatcagtgtt ccacagttta tcagactcag ctagtacaca      120
ctaaatgact cttaatatag agttttattaa cttacaatga gaaatattag gtcaagcgga      180
tgtttgcggt gttataaaca cattgtctct gttcaggcac aacttaaagt cacattgcca      240
cagggtttcct ggggcacaca gaatcagtgc aggaagagag gctgctgctt tgcgtggccg      300
atggcatgag tcctttctaa tccgaccaac cgctgnngca tcctcctgct gcagctgagg      360
tgaacggggg gcttgcattt gctgcagtat ggg                                           393

```

```

<210> 785
<211> 393
<212> DNA
<213> Homo sapiens

```

```

<400> 785
gcggcttctt tccggctctg cgctcctggc tggggctgct gggcggtctg ggccgggtcc      60
ccgcaccggt ctctcaagtc cgggattacc cgcagggcct gagaagcgct ttgcccceta      120
cagcctctcg agccagccct tggctcggaa ttggagaatg gtcctcattc ttaccagat      180
ctcacacgcc gtccccgctc ccgatcccag ggggtgacag gcgcgcacgc ctttcaaaca      240
cgtgttaaaa tccaagacgt cgtctcaaat gccagagatt tgcgggaatg ctcttggaa      300
gcctcaaaat cgccgcaaga acagtccact ttggaaagtg aagaatggaa tccttgggaa      360
ggagatgaaa aaaatgagca acaacacaga ttt                                           393

```

```

<210> 786
<211> 374
<212> DNA
<213> Homo sapiens

```

```

<400> 786
gtgcccctcc actccgggtc ccaggggaga ctgacaccca ccaaggcaac cacctgcttg      60
ttacagagcc ctgcaggagg cagctcacca cccacgagga gggacttagg cagcggactt      120
gctgagggca gagccttggt aggcaaatat tatcacacta atttcacaaa ggaggaagtc      180
aaagctggcc ctgcagtatg aagactcaag cccagacttg ctggctcctg cctgcatctc      240
cctccacctg ggtctctgtg ctccctacct gcggaaagct cacactctga atcattgtgc      300
atggctctta ccccgccacc ccatccttgc ggctgtcac ctctgcacac acctgtgccc      360
actcaacagc acac                                     374

<210> 787
<211> 382
<212> DNA
<213> Homo sapiens

<400> 787
gcttaaagga ctttttatgg tacttgacta tcttttttagg caaaatagca gatttgcaga      60
tgattataaa attgcgattc aacagactta ctctggaca aatcagattg atatttcaga      120
caaaaatggg ttgttggttc taccaaaaaa taagaaacgt tcacgacaga aaactgcagt      180
tcatgtgcta aacttttggg gcttaaattc agctgtggcc ttttcagata ttaatggcaa      240
agttcagacc attgttttga catctggtac attatcacca atgaaatcct tttcgtcaga      300
acttgggtgtt acatttacta tccagctgga ggctaatacat atcattaaaa attcacaggt      360
ttgggttggt accattgggt ca                                     382

<210> 788
<211> 381
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(381)
<223> n = A,T,C or G

<400> 788
ggcaagtcaa tcttttttat ttccttataa aattaactct tcaaaagctg ttaaacagag      60
agttatctta atttttattg cagtaggagg aaatatattt aaaatatatt tagatttata      120
gcaaatagag actcgttatt taaagggttaa ataacaattt gttcttttgt tgtttttgcc      180
agtttagggc agtagctgct tttgtcataa atatcttctc accacatcaa aaatgctgct      240
tttaaaattt ttgtttataa attgagaagg aattttctct ctataagttt ctgtcattga      300
acagatcacc attaaaaaga atattagaat ccagcatgaa gataatggct aataaaaaatg      360
aggnacatac tttataaaac c                                     381

<210> 789
<211> 366
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(366)
<223> n = A,T,C or G

<400> 789
gtatttttga tctgagaata atctctatga cttcggtaaa ctctagtgtg tgttgataaa      60
aagtaatcat cagttttctt attttgccaa atatataac tttaaatttt atttttttcc      120
aggaacacta tgttgagata tcatttattt tataattaac gcatgttctt ttatttgttt      180

```

ttgttttttt	tttgaaacgg	agtcttgctt	gcattgccca	ggctggagtg	caatgggtgca	240
atcttggtc	actgcaacct	ccgcctccca	ggttcaagcg	gttctcctgc	aacagcctcc	300
taagtagctg	ggattacagg	catgcgccat	catgccccagc	taattttttg	tatttaggan	360
agatga						366

<210> 790

<211> 368

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(368)

<223> n = A,T,C or G

<400> 790

gctggaccca	gcatgcacac	ttctcggcta	agagtcaccc	tggatgaacc	accattgcca	60
gcggggagca	tgttgacagc	ttcccacgca	gtggatgaga	acgaagggtta	cgaccattgt	120
gtgggaggcg	tctgtgtagc	aattgctgga	atcacttggtg	gcattgtaga	aagactgagc	180
gtgggaaaga	agacgcattc	tgaagtcacc	ccgatttatg	ttaaattatc	accttgacta	240
ctgctataga	acgaatgttt	atgtccccc	cccaaattcg	tatgctaaga	cctaatagcc	300
aataagatag	tattaataga	tggggccttt	gggagggtgag	tggctcatga	aggcagaagn	360
cttcaaaa						368

<210> 791

<211> 361

<212> DNA

<213> Homo sapiens

<400> 791

ggaaggccaa	gttactttca	tgggtcttacc	ctctgctttt	cccccttttg	caaaaaacca	60
ctggccaaat	cgaaccatt	gcccttggtt	ccccacggt	ctctctcaga	tctttgtctc	120
gaagggaaaa	catagtggat	gaaaagggtg	ggcagggtt	ggcaccttgt	taaaatttct	180
agtcattctgt	ggatgttacc	ttgcttgctc	acagcagcca	gtcacccctg	ccagtcccac	240
ttcctggata	attctctacc	ctcaccctac	agagccatct	ctctccagac	caaaagctgg	300
aaggagagtt	gctttgagag	cttggtttta	caactgcatg	tttattatga	tctttctctt	360
c						361

<210> 792

<211> 361

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(361)

<223> n = A,T,C or G

<400> 792

gtcacgttca	cactacaata	tcaattgcaa	ctcaacaagg	actccagtcg	ccaaggagct	60
taattataat	ctagacactc	atacgtctac	tgggaggatc	aaggcagctg	agaagaagga	120
agcgtgtaat	gtagaaagca	acagaaaaaa	ggaaacggaa	cttcttggtc	ctttttctaa	180
aaatgaatca	gttcccgaag	ttgaagccct	gctggcaaga	ttacgagctt	tataagttaa	240
actggttttt	aaaaaaaaatg	attaagccaa	atataaagcc	atgctctaaa	ctataacact	300
tgaaaaaatt	gcttttatgt	aagtgacttt	atatagnttt	aaattatgat	atatattaaa	360
a						361

<210> 793
 <211> 386
 <212> DNA
 <213> Homo sapiens

<400> 793
 gtttattcca aatgatagcc tgccttcccc aagtacaatt gtatctggtg acattcctgg 60
 aacagtaaga agttggtacc atggacaaac cagcatgccg ggaacacttg tcctctgttt 120
 gcctcaaata aagattatta gtgctgggca caagtatatg gaacctctgc aggagattcc 180
 atttgttatc ccacgaccca tccttgaaga aggtgatgct tttccttgga cgatcagctt 240
 gcataatttc agcatatata cccttcttgg aaaacaagtg aacttttgcc tagtggaacc 300
 tatgggttgc acctccactc tagctgtcac gtctcaaaaa ctgcttgcta cgggacctga 360
 tacacgacat tcatttggtg ctgctc 386

<210> 794
 <211> 352
 <212> DNA
 <213> Homo sapiens

<400> 794
 ataacttgga cagtctatcc ttactagaag ttgttgactt ggtggagact actcaggatg 60
 ttgtagatga tgtgtggaga caaacagaac atgatcatta tcctgagtca cgaatgttgc 120
 atctcttaga catcataggt gggttcatttg gaaggtttgt tcagaaaaag ttgggaactt 180
 tgaacctgtg ggaagatcct tattatcttg tgaaagaaag tctgaaagct ggtatttcaa 240
 tttgtgaaca gtgggtgata gtctgtaatc atctaacagg tcagggtgtg cagcgctatg 300
 ttctcatcc atggaaaaat gaaaaatatt ttccagaaac acttgacaaa ct 352

<210> 795
 <211> 345
 <212> DNA
 <213> Homo sapiens

<400> 795
 ctaaacccaga gctctgacct agatgtcact gtagttggag agtcttaaca gtagctgatt 60
 tactaattgt catttcagaa gatagtaaga ggtggaaatg cccagtgaa ttttgtaaac 120
 attattattg agggcctgct gtaataaata tctaggaaact atttaggtag tagaaaaaga 180
 gtatatgtcc tttctgtctg ccttcttttg gttttttgct tctcttctgc ctttaattaaa 240
 catgatttgg aatagttatt tttaccttat tactcaagtt aatacttttt ttaatgagca 300
 gtatgtcaca tcacctaaag atgactgctt tttaaccagc ttcta 345

<210> 796
 <211> 346
 <212> DNA
 <213> Homo sapiens

<400> 796
 cttttttaa at cttgaaaaac caattgttta cttgaaactt gaaagtagca tatttttctg 60
 ttttttggtt gtttgttcat ttgtattagc acaattta at gtaattcctg gtttgagggc 120
 agcaagacct atgagcaaga actattttact tgacctcgt ttttttctct tgttcttctg 180
 tgggtctgaaa tctaaaacta gactttatta tgatagattt cctataagcc aatttcta at 240
 aacaaataga tttattat t aatctgtacc ttctatcttc tcataattcg tggctttaca 300
 gccttccaaa ataactccag ttgggcaccc atgagctagg atcaaa 346

<210> 797
 <211> 337
 <212> DNA

<213> Homo sapiens

<400> 797

gccgaacttg	cacagctttt	cccaggctca	gtcattgac	ccccagcagt	caatcttgct	60
gcacataaca	aaaattccaa	caagtccaga	atgaatccac	ttggttctgg	tctagccctt	120
gcaatttctc	atgcttcaca	ttttcttcaa	cctccgcctc	accagtccat	tattatagag	180
cgaatgcatt	caggagcaag	aagatttggt	accttggtt	ttgggaggcc	tatattgttg	240
actgatgtat	tgattcccac	ttgtggagac	ttggcctctt	tgtcaattga	catttggaca	300
ttaggagaag	aggtggatgg	aaggcggttg	gtagtgg			337

<210> 798

<211> 344

<212> DNA

<213> Homo sapiens

<400> 798

ctaggaggca	cagaattctc	attctgttat	ccagttcatt	ccagcaatca	tagttaatac	60
agtacttggg	gacacgccct	accccttct	cttccaagtt	tcccactcac	ttgaggagga	120
aaaatggcaa	aagaaagctg	tctagggttt	taccattgaa	gggtggaaga	acagagacaa	180
agaggagctc	ttttctgtg	agctgggttg	cacaggaaga	atgtcacagg	gaacaaaaaa	240
gcacagaaaa	aggaagtgt	ggtgcatatt	tttgagttaa	aatatttccc	tattttatca	300
tgattactaa	gtgagtagta	tagacagaag	tatataacta	atgg		344

<210> 799

<211> 347

<212> DNA

<213> Homo sapiens

<400> 799

attcttacgt	gatagtttgt	tttccttggg	tgcttactta	tctttcttca	ttagaacatc	60
aagttccatg	ggaagagaga	cttgggctgt	cttccatgcc	tgacagtagt	agatgcttca	120
taaaagtttg	catatgcaaa	tatggaagtt	ttcatccttt	ttgctataaa	ggatatctaa	180
gtttattatg	tggaaatttt	aaaaagatac	ttttacattg	aagatttttt	tccagatgat	240
tagagaaatg	gaaatagctt	aactagtaca	aagagcactg	gacaagaagt	caaaacaaca	300
ggattcttta	atcattctgc	aactaattac	atttgcctta	tagcaga		347

<210> 800

<211> 346

<212> DNA

<213> Homo sapiens

<400> 800

gcgcggggaa	agatggcgcc	gtctgtgggt	tgaattccag	cggcgccgcc	agagtctgaa	60
caagagctgg	ggtggagggg	gcggggacct	ggggagcccg	gcgggtcgct	atcgcggggg	120
gtactagtgg	cgccgcccgc	acagacacca	acgcgctcgc	cacctctgta	tccatgatgg	180
acttgggtgt	ggaagaggac	gtcaccgtcc	ctgggacgct	cagcggtcgc	agtggccttg	240
ttcccagtg	accagatgac	ctggatggca	tcaaccccaa	tgctgggttg	ggaaatgggtc	300
tgctcccaaa	tgtgtcaaaa	aaaacaagtg	tcttccacca	gagcac		346

<210> 801

<211> 342

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (342)

<223> n = A,T,C or G

<400> 801

gagctcatgg	ccttgacac	tcaagtgcac	cacagccgcc	gggctagggg	ccgccggcca	60
ccccaggctg	acgcgtcccc	gccctatgcc	cgagtaccat	caggagagac	ccctcccagt	120
ccttcgcagg	aaggggagga	gggcttcggg	ctgtccagac	ccggagaggc	agggctgtgg	180
gggcaagaac	ggtagtgggc	cctcatgggc	gattagctta	ntgagcttac	cccgccgan	240
cgggggagcg	ctagagggtan	ttgggtagag	aagccanctn	ggggctacgn	nngaccata	300
tnncacccca	ggcggaccan	atgtgnaang	cgcggcgncg	ta		342

<210> 802

<211> 345

<212> DNA

<213> Homo sapiens

<400> 802

ggagagggag	gtgccatgcc	acaggccctc	acctggggct	ctgtggctcc	agggtggctgt	60
gacaggggtg	ctggtagtca	cactcctggg	gggtgctgtac	cggcggcgtc	tgcactagt	120
aagccctggg	ctcttcccac	cacccatctg	ttccgttcct	gcagtacacc	tggcccctct	180
ccgaagcccc	ttgtcccttt	cttggggatt	gtggaggctg	ggtcagaggg	gagttaaggg	240
actgcaggcc	tggcagcagg	acatgccttg	gctgaaccaa	gtcctgagag	cagcatctct	300
gtccccacgg	tgccttgtgt	gggtccccgt	ccttggcttt	ctggg		345

<210> 803

<211> 418

<212> DNA

<213> Homo sapiens

<400> 803

gaaagggagg	caaaaaaagg	ggaaataata	agagaaaaaa	aagaacaaaa	aaagaaaaag	60
tcctactgct	ctgcctgttt	ttaatactga	caccccataa	acaaatctgt	ccctgggata	120
tgatacagag	gcctggagcc	tgtgacctcc	tttctgaatc	tatcaggaga	cacagcccac	180
accaaaacac	caggagtgtt	gcttctgcca	aatatccttt	actaacttca	aagaaagaac	240
ggggaaagag	ctgtaataat	gcttaacacg	aaatactgcc	tttctgcttc	ctttcctttc	300
cccatagact	gaatgaactg	tcattataag	acaacatact	gctgagttaa	tgtaacttaa	360
aaatttacag	caggttgtat	gcctggaggc	acattatggg	gccccgtgag	gcactctaa	418

<210> 804

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (416)

<223> n = A,T,C or G

<400> 804

gtgatatgct	tgtcaaagt	ctgggattac	agggtgtgagc	cactaggccc	agcctcagtt	60
tcttttatgg	actcacttac	ctctgcagat	tggtcctaat	gtcattattc	tcaggcttct	120
ctcctgttta	cagggtgtcct	gggccatcca	gtccagtctc	atgatatttg	ccacccaatg	180
tgtcatgtt	tccaaaacca	gcattctctc	tctagaccca	tcctctaatt	agctgtttct	240
caagcaacct	tttgactgtt	gtttcttttt	acttccctgg	taccagggat	aaaagtcccc	300
tgaattcaaa	catgaatatt	cacctacccc	agtcctctgg	gagggtccata	agtcctgtt	360
ttgggaagaa	tgaagctgag	ctctagctaa	aaaaaaacaa	nnanatttgg	ggatct	416

<210> 805
 <211> 410
 <212> DNA
 <213> Homo sapiens

<400> 805
 gtggcgctgt gtttccgtgc tgtggagttg cctgggtccgc ttcctccccg cgaataagaa 60
 taaaagattc tggaggagtt ggagaagagt gtattcagcc cccaaaccac gagatcaaca 120
 aattaggtcc acaaagatgt gagcaccagt ttgggtggtg gcaccacttg aattttccca 180
 tacttaaagc tgactcacta gaagtcttgg gacaagtcac cgaattctat aatgaaatgc 240
 acaattttga ggaagaatta acttgtccca tatgttatag tatttttgaa gatcctcgtg 300
 tactgccatg ctctcatata tttttagtaa attgtttgga aaacattctt caggcatctg 360
 gtaactttta tatatggaga cttttacgaa ttccactcaa gtgccctaata 410

<210> 806
 <211> 408
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (408)
 <223> n = A,T,C or G

<400> 806
 atttccctgt gcttaaacc cttccttgtt ctttctttca tgtggctggc gttcagggcc 60
 atttacaatc tcacacaaac tgcccttcca gctccacctt ctgattcttg ccaccatgag 120
 cagcttctgt gtttttttgt tttttttgtg tgtgtttttt tgtttttttt ttacaaaact 180
 tccctttgaa aatgctgtac ttgttcacct cctgtgcct ttacacatac cattctttct 240
 gtctgaacat acctgttgac cctttaatac ccactgtaat aaatgttgcc tcttctctca 300
 agcctttcag tccctatacc attaccgttt tgtacatata acgtgctagg tgtgctccca 360
 cgtgagattg taaacttctt gaggacaagn ctgggtttta ttgatttt 408

<210> 807
 <211> 408
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (408)
 <223> n = A,T,C or G

<400> 807
 accttttata gatgtaatga aatcccagat gttacagcta aaatgttttc tgaatagact 60
 taatttaggt gtgtatctac ttataagta tattataagg atcatatttc ggatattcct 120
 tcctttccag attaccttat attctggtea tctcttcccc ttacattca ttgcctgttt 180
 tcaatgtggg ggttgggggg atactaaaat atcaaggaaat gggagccaaa aatcaaacta 240
 aagcttttct gtatctaaat tttctggat atgttttttag atgcaagata ctgtttactt 300
 gaatccgtaa ataaaaatgg ctgtgttttg atagaaactt acacaaatgt attgattggt 360
 gaaaattcag cagggtattc atttaatacc tattcatttt gncatatg 408

<210> 808
 <211> 399
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(399)
 <223> n = A,T,C or G

<400> 808
 atttttagtga ctatgatcca gtttatcccc aaatgcaaga agtcagtttt tcagttataa 60
 atgcttttcaa tcatttccag caaaccttgc tcagccaatt cttttacagg tgaagtaatc 120
 ccaagaacat tctgttgctt attcattcaa caaacctggg gcactctactg tgtgcccaaca 180
 tttgtgtgat actcctggga gtcaagatgt gatcctggcc ttgaagctat tcttaaagtc 240
 tttgactctt gagagctagt ggtgttttag ccacttactt tttctgtacc ctttttttct 300
 tcactttgat tttttcattt ttctacctgt atgaactcca ggtacttggt agcttttcgt 360
 ttttaaaan ttgcatcttt cctgatgntt ctttagctt 399

<210> 809
 <211> 395
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(395)
 <223> n = A,T,C or G

<400> 809
 ggaaggagaa aataggaaat gaaaggatta ggacttgggc atttatatta atacaaaatg 60
 gtgtaaaccg cctgaatata actgtagtag tatcatatcg gggaaagtgt gatggaaaat 120
 aggtttaaaa atcttaattt ttaaaacttt agtaagcttt atttatattt tttaggattt 180
 tctgaacata gcatgaaggg ttttagattca tttttctgaa aaacgattaa aaaaactacc 240
 aatttttttt ttgagngccc acacttgccg ttgngctgta tacntgattt taccttaatc 300
 ctctataagg gagngctaa ttgctccatt ttatanatga ggaaaggctc aaanaaatc 360
 anaaacttgg ctaatttaac acagctgnac agagc 395

<210> 810
 <211> 418
 <212> DNA
 <213> Homo sapiens

<400> 810
 gacaccatgt acagggactc cagatgcccc aggcagaggt aaaatgctcg aaagagagga 60
 acatcactac ctggcgggca ggtggggaca ggcttgccac ggatggctcg gggatgggat 120
 aactctctgg ctcccactct gagaagcagg aggtgatctg gccacaagcc ctcaagacgt 180
 gttgagtttg ggaataacctc actgctaggg aataccagga attatgcaat tctactgtctt 240
 cattttaaaa ttctgtatgg gagaagctaa aaagtgaagt tgggggggtt tagtatattt 300
 catttgcatt ggtttactct tctcgttcct tgattatctg agaggaggct gctgttacgg 360
 aaaagcgaaa accaggagtg gtttgaatat tcttccttga gacttttgac tgtttcta 418

<210> 811
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 811
 gcaggtctca aactcctgag ctccagagat tggccgcct tgacctcca aagtgtctggg 60
 attacaggta tgagccactg tacctggcac accaatactt tcttgccac tttctctcct 120
 gttcattcca ttttgttatt tatgtattc ttaggttata atcagtttg agaggttgta 180

```

catttactca tctttgtata tcatccccag catcctacac actgtagatg cacaaatatt      240
tttctgacaa cttaaccctc tgaaggacag catatacttt tggagggtgt gggaaacact      300
gggtaaaaaa aataaatttg catttaatag agtgactca tcattccaca gaatttcaca      360
acacactttg aagtacagaa aatttatag                                     389

```

<210> 812
 <211> 410
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (410)
 <223> n = A,T,C or G

```

<400> 812
gtctttccct ctctcctgtg tttgcctctc tgtcctgccc ctgcgcaccc ctccctgtgc      60
ccaccctggt tctgtcgctt ggggtctctg ggggtgctcc attctcccgc ctcccttct      120
cctgcacctg gtccctgcctg ctttctcgct gtctgccccca ggaggtaggt acacgacctg      180
tttttgtctc ccatactag acgaggggag ggggtgccc tggcgccctg gcgccctggc      240
ctcctgcccc caggaggagg gggctggggg ctcaggctcc tgggctggga ctgacagact      300
cagaaaatgt ggagcccaa gctgggggtg gacgattctg gacccaaca tgccctggcct      360
gcttgctctg ctcccaacg caacggcttt gtctaagccc caagancccc      410

```

<210> 813
 <211> 386
 <212> DNA
 <213> Homo sapiens

```

<400> 813
cccttatagt aagtttgttt aaacaaagta cagttaatat tactaaataa ataacaagga      60
aataagaact gagtagtaac ttaatgtttt gatttaagac taattttaaa gcatgcaatg      120
tgtttgccgt ggcagcacat gtactaaaaa gtgtgcaata taatggctta ttttcatggg      180
accatgctta actagctgta ttattaaaca actccatgtt tctgaggggc tcccaactct      240
ttacttccat tttgattgaa tttgttttca gaagttgaag aatctgcat tgagaagcac      300
tttctggact gtggaagtat catggccgtg aggattgtga gagacaaaat gacaggcatc      360
ggcaaagggt ttggctatgt gctctt                                     386

```

<210> 814
 <211> 386
 <212> DNA
 <213> Homo sapiens

```

<400> 814
atcagaagag gtcagttaaa tattcaccca ggccctgggg gctctcttac agctgttctg      60
gcagatatgt aagtaatatg gtctcatgcg atacaaaaat acttggaat cccactgaaa      120
gatttaaaagt attatagatg tatcttgcta attcctgata tctataataa gcagcatgtg      180
aaagaactag tgaatatgat actaatgaag atgggttttt cagggattgt ggtccatcag      240
gagtctgtgt gtgccaccta tggaaagggc ttaagcagca cgtgtattgt agacgttggg      300
gaccagaaga caagtgtatg ctgtgtggag gatggggtgt ctcacggaa tactcggtt      360
tgtctggcat acggaggatc tgatgt                                     386

```

<210> 815
 <211> 402
 <212> DNA
 <213> Homo sapiens

<400> 815
ctcatgtttc ttatgtctca cctctttcca gagccaaatc agccccccttt ggaatgatga 60
cttcattgga atgcaaatca agtcattttg gtgcatcagt ggctcttagg cctgcacaca 120
cgagacatca gaatccaatc ctctgaccct gtgccagccc tttccccag tttatttccc 180
accaaaggct gacctctaag aggtcttgct ttctatgaac tcaagatggg tcccacctct 240
aggtgtcccc aggtgcactc ttctaccggt tggtctccga tgtgacaagg ccaaggggccc 300
aaagacttga ccctcttaca cccttgctga catggttcca tcatgtccac ccgcatgcac 360
ttttatgggt tcatcaccca gcctcttctc tctggccacc ca 402

<210> 816

<211> 402

<212> DNA

<213> Homo sapiens

<400> 816
tggaggattc ggccctcgcc tcgctgtctt ctgcagccgc tactggaacc tccacctcga 60
ctccagcggc cccgacagca cggaagcagc tggataaaga acaggttaga aaggcagtgg 120
acgctctctt gacgcattgc aagtcaggga aaaacaatta tgggttgctt ttgaatgaga 180
atgaaagttt atttttaatg gtggtattat ggaaaattcc aagtaaagaa ctgaggggtca 240
gattgacctt gcctcatagt attcgatcag attcagaaga tatctgttta ttacgaagg 300
atgaacccaa ttcaactcct gaaaagacag aacagtttta tagaaagctt ttaaacaagc 360
atggaattaa aaccgtttct cagattatct ccctccaaac tc 402

<210> 817

<211> 377

<212> DNA

<213> Homo sapiens

<400> 817
gcttggtgtg gaccaggagg gggcagaagg caccctgtcg tggctgggca ccgtcttcgg 60
cgtgctggct agcctctgtg tctcgctcaa cgccatctac accacgaagg tgctcccggc 120
ggtggacggc agcatctggc gcctgacttt ctacaacaac gtcaacgcct gcatcctctt 180
cctgccccctg ctctgctgc tcggggagct tcaggccctg cgtgactttg cccagctggg 240
cagtgccac ttctggggga tgatgacgct gggcggcctg tttggetttg ccacggtcta 300
cgtgacagga ctgcagatca agttcaccag tccgctgacc cacaatgtgt cgggcacggc 360
aaaggctgtg ccaaaat 377

<210> 818

<211> 373

<212> DNA

<213> Homo sapiens

<400> 818
ggaaagtcata cataacttcc ttcactcagt ttctgtcttc ttccagtcag ggaatctagta 60
gcttgactat tcttcattgg ttccctttca tttacaggct acccaacaag acaaaccaca 120
caggtaatct cttctgatcc ctgccatcgc caagagtcac ttctgacct catcactttc 180
taaattctat ccaattccca gaatatccat gctccttctc actgtccctc attcacataa 240
tgccataaac actattcctg ctctttgcct gatgagccct tactcacttg tcaagactca 300
gatcaaattg tcaagactca gatcaaattg tcacctcttc tgggagggct tcctcaacct 360
ctctaagtgg agt 373

<210> 819

<211> 374

<212> DNA

<213> Homo sapiens

<400> 819
 gtgggggagt tgggtctagt actgtcacaa acttgccata taacttgaaa taagtctctt 60
 tacatatatta tgccacagct tccctctgtc aaatggattg tttgggtgtt ttttttagact 120
 gtctgcctca gggatccggg tacctcaagg gcttctaaga aggaaaaaat tagtgggatt 180
 ctggtcctcc aactagaagc agccccgtgt tttgtctgtt ttttagacaa accactatct 240
 tagatggggg agcagtgtgt tctgagttcc ttaggatttc tccatgatta aaatgagtgt 300
 ggttttgatt agtatctcct tatcaattaa ccagttattt tgattatttt atttttacca 360
 ggtttggaga aaat 374

<210> 820

<211> 398

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(398)

<223> n = A,T,C or G

<400> 820
 tggaaggctg cggtcgcgct gtcgctgctg tccccaccgt cggcgcgggg cgcggagggg 60
 gcgaagaggt gcctgccagt cgcactgcgg tctaggggtg aaaggaaaag ggtccatgta 120
 aaggagaaaag ggcaggcaga gactcttgct ggtgccagca ggcacggaag gatgtggccg 180
 cggggacttg gagtttagag ggcaacgctg ggtgtcataa tgccggagat gacccccggg 240
 gcagaggcga ttccagttgg gtagagctac agagaacgtg gcccgagaag gggagcttcc 300
 ttaaattaga catatcctgt gttgtcctaa acctagcatt taccctctcc caccctcctc 360
 ccacaacctn cagggctcta ncggagtcatt ttaagccc 398

<210> 821

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 821
 cagggttttg ctgttaccca gattggagtg cagtggcatg atcatggctc gctgcaacct 60
 ccaactcctg ggtcatgcg attctcccac ctcagcctaa gtagctgaga ttacaggcac 120
 acgccaccat gctcggccaa cctttttaat ctattttttg tagagatgan gctntnctgn 180
 gtgactcant ctgggnatan tctccctnnn taaagtanc cttnaaaatt gnanaacaat 240
 tccagtcgtc anccccana ntttangntn nttttnngcc ccnncccccc cccccnana 300
 tttttttntt tttaanaaaa aacaggggga nccaannatg gggccnnnag nnnngctana 360
 nacaccgncc ngngnaaaaa nccccctt 389

<210> 822

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 822

gctgattgct	tttctgtcgc	taaaacctat	caggtctgca	acatgacttt	ctagtagaga	60
ttttccagtt	gggccttcaa	agcggcaaga	tgctttgcag	acactaagaa	ataataccag	120
ggaatgcctt	cataagtatt	accataaaca	caagcttccc	atthttccagt	tcaaggaagg	180
acacagagat	agaattattg	tgagtgccca	gcaattacaa	ctaggaccag	aggtgtgtgc	240
caaatcctac	ccctaatttc	atttacttgg	tgtagtaaaa	gttaagagtg	ggatgttaat	300
attaagcttc	tggtttgtct	atthtagcctt	tggtttangn	atgggtgtgaa	agtctatttc	360
tgcaaatgng	ataaaaatgg	cttt				384

<210> 823

<211> 363

<212> DNA

<213> Homo sapiens

<400> 823

gcggaattgg	ccacatttcc	agtgtatgtg	ccctctctaa	ggaaagatga	caaagaaatc	60
accgacttct	tactgtgttc	actgggattt	gcctgccact	tggttatcat	tactgttggg	120
tgaaccctgt	aagataacat	gaacactgta	gccccttaga	agggctctcat	agagaattta	180
aacagggtga	caaggaatct	tcacaggaag	ggccagaact	tctctctccc	agttcttccct	240
tccgctaccc	tccctccttg	gcttttttgg	ttcagttcca	tttttttttc	atthttgacat	300
gtgggttacc	taataagttt	tgttctgttc	ataattctta	tttctcaacc	tggtgtgattt	360
ttt						363

<210> 824

<211> 363

<212> DNA

<213> Homo sapiens

<400> 824

gggacccttc	tggtatgacct	cttctctgag	gcgcccattct	cgtgctccca	gggagcactc	60
ccatctcctc	cctcccagg	gaagtacaca	ttgccttatc	tccatgtgtc	ttaggatcct	120
tcttgtcctt	acactggtgt	cttcaaacga	catgtcctaa	aagtaaatgt	gggtaagtgt	180
aatgacctga	gcatccattc	ctcagctatt	caaaaagtag	gggtagtgtc	acctatcttg	240
gcagtgtgtt	gaggtgtccc	agcacgtacc	ttgccatccc	tcgttctgta	ggctctcact	300
tccagttcct	cagatgaagt	acagggcagg	gaggagcttc	tccggtactg	gcatcttaag	360
cta						363

<210> 825

<211> 362

<212> DNA

<213> Homo sapiens

<400> 825

aaaacgggct	ggggaccact	actcagagga	ccctccttct	tgctcccttc	cttccctccc	60
cggcaggagc	ctgtgtggcc	tacttcctta	ctaagaggcg	tgagtaccgc	aactccctga	120
acccttttaa	aggcctgaag	gaaaaagagg	agaagaaact	tcgaagtcgc	cgatatcggc	180
tttttgccaa	ccgatccagt	atcatgaggc	atthttggacc	tgaggaccaa	cgtctgtgga	240
atgatgtgac	agaggaactg	atgtcagatg	aagaggacag	tcttaacgag	ccaggtgtgt	300
gggtggccgc	ctccccgttt	cgggcccagg	gctcacaaac	tctgctacca	cctggatgtt	360
ac						362

<210> 826

<211> 361

<212> DNA

<213> Homo sapiens

<400> 826
 attcaagacg caagagagcc tgggtgtgtga agcgttggca gtagttcagc ctggctagag 60
 agtacaaggg gagaggggat gtactgggaa tggtaaacag aggccagata ataaaagggtc 120
 tgtcttctct gtctcaaaga tagaactctc tctgaatgta ttatagtagt gaaccctatt 180
 tttagtagag gcagcgatgt catcgtattg gcgtttcaga aagttgcctt aggctgtgat 240
 gtggaaaatg gatttgggga gagcaaaact aaagtcagga aactgctaag ataatccaat 300
 tcagtggatt cagtaatat taaatattgc attcaaatat tcagttagta tcttctgtat 360
 g 361

<210> 827
 <211> 384
 <212> DNA
 <213> Homo sapiens

<400> 827
 ggagagaaga cactcttgat gtggagggtt ctgccagtgg ctacacaaag gaaatgcagg 60
 cagatgatga actgcttcat ccattagggtc cagatgataa aaatattgaa acaaaaggag 120
 gatctgaatt ctcatcttca gatggagaag tggcagaaaa agcagagggt tacagggtcag 180
 aaaatgaaag tgaacggaac tgtctagaag aatcagaggg ctgctattgc agatcatctg 240
 gagaccctga acaataaaag gaagacagtt tatcagaaga gagtgtgat gcacggagtt 300
 ttgaaatgac tgaattcaat caagcttttag aagaaataaa agggcagggt gttgaaaaca 360
 actctgtaac tgaattttct gagg 384

<210> 828
 <211> 343
 <212> DNA
 <213> Homo sapiens

<400> 828
 atataacatg ggaaccaatg ttatctttta tgttgcctgt tctggtgaac agagaatctt 60
 aagagctgtt agaaagtagc acttgatgca agggatgttt tgaaaagaaa aaattggtaa 120
 tgcgaatgta tagaaagtaa aggtaggatg ctccagggttt ctgcatagtt cttaactaat 180
 cttgtctgca gtttgggtatt gataatatta gcatggccac ttatgctaaa tacacaataa 240
 gatacattta gaaatcctta atgtactggg taggtcagtg gtacaactgt ttgacttaat 300
 tatcacaatt tccccaatgg taaccttacc ttggaaacta tca 343

<210> 829
 <211> 345
 <212> DNA
 <213> Homo sapiens

<400> 829
 gttcaaaacc atcaaaaaat agtgatagca aggacatgag gaggcacctg ggggtgctcgc 60
 tgttttctat tattcatctg tggaaatggc acatgggtat atatatttag tgaaaatttt 120
 atcttgctat atactcaact atttgtacac ttttaatacat gtacgtttta tacttcaa 180
 taagcattta cttacaatgt cagagacttt gatttttgta taacagaaca aaaagtatac 240
 agaatgaagt gtgtttctgt tttttgttgg aatttaaatt cttattttgc tcttcgtgtt 300
 tgccccttaa aattttctcc tttatagtcc ctctggtgat aatat 345

<210> 830
 <211> 340
 <212> DNA
 <213> Homo sapiens

<400> 830
 aatgagata acaagagtgc tttacttcat ttgattttgg ggaagatgaa ataatttatg 60

ccaagagctt	atagcatagt	gcttggcaca	gagtactgtt	caatactgat	gtttaatcaa	120
tgctgctgct	atcattatta	tttttggaaa	aaagggaaac	aaatatggaa	cttaaatagt	180
tcataagggc	atagcctcta	gcagcctcta	cattccaggt	agggggcagt	gaaaaagagc	240
aggtggaggt	caggagttca	agaccagcct	ggccaatatg	gtgataccct	gtctctacta	300
aaaatacaaa	aattagttgg	gcgtggtggt	gggtgcctat			340

<210> 831

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(418)

<223> n = A,T,C or G

<400> 831

gggggacggg	tcgggacacc	agtgaaactt	gaaccgggaa	gtgggaggac	gtagagcaga	60
gaagagaaca	tttttaaaag	gaagggatta	aagaggggtg	gaaatctatg	gtttttat	120
taaaaagaa	aaaggaaaaa	aaaaaagtca	ntancaaaaa	ncccagctca	anaaccntt	180
ntacnccaaa	ctggaangga	naananagca	ccaggaanat	tccanaancg	ggggggcccca	240
gtttttgaaa	aactttatga	acttttcaaa	nattattttc	ntatggcanc	aagtgatacg	300
gaaaactgct	gtcagggacn	cctgatntgg	aatcaaata	natttttant	taattganca	360
taanatttag	ggatttttcc	ananctcgaa	agggccaaca	gccctccana	atgtcggc	418

<210> 832

<211> 421

<212> DNA

<213> Homo sapiens

<400> 832

gttaatcttc	acactagcct	ttcaaagtgg	ttactgtatt	tctgatgaga	aaatgaagcc	60
ttgttcagta	actctagaat	cacttagctg	ataagtgggc	aatctgggat	tcaaaccat	120
atctatttgg	cttgaaaagt	tgggtgttct	tgtactaaa	tttggaatg	agcaggcaaa	180
aagaaacaca	tggaaaggaat	catctcgttt	gagggattca	gtactctctt	agcagtacag	240
tgtgtaagg	aaggggattt	gagtttggtt	gtcctgttgg	tgtttgtag	ttgccacttt	300
atcctgtccc	actatgattt	gtatgcacag	gaggaaaaac	aaaataggaa	ataatctttg	360
gaactcttta	tggacattat	catgaacaat	tagaagaaat	ggcaatgtag	cttctgacat	420
t						421

<210> 833

<211> 417

<212> DNA

<213> Homo sapiens

<400> 833

gtgagcccag	gaatttgagg	ctgcagtgg	ctacagtcac	accgctgcac	tccagccttg	60
gtgacagagt	gagacccttg	tctctgaaga	aaagaagaaa	agattttatg	aaaacgtcta	120
attagaatca	agaaagtcaa	tttcagacag	gaaggaacca	ggagcaggaa	aagtacagga	180
tttatgtaag	ctgtttacac	tttggtttta	ttgtggtttg	gggttggcat	gagacagaag	240
gaaaacagaa	gttgaatccg	gatggagagt	tatgaaagcc	aaggggtggg	ctttatttgg	300
taagcagtgg	agagccatgg	aagggtttta	atgcggaaga	taggagattg	attcattcat	360
aagagcactc	tggaatgcc	tgtgggatga	atatgagtga	ggcaagacag	aagacat	417

<210> 834

<211> 396

<212> DNA

<213> Homo sapiens

<400> 834

aacagaagaa	agcaatctta	atatgttcac	aagaggaaaa	cagaaagata	ttcaaagaac	60
tgatgaagaa	acaactgata	atcaagaagg	cagtgtggag	tcatctgaag	agggtgaaga	120
ccaagaacat	gaagatgatg	gtgaagatga	agatgatgaa	gatgatgatg	atgatgacga	180
cgatgatgat	gatgatgatg	atgaagatga	tgaagatgaa	gaagatggag	aagaagagaa	240
tcagaagcga	tattatctta	gacagagaaa	agctactgtt	tactatcagg	ctccattgga	300
aaaacctcgt	caccagagaa	agcccaacat	attttatagt	ggccagcttc	tcctgcaaga	360
ccaagatccg	attatcttcc	gcaggaccaa	gaagtc			396

<210> 835

<211> 388

<212> DNA

<213> Homo sapiens

<400> 835

gtggaactat	aaaaatctgt	tcttatataa	ggtaatcttt	gtgaaaatac	ctggtaatat	60
ctacatcacc	actaaaaaat	gcaatatatt	taaatgtgaa	ttaagtattt	tagtgtataa	120
aacattgcta	gtttctactt	aaagtttcta	aaaggggtgtg	taggggaaat	agaatgagta	180
tggtgaaaag	taacataagg	aaatatatct	tgagggtccaa	atgacaaatg	cagacaatga	240
ctgctatagg	gatttggtta	gaggggaaat	gatttaagag	atgtcagaag	acttcacaaa	300
ggatcaatac	tgaggagtag	tgttagataa	gtggaaggca	atgcagtggg	aagatagtaa	360
gggaattcta	gagctgggtg	gtaccata				388

<210> 836

<211> 397

<212> DNA

<213> Homo sapiens

<400> 836

gtaactatta	aaaatatatt	gcctggaaaa	ggaatactac	tgttttgttt	tgtaaagacc	60
acaaactgta	ttgctaagga	cattttaaga	gtctgcttag	ccataacact	catttaacag	120
catgggtagt	aagcatgggt	tcttgacaga	aacacaaagt	tctcagctaa	cacattaac	180
ttctcacttt	atatactttt	tttcagagaa	atttatcttt	agtttttctt	attctgtgaa	240
aatatttggt	cttatgtcaa	agaattattt	ttcagatata	ttggtaaaga	tggaactgata	300
ttaaaagtca	tattttattct	tttaccctct	tactgtgttt	tgtgattttc	atttttggcc	360
caattattac	ataacagggt	ttcctgatta	tatttac			397

<210> 837

<211> 382

<212> DNA

<213> Homo sapiens

<400> 837

gttttgaggct	gatttttaag	tgtacttatg	tattttattt	taaaaaggta	cagatagtgt	60
taagtttttt	cttttgatta	ttcccaacag	ctaatttgta	ttagagataa	ttttcttctc	120
taattaacct	atttttattt	aaataggggc	tgataaaaaat	gaacttcaat	ttaatcatat	180
cttcattagt	tggttggttt	tactgagaaa	tcgtagggct	cttgaatact	ataaattttg	240
aggatcatcct	gtggatatat	atcagaaagg	aagaaacaag	ttatcatttg	gtacactatc	300
ttcattttgt	gtaaaaacaa	aagccttata	aagataagga	cttggtggat	tattttattg	360
tttaaccaat	attaattgaa	tg				382

<210> 838

<211> 384

<212> DNA

<213> Homo sapiens

<400> 838

gaaagacttt	ggaaggaggg	tgtgggtccag	cagatttcgg	cttcctccca	gcccatacagt	60
gactccttct	tcctgctcct	ccctttcctc	tccacttcta	tcccagttca	attcctcaga	120
tccaaccaga	gccagctgtc	aatgaaatac	cttctgcctt	tcttttctat	tacagtgtgg	180
gtagactct	gtcaggtagg	aaactactcc	ccataatcaa	actcattatg	tttgtgatct	240
cagcatattt	gcaaacttag	acatagacca	gacaataaca	tttaccttct	ccatttctcc	300
cattctggga	tttttagcca	aggtaataat	aacaataata	atacagtatt	tagaaggcct	360
ctagcaatat	ttcatcttct	gaga				384

<210> 839

<211> 382

<212> DNA

<213> Homo sapiens

<400> 839

agtggtcagt	aatggccggg	cgtgggtggct	cacgccttgg	cctcccaaag	tgtgaggatg	60
ttttcaaccc	ctatttgtct	atactctact	acagtatcga	cttgtgttag	ctttttaaaa	120
tcccatcgct	acctttaatg	tgtaaacgtg	tggctctaga	ggaaagatca	tgccagcaag	180
aacagattcc	acacttagga	gggcagaaca	aatgatgacc	tgatcattag	tacaatatat	240
attcattttg	agctgaaaat	ttttttaaat	agccccaaa	ttattgatag	cttcattaga	300
attgttttta	caaatgtttc	atttatcagt	ttaagaaaga	tcttttgata	gcttttatca	360
tatggacctg	tggagaatct	ct				382

<210> 840

<211> 409

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(409)

<223> n = A,T,C or G

<400> 840

ggaattccaa	ataaagtagg	agttagaatt	gttacaatca	gtgaccccaa	caatgctggc	60
tgcagcgcaa	caatgggtgc	tgtgccagca	ggagcagatc	caagcactgt	agctaaagta	120
gcaatagaaa	gtgctgttca	gcaaaagcaa	cagcatccac	caacatatgt	acagaatgtg	180
gtcccgcaga	acactcctat	gccacettca	ccagctgtac	aagtgcaggg	ccagcctaac	240
agttctcagc	cttctccatt	cagtggatcc	agtcagcctg	gagatccaat	gagaaaacct	300
ggacagaact	tcatgtgtct	gtggcagctc	tgtaaaaagt	ggtttcagac	accctcacag	360
gttttctacc	atgcagcaac	tgacatggag	gaaaagatgt	atatncagg		409

<210> 841

<211> 381

<212> DNA

<213> Homo sapiens

<400> 841

agaaatatag	taaacataaa	tttgcaacaa	ttttaaaagt	ccagttttta	ggtgactcaa	60
agaaagtc	atgcctatt	aatagttatt	tgatgccatc	acaaaaagtc	tatgtgaaaa	120
tctcctaaag	tcaaaacccc	tgctttgggt	tttacagacg	gttattacca	ttgggtggag	180
ctgcaagggtc	aaatttctcc	taagttcccc	tatttagagg	aaaagtcact	ggttattgta	240
ataaaccacc	catggttctt	tatgtacatt	ttgataaacac	attattatag	cttgatttta	300

atTTTTtGca ttaatttttGg aaatccacat acatctcatt tgttttaaatt aaggccatgc 360
 acaaatatatt tttttagttc a 381

<210> 842
 <211> 354
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(354)
 <223> n = A,T,C or G

<400> 842
 gaaaaatgag taggagatga ctgagagctt aaagtttggg agtgtcaatt aactcagcat 60
 tcttttaaaa aacgtgtcat atattacagc attttctttt atttgaagtg agtaaagtga 120
 tctttttaaa ttccttagta atttttgagc actccatatg tataaagcat gtgaatattt 180
 ggtagcattt tacaaatgtc cagagatttg tgagagtcc tgagatcttc atagggggcc 240
 cacaaagttt agtattactt ttcacggtaa tactaaagtg tattttgcct ctttttactt 300
 tttctcttaa tagcatacag tggtaaactga aggctaatag tatgngnggt tatg 354

<210> 843
 <211> 386
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(386)
 <223> n = A,T,C or G

<400> 843
 ggagcttgcc tttggctttc caggtggctc cgtgcagcta cagccaggcc ggctgcctca 60
 tctcagctct agggggcacg agccatatgg ggtctgcaca agagaccctc tccccgcag 120
 taaagccagg ggccctggcc tgatggggcc cccatgggga gctggagcct gccctgcagc 180
 ctggagaaga ggggtggctgt ggtgggcgtg ctcatccctt gctaaggagc aggagctgct 240
 gggccaggtc tgcggcagtg ctgggggtggc accaggtggg cagtggtagg tgggggtggct 300
 tgaggtctgg gagggnggcc ctggccancc aggacacatg cananccctg ctttagtctg 360
 gatacaggct tccttttttc ttccaa 386

<210> 844
 <211> 360
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(360)
 <223> n = A,T,C or G

<400> 844
 cccaaatctg tagattttta aggtaaaacc gacttaagct aaacttctct gaagagaatt 60
 agtacttggt ttggaggtag ggagtgggat agagaactta aatgagaact aaacagtgcc 120
 agacctcatg ctgtcttctt gatcttctt tctgctttct gcttttgtgt ttgcttttgg 180
 tgtgtgatgg attactgatt ttttttctt ttgttttagat tggatatagt gggttttttt 240
 tgcttttttt tttttnaaan ggnngtnnnn nttttttnc cggngngnng gnnnaagggg 300

ccttttaant tnntggaacc ntngccccc cggntcnagg gaatcncnc cncncccccc 360

<210> 845

<211> 340

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(340)

<223> n = A,T,C or G

<400> 845

ggtcaggctg	gtctcaaact	cctgacctca	ggcgatcagc	ccgcctcggc	ctcccagagt	60
gctgggatta	caggcgtgag	ccaccatgcc	tggcctaagt	ttggccaact	tttaaacttt	120
gttttctctt	atgagtttta	tttaatcatg	aatttctgag	aattgctatg	agagactgct	180
tagagtttgt	ttagggaaaa	caaaatatga	ataggagtat	aaacttacca	ttcttattta	240
tgtcatgtaa	ataatgntgg	ntgntcttct	cgaggctatt	tagttcagtg	aattagaaca	300
tagtgccag	caaaaagccc	aangnctcag	ctttgatcct			340

<210> 846

<211> 344

<212> DNA

<213> Homo sapiens

<400> 846

gatcaacatt	cctgatatgt	tgaaattata	tggcttgaaa	tgatcaacat	ctcctttgct	60
tctgtctctg	agcagtccta	aatcccgtaa	attcctgctt	agaattcctc	agatcacccct	120
ctcctttccg	tctcctctgc	caaccctcaa	tcacgcttat	tacctctcgc	tggcatgtct	180
gaaccctcct	ggctttccct	cttctaaaca	agtcagccac	atttaacttt	ctgatacaat	240
attttaagaa	catcatgttt	taaatatatt	caactataat	ttgtcaattt	ctaattttta	300
aaataaaaat	tgaaagagca	tcattttttt	cctcagaaac	cttc		344

<210> 847

<211> 417

<212> DNA

<213> Homo sapiens

<400> 847

gaaaaaatgg	atggttacat	ctctactaaa	tatgtgcagt	cctttttattt	gtcattattc	60
tctaaacaat	acagtataac	aactattgac	atagcattta	tattgtatgt	attaggtatt	120
gtaagtaatt	tagagatgat	ttaaagtatt	ttacataagg	gacttgagca	ttcctagatt	180
ttggtaactg	cagaggggtcc	tggaaaccaac	cccctacaga	tatcaaggga	ccactataca	240
cattaggatg	atctatatattg	aaatctacat	ggaacagagt	gggacttcta	attgtatgac	300
ttcaagattt	tgctttgttt	aaattaataa	ctgttttcag	aattaagtgc	ttaaaaacaa	360
at ttgattga	aaagttcaag	acaagaattt	tgctctctat	ggctgttcca	tataaat	417

<210> 848

<211> 397

<212> DNA

<213> Homo sapiens

<400> 848

atcctaggtc	cctggtagct	gccaggatgc	tctagcccag	atctttctct	tgccccagac	60
cccaactgcc	taggggcagc	ctcacagtgg	ctgctatagc	aaactaccac	gtacttacgg	120
ccttaagcgg	cacaagtta	tcttatgggt	ctggaggtca	gaggtccaaa	atgtctctcc	180

ctggtctaca	aatcaggtgt	cagcaagctg	gttcctcccg	gaagacctag	aagagaatcc	240
gtgtcttgcc	ttttgcatct	tctagaggct	gcctgcatte	tttaactcat	ggccccctcc	300
tccatcttca	ggccacacaga	tgagcatctt	cccatctctc	tgactgatte	tcctgctccc	360
tcttacaaaa	actctagtga	ctacactggg	ccacctg			397

<210> 849

<211> 410

<212> DNA

<213> Homo sapiens

<400> 849

cctgagtgg	atacacaaag	caattgagga	acaacctagg	accttgtagt	ccattaggat	60
ttccaaaaat	agaaagagaa	tggaaagtca	cctggctagg	agaagccagt	ggaaacttga	120
cacgaagaaa	aaagagcagc	taatttcatt	cctgtccacc	agttatttat	gtgtttatct	180
ttaattacat	ttgtttgatt	tcccttatta	aagtctgatg	tctataaaaa	agcagaaaag	240
tgaggcaggt	cagcagggga	tgtaagttgg	gaagaaagac	aggtgagggc	aagaatttag	300
gcaggagcca	cagtgttgg	tgtgcaggtg	aaggtcaggt	gacgagggta	accagtcattg	360
gatgaccag	gcaggagcca	taacccaaat	gttagaaaaa	gttggtgaaga		410

<210> 850

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(386)

<223> n = A,T,C or G

<400> 850

gagaatgggg	aagaaaatta	ttttattgat	accaacagcc	aggattctta	caaggaaaaa	60
gatgaagcca	atgaggaaag	tgaagaagag	aaatctgttg	aagaatcaca	ctgaatcatc	120
aaggtctcct	ctctatgcc	ttgctgttgt	ttgcagcgtc	aggggtgtcag	cagccgcatt	180
tgtgtttaga	acatctgtgg	ggacgcttct	gatatgtgca	gggctgttga	tcaaagtcatt	240
ctgtagcctg	aaaagcctga	atccagctga	ttgggtcattt	gatcagttag	agtaaggctt	300
tgcctattca	gttttaaaaa	tcatttgtga	ttatctgntt	gcaactatga	ttttgtattt	360
ttaaaaagtg	agaccacagc	tgcccc				386

<210> 851

<211> 382

<212> DNA

<213> Homo sapiens

<400> 851

agcaaaggct	ccttgctctgg	ggcgggatag	agaatctcgc	ctctgtctgg	tgtgttacct	60
actgggggca	caggaacaat	ttcctcaagg	agacagtggc	atggagcttt	gaaagacgag	120
taggtgttag	caaggaaata	aggaggaacg	gggggttacg	gcagaggaga	aagcacatgc	180
caagtcagca	aagaaaagta	gaattcgaaa	actttttaaa	aatattacta	aggattttca	240
caatgctgca	ctgggctaga	aactgaagct	aaaacagata	cgtgggtccct	gctgctatgg	300
ggcttccgtt	ctagaggcaa	ggacaggttg	tgatgagggg	tctgaaggat	agagaccaag	360
caggaggggg	gttgaggagg	ct				382

<210> 852

<211> 351

<212> DNA

<213> Homo sapiens

<400> 852
gatctccgag acctgtctga actggaagag aagctaaaga aatgtaacat gaatacacia 60
ttgccaacac tcctgatagc tgaatgtgtg ctggttttaca tgactccaga gcagtcgca 120
aacctcctga agtgggcagc caacagtttt gagagagcca tgttcataaa ctacgaacag 180
gtgaacatgg gtgatcggtt tgggcagatc atgattgaaa acctgcggag acgccagtgt 240
gacctggcgg gagtggagac ctgcaagtca ttagagtcac agaaagaacg gctcctgtcg 300
aatgggtggg aaacagcatc ggccgtcgac atgatggagt tgtacaacag g 351

<210> 853
<211> 345
<212> DNA
<213> Homo sapiens

<400> 853
ctgaaaggaa atgtgccaaa atattagcaa tttttttttt ctgagtgatg agctttctgg 60
tgataatttt tattttacttt atggatttta ctcctttcca attacttata taatagacat 120
ataatagtat tttttaagaa aagtgttatt tttataataa ggaaaagtac catttaaaaa 180
ccttttagtg ctccatttg ccaattaaaa atcctctcta tgacattcaa ggttttggca 240
atactgctac aatccttctg acctcaccct cttctctctc tgcctcact ccaagaaaca 300
gcagcagaac ggagttaccc actgtcacca aatacatttg ggctt 345

<210> 854
<211> 377
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)... (377)
<223> n = A,T,C or G

<400> 854
gctggctact agtatatgta acaggactat tatagattaa caaaaatgcg gggagtatat 60
ttcttgatta ttttttaaaa gaataaatta ttatttaaaa atacatgaat tattttattga 120
ttcttgaatc ttaccagct ttctataatt cttaggaagcc tataagcaga nttgggcagg 180
atnnactggc anaaaatgta aaaagtaggc cnggcacggn gggctacagt gagtctgtaa 240
tgcgcagtgc acctgagtga tagatcaaga tcctgtctnt ttanacnant nnnaacnann 300
tananannga ngnantcnc ccctgacgng aaancnaann atntttttnn nggntttaac 360
nngaagnngg gtngttc 377

<210> 855
<211> 350
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)... (350)
<223> n = A,T,C or G

<400> 855
gtatttttgag ttgaaacggt gatgggagat gcttataagc tgacgaattt tttttgtaat 60
gactgttatt tatgtaaaaa tttaaaagcc tcatttaaaa atgaccttcc attaatttgt 120
tcctcgatag caataatctt tgcaatagtt tgaaccagtg tcattttaca ggtagaacc 180
cggcatgcaa atttaaagtc ttgtttacat ccttgtaagg agttggatac aaagctgact 240
aaaagccagg tctcttagct gtcactgctg ttccctttct ttaaaacggt aatacctgat 300

agatattgtt gctgtatatt tacatacacc tctgctaatt tgntgnetta

350

<210> 856

<211> 355

<212> DNA

<213> Homo sapiens

<400> 856

aacaatttaa	atgaaggctc	aaaggatgag	agacatcagc	catatgaaga	ggtgtaggca	60
gaacattcta	ggcaggggga	gctgtaagta	ggcaactaaa	gtgccagcac	cattaaataa	120
aatactgctt	atgtggagga	gaaaagctca	aaactcattt	gttgtcaaaa	gttgacaagc	180
attcaagaat	aatggtgaga	atagcctgct	taatagcatt	attccatatg	caggttgatg	240
ccgccttacc	tttggacatc	ctaacctatg	aagagaagac	cttgtcagcc	atcttgagaa	300
tatgtagcag	tggtcttgca	aattgtggag	ctctttgacc	ctggtaggat	cctat	355

<210> 857

<211> 377

<212> DNA

<213> Homo sapiens

<400> 857

tactgatagt	aagtttaaaa	tgtagaaatt	gaccagtaga	tttattgtac	tgaggatgat	60
tctgtagttt	aggagacatg	actagaattt	caatgagaac	agattgtaag	gacagaaata	120
aataaaataaa	aagaatttct	aaatgatttt	gttaaatgca	ataacaactt	tatgtaaact	180
acagatgaac	tgataataga	gcacatgtaa	gaaaatgtct	aaaaaatggt	attggaaata	240
aaattagagc	tgtaaatacat	taacaaggaa	aaaacattaa	cttatataca	atttattttt	300
tccatatttc	ttaaaatata	ttaaattcta	acatagaaaa	ccacttaaga	gatttaaaga	360
ttcccatcta	ctcagat					377

<210> 858

<211> 337

<212> DNA

<213> Homo sapiens

<400> 858

gaaagttcac	atgtagttga	gtgtgctttt	taaactctgg	gcctttgcac	aggctattca	60
ttctaccagc	cacacacctc	tctccaactc	ctaactcata	cttcaagttt	cagtttgga	120
gcccctctgt	tttttggaga	tggeatcttg	ctctgttgcc	caggctagag	tgcaagtacg	180
tgacttcagc	tactgcagc	ctctgcctcc	tggtgtccag	caattcgctt	gcctcagtct	240
cctgggtagc	tgggattata	ggtgcatgcc	accataccca	gctaattttt	gtatttttag	300
tagtgacagg	gtttcaccat	gttggccagg	ctggtct			337

<210> 859

<211> 350

<212> DNA

<213> Homo sapiens

<400> 859

aattaaaggc	gtgagccacc	acaccgggcc	aatttttgta	tttttggtag	agatgggggt	60
tcaccatgtt	ggccaggctg	gtctcaaaca	cctgaccttg	tgatccgccc	acctcgccct	120
cccgaagtgc	tgggattaca	ggcatgagcc	accgcgcccc	gccattcttt	gagttttcat	180
caaccagtgg	atacagaagt	gtgctgcccc	ttttgcagat	tagagaattg	aggctagtaa	240
ataagtctgg	acttagttga	tgcccttgct	ctttgagttc	tgggctctgg	aggctttgga	300
ttcaaagccc	tgctgcacca	tttactcatc	atgtgacttt	gggaaggtga		350

<210> 860

<211> 341
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(341)
 <223> n = A,T,C or G

<400> 860
 ggaggctgag gcatgagggt tgcttgaacc tgggagatgg aggttgcagt gagccaagat 60
 ggtgccatta cactccagcc tgggtgacag agcaagactc catctcaaaa aaaaaaanac 120
 accaaagatn ttattaatcn ctgancnctn tttntntca attataagta attgaaaatt 180
 ntaatcancc tcctatttaa ttaattaana attgatttaa tgattnagtt naaaangtta 240
 aattcntttt aaaanaaccc attacatggt aacncaaata gcangttttt attttatttt 300
 attttganac aaagtntcnn tntgttgccc aggtctggagt g 341

<210> 861
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 861
 ttcagattag acttctctgt tatcttttat attcttgcac tgatataatg cctgatcctt 60
 caaagttctt tcacatatta tatgatcttc tttatgaaaa aaagtagatg ctttattctg 120
 atatattcag tttcccactt taggcaaaag tggattaata gaatgatgaa ttcaaagtag 180
 atgaggaaaa tcaggcacag agaagtaaag gtaggtacag acccaaattc acacaagata 240
 atgacatcac cagcgtttta gtgatcatc aaaggtctgg ctggatttgt cttgctgtat 300
 gtgtcaggaa atttatacct attacatttt ccattttctc aaaataagtc acatgattgt 360
 aatgttttagc tgcaactttt ctccctaataa atagtgt 396

<210> 862
 <211> 390
 <212> DNA
 <213> Homo sapiens

<400> 862
 gcaaaacctg tctggaagga gcataggaaa tggttttagc taagtgcctg actccagtag 60
 cttcttgctg ttgccacagt ttcattagtg ttgattctca atgttgtctg ctgatgttgc 120
 taaagcagcc acacagtagc attacaaagc ctgtgggaat tttaatagca ccttcataaa 180
 tatatttagt agtatatgta gaaatatgac ctatacagca ctggctatct attagattca 240
 cctggggagc ttttaaagca cacatgctcg ggttctacct gcagcctact gaattagaat 300
 ctctgggttg gatgaccatc tatattttta ataaaagctc cacaagttaa ttctgatgca 360
 cagaagatag acgaaccatt actttaacat 390

<210> 863
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 863
 atcggctggt tgtgaaataa agaagaaaat ttgtgaaata aggaagattt gtgctgcaga 60
 gttcttttagg gatacgggct gcagctgccc aggtgatgag cttgaagaac ctaggcccgg 120
 ctggcagagt ggagaggagc tgggagagac agctgctttt acgactcttt catgttctag 180
 cagacgccag atgcgaggct tctccttaca ggggaagggt atgtttgatt tatcatatcat 240
 ttctggagtt tttgttttagt ttttgttaaa tgcaaagctc tgtgctggac attgtgagaa 300

acaggaagtt gaacgcccac aaggagttta gaatagaagt ggaagaagtc agtaggtgcc 360
 caaatgctat ttgagggttg aataaagaat gggtagaggg g 401

<210> 864
 <211> 371
 <212> DNA
 <213> Homo sapiens

<400> 864
 gggcatccgg gcaccgccgg gccgggaggg aggaggcggg gtgtccgggc ctggccctgc 60
 ctttttttcc atgtggttct ctaaacctct tgttcgtaaa aagacaaaaa aacaaaacaa 120
 caaaaaagcg aaattggaac aagtaaaagt caaatcgatt cagcaaatat ttacggtaca 180
 gcgcagttgc aggagcccct ccgtcggagc gagtaggcca gtggggaccg aagtgtctgag 240
 agctggccgg gtcgctggga ggggtccccg cccgggggtg gaagggacgg gaggctacag 300
 tgagtgatag aaacgtggag ttcttgatta ttttacacga aattttgaat tattaactt 360
 ctttttctta a 371

<210> 865
 <211> 351
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (351)
 <223> n = A,T,C or G

<400> 865
 attcttctca aatgcacatg gtctattctc caggatagac catgtgttag caagtaaaac 60
 aaacctaaat aaatttttaa ggattgaaat acataaagta tgttctctaa ctacagtaaa 120
 ataaaattag aaaccaatag cagaaggaaa tttgggaaat tcacaaataa gtgaaattta 180
 acctaccttc ccaaataacc aatggattaa agaaaaaaaa aagaaattag agagtaagtt 240
 tttgttggat tttgttttgt tgtttttgan acagggtctc actctgtccc tcaaactgga 300
 gngcaggggc anaatcatag ttcactgcag ccttgaacct cctgggctca g 351

<210> 866
 <211> 406
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (406)
 <223> n = A,T,C or G

<400> 866
 ctgcacgtgt ggtgaggcct acagaagcgg ccttcagctg gaccttggtc tccccgccgg 60
 acttcgaggg tgtcatcgcc gcccctgttg ggggtgagcg ccgcgcggct gcagcatgcc 120
 tcacaggaag aaaaagccct ttatagagaa gaagaaagct gtgtcttttc acttggtcca 180
 ccggagccaa cgagatcctt tancagcaga tgagagtgca cccagagggg ttctattgcc 240
 cacacacaaa atagacaatg aagaaaggcg agcagaacag aggaagtatg gagtgttctt 300
 tgatgacgac tatgactacc tgcagcacct gaaggaaacca tctgggcctt cagagcttat 360
 tccctcaagt accttcagtg cacacaacag gagagaggag aaagat 406

<210> 867
 <211> 358

<212> DNA

<213> Homo sapiens

<400> 867

ggcgcttgag	gacaccctgc	agctgtgcca	ggctgcactg	ggggccagtg	aagcaggcgg	60
gtctcttcag	ttggacacgg	ccttcgtgtg	acgcagctga	aaagcaacaa	caaaagggtt	120
tggttgcaac	agccagtgtg	ggtagctctg	gggagagagg	acctcctctg	acaaactggg	180
ctggtagcca	ccatgtgcca	ggatccaccc	tggtctcttt	ttaccactg	actccccaga	240
acaacccttc	caggcttctc	ttgtcatctt	tctctgcctg	aggggaaact	gaagctctga	300
aatgcgatgt	gatctgtacc	aggtcaccca	gctatgctgc	aaaagtgggt	tgccaag	358

<210> 868

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 868

gccttaacct	gggagtggcg	agggagtgat	gcatctgcca	aaacgaggag	ggtcactaca	60
tctcatgtct	catctccttg	ctcagctcat	cctagccatg	ctggcctcct	ggctgttcct	120
caaccagcta	gtcgtgctcc	ccatctcagg	gcctttgcct	ggatgctctt	tcctggagat	180
cttggctatc	ctgtcaaaac	ttgtgttccc	caccccgctt	ttatacactc	cctattctat	240
gtattcctta	ccattttcag	acatactgtg	catcttattt	tgtttcttga	caggctagaa	300
agcttcaaga	ggggnggggt	gggctcttat	tcatttccat	acataattact	atgtactgac	360
ttctgcctgc	ctttttgccc	t				381

<210> 869

<211> 348

<212> DNA

<213> Homo sapiens

<400> 869

ctagactcta	tgattgacag	ggtgaccagc	tgctccagtt	tgccctgggg	cacaggatta	60
ttcgtgctga	aaatgagaaa	gtcctgggca	acctgggatg	aattggccac	cttcactatt	120
gatccaactt	cccaaagtct	ttgtctacat	tgctgggtatc	tggtcggag	gaagccctgt	180
gggaaaggct	gtgagtgtgt	tgccccaggt	tccacaggac	acttagagtt	tgggggacac	240
ctgccgtcaa	cgcactgcaa	caatctttag	ggatgttaat	tgttcctcag	gaggcatacg	300
taggaatcac	atccacctta	aacatgccca	cttatggcat	ttgggctc		348

<210> 870

<211> 395

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(395)

<223> n = A,T,C or G

<400> 870

gtcagaacag	ttaaactctg	cctttcctcc	tcctcttatt	ttatgataaa	agcaaatgtg	60
gccttctcag	tatcattcga	ttgctatttg	agacttttaa	attaaggtaa	aggctgctgg	120

tgttggtacc	tgtggatttt	tctatactga	tgttttcggt	ttgccaatat	aatgagtatt	180
acattggcct	tgggggacag	aaaggaggaa	gttctgactt	ttcagggcta	ccttatttct	240
actaaggacc	cagagcaggc	ctgtccatgc	cattccttcg	cacagatgaa	actgagctgg	300
gactggaaag	gacagccctt	gacctgggtt	ctgggtataa	tttgactttt	tgagactggt	360
agctaccatc	ttatgaatgg	ccatgggnca	tttaa			395

<210> 871

<211> 388

<212> DNA

<213> Homo sapiens

<400> 871

ctttgcttct	ctctttcttt	ccttgtgtct	cttccttctc	ttttcttttt	ttttttaaca	60
tatagggtat	ttttttcttt	taacatatag	ggaattaacc	ttcattttgt	taatttccat	120
ttgttccctt	cttcattcat	gtcatctctg	ctattccttc	tccctccaaa	agggagggaa	180
accctatttt	tttttttcca	aaaccatggg	gggtctgctt	ccctcactcg	ggctccttga	240
cagtcttcta	aaaaagagaa	ggaggaaaaa	aagcagttcc	tgatgttaca	aatgaacaag	300
gatctcccag	gtaaccagct	ccccacaccc	atttctgtta	ctaatttctc	aaacagaaat	360
ttctggttcc	ccttcttctt	tatcactg				388

<210> 872

<211> 396

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (396)

<223> n = A,T,C or G

<400> 872

gcgaggaaga	aatggaggat	gagcaagaaa	gcgaggccga	agaagacaac	caagaagaag	60
gggaatccga	ggcggaggga	gaaactgagg	cagaaagtga	atttgaccca	gaaatagaaa	120
tggaagcaga	gagagtggcc	aagaggaagt	gtccggacca	tgggcttgat	ttgagtacct	180
attgccagga	agataggcag	ctcatctgtg	tcctgtgtcc	agtcattggg	gctcaccagg	240
gccaccaact	ctccacccta	gacgaagcct	ttgaagaatt	aagaagcaaa	gactcaggtg	300
gactgaaggc	cgctatgac	gaattggtgg	aaagggtgaa	gttcaagagc	tcagacccta	360
nagtaactcg	ggaccaaagt	aagatgttta	tacagg			396

<210> 873

<211> 347

<212> DNA

<213> Homo sapiens

<400> 873

ggaactttga	cagtgaata	aatatcagaa	atgaaaactt	taataaatga	aattaacagc	60
tgattagatg	tgtagaagaa	aaacagctgt	ataacataga	aatagaaaag	acccaaacta	120
aaacacaagg	aggaaaaaag	agcttcagtg	acctgtggaa	cagtatcagg	cagtgtgaca	180
taacctagaa	gtcccagaag	aggaggagaa	gaagggtgtga	agaaaaaaa	tatttgaaga	240
aacaatggca	ggcaatgcca	gaaaatactt	caaatgtggt	aagagcaata	aaccacaat	300
ttgaagatgc	ttaataaaa	tcaagaaaga	taaagaaaac	catattg		347

<210> 874

<211> 350

<212> DNA

<213> Homo sapiens

<400> 874

ggaactttga	cagtgaata	aatatcagaa	atgaaaactt	taataaatga	aattaacagc	60
tgattatatg	tgtagaagaa	aaacagctgt	ataacataca	aatagaaaag	acccaaacta	120
aaacacatgg	aggaaaaaag	agcttcagtg	acctgtggaa	cagtatcagg	cagtgtgaca	180
taacctagaa	gtcccagaag	aggaggagaa	gaaggtgtga	agaaaaaaa	tatttgaaga	240
aacaatggca	ggcaatgcc	gaaaatactt	caaagtgtgt	aagagcaata	aaccacaat	300
ttgaagatgc	ttaataaaac	tcaagaaaga	taaagaaaac	catattgagg		350

<210> 875

<211> 398

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (398)

<223> n = A,T,C or G

<400> 875

gaaggaagca	atggttcagg	cagaggaagc	ggctgctgag	attactagga	agctggagaa	60
acaggagaag	aaacgcttaa	agaaggaaaa	gaaacggctg	gctgcacttg	ccctcgctgc	120
ttcagaaaac	agcagtagta	ctccagagga	gtgtgaggag	acgagtga	aaacccaaaa	180
gaagaaaaag	caaaagcccc	aggagggtcc	tcaggagaat	ggaatggaag	acccatctat	240
ctctttctcc	aaacccaaga	aaaagaaatc	ttttccaag	gaggagtga	tgagtgcga	300
tcttgaagag	accgctggca	gcaccagtat	tcccaagagg	aagaagtcta	caccaagga	360
ggaaacagtt	aatgaccctg	aggaggcang	ccacagaa			398

<210> 876

<211> 369

<212> DNA

<213> Homo sapiens

<400> 876

gtttttat	gtgaactctg	cgagttcagg	agccatgtca	gtcaccattg	tacccctgtg	60
cctggtggt	aacaaatatt	gatcaacaaa	ctggaggata	taattatcat	tactccattt	120
ttcagatgaa	gaaacagaaa	ctcagagcaa	ctaaacattt	gcccaaata	ctccaactgt	180
agggtgtcaga	caaaagaaaa	gaaaaggact	tttaggtact	ttgggggatt	ttcaacaagg	240
catttttttt	taactatag	ccccaaagaa	gggaaacaaa	ctggtaaatt	cggttctagt	300
tatgccccac	tttgaccggg	gggtgggtct	ggaagcaggc	ttttgtgcc	tggtgcaaa	360
cacctaattg						369

<210> 877

<211> 386

<212> DNA

<213> Homo sapiens

<400> 877

gctgctccga	gataagcata	cccttcaaaa	aactctcact	gctttgggct	tgatcgcaa	60
gccagagacc	atccagctca	tcaccgggga	catggtccga	gaactcattg	ttccacaga	120
ggatccctcc	ggggagtccc	taatcatcag	ccctgaggag	tttgagcgaa	tcaaatgggc	180
atcccatgtc	ctgaccagag	aagaacttga	ggccagggac	caggccttca	agaaggagaa	240
ggaagccacc	atggatgcag	tgatgacacg	aaagaagatc	atgaaacaga	aggagatggg	300
gtggaacaac	aacaagaagc	tcagtgcact	ggaggagggt	gccaaggaac	gggccagaa	360
cctctgcag	agagccaaca	agctgc				386

<210> 878

<211> 345
 <212> DNA
 <213> Homo sapiens

<400> 878
 ctttttaaag gatttagtag attatgtcat ttctctattc ctgttctccc tatagtaggc 60
 ttcttatgtg ttacatttag aataattttc agtgtcctta ccatgggtcta caaagaacct 120
 tccaagtgtc tgcaactcac tgtaggtgat acgtgtttga gactcaacac atgcacacac 180
 acatctgatg caaaagtgtc acaaaacagt actatcctta ttgtatgaga tgtactctaa 240
 tattcttctg tggatatttta atgaaataaa atagaaaatc ctgttcttga tcttctaact 300
 tgattttgct accaatgtgg agacatagtt taaaagaaca ctgcc 345

<210> 879
 <211> 408
 <212> DNA
 <213> Homo sapiens

<400> 879
 gggagcggtc tggggagaga gagagaggca taggcaaagg ccctgtggca tggatatgggc 60
 agaaccaagg gagaagatca gtgtggctgg agagcagaga acagagttga aacaaggctg 120
 gaaggtaggc cagtctggac caagcagcct tctttcaact atgtttccag tgtgtttggt 180
 gaacaagggc ctcagaccac tcttaagtag tatgttacat tactccttta gtaggacatg 240
 gcgccttgct tctgacaggg tctatgtaca ccctacaggt catctggaat ctcatttctt 300
 cagaagaatc tcctctttca ttccagtcga atagtgcag cccaaaagta tgtttggaag 360
 tttattcaaa agtcacgtgt tggccggaca tgggtggctca cacctata 408

<210> 880
 <211> 354
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (354)
 <223> n = A,T,C or G

<400> 880
 agttaagcag tctagtctct cggcctcata ctgtcactgt gggtttgtat acgtagaact 60
 ttgttgtagc tttttaaaat aaaacctgaa gccttagata tgtaaattga ttcattttaa 120
 cttactttct ttttttttct ggagacagag tcttactttg tcaccaagg ctggagtgtg 180
 cagtgggtgtg atcttagctc attgtggcct caacctcctg ggctcaagtg atcctctcaa 240
 ctcagcctcc cggtttagctg ggaccatagg tgtatgccac cacacccgc taattttaaa 300
 attttttgta gaggcagggt tttgccatat gccaggctg gntctaaact cctg 354

<210> 881
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 881
 acggaagttc cgagcccggc cccatacctt taccagctgc ttggccttgc acttaaccag 60
 ctctcaaccc tcagttttct catcagcaaa ttgggtataa ttttatagc cctgcttcaa 120
 agggttgttg gttctctcaa ataagatgat atatttaagt gacttacaag tcttattagc 180
 cagtagcaac aaatcgctta cccaaagaag ttttacagg tcatgtgtg agccagcccc 240
 aggcatgtag tcacagtgtg tgtcagaggg cacagttgct tcctctcagt caccaacaga 300
 aatcatatgg aaattttcag agacccatga acagccaaag cattataaat gctttggtaa 360

catggatttt gcatataagc atttatgtat ttttttcctg acattagata cttactttcta 420
ag 422

<210> 882
<211> 373
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(373)
<223> n = A,T,C or G

<400> 882
gtttccaaga ggagggaggc atgccacacc atgcaggcca tgtggagaag cacaagggtt 60
ggtcaggagg cagaagtagc aaggagaagc atgggtgaga gcctttttat atagtgggtg 120
gatgttccct attggacaga aagtgaata ccgatgttg gggtttagt tggagggtt 180
gtaataaat tnccaagngc ccacnccang acaggaatgg tgaggatgtg gacaactttg 240
gctgtnttt tngtccatga tttcnagatg cnaantttt tnntanaata tcangaagga 300
ttattatatg cctgcatctg ttttggtat tatgnctcct angnganaaa ttgctntnt 360
ggaggaanna tta 373

<210> 883
<211> 387
<212> DNA
<213> Homo sapiens

<400> 883
gaagaattcg cggccgcgaa ttcttcagt gattgccacc aagtcagtt cccagtc 60
gacgattttc aagcaggaga agtcagagtc cagtcagtg cattagaccc agtgttcttg 120
gtcctcttaa aagaaaagg gaaatggaga cagaaagtca gcccaagaga ctcttccaag 180
gcactaccaa tatgttatct ccagatgccg cgcaactgtc tgatctcagt tcatgttcag 240
atattttgga tggcagtagt agcagcagtg gcttatcctc agaccgcgtg gctaaaggca 300
gcgctaccgc agagtctcca gtagcatgct ccaattcatg ctcttcgttc atcttgatgg 360
atgatctctc acccaagtga cttaacc 387

<210> 884
<211> 396
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(396)
<223> n = A,T,C or G

<400> 884
ggatacgag acaattcctc aactgcagct ccctatgggg gagctctcta atcatctgat 60
ggcatggnnn nttancgct tnacccttna nntgantcat nccttatgac atgactnctg 120
ccatttatcn tgagatcttt tatgtngcct ttgcngaata cnttnttgct gaccctcctn 180
attgntnta tgantngccn tgtgggaacc tatnntatgt tatnaagttna ctntgngnan 240
agagncncng cnttatnnaa gattgccttt gactcattga cccatttggn ggaaaaagnt 300
nancatattg cntggntaaa nnatnagctn ntncgnattt ttctgggcn cnaacaacna 360
anaannnacn gtcgtttttc nttgncncn nggaaa 396

<210> 885

<211> 397
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(397)
 <223> n = A,T,C or G

<400> 885
 ggctgaaaga gttttgaggt gcatgctaga aaaagcctat ggtgctttga agggactctt 60
 cgcagaaata taaatgctaa ggggtgattct agtgaggtct cagggtggaag tgaaaaacat 120
 gttattagaa gctgaaggaa agacattctt ttcataaagt ggcaaagaat ttggatgaac 180
 tatttgtttt ttattatttt ggagaagaga gaacatgttt tctagacgtg ttgataatct 240
 ggccttattt ctcttttagt cttagagtaa aatgcaaaag gagagagaga aactgaaaaa 300
 tttcttggct ggggtgtggng gctcactctt gtactctcag gactttggga ggccaaggca 360
 agatcgcttg aactcgggag tttgagacca cctgggc 397

<210> 886
 <211> 404
 <212> DNA
 <213> Homo sapiens

<400> 886
 cttgtggctg cggcctgccc ctcagcctcc tccgcgcggt taccctgta cccgcgcgcca 60
 tccgtcctgg cgctccggat gagtcaatga ggggcagggc ccgaggagt gtcttcccaa 120
 gaaccctgg tggcctcca aggcgggtgc tgtgtacctc ctccccgaca aaaggggaaa 180
 ctgaggcccc gaggggagt ggaagagccg gctggacgtc agggccagcc gctgggtgcag 240
 tggtcggtcc cctctgccgg ggtgggcccc tggggttctg cgtgtcctcg ggaaagagac 300
 tggcgggtga gccgcgccct cggccttcgc tgggctaagc cgaccccatg cagacgtcaa 360
 acccccctag gtcggcacag cctctctgcg gggaggctta atgg 404

<210> 887
 <211> 357
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(357)
 <223> n = A,T,C or G

<400> 887
 ggagccctgg gtgggctcgg agattagggg ccccccatg atggtggtca tgatgcccc 60
 acctccacct ccagtccctc cagcagtga gcctccgggg gccctccag tcagagacct 120
 gggctctgtg cccccagAAC tgacagccag ccgcaaagc ttccacatgg ccatgggcaa 180
 tcccagcgag ttctttgtgg atgttatgta gccactgtg gggccaggct gggccgggcg 240
 ctcttggtgt gtgactgggt gtcttgccg tcatgtgctt gctcttacag tgcctgggct 300
 cacctaccag ctgctgcata caggagattg tggccactgt gactatnacc aacaagg 357

<210> 888
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 888

```

ggaactgaga agtgggtggt tgggggagtg gaagggagtt tccccgccc tgtgcccaca      60
gtgcaatggg caaactcctg cctctggcac cccccacctc tccccaccag gcccctggtc      120
agcaggctca catgagtggc ggtacagctt gacactgttg gtatatagga actccagcac      180
tgccaggaaag gcctcagttg gcacagtgtc tagcaccaca ggactgggca ccccggggcc      240
tggctctgtg cccagaagtc gctggaagaa gttgcatcta caggccaaca agcaccgatg      300
ggcaaatacc tcctgccgtt cttgaccaac cacgaagcaa acatcactgt gggagacagg      360
cagagaggca gcggggagga ggccaacacc cg                                     392

```

<210> 889

<211> 409

<212> DNA

<213> Homo sapiens

<400> 889

```

gccggcctgg tgatgaacac cattcaacac tggcctgtgt ttgtggaggt gaaagacctt      60
ttgacattgg tgccgcccct ggtgggcctg aaggggaacc tggagatgac actggcatcc      120
agactctcca cagctgccaa cactggacaa attgatgacc cccaggagca gcacagagtc      180
atcagcagca acctggcccct catccagggt caggccactg tcgtggggct cttggctgct      240
gtggctgcgc tgctgttggg cgtggtgtct cgagaggaaag tggatgtcgc caaggtggag      300
ttgctgtgtg ccagcagtgt cctcactgcc ttccttgcaag cctttgccct gggggtgctg      360
atggtctgta tagtgattgg tgctcgaaag ctcgggggtca acccaaaca                409

```

<210> 890

<211> 334

<212> DNA

<213> Homo sapiens

<400> 890

```

gtaccttcaa aaggacacaa tgtaacaggg ttagggaaac agaagtccgc agggcctccc      60
taatgtcttt ggagcttaaa ccccttgtat atttgcccct tttcaataaa cgccccacgc      120
tgatagcaca gaggagcccc gcatgcaactg tatgggaaag cagtccacct tgttacagtt      180
ttaaatttct tgctatctta gcattcagat accaatggct tgctaaaaga aaaaaagaaa      240
tgtaatgtct ttttattctc aggtcaatcg ctcacacttt gttttcagaa tcattggttt      300
atatattatt gttttttcag tttttttttt tttt                                     334

```

<210> 891

<211> 467

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(467)

<223> n = A,T,C or G

<400> 891

```

tctagaatac aagtttcncg ctctnntatn caggatccca tcgattcnaa ttncgncgt      60
gacggtacca cacacttctt gaaccctgat actgtactta atatatcact gtcttcata      120
atactgccct aggtcttttt agtttttaag agaccgggcc tcgctatgct tcccatgctg      180
aactcaaatg cctgggctta agcaatcctc ccacctcagc ctctggagta gctgggacta      240
caggggcatg caccaccagg cctggcttcc taggagggtc tttaaagaga aaacatttgt      300
tcaattgaaa acaggattct tgtcatctac aactccaaca cagcctgaaa atatccacat      360
tataacctgg accttagacc tactttctcc actatcctgc aaagctacat ctgtaactac      420
ctattggcta tctatatgag tcctcaagca tctcagactt tacatga                    467

```

<210> 892

<211> 407
 <212> DNA
 <213> Homo sapiens

<400> 892
 attccagata aagggagtag ccagtgtaaa ggtcttaagt taggaacaag cttggtatat 60
 taaagaataa gcaaggaagc cagtgtggtt gaggagagag caacagaaga tgaggtcgag 120
 taagtaatat tgggtgccttg taggctctaa ttaggaattg ggcggctgga agtgggtggtt 180
 caggcctgta atcccagcac ttctgggagg ccgaggtggg cggatcacga ggtcaagagt 240
 tcgagaccag cctgaccaac atagtgaac gccatctcta ctaaaaatac aaaaattaac 300
 tgggcatagt ggtgcgtgcc tgtaatccca gctacttggg aggctggggc aggagaatcg 360
 cttgaaccca ggaggcagat gctgcagtga gccgagaata cccactg 407

<210> 893
 <211> 467
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (467)
 <223> n = A,T,C or G

<400> 893
 actctanaat acaagctact tgttcttttt gcaggatccc atcgattcgc tttgtgatgg 60
 agtttcgctc ttgttgcta ggctggagtc caatggcatg atctcagatc acttgaaccc 120
 aggaggtgga ggttgtggtg agccgagatc gtgccattgc actccagcct gggcaacaac 180
 agtgaaactc cgtctcaaaa aaagaaaaaa aaaaagaaaa ngaaaggaaa ngaaaaaag 240
 atntggnccct gtntgancca gngaaatttt tttgnggnta aaattnaaaa ttgcaagcca 300
 ncanatacat acccaganac tgaacatttt cancaccanc gtaaagtcac gacanaaaaa 360
 ancanaantt ttccacaaac tccctctgct gaggttcctg gaactgctgt tcccnaggng 420
 nggtgttcaa agctactgga atttatgana ggctcagttt ttntcca 467

<210> 894
 <211> 355
 <212> DNA
 <213> Homo sapiens

<400> 894
 ggctcattga agactctgtg ggttaccag aagcccaact ttccagattc aatatttttt 60
 ctattttcta gctgtgttac cttgggcaag ttaattaacc tctctgtgcc tgcattgtgc 120
 atctgtaaat gagactaata ctagtaccca ccttctaaag tgattatgag cattaaatga 180
 attagtacgt ttaaaggctt agaacagtgt tttatgatat gataaacact caataaaatg 240
 ttagctattg atattggtgt gccagaagg cttgttacta ctagttgatt tatgtgcttg 300
 ccaaaagttg ttgtgttggt aattaagtac gacataaact aatgaaaatt gagtt 355

<210> 895
 <211> 378
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (378)
 <223> n = A,T,C or G

<400> 895

gcccagcagg	cccagcatgc	agggtggtggg	acactgggca	gcaaggctgc	tgccggaatc	60
actttctccaa	tcagtgtttg	gtgtattatc	atthttgtgaa	tttgggtagg	ggggagggtgt	120
gggaggattt	caatccantc	tagagaanat	ataanaaaan	ctanccaggc	ncantggctt	180
acacctgtta	tcccancgct	ttgggaggct	aangcaggca	gatcacttna	naccancttg	240
ggcaacatgg	caaagcccn	tctctncaa	aaacacaaaa	attanctggc	attgtggcgc	300
acacctgtat	tcccatctac	tcangaagct	gatatggaag	aattntttna	cccnanttc	360
aaggctgnat	tgattttt					378

<210> 896

<211> 386

<212> DNA

<213> Homo sapiens

<400> 896

ctttctcaag	caggagctgg	tattgtaggg	agtggccggg	tattctgggc	tgggctcttc	60
tgagtaggg	ggtcaagcaa	acattgtctg	caaagggccca	gatactgaat	ccagtaacttt	120
cagtttgccg	agccgtgagg	tctctgtcga	aactactcaa	ctctgccgtc	ctagcacaaa	180
agcagccata	gacaacacac	aaacgagagg	gcttggtctcc	cttccaggaa	gattttattta	240
acaggctccc	agctgaattt	cactcacagg	acacagttta	ctgatctctg	ttctagttag	300
tgggcaaaaa	gcatatgcat	ccttatccgt	caactcatca	gctcttcttc	aaggcaacct	360
gaggccagac	accaagaaac	caagcg				386

<210> 897

<211> 390

<212> DNA

<213> Homo sapiens

<400> 897

gagagaggcg	ggactgggctc	aagtgggtgg	agctcctcct	tgcatgactg	caactgtcgg	60
ggctttccgc	cggctcacag	cagttggggc	cagcggggag	aagagaggcg	gaactgtctgt	120
gtcctcatgt	ggcgcagcct	caaactggca	tccaggcact	gggcccgtgc	agagaaggca	180
cctgcagaga	gcagggcagc	ccggcgcagg	ggcatgcgcc	tagaatccca	gctactcggg	240
aggccaaggc	aggaggaccg	cttgagtcca	gggattcaag	gccaacctgg	gcaatagagc	300
gagaccctgt	ctcttaaaaa	acgatgatga	tgaacacaga	ggacggggca	ctgtgctggg	360
agccaggggg	cctgggagga	gcccagacca				390

<210> 898

<211> 407

<212> DNA

<213> Homo sapiens

<400> 898

ggccagggcc	acaggggcac	gtggcgccgg	gaggagagag	aatgtctttt	cgaggcggag	60
gtcgtggagg	ctttaatcga	agtgggtggag	gtggcggcct	caaccgaagc	ggcagcatca	120
accacttccg	atgtggaggc	ggcgggtggag	gcggcggcaa	tttcacaggc	ggcggcaagg	180
gaggatttgg	acgaaggggg	ggccgcggag	gctttaacaa	aggccaagac	caaggacctc	240
cagaacgtgt	agtcttatta	ggagagtcc	tgcatccctg	tgaagatgac	atagtttgta	300
aatgtaccca	tatgaaaata	agggtgcctta	tttcaatgct	cctgtttact	tagaaaacaa	360
agaacaaatt	ggaaaagtgg	atgaaatatt	tggaactc	agagatt		407

<210> 899

<211> 344

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (344)
 <223> n = A,T,C or G

<400> 899
 tggggcttca ccatcttgac caggctgggc tttaactcct gatggtgac caccacctc 60
 ggctcccaa agtgctggga ttacagggcat gagctaccgt gcctggcccc ctttttttta 120
 attacagaga aataagttac accttagtat cagatattaa ttttcttcag tggtcaggca 180
 attagtattt agaaagctct tgtcatgaga tggctctggg atgtgatgat gattgttggg 240
 attgaaaaaa tggtagtata atggagagat cataataaat tcttagtatt aaaagtgggt 300
 ttgctttcag ttaggggagaa aaattagatt gtactatntt tccg 344

<210> 900
 <211> 395
 <212> DNA
 <213> Homo sapiens

<400> 900
 gtgatacaat attatattgg taatggaaat ggaagtatat tgttgtagtg tactacttat 60
 ggtgttcatt aagtggata atattacttg aaggtagatt gtgtgttcaa aatgtatata 120
 atgaaccata aagcaaccat taagaagaaa gcaggaggga atgaattggt aatatgcaa 180
 ccaaggggat aaaatggaat cagttaatac aaaacaaggc ataaaatgag taaaaacaaa 240
 gaacagatgg gataagtagg aaacaaagaa taatatgggc aatttcaatt caaacacatc 300
 tatatttaca ttatcagcag tcacattaat gtaaaaggag taaatgtttc agttaaaaga 360
 cagattatca gatttaaaaa aagaggtaac tgctg 395

<210> 901
 <211> 217
 <212> DNA
 <213> Homo sapiens

<400> 901
 gaatacaagc tcttgttctt ttgacaggat cccatcgatt cgaattccgt tgtttgacgg 60
 caacggactc tgcagagctt cataactggg aatttgattt gaagaagtcc atgtcatatg 120
 tgtaactagt actaattata aatataaaat acacaatata aaatatgaaa ctcaataata 180
 aacagtgcc cctgtacatg ggcaaaaaaa aaaaaa 217

<210> 902
 <211> 395
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (395)
 <223> n = A,T,C or G

<400> 902
 gagatcgagt ccttataaga aaaggaagga actagagcga ggtcactttg tgctgtgtga 60
 gcatacaaga aaactgccat cttcaagctg ggtgcagtgg ctacgcctg taatcccagc 120
 actggaaggc caaggcatta ggattgcatg agtccaggag ttcgagacca gcctaggcat 180
 gataagacct tattgctaaa aaaaaaaaaa ggaantaaan taaaaantng cctntgcaa 240
 angaaaaagc nttnagccga cnccaaactg ccagggcctt tgnntttgga ctttcagccc 300
 ccaaatntgn gaaaaattan tttntgtngt ttaaaacncc taccctgngg nttttgtnt 360
 cgcaatccaa ctgctgaaca ggccgtangg aaaaa 395

<210> 903
 <211> 414
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(414)
 <223> n = A,T,C or G

<400> 903
 cacaaggggt tgtctacgaa tggtttagcg ccagggtccc cacgaacgtg cgctctcttc 60
 agcagaacaa gagatttgtt ttgtgtggtg gtgagggatg gaatagagag ctgaagatga 120
 gcaaaaggag ggaggagtca ggaaaaggca gctcctatat gttgaattta tttttcatta 180
 gtactgagta tttaaagaag agggcaccca ggctggagcc ctgggaagtc ccatatgtgg 240
 tgggtctggtg gagtgggttg aggaggtaat agaaggtcag aaagtaaaga tagtaaatat 300
 agaccattct ttcaagaagt ttggctgtgg ggctggcatg gtggccatgc ctttaattcca 360
 gtactttgcg aggcctaagt gggaggattg cttgacctaa gaatttgana caac 414

<210> 904
 <211> 403
 <212> DNA
 <213> Homo sapiens

<400> 904
 ggaaaactgt ggtgtgcaaa gaagaataaa aagaagagga aaaagggttt atataatgcc 60
 aataaaaaatg atgattatga caacgaggag atcttaacct atgaggaaat gtcactttat 120
 catcagccag caaataggaa gagacctatc atcttgattg gtccacagaa ctgtggccag 180
 aatgaattgc gtcagaggct catgaacaaa gaaaaggacc gctttgcac tgcagttcct 240
 catacaaccc ggagtaggag agaccaagaa gttagccggtg gagattacca ctttgtttcg 300
 cggcaagcat tcgaggcaga catagcagct ggaaagtcca ttgagcatgg tgaatttgag 360
 aagaatttgt atggaactag catagattct gtcggcaagt gat 403

<210> 905
 <211> 416
 <212> DNA
 <213> Homo sapiens

<400> 905
 aacaactaac aaaatgaaaa ggaccagca agcctcactt gtggaatgaa aatggggcat 60
 tcaggaaaagc acctgtcctg gccccacagt atgtcagctg tataggcaat agtagtagct 120
 gtctcttaga agggaaataa tgtatcacct ctttcagaa cgaagcaaag ttgctggctt 180
 agtagagccc tcaattcata gaggttactg taattgggcc tggctcactg atgctttcgc 240
 caactgaaac tactaggatc ctgtgtgtgt tcaaactcag tgccattaac aaacccaaag 300
 tgaagcggtc actcctctca gtggaaagag cagcaggatg ttctcagctc tggccaatac 360
 tccatttcat aaaccatgtt acatttttgt taagccttgg ctctggatgt ggccata 416

<210> 906
 <211> 413
 <212> DNA
 <213> Homo sapiens

<400> 906
 ggcttggtcc gcagcgccct ggcgccccc gccccggacg tggggcccaa gccccgtga 60
 agatgggtgc ctggatgatc tccagagccg tgggtctggt gtttggaatg ctttatcctg 120
 catattattc atacaaagct gtgaaaacaa aaaacgtgaa ggaatatgtt cgatggatga 180

tgtactggat	tgtttttgct	ctctatactg	tgattgaaac	agtagccgat	caaacagttg	240
cttggtttcc	cctgtactat	gagctgaaga	ttgcttttgt	catatggctg	ctttctccct	300
ataccaaagg	agcaagttta	atatatagaa	aattccttca	tccacttctt	tcttcaaagg	360
aaagggagat	tgatgattat	attgtacaag	caaaggaacg	aggctatgaa	acc	413

<210> 907

<211> 400

<212> DNA

<213> Homo sapiens

<400> 907

accacttaaa	aggattctta	caacaaatta	aatgaggag	ggagaactta	tttctcctat	60
agtaactgtg	cattaaaatt	ttatctcgtt	tttattttatt	ttttaaagat	aggggtctcac	120
tctctcacac	agggtagagg	gcagtggatg	atcatagctc	actgtaacct	caaactcctg	180
tgctcaagtg	atcctcccac	ctcagccacc	cgagtggctg	ggactatgca	cataggctac	240
cacatccatt	attataattg	aaaaaatttt	tctggccggg	cccagtggcg	catgcctgta	300
atcccagcac	tttgggaggc	cgaggcaggc	agatcaccta	aggtcaggag	ttcgagacta	360
gcctggccaa	catggcaaaa	ccccatctct	gctgaaaatc			400

<210> 908

<211> 496

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(496)

<223> n = A,T,C or G

<400> 908

gactatagaa	acaagctact	tgttcttttt	gcaggatccc	atcgattcga	attccgttgt	60
tgacttaggc	tggtcttggg	agcttctgga	agctcccaag	ctttgtagct	catgccaaaca	120
gagcccagg	acagaggcag	agccccagag	gggtgacacc	ccctctgagt	cccattcgct	180
ttgctgcccc	ggtgatagtt	ggcatctatt	ttggccttgt	ggcactgatt	agcctttctt	240
ccatgggtcaa	cttctatatt	gtggccctcc	cactggcagt	tggtcttaggg	gtctttgctgg	300
tggtctgctgt	tggcaaccag	acctcagact	ttaagaacac	tctgggggtca	gcattttctca	360
cttcacctat	cttctatggc	cgcccatagc	catactgccc	attagcgtgg	cccncattac	420
agctcagagc	atcgccgcta	caaagctttg	gtggcatcag	agccgtcant	gngcgggtcta	480
tcgctggctt	gnttac					496

<210> 909

<211> 388

<212> DNA

<213> Homo sapiens

<400> 909

ggtacgagta	agttccctga	actcgaagct	ctctgcacag	gaaaggaagg	agctgcttgc	60
tgacctggag	cgagaaaagc	cccagaccaa	gattctgtac	atcaccccag	agatggcagc	120
ttcactctcc	ttccagccca	ccctgaactc	cctggtgtcc	cgccacctgc	tgtcttactt	180
ggtgggtggat	gaagctcatt	gtgtttccca	atgggggcat	gactttcgtc	ctgactactt	240
gcgtctgggt	gccctgcgct	cccgcctggg	acatgcccct	tgtgtggctc	tgaccgccac	300
agccacccca	caggtccaag	aggacgtggt	tgctgcctgc	acctgaagaa	accaagtgca	360
tcttcaagac	tcctgctttc	gggcaact				388

<210> 910

<211> 387

<212> DNA

<213> Homo sapiens

<400> 910

ggggagaggt	ggtgaaggtt	ttgccactg	caggggtcaa	catgtgcttc	cctccaggag	60
tctgccgtgc	acccgaggga	gattttcaag	cagaaggaga	gggccatgtc	caccacctcc	120
atctccagtc	ctcagcctgg	tgagctctcc	ctttgggcct	ggccatgagg	cagcagcagg	180
ctgaggggga	gcctgggggc	ctatgtgggc	tccccaagg	ctagtgcacag	atatatcggt	240
gacgggtgag	tgagtggaga	gaagggacac	ctggggccat	tgacctcatc	agtgaccaca	300
ctggtcacca	gtttggcctc	caaaagatat	tggtctgcgc	tgtctaccac	gtcaccacat	360
agcacatggc	cctggggcct	ctgttcc				387

<210> 911

<211> 368

<212> DNA

<213> Homo sapiens

<400> 911

at ttggagaa	ag ttttagag	agtggggctc	aggctcaaga	atacaatgaa	gtaataaagt	60
tg ttaacctc	atgtataaaa	tcctccatcc	agatgttgct	tagtgatgca	gctagtgtct	120
ctggaggaaa	agaagcaaga	accaaataat	gaagactaca	tcaatgggaa	caagtgtatac	180
ttttagtggt	tttgtttctca	gaatatttta	aaagaaagga	aattaacaac	agaagaaaaa	240
tatttcctta	tatgaattaa	tggtttttat	aagaaaaata	tctttctgga	gatactaaga	300
ttgacctaga	aattgatcca	aggaccagat	gcttaaagt	cacttcaatt	ggtcactaga	360
aagatcca						368

<210> 912

<211> 385

<212> DNA

<213> Homo sapiens

<400> 912

gaataactag	acagaatatt	tgtaaggaaa	tagagggtct	gaacaacata	ataaattaac	60
tcgatctgtc	agacatatac	agaacactct	acccaacaac	agcagatgat	acattcttct	120
cttctcaagt	gtacatggaa	catcctccag	ataaactacg	tgtttgcca	caaaacaagt	180
cttaataaat	tttcaaagat	tgacatcatt	acaaaatttc	tgatcacaat	gaagtgaac	240
ctcaaaccaa	ggaaggataa	ctataaaatc	cacaaatatg	tgaaaattta	aaaactcact	300
ctacagcaac	cattgggtca	aagaagaaat	cccaaggaaa	attggcaa	accttgaaac	360
aaaaaataac	atcataccaa	aattt				385

<210> 913

<211> 485

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(485)

<223> n = A,T,C or G

<400> 913

tttgaantcn	ataatacaag	ttncttgtcc	tttttgcagg	atcccatcga	ttcgaattcg	60
gcacgaggct	ggaggcattc	gaaagggact	cccgatgtgg	tgggcggggc	tgaaccctgt	120
ggcttctgag	gtccctgcc	gccagagact	tgtgtgagtc	tttgaatggc	ttcacatgaa	180
caaaagagca	tttctgtcac	ctttcctcta	gttttttcca	ccacaccac	cagggagctg	240
aggcaaggtt	gtttctgttg	ctgtttcctt	aggctcagctg	aggctgtcca	ttgatgccca	300


```

ggaccggggt ctgctgcttc acagtgaagta cggctttgtg caggctcacc aaggaagggg 360
cggggccactc agcagagcag ggccacagaa gaggtttccct atcttccctc ccttctttat 420
tccatcccttt cttcttttct ctatttttct cactcattca tttattcatt ggttgacagg 480
cagca 485

```

<210> 914

<211> 405

<212> DNA

<213> Homo sapiens

<400> 914

```

aaaaaattca tactggagag aaaccctatg agaaccctaa ccctaacgct tcagttgtcc 60
cagttctttc atgagcatga aaggagtcac atagagaaac cccatgaaag taagaaattt 120
gggaaagcct tcagtccttt ctgtttcttt caactacgtg aaaggattca cagtggagaa 180
agaccctgta agataattgg ctttaaattt cgagagactt gtgataggac agtaaacct 240
agagttggag ttggatctct ggattgtgtt atgtcagtggt tggtaggtta ggaactagat 300
ttcccagaat ccattccatt tgtgattcca tgatacaatt caccagtaac ctatcttaca 360
tgagattcgg aagtaagtta aagaaggcat tagtcatggg ttgga 405

```

<210> 915

<211> 466

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(466)

<223> n = A,T,C or G

<400> 915

```

tttgnnnccc tttaatacaa gctacttggt ctttttgcag gatcccatcg attcgaattc 60
ggcacgagat atagtccaga tgaggaaaat aaggctgaag gcaagctaaa ctgacctgaa 120
gccacattgc taggaagtga cagaaccttg taaacaagat ttaagatttg atatactttc 180
ttattttcta aaaatttcaa tgtgcatgta gttctcagat gctttcctcg aagaaaaggg 240
agtgtcatct atttatctga ccttgcaatt atgacatttc ttagaagttt ttttttttaa 300
ctgacctgat cttatgaaat ggtcttgca tggtgtgtgt gaaatgactt ttttgctgca 360
gtgtgccttg ccctgataat tccttcttcc tactatgctt cagggttaatt atttctctta 420
ctcccactga tactggggga aggagaggaa actccctgat gtgcct 466

```

<210> 916

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(418)

<223> n = A,T,C or G

<400> 916

```

cccatctgct tgtcgtttta aacctagaaa atagtggcta ttggctgggc atgatagctc 60
acgcctgtaa tcccagcact tcggggggct gaggcaggct tgtacaaaaa attcaaaaaa 120
attagctcag tgtggtggca cacacctgta gtcccagata ctcgaggaggc tgaagtggga 180
caatcacctg agcctggcag tcaaggctac agtgaggcag gattgaacct ctgctctcca 240
gcttggtgta cagagtaaga ctctgtctca gaaaaaaaaa aacaaaaaac aggggctatt 300
aatcttcccc tcagttcttc ccattctcct cccctccccg gggctanaaa gccgaagctg 360

```

anattcaatc ccanaggcca gctggatttg ggagacctca aatgccaggt caggcata 418

<210> 917

<211> 390

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(390)

<223> n = A,T,C or G

<400> 917

gcagggacta	ctgggacaaa	aatcagatga	gcagcaagca	gcccacaagc	caaaccctgc	60
acacctgggc	agagttctca	ccgcaacata	aagcagagtc	cgaggagccg	ggcacctggt	120
ttcagtgagt	gagctctgtt	tcggttgacc	caggtcatgg	aatggaaacg	gtgaggccca	180
tttgcgtnat	ttcncaaaac	gacatanact	gganatatgcc	catttgcant	cattccatag	240
ngaaatgtgt	gacaaanatg	ctctggagga	agattcanaa	agcgttnntg	aaatangaag	300
tgatgaggaa	tctnaaaatg	aaattacnng	tggtggnana	ncttnngtga	tgactntnna	360
annnnanatn	atnanangnn	gatannataa				390

<210> 918

<211> 395

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(395)

<223> n = A,T,C or G

<400> 918

gatgagagcg	gcagagacta	tagggagagg	gaacgggaat	atgaacgaga	tcaggagcgc	60
atacttcgag	aaagagagag	gctgaagcgg	caagaagaag	agcgccgtag	gcagaaggag	120
cgctatgaga	aagagaagac	ttttaagaga	aaagaagaag	aaatgaaaaa	agagaaagac	180
acacttcggg	ataaaggaaa	gaaggctgaa	agtacagaat	caataggcag	ctcataaaaa	240
actgaaaaga	aagaagaagt	ggtcaagaga	gatcgaataa	gaaacaagga	tcgtccagcg	300
atgcagcttt	accaaccagg	agctcgaagc	cgaaatcgac	tctgtccccc	tgatgacagc	360
accaagtctg	gagattcanc	agcagaaagg	aagca			395

<210> 919

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 919

gcaagaccca	ccaggtgcca	gctgcccctg	ccccttgccc	atgccctgtg	tgtgggcggc	60
ccctggccaa	ccagggctcc	ctgcggaacc	atatgaggct	ccatacagga	gaaaagcctt	120
tcctgtgccc	gcactgtggc	cgggcgtttc	gtcagcgggg	caacctgcgt	gggcatttgc	180
ggctccacac	cggggagcgt	ccttaccgct	gccacactg	tgcn gatgcc	ttccccagc	240
tgctgaact	gcggcgccat	ctcatctcac	acaccgggga	ggcccacttg	tgcccgtgtg	300

tggcaaggcc	ctccgagacc	cacacacgct	ccgagctcac	gagcgcctgc	actccggaaa	360
gaggcccttt	cctgtcccca	atgtggccg				389

<210> 920
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 920						
aggaattatt	tacacagccc	tgttgccagag	ttaaggagca	aacaagatgg	caaggcatcc	60
aattctagaa	atgataagac	agaaccatcc	ctagggatga	tgagacaagg	agcaggagtt	120
tccttaagag	cccagtgtaa	gcagaggcac	aggagggcag	gatggaggga	cgtacagcct	180
gaaaggacac	tgccatgggtc	caggcaaagg	gtcaaagcag	gaacagatga	agatgtatct	240
cctttaaaaa	caaacaaaca	aaaaaagaca	gtttccctct	gtcacccaag	ctggagtgca	300
atgggtacaat	cttggctcac	tgcaacctcc	acctcccaag	ttcaagcgat	tctcctgcct	360
caacctcctg	aatagctagg	attacaggcg	tgcccagcta	atttttctat	t	411

<210> 921
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 921						
ggcttggtgg	ctcatgcctg	taatctcaac	actttgggag	gccaagggtga	gaagaacact	60
tgaggcctgg	agttaccagc	ctgggcaaca	tagcaagacc	ccatctctat	gaaaaaaaaa	120
taaataaata	gaaaagaaag	aaatgcagaa	tcccagtccc	caccccagac	ctcctgagtc	180
agtctgcatt	agaataagct	cctcaggcaa	ttctcacatg	tgttgccagt	tgagaatcct	240
ggaagccccc	catgcctcgt	gcctaattag	cagtcagtgt	ttgcatcatg	aacggacggc	300
ctttctctct	atttccattt	tgtgttacag	gcctgggtgg	taggagatga	agtttttgca	360
gatgtctgga	gaatatgtac	caacaacacg	aattgc			396

<210> 922
 <211> 414
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(414)
 <223> n = A,T,C or G

<400> 922						
gtttttgaac	attttcttga	aaatctggat	aaatcccgaa	aaggagaact	tcttaagaag	60
agtggtaaga	cgctatgcct	ttcccttcta	tctagttaga	tcttattatt	agtagaaatg	120
agcaattttt	gagttctagt	ctttctttgc	cctcctccca	aaatttacag	atttatctta	180
ctatccttaa	tgttttggaa	attgagggtc	cttaattcaa	tttaacacat	agttattaaa	240
cacattctaa	gtatcagggtc	tataagggag	acaaagatga	attaacatca	tgccctccttg	300
cccttaagaa	gtactaactt	ggccaggcac	ggtggctcac	gcctgtaatc	ccagcacttt	360
gggagaccaa	ggcagttgga	tcacttgagg	tcaggagttc	gagaccanct	ggcc	414

<210> 923
 <211> 398
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(398)

<223> n = A,T,C or G

<400> 923

cctgtatggt	cccattgtga	aacatatttc	atTTTTtTgat	ttcttcaagc	ataagtatca	60
aataaaatc	gatggcactg	tagcagctta	tcgcctgcc	tatttgctag	ttggtgacag	120
tggttgctg	aagcaggatt	ccatctacta	tgaacatttt	tacaatgagc	tcgagccctg	180
gaaacactac	attccagtta	agagcaacct	gagcgatctg	ctagaaaaac	ttaaatgggc	240
gaaagatcac	gatgaagagg	ccaaaaagat	agcaaaagca	ggacaagaat	ttgcaagaaa	300
taatctcatg	ggcgatgaca	tattctgtta	ttatttcaaa	cttttccagg	aatatgccaa	360
tttacaagtg	agtgagcccc	caatccgaga	nggcatga			398

<210> 924

<211> 389

<212> DNA

<213> Homo sapiens

<400> 924

gcaggctctt	atactatctt	gcacaggctg	gtctcgaact	cctgggctca	agcagtcctc	60
ctgcctcagc	cttccaaagc	tcagggatta	cagacatgag	ccacagcacc	aggccaacaa	120
tattttctaa	agctcctgga	gtgattccaa	tatgcagcca	aggttgaaaa	ctacccttta	180
aaaggctcgg	catccagtgt	ggaagaccag	cactcacaca	tccggagacc	ttaccggag	240
ccaggctgcc	cctgatcatc	tctgataact	ttaaaaggaa	ggcctcagaa	gcagccccag	300
aagcaaaagt	ttctctctga	ccttctctctg	cctcttctct	ctggcttttc	attctcccc	360
aaggctaccc	atagaaacta	gaatccctc				389

<210> 925

<211> 409

<212> DNA

<213> Homo sapiens

<400> 925

gcagaagtta	gaccaccatt	tacatatgca	tctttaatta	ggcaggccat	tctcgaatct	60
ccagaaaagc	agctaacact	aaatgagatc	tataactggt	tcacacgaat	gtttgcttac	120
ttccgacgca	acgcggccac	gtggaagaat	gcagtgcgtc	ataatcttag	tcttcacaag	180
tgttttgtgc	gagtagaaaa	cgtaaagggt	gcagtatgga	cagtggatga	agtagaatc	240
caaaaacgaa	ggccacaaaa	gatcagtgg	aacccttccc	ttattaaaaa	catgcagagc	300
agccacgcct	actgcacacc	tctcaatgca	gctttacagg	cttcaatggc	tgagaatagt	360
atacctctat	cactaccgct	tccatgggaa	atccccctctg	ggcaactta		409

<210> 926

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 926

cttgacagct	catgttggtg	tagtcttggt	tagattgaat	cttttgacct	tctggtagct	60
gaagatttat	gtttttcatc	agatttgcaa	agttttatgc	tattatctct	ttaaataatc	120
tttctatccc	tttgtctttc	tcttctctct	tatgaatttc	tgcaactcaa	acatttgctc	180
ttttcacagt	ctcataaatc	ctgtaagtgt	tccttattac	ttttcattct	tttttctttt	240

```

tccttctcta gctgtatddd cagacaacct gtctgagttc aaattctttc ctctacatga      300
ttaattctga tattgatgct ctttgntgca ttttttcatt ttattcattg natttttcag      360
ctccagaatt tctgnttctt t                                     381

```

```

<210> 927
<211> 167
<212> DNA
<213> Homo sapiens

```

```

<400> 927
gaagaattcg cggccgccta ccgtacaacc ctaacataac cattcttaat ttaactatddd      60
atattatcct aactactacc gcattcctcc ccacactcat cggccttacc acgctactcc      120
tacctatctc cccttttata ctaataatct tataaaaaaa aaaaaaa                    167

```

```

<210> 928
<211> 381
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(381)
<223> n = A,T,C or G

```

```

<400> 928
ggagaacagg agggcatgtc cctttgggag cccgccttgt ggatccacca caccaccacg      60
agcactagaa gctgcataag ctacacagga tgtgcttctg cagcctacag atgcagaacc      120
agaatgaggg ggacaattcc acccactcga gggctgcccc ctcttcctta gcagacgaac      180
cagtaatggg ggcaaggctg gggcatccca gcccacacac cctggatgcc cagcaaggcc      240
acagaaagag cctgatgtcc atgatccagg tggctctgag aagcttggcc tggacacctg      300
agcctgcggc cggtaactct gcttctcccc atctatcccc aaggcctctg ctctcacctc      360
ttccatggnc gggttaagct g                                     381

```

```

<210> 929
<211> 419
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(419)
<223> n = A,T,C or G

```

```

<400> 929
gcgcgagaat ctgcaaagtc aagccacttg gggcacccag tggggcacag tgtggtggct      60
cctgggcaag gcgggaaggt ggtcagtgag cagtatggaa acagaggaag gtcccaagtg      120
ataggacggc ctgacttggc acttgagtca gatttgtctg tgttccaatc agcattgcca      180
cttcctgggt tttacacctt gaaacatttt tttcacttaa ttcaacctta gttttttatt      240
aactgtcaat tgcattttta cagtagagtt tcaaaggtaa gaaaatgttt aagaggtgga      300
tttcagaaaa gacattacat atatagtcaa atattcactt gttaaaaaatt ctgattttacc      360
tttttcttca ctagagtata gtaagtttgc agcctgttcc tttttaaggg ngattttaa      419

```

```

<210> 930
<211> 410
<212> DNA
<213> Homo sapiens

```

```

<400> 930
gttcttttaa gaaagagggg gaagaaaaaa agcccaagtg aataaaacat tgaaactatt      60
ccccttcgaa aataaattct aaaatcgaca gcaacggaat tccgttgctg tcggggaaca      120
ggaaaagaaa ccccaaactc aggccgaatg atcaagggga cccataggaa atcttgcca      180
gagacaagac ttcgggaagg tgtctggaca ttcagaacac caagacttga aggtgccttg      240
ctcaatggaa gaggccagga cagagctgac aaaattttgc tccccagtga aggccacagc      300
aaccttctgc ccatcctgtc tgttcattga gaggggtccct gcctcacctc tgccattttg      360
ggttaggaga agtcaagttg ggagcctgaa atagtgggtc ttggaaaaat      410

```

```

<210> 931
<211> 489
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(489)
<223> n = A,T,C or G

```

```

<400> 931
ttgaanccct tnnnnntttg aaacccttta atacaagcta cttgttcttt ttgcaggatc      60
ccatcgattc gaattcggca cgaggaacta tctagtagct gggtccctcc gaagtttccc      120
tcaggatagc tgggacagca gctgctgctg tggaaaggcc agctggcaag atgatggaag      180
aaatctccat tatggtagcc tatgacgccc atgttttcag ccagctgcac gatgaagact      240
tcctcactag tctggtggcc atcagcaagc ccaggtctat ggtaccaacc aagaagctga      300
agaaatatga gaaagaatat cagacaatgc gagagagtca gctgcaacag gaagacccaa      360
tggatagata caagtttgta tatttgtagg taactccagc tgttgcatct atactgggaa      420
tcttcataag aagctgagag aaagagaggg gaaaaagaaa gtggctttct actttcaaaa      480
atgaaacaa                                     489

```

```

<210> 932
<211> 416
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(416)
<223> n = A,T,C or G

```

```

<400> 932
tgctatttta ggtatatcaa gcacaagaac ccattataga gagtgggttt tttcattgta      60
tttctgagac tcctctctta gaatcatctc taccgcata tcgtgttttc ttttcttctt      120
acaatttttag tacagaggaa aatcccaaga gagaagatta ttttggaatc acaaactctg      180
ttgaacatcc agcccagctc aatcctccag gtaatgtata gattcctgaa tcaagtctct      240
agagcagcat taccatttgg aaattttatac agtgaggaac atgttctgta tctatgctgt      300
tcaatacaat agccactacc catgtgtaat tctttttttt aattcagttt ttttcttgac      360
aatagtttgt tgtttgacca gtgaacatac attttaagtg catattcctg ngttta      416

```

```

<210> 933
<211> 354
<212> DNA
<213> Homo sapiens

```

```

<400> 933
ctgaggatgg accaggagtc aggcgccagg aagaacaaaa acacgatgac tatgtgtatg      60

```

```

acatttacta cttggagacg gccactccag gctggattga gaacatcctc tccgtgcagc 120
cctacagcca agaatgggag ctggtgaatg atgatcaaga accagaggac atttacgacg 180
atgaagatga cgagaacagt gagaataact ggcgcaatga gtaccagag gaggagagca 240
gtgatggaga tgaggattcc agaggctctg ctgactacaa cagcctgagt gaggaggaaa 300
gaggcagcag cagacagcgg atgtggagca agtccctctg gatgtgcaga agga 354

```

<210> 934

<211> 347

<212> DNA

<213> Homo sapiens

<400> 934

```

ctaccccagt gccggggagg gttctgctgc ttcgaaagct gctctaccct tctccaaaag 60
aagagccaag agaaggtcct tttctacaaa tatcagagcc atggctcagg agtcagtgat 120
gttcagtgat gtgtccgtag acttctctca ggaggagtgg gaatgcctga atgatgatca 180
gagagattta tacagagatg tgatgttgga gaattacagc aacctgggtt caatgggtaa 240
ggacatctgt ccatagtaat ttagattctg cccttggaag gcctacttcc tccaatgtga 300
aatgctcacc tggctttcaa aaaccagtcg aattttgata tcctggt 347

```

<210> 935

<211> 402

<212> DNA

<213> Homo sapiens

<400> 935

```

gttaaaggaa agtttccttg ttggttccta ccatatgaaa gatgctatat tctatttttag 60
cagtgccaat atatggaaaa tatctaaatt aaatgttatt acaaaaatga agcagtaatg 120
agattctggc taaagagggc actaaatgag aataatatat atttaaaagg gttgctgccg 180
ccccatctgc tattgcccg cgaggctgcc gctgcctcag ctgccatcgc cgctacaggg 240
accagtgccg ctgctcgagg gctagggctg tcgaggccaa cccttcgcgc ccctgtacgc 300
ggggcctgag agacggagtg tagggagggg ccgagcagga ggaggaggaa gccggagctg 360
catgaaggag ggtctggggg cgagcaaaca ggcggcgctt aa 402

```

<210> 936

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (411)

<223> n = A,T,C or G

<400> 936

```

gcagagaaga aatacaagcc actcaacaca acacctaatt ccaccaaaga gatcaaagtg 60
aagatcatcc cgccacagcc tatggagggg gatgggttta aggttgact tgtcagaaac 120
caccactgtg ctgggggagt ggcatacctt ggagcagcta cgttgctctg acgtttgagg 180
gggatgggtt taaggttgta cttgtcagaa accaccactg tgctggcatt cttcttcaca 240
ggcaccaagg atggtgtctc cagctctagt ccagtggaa ggaacttggc atgactgggt 300
gctgtggtgc gaagagactt gggcttctcc ctcttcttct ctggggcctc ctcagcccg 360
gtctcagcct tcacctctgt caaaggctgc tcaagaaggg tagttcnact t 411

```

<210> 937

<211> 398

<212> DNA

<213> Homo sapiens

<400> 937

acctgcttct	gggtcgggggt	ttcgtacgta	gcagagcagc	tccctcgctg	cgatctattg	60
aaagtcagcc	ctcgacacaa	gggtttgtcc	aagcccgtgc	tctatggcct	cttcctctac	120
atcgcgctca	cctccctcga	tggcaaccag	ctcgtccagc	gcgtggccct	gctgctcaag	180
gagcagactg	cgtaccccc	gacacactac	atccggaggg	tgccccagag	gaagatccac	240
tacttcacgg	gcctgcaggt	gcttcagctg	ctgctgctgt	gtgccttcgg	catgagctcc	300
ctgccctaca	tgaagatgat	ctttccctc	atcatgatcg	ccatgatccc	catccgctat	360
atcctgctgc	ccgaatcatt	gaagccaagt	acttggtat			398

<210> 938

<211> 375

<212> DNA

<213> Homo sapiens

<400> 938

acctgcttct	gggtcgggggt	ttcgtacgta	gcagagcagc	tccctcgctg	cgatctattg	60
aaagtcagcc	ctcgacacaa	gggtttgtcc	aagcccgtgc	tctatggcct	cttcctctac	120
atcgcgctca	cctccctcga	tggcaaccag	ctcgtccagc	gcgtggccct	gctgctcaag	180
gagcagactg	cgtaccccc	gacacactac	atccggaggg	tgccccagag	gaagatccac	240
tacttcacgg	gcctgcaggt	gcttcagctg	ctgctgctgt	gtgccttcgg	catgagctcc	300
ctgccctaca	tgaagatgat	ctttccctc	atcatgatcg	ccatgatccc	catccgctat	360
atcctgctgc	cccga					375

<210> 939

<211> 363

<212> DNA

<213> Homo sapiens

<400> 939

ggcccctgca	gcagcagcag	cggcgtgggc	agagcgagct	tccgagaagc	agtgggtgggt	60
tccatgtgat	ggtggagtag	gaggcaggtc	tccgcggtca	gtcaccctgc	tgtggaatag	120
aaggccagaa	ttgatcagtc	tcatctgaga	gtaactttgt	acccatcact	gattccctct	180
gagactgcct	ccacttcccc	agcagcctct	ggtttcttca	tgtggctgca	gatggcagga	240
tttcccaaag	gtttctgggt	gaaacatatt	ccgtgggtga	tctgtacagc	agtttcctta	300
tccctgcagc	tgtgtttgaa	caggaaagaa	aaaagaagaa	aaaaaacctc	catacgagag	360
tgg						363

<210> 940

<211> 379

<212> DNA

<213> Homo sapiens

<400> 940

cccaggtcaa	ggccggcttt	gagtccaggc	actgcacagg	gtgaggagga	gacgattctc	60
tatgacttgt	tggccaacac	cgagtggcca	ccggagactg	aagtacagcc	tagaggcaac	120
caaaaacatg	gtgcattcct	tatcatcacg	aaagcaattc	gagatcgctc	attattttta	180
cgccaataca	tctggtacag	cccggcacct	tttttgcctc	ctgatggact	ggttcgcttg	240
gttaataaac	agataaaactg	gcatttggtg	cttgcaagca	atggaaaagc	tttggtgctg	300
gtcaagatca	gtgtgtggaa	atcaagctcg	caaaagatga	ttttacatcc	attattggga	360
aatgtcaaag	ttccaaaga					379

<210> 941

<211> 361

<212> DNA

<213> Homo sapiens

<400> 941
 gcgtaacttt ttactgcatc taatgagggt gttttaagt acactcagtg tacacagatc 60
 ccatcctctg gctgctagga gagaagtgtc gaatgttccg tgtggagatg ctcaggaaaag 120
 ttattttgagt taaattgctg gctgagagag cttggaagtc cttttcataa aaggtaacctc 180
 tttccttttc ttattgaatt cttagaactt agttaaccct ccttgccctt tcttaacaaa 240
 aaggactttt ctaaggactg aagattggca aaaacgaaaa gcttcttcct ccaagagccc 300
 attgaagaag ccagtgatg agacggtgag atgggttgag cctcgggtgcc tgggtagcaa 360
 g 361

<210> 942
 <211> 375
 <212> DNA
 <213> Homo sapiens

<400> 942
 gccgtcgccg ccatttcaag accgtactag gtagatggtc aattagagtt cccagggttt 60
 gaagcctgta actgctgccg ccgctcaagc cctccagagc attgctacgg ctgctgccct 120
 tgtactacta cctccaaata cgttcttgct ggtagtggcg gcagcaggac caattacctc 180
 ttttttgctc tccctcgaga agctccagat ggcgtcttcc gtgggcaacg tggccgacag 240
 cacagaacca acgaaacgta tgctttcctt ccaagggtta gctgagttgg cacatcgaga 300
 atatcaggca ggagattttg aggcagctga gagacactgc atgcagctct ggagacaaga 360
 gccagacaat actgg 375

<210> 943
 <211> 345
 <212> DNA
 <213> Homo sapiens

<400> 943
 tagggccgga ccctgcctgc cccttggtt ctcagggtt tgctctgaca ccatgacagc 60
 tgcccggggc tgagggcagc tggtccact caaatgagga agaaggatc actcccatta 120
 gggcctgctt tgcttatgca tgtgtgtgca catgcatgta aaccaggagc cttcagctca 180
 cggcctccag gcctgggcca gttcttgctg ctccctgccgt ccccccgac tggctgtgtc 240
 ctgagtaact ggaacatgag actgtatctg caggactggc cccatggtgg ccgagtcaga 300
 agtctgtttc ctgtgagtcg ccaccgttca ctcagtcttg cctcc 345

<210> 944
 <211> 383
 <212> DNA
 <213> Homo sapiens

<400> 944
 gatgttgtaa agtgcacctt ggtggccagc ccaggatttg tgagggagca gttctgcgac 60
 tacatgtttc aacaagcagt gaagaccgac aacaaactgc tcctggaaaa cgggtccaaa 120
 tttcttcagg tacatgcctc ctccggacac aagtactccc tgaaagaggc ctttctgtgac 180
 cctactgtgg ctagccgcct ttcagacact aaagctgctg gggaagtcaa agccttggtg 240
 gacttctata aaatgttaca gcatgaaccg gatcgagctt tctatggact caagcaggtg 300
 gagaaggcca atgaagccat ggcaattgac acattgctca tcaacgatga gctcttcagg 360
 catcaggatg tagccacacg gag 383

<210> 945
 <211> 424
 <212> DNA
 <213> Homo sapiens

<400> 945

agctaata	cggtattgtg	tactgagatc	agacttcagg	gatgaagcag	ctgtatgttc	60
tcatgtcctg	gacactacca	cggtgatggc	tttctaaatc	cagggagcag	gaaaattcag	120
attcgaaaca	tccctcctca	cctgcagtgg	gaggtgttgg	atggactttt	ggctcaatat	180
gggacagtgg	agaatgtgga	acaagtcaac	acagacacag	aaaccgccgt	tgtcaacgtc	240
acatatgcaa	caagagaaga	agcaaaaata	gccatggaga	agctaagcgg	gcatacagttt	300
gagaactact	ccttcaagat	ttcctacatc	ccggatgaag	aggtgagctc	cccttcgccc	360
cctcagcgag	cccagcgtgg	ggaccactct	tccgggagca	aggccacgcc	cctgggggca	420
cttt						424

<210> 946

<211> 336

<212> DNA

<213> Homo sapiens

<400> 946

gaaagactct	tttccagagg	ctaaaaggac	aagaaaatct	gatttgcttg	cttctaactt	60
tgcgttttaa	agggggaagg	aggaaaaggaa	agagggggag	gtgtcggagt	tttctcctgg	120
ttgctgagga	gaccccaggc	tcccggccag	cctgtgacac	agggcgacag	cgattgagca	180
gaaagctgct	gtggaaaccg	agtggggact	ttactgatag	tgacagtgat	gacttcggag	240
aggctgacgg	ccggtacttc	aggctcagcc	agcagtcaca	ctgcccagat	ttctttcttt	300
tcctctgccc	cctgctcagc	ccgctgctca	aggcct			336

<210> 947

<211> 388

<212> DNA

<213> Homo sapiens

<400> 947

ccaaggcaca	gacaggagag	gtggcagctt	tcaaagggtg	gcccccgctc	tcctggctag	60
tgattgatgg	gaagcatcta	gccaagcccc	caaaggactg	gcaccctctg	gccaggaca	120
cagggactgg	gactgcctac	attgagtata	aaaccagcaa	agaaggcagt	acggtggggg	180
tcacagtgtc	ccacgcctcc	ctgctggcac	agtgccgggc	tctgaccag	gcgtgcgggt	240
actcagaagc	tgaaacatta	acaaacgtgc	tggatttcaa	aagggatgct	ggctctgtggc	300
atggcgtgtt	aacaagcgtc	atgaacagga	tgcacgtggt	cagcgtcccc	tacgcgctga	360
tgaaggcgaa	cccactctcc	tggatcca				388

<210> 948

<211> 380

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)... (380)

<223> n = A,T,C or G

<400> 948

attatttttaa	atggaattgt	tcccttaatt	ttcttttcat	attgtttatt	gctagtatat	60
agaagtagaa	cttttatttc	tgatcttgta	acctgcaatt	ttgttgaatt	tgtctattac	120
ctctaataata	ttcttttgta	gctcctttag	ggttttctat	gataggatca	tgtcacctgc	180
aaatagagat	agttttactt	cttcttttcc	aatttatatg	ccttttattt	atcattcttg	240
cctaattact	cagactagag	cttccagtaa	agtgttgaat	agcagtggta	gaagtgggca	300
ccttgctctgt	tcctggcata	gggggaagct	tttagctttc	accgctgaat	ataatgntag	360
ctgnnggatt	ttcattaatg					380

<210> 949

<211> 386
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(386)
 <223> n = A,T,C or G

<400> 949
 atcggctccc gcagccccgc gtgggctcgt gcgagtcggc ctctgtgtct gcgagattaa 60
 tctctcatgg ccgtgcaca agaacctggc ttttagctga actaaggaga aagtcctaca 120
 acagtttggc gtgcaacatg gggcttgaga aagggtgagt gagatgcaaa ccaagaaatt 180
 ttttctctct ctttctaagc ctatttatct tcggacttct gagggggagg gngnggaag 240
 cnnnnacccc caccctcttg gtctccatgg ctttttctt acttctggac ggatgggcga 300
 acggcggnct tctgtcgccc aggctggant gcagnggcgc catctcggnt cactggaagc 360
 tccacctccc ggtcacacc attctc 386

<210> 950
 <211> 405
 <212> DNA
 <213> Homo sapiens

<400> 950
 attgctccta gtggaaatac agggttaggt cctatgagcc tttggtcata acattttcat 60
 caatggatca atacataacc ttattttatg tgtgtttctg tttaaagata cattatttaa 120
 tatatatgtg tgattcatta acactgaact cacagtttgt aagtcatacc tgaatgttgt 180
 ttatcttaca catattttct ccgtaaggca catcacagcc ttctgtgtct taggaatgct 240
 agatcacctt tcagtctggt tcagtgttag ctgggaacat atgtgagagg agaggttcaa 300
 atttttggct ggtctgcaca tgtctgcaaa tgacctcaaa agtgcgtgat taacttagag 360
 gttacaaatc aattttgagt agataaattc tcaaatatga aatcc 405

<210> 951
 <211> 381
 <212> DNA
 <213> Homo sapiens

<400> 951
 ctccctatgc agtctggttt ctagegtgac acgcccttga cttgaggacc atgaaccgca 60
 gccgccaggt gacgtgcgtg gcctgggtcc gctgcggcgt ggccaaagag acaccagaca 120
 aggtgaggcc tggctcgtgg gagacaaggg gagcagcgtc tttacggcac tgggggtccg 180
 cccagctggg ggaacgtgga cccggaactc ggggcgttgg ctggtgcgac tggctggggt 240
 gagggcggct ttgcccgat tgtcgcgact agagctgcag ttcagaaggc ctggttcgcc 300
 tgagcctgga gagtcaaggc ccgcgccttc tcaactgttc caccctcaag cccaacccca 360
 ctcccaaatt cgcacgcaca t 381

<210> 952
 <211> 346
 <212> DNA
 <213> Homo sapiens

<400> 952
 gccctttagg aggatttcct tttcctcact aaaagcccc tgaaagatgc ctgagggat 60
 gcctctgtgc cctactgccc actgctgctt tctgttttc taggaatccc ctttatgaag 120
 taccctatct ccagaaagat ttcttaccta ctttgaaagg atcttggtct ctccacaagg 180
 gtactccatc ctctgagcag gtatttccga ttctactttt gaatggtttc ttttcaaate 240

ttcctcagtg ctttctcttt ctggctaccc ctccagccca ctaccagcct ttggtgcttc 300
 tttaaattgc tgcttctttg aacacacata tccatctctt cttgtc 346

<210> 953
 <211> 400
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 953
 cttgactttg ggcaaataag agagcttcaa agaacagctt catccttttc tttgggagag 60
 gtggagggtt gagaagcagg agcagggaga tcagaaagac catgagggtg cttctttagc 120
 acatcaaagt gccacatttt gggatattcg tttctgagct cagactttcc tggacatttc 180
 acatgttaac agatgagcta gtgactgtgg agaggaaaat agagttagta gctgaatggt 240
 aaaagatccc attaaaccag tctctcattc ctgagaatag gccaacccaa ctaaacagta 300
 gtttctcatt ttaagagatg gtattgnaga tgggctctca aaattagacc tctatccatg 360
 acacaggcaa acagatcttt aataagagat atttttatgg 400

<210> 954
 <211> 380
 <212> DNA
 <213> Homo sapiens

<400> 954
 tgacacttaa gtcagagcat tctgtagctg tattttacag aactgtaatt gcacagattg 60
 ttcctcttac aagagaaata tccagagctc taagaaaaca actgatgaaa acgacatgcg 120
 tgacatttgg tgctgaagac ccaggtcaga gagactcctt tgggggacca gtccgctgtc 180
 cttgccctca ctctgtgagg agaccacact acgacctcgg gtccctcagac caaccagctc 240
 aaggaacatc tcaccaattt caaatcggga cccactgga aaatggactg tccaactcac 300
 ccggcagcca ctcccagagc ccctggaact ctggcccaag gctctctgac tgactccttt 360
 ccagatcttc tcgggtcaag 380

<210> 955
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 955
 gtccgcgcgc cgcgacgcca agaagctggt gcgctccccg agcggcctgc gcatggtgcc 60
 cgaacaccgc gccttcggaa gcccgttcgg cctggaggag ccgcagtggg tcccggacaa 120
 ggagtgtcgg agatgtatgc agtgtgacgc caagtttgac tttctacca gaaagacca 180
 ctgtcgcgcg tcggggaagt gcttctgcga cagggtgctgc agccagaagg tgccgctgcg 240
 gcgcatgtgc tttgtggacc ccgtgcggca gtgcgcggag tgccccctgg tgccctcaa 300
 ggaggcggag ttctacgaca agcagctcaa agtgctcctg agcggagcca ccttctcgt 360
 cacgtttgga aactcagaga aacctgaaac tatgat 396

<210> 956
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 956

```

caccatgtct gtgcccctgc tcaccgatgc tgccaccgtg tctggagctg agcgggaaac      60
ggccgcgggtt atttttttac atggacttgg agacacaggg cacagctggg ctgacgccct      120
ctccaccatc cggctccctc acgtcaagta catctgtccc catgcgccta ggatccctgt      180
gaccctcaac atgaagatgg tgatgccctc ctggtttgac ctgatggggc tgagtccaga      240
tgcccagag gagagggctg gcatcaagaa ggagcagag aacatcaagg ccttgattga      300
gcatgaaatg aagaacggga tccctgccaa tcgaatcgtc tgggaggctt ttcacagggc      360
ggg                                           363

```

<210> 957

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(357)

<223> n = A,T,C or G

<400> 957

```

tggtcagttt gtttattaaa ataagatgtc taatcctctg ttataattta agctataact      60
gttgattgtt atgttattaa taattggttt tcaattgcta aaatataaga atatttgaag      120
atgagaggag aggttaacat ttttttttac agagtctcac tctgtagccc aggctggagt      180
gtagtgggtg gatctcggct cactgcaagc tccgcctcct gggttcacgc cattctccta      240
cctcagcctc ccaagtagct gggactacag gcacctgcca tcacgcctgg ctaatttttt      300
gtatttttag tagagatggg gtttcaccat gtttagccag atggnctcaa tctcctg      357

```

<210> 958

<211> 364

<212> DNA

<213> Homo sapiens

<400> 958

```

gcaggcccca acctatccat ggtttggggc tgctatctgc ctcataaagc aaagtggagg      60
gtttgtcttt tggaaaaaca aagtcgtttt ctccctctgaa aaagcctcct acatagtgg      120
ctttgccatt tgccaagaat aagagggcac agattgaggc ctcttgagta tgggttttca      180
gttgagggtg aagagagaag acagggattg taaccagaaa attcagaatg gaatgcagtt      240
ccctccagaa ctctgagct tcatgacagt catagaagtg gattcctttt agtttccct      300
caccgcaaa acgtaccgta ataatgcagg atacagggtat taagttccta ctcaagctat      360
aatc                                           364

```

<210> 959

<211> 355

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(355)

<223> n = A,T,C or G

<400> 959

```

gcggccggcg ggggtgctggg ttcccgtctg ctgcctctcg gagagtcccg ggtgactgcc      60
gcaggctcca tcgccctgtg gctgcaggt attgcgagat ttataggag gagcgtggga      120
ccccaaaag ctgggaaatg ggactattgg cattcagga tgtggctcta gaattctctc      180
cagaggagtg ggaatgcctg gaccagctc agcggagttt gtataggat gtgatgttag      240
agaactacag aaacctgatc tcccttggtg aggatagctt caatatgcaa ttccattttc      300

```

acagtcttgc tatgtctaaa ccagaactga tcattctgtct ggaggcaang gaaga 355

<210> 960

<211> 405

<212> DNA

<213> Homo sapiens

<400> 960

gttaaagtta	gaatagtaat	gttgggaggc	taaattggga	ggatcacctg	agaccaagag	60
ttagagccca	gcctgagcaa	catagtgaga	ccccatctct	acaggaaaat	ttaaaaaaat	120
tagctgtgcg	tgggtgtgca	cacctttagt	cctagctact	cggaaggctg	aggtaggagg	180
atcaçtttgag	cccaggagtt	tgaggttgca	gtgaattact	atgattgctc	cactgcatga	240
cagagcatga	ccctgtctct	aaaaaaaaga	aaagtaaaag	aatagcgatg	ttgaaaatga	300
ggtaatgagg	tgcccttccc	ccccaaaaat	gagtagttgt	tagcttttag	ctgtcatcgt	360
ggtacagcta	ccattttaag	ggaagggtag	ccttccctta	aaact		405

<210> 961

<211> 386

<212> DNA

<213> Homo sapiens

<400> 961

gctgcatctg	ctggcactgg	gagccacaga	agggttttga	gcagggaaac	gacttactgt	60
gtttttaccg	gggcgggggg	gacçcttatg	gcagcagaga	ggggtgtgag	ttctgagcca	120
gtcçtttccc	aaggagagag	accçttccct	caggttgagg	ccagtcçtag	tcccagaagc	180
ccccacccc	ccgatgcca	ggaccçctct	cctgactgcc	cccattctctc	cgcaggggatg	240
tttcatcttc	tcgctcgta	agtacgtacc	cctgacçtac	aacaaaacat	acgtgtaccc	300
caactgggcc	attgggctgg	gctggagcct	ggcçtttccct	ccatgctctg	cgttccçttg	360
gtcatcgcat	ccgcçctctgc	agactg				386

<210> 962

<211> 351

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(351)

<223> n = A,T,C or G

<400> 962

cttttgcçta	gggttgaccç	gtttccgcca	ctgatcagct	gaatgaccct	gggacaagtc	60
cçttaaactc	tctggatctc	attgcatctg	taaagtctga	gagaatgaca	aagtgtcçtt	120
tctagtçctg	accçtatgcc	tcattçctgta	çtttctccat	agggtgççca	cçctctggga	180
gagccçcagg	tgccctccca	gcaggccacc	tcctgtçgtt	tctcaccçtt	gggtgtcçttt	240
ctctgtççct	tttggtgact	ggagcçtttg	gçtttccact	ttggagaaga	cagggtgagcc	300
agggacatgg	caaccccgcc	ccccancagc	tccçgtçttc	atçctcagaa	g	351

<210> 963

<211> 348

<212> DNA

<213> Homo sapiens

<400> 963

gçgcgçgggc	cgggcgççtg	caatatggcg	gaggcggaag	gggaaagcct	ggagtcçctgg	60
ctcaataaaag	ccaccaatcc	ttccaaccgc	caggaggact	gggaatacat	aattggçttc	120

```

tgtgatcaga tcaacaagga gctggaaggg tgagtctcag cactgtgggg gcagctgaga      180
gggagcggac tgggaagggg aacaaccatg gccaaaggagg gccagccagg tagccccagg      240
cttagtgcac tggagtgtgt tctgcttgc cccagggcca cagatcgccg tccgactgct      300
ggcccacaag atccagtccc cacaggaatg ggaggcgctc cagccct                      348

```

```

<210> 964
<211> 379
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(379)
<223> n = A,T,C or G

```

```

<400> 964
tccagctcct ctcaacagcc caaccacac cagcctcaga caccaccatg accggctcct      60
gctgcggctc caccttgtct tctctgacct acgggggagg tgtgggagga ttttctggac      120
attacaaagc cacctgttgt ggacctgatg naaacatnan antaanangn cgctnagaat      180
gttaanagnn tantgctaaa cacatgggag ntgantccan agtacagaca ctatcctgga      240
gaagaaaana tttntaana atactantag ccagcgnntt nntnattcga ctntcngccc      300
tgctatgcaa aangngctga tncctgnagg cttgaacncc gtatgtnaat aagggttaaa      360
tgacaatctt tnggttttt                      379

```

```

<210> 965
<211> 411
<212> DNA
<213> Homo sapiens

```

```

<400> 965
ggcacttttg acttcctggg gtccttcttc agttaaaaaa aaaaattaga aaattaggcc      60
gggcgtgggg gcacatgcct gtgatccacc cactcagcc tcccaaagtg ctgggattac      120
aggtgtgagc cactgtgccc ggccttgact accatatttt aaatttactg gaggactttt      180
ttgttctctt ctttttctt tttttaatag catcccgtc ttatttcaga ataaaaaatt      240
tttaaggatg gttgagtaag aatctataga gcaatgaaaa tgcaagagca atagctatgg      300
gcaccaaatg gtcaatcttc ttatcataat gttgagtggg agaagccagg tccaccagac      360
acatgctgct catttattca aagtttggac acaggcaaaa caaaatagtt t                      411

```

```

<210> 966
<211> 407
<212> DNA
<213> Homo sapiens

```

```

<400> 966
accaggatgg ttttttggag taccaagcaa ggggaatgga gcactttaag ggcgcctgtt      60
agtaacatga attggaaatc tgtgtcgagt acctctgac taaacggtaa aacaagctgc      120
ctggagagca gctgtacct acaatactgt aatgtacatt aacattacag cctctcaatt      180
tcaggcaggt gtaacagttc ctttccacca gatttaatat tttatactt cctgcagggt      240
cttcttaaaa agtaatctat atttttgaac tgatacttgt tttatacata aatttttttt      300
agatgtgata aagctaaact tggccaaagt gtgtgcctga attattagac ctttttatta      360
gtcaacctac gaagactaaa atagaatata ttagttttca agggagt                      407

```

```

<210> 967
<211> 403
<212> DNA
<213> Homo sapiens

```

<220>
 <221> misc_feature
 <222> (1)...(403)
 <223> n = A,T,C or G

<400> 967
 gttttgttta tttctgcaag attgtgaaaa caaaactttg ggtatttggt tccattcag 60
 gagatctggg agtgacttca tgtatttctt taacagtctt tgatcgtcac ctttcaattt 120
 agactctaga gacagggaga ttgatgattt ctcagcaaag aagcttgat ttgagttgaa 180
 agttgaaaat gaaggcaagg tcttcattta aactttaaaa tttctacaca tttctttcaa 240
 gtattaaatt tttcttttgc agttattcta cctatggaaa tccaggcagc caaggctatg 300
 gacaagcatc acaaagctat tctggctatg ggcaaacgac tgattcctct tatggacaga 360
 actacagcgg ntactccagt tatggacaaa gttattcaca gtc 403

<210> 968
 <211> 281
 <212> DNA
 <213> Homo sapiens

<400> 968
 ctgtcttttag ctttgaagca gttttcatgt aatcattgcc acctcttcgc tacatgaact 60
 actattgata ccagcatata agtgatatgc actttacaca caagagggtt attgatgtaa 120
 aattatcggc tagggaagca gcagcgggccc aggtgtggtg gcttaccct gtaatcccag 180
 cactttggga ggccaaagca ggacgatcac ttgagcccag gagttcaaca ccagcttggg 240
 caacataaga agaccgtgtc tctggaattt tttttttttt t 281

<210> 969
 <211> 398
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(398)
 <223> n = A,T,C or G

<400> 969
 gccatcacag tctcctccg aggcctaggc cgccccagc agcacagacc ccgccgcctc 60
 ctacggccga ctctgggttc ctttcagggtg ttggtgtcgg cagggtgtgc agggcacatg 120
 cctggccggc tgggttcccc acccgcgag acggtcctan acccagtggg gnaggtgtgg 180
 naggnttnac cnaaacannt ncncnnttc atcaanaatt anttntann cnccttttnc 240
 tntatntnnn tcncccnat aattantact nncacncnat tntannatna cnnctnttcc 300
 tntnttttat ncttnatgnt gaagcnnnnn ctntnnantc ntattnaatc gctantncta 360
 ancacngnan atnnccatcn tttataaaca nnccttat 398

<210> 970
 <211> 479
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(479)
 <223> n = A,T,C or G

<400> 970


```

tttgnactcn ataatacatt ntacttcctc tttttgcagg atcccatcga ttcggttcag      60
agaggccagg ccctgtgtcc gtggctgccc agggagaaag ggcagtgtga tctcctgcct      120
ccccagcctt ctgcagatat catggccatc tccagaaggc taggatcggc accgtttccc      180
tgcaccttta aagactgttt gggcccggcg tgggtggctca tgcctgtaat cccagcactt      240
ttggaggcct aggtgggagg atcatgaggt caggagatcg agatcatcct ggctaacacg      300
gtgaaatcct gtctctacta aaaatacaaa aaattagcca ggcattggtgg cacttgccctg      360
tagtcccagc tactcgggag gctgagacgg gagaatctct tgaacccggg aggtggaggt      420
tgcggtgggt ggagatcaca ccaactgcact ccagcctggg tgacacagta ggaatctgt      479

```

```

<210> 971
<211> 481
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(481)
<223> n = A,T,C or G

```

```

<400> 971
tttggnactc tanaatacan nctacttgnt ctttttgcag gatcccatcg attcgtttag      60
atgttccaga gtccctcagag tccatgaaag gactcacagt ggagaaaagc cctatgaatg      120
taaacaaatgt ggtaaaagcct tcaaataatc tagtaaccta tgtgagcatg aaagaactca      180
cactggagtg aaaccttatg gatgtaagga atgtggtaag tcgtttactt cttccagtgc      240
ccttcgaagc catgaaagga ctcatactgg agaaaaaccc tatgaatgta agaaatgtgg      300
taaagccttc agttgttcca gttcccttcg aaagcatgaa agagcttata tgtggtaaaa      360
aacaacaaca acaaaaacacc tctgtcaatg taagaagtgt gttaaagctt tcagttattc      420
tagtttcatt agaacacgtg aaaaaattaa aaactcaaat tagagagaac ccaacacatg      480
t                                                                                   481

```

```

<210> 972
<211> 421
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(421)
<223> n = A,T,C or G

```

```

<400> 972
catggctgtc cactccttgc ctgtcccccac agctcttcct gcagactctt ttttcccgag      60
gatcctgtta agattgtccg ggcccaaggg cagtacatgt acgatgaaca gggggcagaa      120
tacatcgatt gcatcagcaa tgtggcgcac gttgggcact gccaccctct cgtgggtccaa      180
gcagcacatg agcagaacca ggtgctcaac accaacagcc ggtacctgca tgacaacatc      240
gtggactatg cgcagaggct gtcagagacc ctgccggagc agctctgtgt gttctatttc      300
ctgaattctg ggtcagaagc caatgacctg gccctgaggc tggctcgcca ctacacggga      360
caccaggacg tgggtgtatt agatcatgcy tatacgggca cctgactncc tgattgacat      420
a                                                                                   421

```

```

<210> 973
<211> 397
<212> DNA
<213> Homo sapiens

```

```

<400> 973

```

```

aagaattcct attggaggtg ttaaattctac aagcaagaca tatgttataa gtcgaactga      60
accagcgatg gcaactacaa aagcaattga tgactcttcc gcgtctatct ctctggccca      120
gcttacaaag actgccaatc tggctgaagc caatgcttct gaagaagata aaattaaagc      180
aatgatgtcg caatctggcc atgaatacga cccaatcaat tacatgaaga aacctctagg      240
tccaccacct ccattcttaca cgtgtttccg ttgtggtaaa cctggacatt atattaagaa      300
ttgccaaca aatggggata aaaactttga atctggtcct aggattaaaa agagcactgg      360
aattcccaga agtttcatga tggaagtga agatcct                                397

```

<210> 974

<211> 346

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (346)

<223> n = A,T,C or G

<400> 974

```

gccaccatgc ctggcccatg attccacttt tataacaatat tttaagtagt aaactaggaa      60
atagaagtag aaagatgttt gcctatggta agagctgtga aacctcagtg gagccagaga      120
tcaaggaggg ttatttagaa aaaggagggtc ctcaccagg tggccaactc aaaggcacat      180
agacttggtc acagacaagg aaacagtgcga gagtttggcc ttactgaaga ttatgaaaca      240
gttctgcaac ctttctcaaa ctctatcag ctacagtcca caagtgggtc ttccatcaga      300
aatctgcagg gaaacagnca gcataatnct ggngcaggct gtgatc                                346

```

<210> 975

<211> 341

<212> DNA

<213> Homo sapiens

<400> 975

```

atcgatgctc tcctggctcg cgtaacttca gtaggatcat ctgggggaca gctgctgacc      60
aaccttccag gaatggagca gctctcgga gctagcttgg agaaaggagc cttggacacc      120
actgatggtt acatgggggt gaatcaagcc ccagagaaac tggacaagca atgtgagatg      180
atgaaggccc gtcaccaaga attgctgtcc cagcagtaaa atttcattct ggccaccag      240
tcagctcagg ccttcttgga tcagcatggc cacaatctca cacctgagga gcaacagatg      300
ctgcaacaga agctgggaga gctaaaggaa caatactcta t                                341

```

<210> 976

<211> 342

<212> DNA

<213> Homo sapiens

<400> 976

```

atcgatgctc tcctggattg ggtaacttca gtaggatcat ctggtggaca gctgctgacc      60
aaccttccag gaatggagca gctctcgga gctagcttgg agaaaggagc cttggacacc      120
actgatggtt acatgggggt gaatcaagcc ccagagaaac tggacaagca atgtgagatg      180
atgaaggccc gtcaccaaga attgctgtcc cagcagaaa atttcattct ggccaccag      240
tcagctcagg ccttcttgga tcagcatggc cacaatctca cacctgagga gcaacagatg      300
ctgcaacaga agctgggaga gctaaaggaa caatactcta ct                                342

```

<210> 977

<211> 479

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (479)

<223> n = A,T,C or G

<400> 977

ttttnaaccc	cccttaacaa	acccccnttt	ttnatccccc	ttaatacaag	ctacttggtc	60
tttttgagg	atcccatcga	ttcgaattca	aggcctgtcg	agcctctaga	cattgcggcc	120
gctatctacg	tagatccaga	catgataaga	tacattgatg	agtttgagca	aaccacaact	180
agaatgcagt	gaaaaaaatg	ctttatttgt	gaaatttgtg	atgctattgc	tttatttgta	240
accattataa	gctgcaataa	acaagttaac	aacaacaatt	gcattcattt	tatgtttcag	300
gttcaggggg	agggtgtgga	ggtttaaann	ancaaccttt	nccttttttt	ntaaangngn	360
tccccctatg	ngnttttnn	atganaannn	annaaccttn	nggtttnttn	tccaaacaag	420
ntntnccggg	naannnnntt	ntatnnncaa	ctttnttttn	attctccnaa	aaaaccct	479

<210> 978

<211> 401

<212> DNA

<213> Homo sapiens

<400> 978

gcggtgtttg	cattccagtt	gcgcaatcct	gtccacaatg	gccatgccct	gttgatgcag	60
gacactcgcc	gcaggctcct	agagaggggc	tacaagcacc	cggtcctcct	actacaccct	120
ctgggaggct	ggaccaagga	tgacgatgtg	cctctagact	ggcgatgaa	gcagcacgcg	180
gctgtgctcg	aggagggggg	cctggatccc	aagtcaacca	ttgttgccat	ctttccgtct	240
cccatgttat	atgctggccc	cacagaggtc	cagtggcact	gcaggctccc	gatgattgcg	300
ggtgcccaatt	tctacattgt	ggggaggacc	ctgcaggaat	gccccatcct	gaaaccaaga	360
aggatctgta	tgaaccact	catggggggc	aaggcttgag	c		401

<210> 979

<211> 417

<212> DNA

<213> Homo sapiens

<400> 979

gcagaagatt	ttttcattta	atgtctgggg	taaaattgca	actttttgga	acaaggcttt	60
ccttaccatt	atcatcctat	tgattgttct	atttctagat	gctgtgagag	aagtaaggaa	120
atattcctca	gttcatacca	ttgagaagag	ctccaccagc	agacctgatg	cctatgaaca	180
cacacagatg	aaacttttta	ggtctcaaag	aaatctttac	atttctggat	tttccctatt	240
tttttggtta	gttttgagac	gtctgggtac	gcttattact	caactggcaa	aagaactgtc	300
aaacaagagt	gtacttaaaa	ctcaagcaga	aaatactaac	aaggctgcca	aaaaatttat	360
ggaagaaaac	gaaaaactaa	aaaggatttt	gaaaagccat	ggtaaagatg	aagaatg	417

<210> 980

<211> 486

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (486)

<223> n = A,T,C or G

<400> 980

ttgaaacccc	tttgnnatct	tgnnaccctt	taatacaagc	tacttggtct	ttttgcagga	60
tcccatcgat	tcgaattcgg	cacgagtaga	ggttaatggg	gttgacctga	ggaactccag	120

```

ccacgaagaa gccatcacag ccctgaggca gacccccag aagggtgcggc tgggtggtgta      180
tagagatgaa gcacactacc gggatgagga gaacttggag attttccctg tggatctgca      240
gaagaaaagct ggccggggcc tgggcctgag catcgttggg aaacgaaatg gaagcggagt      300
gtttatttct gacatcgtga aaggcggagc cgcagacctg gatgggagat tgattcaggg      360
agatcagatc ttatctgtga atggggagga catgagaaat gcctcacagg agacagtggc      420
caccatcctc aagtgtgcac agggacttgt gcagctagag attggaagac tccgagctgg      480
ttcctg                                     486

```

<210> 981

<211> 348

<212> DNA

<213> Homo sapiens

<400> 981

```

ggaggaagtt cgggaagtgt cgaggctgct tgctggtata ctgcatcttg ggaacataga      60
atttatcact gctggtgggg cacaggtttc cttcaaaaca gctttgggca gatctgcgga      120
gttacttggg ctggacccaa cacagctcac agatgctttg acccagagat caatgttctt      180
caggggagaa gagatcctca cgcctctcaa tgttcaacag gcagtagaca gcagggactc      240
cctggccatg gctctgtatg cgtgctgctt tgagtgggta atcaagaaga tcaacagcag      300
gatcaaaggc aatgaggact tcaagtctat tggcatcctc gacatctt                    348

```

<210> 982

<211> 339

<212> DNA

<213> Homo sapiens

<400> 982

```

cggaacaaat gtggaaactg actttgtaga ggtgccatcg caaatgcttg aaaattgggt      60
gtgggacgtc gattccctcc gaagattgtc aaaacattat aaagatggaa gccctattgc      120
agacgatctg cttgaaaaac ttgttgcttc taggctggtc aacacaggtc ttctgacctt      180
gcgccagatt gttttgagca aagttgatca gtctcttcat accaacacat cgctggatgc      240
tgcaagtgaa tatgccaaat actgctcaga aatattagga gttgcagcta ctccaggcac      300
aaatatgcca gctacctttg gacatttggc aggggggata                               339

```

<210> 983

<211> 699

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(699)

<223> n = A,T,C or G

<400> 983

```

ganntcggtta caagctactt gttctttttg caggatccca tcgattcgaa ttcggcacga      60
gggtagctgg gactataggc acacaccacc acgcccggct aattttttat gttttttgta      120
gagacagggt tttgccatgt tgcccaggct ggtcttgaac tgctgggttc aagcgatctg      180
ttctgctcag cctcccaaag tctgtgatt acaggtgtga gctaccatgc ctggccccctt      240
tttacagatt tgaggatggt tttatatcac ctcaatttct gagaacctca agctatgaac      300
ttcgtttaag gtatgtccaa gtttaaggta gaaccagttc caggttccta accccactcc      360
cagatacctg gcagaatcaa agatgaatct ccggaggagg gcaccttctt cctaattttc      420
aagggtcaat gagcagtaca gtcagaaata acaaaagcgt caggggaaaca aaatgtgatg      480
cgagaaacaa cagaagcaat gaatagaata aaagaaaacc agactcacia attctttgtg      540
tattatgagt acagagacaa ataaaaacct atgcttattg ngttcataga aataaaagta      600
cccttataaa taccttcatg gaatgggtaa caattaaaaa gtggcttggc agattttaag      660

```

aaggttaaac aaaaaaanaa nnnnnnnnna aaaanctcn

699

<210> 984

<211> 762

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (762)

<223> n = A,T,C or G

<400> 984

nttatcagct	cttgttcttt	ttgcaggatc	ccatcgatcc	gaattcggca	cgaggccact	60
gccgtctccg	ccgccactgg	gccccagag	ccccagcccc	agagcctagg	aacctggggc	120
ccgctcctcc	cccctccagg	ccatgaggat	tctgcagtta	atcctgcttg	ctctggcaac	180
agggcttgta	gggggagaga	ccaggatcat	caaggggttc	gagtgcgaagc	ctcactccca	240
gccctggcag	gcagccctgt	tcgagaagac	gcgggtactc	tgtggggcga	cgctcatcgc	300
ccccagatgg	ctcctgacag	cagcccactg	cctcaagccc	cgctacatag	ttcacctggg	360
gcagcacaac	ctccagaagg	aggagggctg	tgagcagacc	cggacagcca	ctgagtcctt	420
ccccaccccc	ggcttcaaca	acagcctccc	caacaaagac	caccgcaatg	acatcatgct	480
ggtgaagatg	gcatcgccag	tctccatcac	ctgggctgtg	cgacccctca	ccctctcttc	540
acgctgtgtc	actgctggca	ccagctgcct	catttccggc	tggggcaaca	cgttcagccc	600
ccaattacgc	ctgcctnaac	cttgcgatgc	gccaacatac	catcattgac	accagaatgt	660
gagaacgcct	acccggcaac	atcacagaca	ccatggtgtg	tgccaacgtg	cangaanggg	720
gcaaggattc	tggcaggtga	cttcggggcc	cttttggttg	ta		762

<210> 985

<211> 695

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (695)

<223> n = A,T,C or G

<400> 985

ttcaaataca	agctcttggt	ctttttgcag	gatccctcga	ttcgaattcc	gttgctgtcg	60
cccattctgt	tgtcgtttta	aacctagaaa	atagtggcta	ttggctgggc	atgatagctc	120
acgcctgtaa	tcccacactt	cggggggctg	aggcaggctc	gtacaaaaaa	ttcaaaaaaa	180
ttagctcagt	gtggtgggca	cacacctgta	gtcccagata	ctcgggaggc	tgaagtggga	240
caatcacctg	agcctggcag	tcaagctaca	gtgaggcacg	attgaacctc	tgctctccan	300
cttgggtgac	agagtaagac	tctgtctcan	aaaaaaaaaa	acaaaaaaca	gtggctatta	360
atcttcccc	cagttcctcc	catcctnctn	cccttcccgg	ggctagaaaag	ccgaagctga	420
gattcaatcc	canangccag	ctggatttgg	gagacctcaa	atgccangtc	aggcataagt	480
tgcactctac	ccacatcacc	aagtgtcccc	aggaaagcag	aagtgtgtcc	tcttnccttt	540
tcagggtctca	cttctgctga	catgggctan	ggctgaanag	ttccaatggg	aaggctcacag	600
cccgtnccaa	ggaaaanana	aatgggaaca	ngcattgggg	agaccaactg	tntgtaccca	660
tctcctnttt	gtcctggnag	aaggctcctc	ttctg			695

<210> 986

<211> 640

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(640)

<223> n = A,T,C or G

<400> 986

ttgaactata ganacaagct acttggttctt tttgcaggat cccatcgatt cgaattccgt	60
tgctgtcgnc aacagccaca ggcagactga ggtggcaata ggaaatctgc cgagatgttc	120
agtcagggtgc ccaggacccc agcctcaggc tgctactacc taaattccat gacacctgag	180
ggccaggaga tgtacttgcg atttgatcag actacaagac gctctcctta caggatgagc	240
cggattctag cagcccatca gctagtgact aaaattcaac aagggtgagtg gccggcagtg	300
gaaggctgtt gctcattctg atttctgttg gctctatttc atgctaacc antttttttt	360
gtttgtttgt ttccacttta taacatatgg atttctatgc cactactacc gtaactttga	420
aaaataactt tangctgcag ttttcagcaa acaggacagt ccttagctgc cacatagctc	480
aacataaagt gcacaaaaaa cttcacggtg ggacagtga tcataaatnc ccaaactgac	540
gtgtgtctac agaacagatg agaactgtta ctcagtgtgt atcttaagag cttttctgca	600
gtttcctcac actccgtcac atttaaaatg tggcacttgt	640

<210> 987

<211> 669

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(669)

<223> n = A,T,C or G

<400> 987

ttnttcgnta caactctngt gnttntgcag gatcccatcg attccaangn tncngatgtc	60
gnnagaacgt ccctccttcc cttttgctcc tgtcccgac cttctacctg atagatgtga	120
agcccaagcc gattgagata ccactcagtg gggaggctcc aaagactgat attcttgttg	180
aattacctac tttcactgaa tctaaagaga acatggtgga tcttgacact caactgaagg	240
gaactaagga tgaagacttt atacagccgc caccagttac atcatcacc ataacaccat	300
caacacctat ttcattacct aaaggaccca tcaacttctc tgaagaacct aactccagg	360
ccaaatcaca aatgacggcc cagaacagca aggctagtcc aaaaggagca taaaggacta	420
cttgaggatg gagctcactc tcttcaactt tcnngcctca acagtggcat ctgtaaagga	480
cctccagata aactgttggc ttcaaaaacg gatcactgtt agccgtgggc agnctttgag	540
gctggtacca ttccagtgat gtggtaggag accagtcaac ccttaaaaat atattgcaag	600
ccattcttga catgccctta cttgatagca cccataaaaa aaaaaactct ggcgtttctn	660
acnctaaan	669

<210> 988

<211> 749

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(749)

<223> n = A,T,C or G

<400> 988

ttattgnatc aactcttgtt ctttttgcag gatcccatcg attcgaattg gcacgaggcg	60
gtctccacgg gagccaccgg tcttgaaagc gcggagcatg ctttgtttgc ggaaacgaaa	120
gcgaatactt ctttccaagg agacttagga aagggcagac gctccactg cctcaggtgt	180

tccctggagg	accttcaagt	ggccgccgtg	tgggcggcta	gcgtcccgt	gctgcgctgg	240
ttccggagcc	cttcccttgc	ctctcccagg	gtccttctcc	cagcgtcggg	ggaagcccgc	300
cgtctgcnan	tggagtgcgg	gtggtgggaa	tccctgggag	gattacgaaa	tccttaaagt	360
gggatttacc	aaacgcattc	ctttccgctc	acttccgttc	ccgcttaaca	aacgtgtttg	420
gaaacgtgtt	gctactgaaa	ggaaantggc	gctgggcttg	cattttctgt	ggctagtctg	480
cgagaaacag	ccctggaata	gggcctctat	tcttccttgg	agcatncctt	cccgggacct	540
gggaattgaa	actctagggt	aagcacttga	ancaggccca	agactgggtc	tctgaaatca	600
tggggctcta	ccctgagtta	actaagtttt	caaaaatgtt	actaggctaa	agacttgtgc	660
ttcaaagtgt	tanaaganag	ttgggaaaag	gcttttntaa	aggtaatttt	attggaaatg	720
ggatgttgtt	accgattcgg	cgtnttntt				749

<210> 989

<211> 839

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(839)

<223> n = A,T,C or G

<400> 989

tcttttntnt	gancccatcg	attcgcgggg	acggagctcg	gcgtgcttgc	tgctggaggg	60
ttntggccct	gcaaggctgt	gggctccgac	ctcaccggga	gtcgacagcg	agaggttnnn	120
cgaagagcga	ggttctgggc	gagcgtgaa	cgccggcccc	aagcaccctg	ggctctttaca	180
cagtccgcgt	ccacagactc	tgacgaagac	gtggatctgc	tctcgtttta	gctgctcgcg	240
gtcctccaga	tcagtgtccg	gactcctgcg	actccgcgcg	gaaaaaaaaa	tttgccaggc	300
gtggactcaa	tgacctttcc	aagctgtgcg	cctcgtgccc	tggaccgggt	ctgagcgcgg	360
ctgcccagggt	tgaccttttc	tgcgggaagg	ctttctctac	gtgctgttgc	tcattgggttt	420
ttgtcggagc	cccaacgccc	ttccggnctt	ttgattcctg	gaaanaaaag	gggttggttc	480
cccttcaagc	anccccaanc	attccccggg	aaaaaatggg	ggagccaaag	ggnttttggc	540
caanggcccc	aatncccggn	ttcaaccctg	tgggttggn	antttnacn	aaattaactt	600
cctttcctnc	aaggccccng	gaaaaaacnt	tttccggggc	cacngggggg	gaaccaacct	660
tgcaangggg	ccttgtagcn	ggtcttcaaa	cggcgggtnc	caanaaccct	tgccnccatn	720
gaaacnanc	nggaacncct	nggggggtnt	tccccaatng	gngcncnaa	aaaacaaccc	780
cggttccaac	catttaaggg	aaaannggcg	ggggggcccc	aaggggccctt	ttnggacnt	839

<210> 990

<211> 668

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(668)

<223> n = A,T,C or G

<400> 990

tatacatcaa	ctacttggtc	tttttgacag	atcccatcga	ttcgaattcg	gcacgaggtc	60
cggttgacct	tctctgactt	cagggtagt	cgtgaggtag	gnagaggccc	gggttttagcg	120
atgagaccag	tatgaaacgg	agggccacgg	gagggcccca	ggggagcagg	gcacnctcag	180
ctatgggtta	ccttctcttt	gggaccgatg	ggtgctgggg	aggatcccc	atttgcnttt	240
tagccgcacc	ccctgagccg	tctncttctg	accctgggat	cctccagatc	ccagattctt	300
angaaggacc	ttggagatca	gctggaccag	cccctgactt	gcctggtttc	ggaagcggaa	360
acccaacggg	gcccttagct	gtcaaggatg	ctgnggggaa	agtggagcct	ctaaccgcag	420
acgctagacc	caatttggtg	cccatnggag	gagtgggant	ggtanatgca	ncaagaccac	480

```

tcctttcttg gccaccatt tctctcacca tttttactgc agtgaactnc tctcaggggtg      540
gggggctggg cagaagcaac ttccgctttt nataactctc acaaggtnct ttgtcggaag      600
gtgtgccttg ncttctaccc cacnggggtg gggagtgcga cncccaaggg gntttttttt      660
ttttttttt

```

668

```

<210> 991
<211> 728
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(728)
<223> n = A,T,C or G

```

```

<400> 991
ggnttnnnnn nttttgnnt nnatatanat cagctacttg ttctttttgc aggatcccat      60
cgattcgaat tcggcacgag cttaaaagaa aatgctatct gggagctcca acctgcaatt      120
aacctacaga aggaaccttt tgagaggctg gtgcagcgct tcggggaggc agattaagaa      180
ctgacctaga aacagaagtg aagtttgaag tctgctctct gcaaagaggg tgggagtggg      240
tggagaagag gcttggttta aaagccaaaa acagaaagta aaaagaaatg ggaaagttaa      300
accaaagcag caagtgactc tcttctgatg tgcacttttc atttttctcc cccacatttc      360
agtgttagaa agaaaacgag aggagctagg gaaagaagga gttggggaca gaagactaag      420
atltcaacgt gaaattccat ttacaaaggc tttactgcaa acaatagcta atttagtcct      480
gtaaacatgc atttatcata cattttaatt ttaatatata aaatactgca tgtaaatgtt      540
ctgaactaaa ggtagatagc aatatgtagt ttgccataaa atgaatgcat gtcttattct      600
tttccatagt ttttcattaa tgagacttgt agtcaagaat agattgaaga taccattctc      660
cttgtgtagt tcaaaaaaat ctntcttggt aatactgaaa caactaattt ttcttatttg      720
gttggtcc

```

728

```

<210> 992
<211> 718
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(718)
<223> n = A,T,C or G

```

```

<400> 992
gancannaaa cncttnaacc nccngctac ttgnncttnn tgcaggatcc catcgattcg      60
aattcggcac gaggccgcct cgcgcnntt ttttgaggc tnnngaaggg aacttcgcca      120
cntccagatn cttcgggcca ttgggaangg cagctntggc aaggtgtgca ttngncagaa      180
gcgggacacg gagaagatgt acgccatgaa gnacatgaac aagcagcagt gcatcgagcg      240
cgacgaggnc cgcaacgtct tccgggagct ggagatcctg cangagatcg agcacgtntt      300
cctgggtgaac ctctggtact ccttcaggac gaggaggaca tgttcatggt cgtggacctg      360
ctactgggcg gggacctgcg ctaccacctg cagcagaacg tgcagntctc cgaggacaca      420
gngaggctgn acatctgcga gatggcactg gctctggact acctgcgcgg ccagcacatc      480
atncacagag atgtcaagcc ngacaacatt ctctggatg agagaggaca tgcacacctg      540
accgacttca acattgccac catcatcaan gacggggagc gggcgacggc attaacaggc      600
accaagccgt acatggctcc ngagatcttc cactcttttg gcaacggngg gaccgntac      660
tacatcgagg tggactgntg gtanggtggg ggtgatggcc tatganctgt tgcganga      718

```

```

<210> 993
<211> 787

```


<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(787)
<223> n = A,T,C or G

```

<400> 993
tantcnance ncgntcgant ccgtgctgtc gggtatacta ggaattcttt ataaacttaa      60
taaatgaaag ctttttctct tataggcccg attctctagt ggacttcttg tgaaattatg      120
tggctacctt ccattaatgt taatggaggt tatggatata aatccctcca tagtgatgga      180
agaatgagcc ccagagagaa gaatgtttct aatgaatcac tggattgtga tataggatta      240
acttgggtgc cctaatacca ttttttttcc tcctgaaagt ttaaggctct atgttttagga      300
actagtttct ctccacctta atcctttatt gtcaagtctg caataatgtt aagaacagga      360
aaaaaaaaat gtagattcct ggataggcac agtttttata ttaatgtaac tatataggca      420
tagtttttat attaatgtaa ctatacagca cctatttttg tgttttacta ttacttggca      480
gacatcttga gtgttttaca aggttatcgt atatttctact aataatcggt gcttgataat      540
ttggngcctg acagactgca gtttattatt tagtattaaa gctcctcagg aggttgagac      600
aggagaatca cttgaacctg ggaggtggag gttgcantga gctgangccc gcaccactgg      660
actccaacct gggcaacaga agtgagactc tgtctcaaag gaccnnnnnn naaanaaaaa      720
nnttctctgg gccgtttttc cntaaacca acttgaaana acccttggtg agtttggcca      780
anccctt

```

<210> 994
<211> 699
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(699)
<223> n = A,T,C or G

```

<400> 994
ganntcgtaa caagctactt gttctttttg caggatccca tcgattcgaa ttcggcacga      60
gggtagctgg gactataggc acacaccacc acgcccggct aattttttat gttttttgta      120
gagacagggg tttgccatgt tgcccaggct ggtcttgaac tgctgggttc aagcgatctg      180
ttctgctcag cctcccaaag tcctgtgatt acaggtgtga gctaccatgc ctggccctt      240
tttacagatt tgaggatggg tttatatcac ctcaatttct gagaacctca agctatgaac      300
ttcgtttaag gtagttccaa gtttaaggta gaaccagttc caggttccta accccactcc      360
cagatacctg gcagaatcaa agatgaatct ccggaggagg gcaccttctt cctaattttc      420
aagggtcaat gagcagtaca gtcagaaata acaaaagcgt cagggaacaa aaatgtgatg      480
cgagaaacaa cagaagcaat gaatagaata aaagaaaacc agactcacia attctttgtg      540
tattatgagt acagagacaa ataaaaacct atgcttattg ngttcataga aataaaaagta      600
cccttataaa taccttcatg gaatgggtaa caattaaaaa gtggcttggc agattttaag      660
aagggttaac aaaaaaanaa nnnnnnnnna aaanctcn

```

<210> 995
<211> 762
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(762)

<223> n = A,T,C or G

<400> 995

```

nttatcagct cttgttcttt ttgcaggatc ccatcgattc gaattcggca cgaggccact      60
gccgtctccg ccgccactgg gccccagag cccagcccc agagcctagg aacctggggc      120
ccgctcctcc cccctccagg ccatgaggat tctgcagtta atcctgcttg ctctggcaac      180
agggtctgta gggggagaga ccaggatcat caaggggttc gagtgcaagc ctcactccca      240
gccctggcag gcagccctgt tcgagaagac gcggctactc tgtggggcga cgctcatcgc      300
ccccagatgg ctccctgacag cagccactg cctcaagccc cgctacatag ttcacctggg      360
gcagcacaac ctccagaagg aggagggctg tgagcagacc cggacagcca ctgagtcctt      420
ccccaccccc ggcttcaaca acagcctccc caacaaagac caccgcaatg acatcatgct      480
ggtgaagatg gcacgcccag tctccatcac ctgggctgtg cgaccctca cctctcctc      540
acgctgtgtc actgctggca ccagctgcct catttccggc tggggcaaca cgttcagccc      600
ccaattacgc ctgcctnaac cttgcgatgc gccaacatac catcattgac accagaatgt      660
gagaacgcct acccggaac atcacagaca ccatggtgtg tgccaacgtg cangaanggg      720
gcaaggattc tggcagggtga cttcggggcc cttttggtt ta                          762

```

<210> 996

<211> 668

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(668)

<223> n = A,T,C or G

<400> 996

```

tatacatcaa ctacttggtc tttttgcagg atcccatcga ttcgaattcg gcacgaggtc      60
cgttggaact tctctgactt caggggtgagt cgtgaggtag gnagaggccc gggtttagcg      120
atgagaccag tatgaaacgg agggccacgg gagggcccga ggggagcagg cgacnctcag      180
ctatgggtta ccttctcttt gggaccgatg ggtgctgggg aggatcccc atttgcnttt      240
tagccgcacc ccctgagccg tctncttctg accctgggat cctccagatc ccagattctt      300
angaaggacc ttggagatca gctggaccag cccctgactt gcctggtttc ggaagcggaa      360
acccaacggt gcccttagct gtcaaggatg ctgnnggaag agtggagcct ctaaccgag      420
acgctagacc caatttggtg cccatnggag gagtgggant ggtanatgca ncaagaccac      480
tcctttcttg gccaccatt tctctacca ttttactgc agtgaactnc tctcaggggtg      540
gggggctggt cagaagcaac ttccgctttt nataactctc acaaggtntc ttgtcggaa      600
gtgtgccttg ncttctacc caccnggggtg gggagtgcga cncccaagg gntttttttt      660
tttttttt

```

<210> 997

<211> 720

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(720)

<223> n = A,T,C or G

<400> 997

```

atcgcttgaa tccgggaggc ggaggttgca gtgggcccag ttagcaccat tgcactccag      60
cctgggcgac agagtgcag tccgtctcaa aaaataataa atgaagtaac aatggtgaag      120
ttgaagtaa ctcaggtgaa gtaacaccta agtggaaatt ccatactcca ctcagtaaac      180
catgcccgcc cccctcaaa tggttttatc tgtcacactg gtgctccatg caatggacaa      240

```

aggagacggt	tcctgtagga	ccagcatctc	tttactcagg	tttttcaatc	ttggaactgc	300
tgacatcttg	ggccaagtaa	ttctttggtg	cagggactgt	cctgtgcatt	tcaggatggt	360
taacagmate	tttgtcctct	acccattagt	tgcttagtca	gaataatcag	aaaagtcccc	420
agacattgcc	aaatgcccc	tggagttgcc	tggttgcctg	ggttgagnat	cactatgctt	480
aaagaaaggg	gctcttggtt	gtaaatccca	gcacttttgg	gaaggccgan	gccggaagga	540
ttcacgaagg	tcaggagatt	cgagancatc	ctggttaaca	cagtgaacc	ccatctctac	600
ttaaaatncc	aaaatttagc	tgggcatggt	gggcaagcgt	ctgtagtccc	agctactcgg	660
gaagcttaag	caagagaatg	tgcataaacc	ccgggaggtg	gaactttcag	tgagccnaga	720

<210> 998

<211> 690

<212> DNA

<213> Homo sapiens

<400> 998

tgcagctgtg	cgtgaacggc	tgccccctga	gtgaacgcat	cgatgacggg	cagggccagg	60
tgtctgcat	cctgggacac	agcctgcctc	gcacctcctt	ggtgcaggcc	tggcctggct	120
acacactgga	gactgccaac	actcaatgcc	atgagaagat	gccagtgaag	gacatctatt	180
tccagtcctg	tgtcttcgac	ctgctcacca	ctgggtgatgc	caactttact	gccgcagccc	240
acagtgcctt	ggaggatgtg	gaggccctgc	acccaaggaa	ggaacgctgg	cacattttcc	300
ccagcagtgg	caatgggact	ccccgtggag	gcagtgatctt	gtctgtcagt	ctaggactca	360
cctgcttgat	ccttatcgtg	tttttgtagg	ggttgtcttt	tgttttggtt	tttwtatttt	420
tgtctataac	aaaattttta	aatatatatt	gtcataatat	attgagtaaa	agagtatata	480
tgtatatacc	atgtatatga	caggatgttt	gtcctgggac	accaccaga	ttgtacatac	540
tgtgtttggc	tgttttcaca	tatgttggat	gtagtgttct	ttgattgtat	caattttggt	600
ttgcagttct	gtgaaatggt	ttataatgtc	cctgccagg	gacctgttag	aaagcacttt	660
attttttata	tattaaatat	ttatgtgtgt				690

<210> 999

<211> 1042

<212> DNA

<213> Homo sapiens

<400> 999

cattttcatt	atcagaacaa	caattagatg	cccgaacgtc	gggattggaa	gaatatctag	60
aaaaagtgtg	ttcaatacga	gtaattggtg	agagtgcacat	catgcaggaa	ttcctatcag	120
aatccgatga	gaactacaat	ggtgtgtccg	acgtagagct	gagagtagca	ttaccagatg	180
gaacaacggg	tacagtcagg	gttaaaaaaga	acagtactac	agaccaagta	tatcaggcta	240
tcgcagcaaa	ggttggcatg	gacagtacga	cagtgaatta	ctttgcctta	tttgaagtga	300
tcagtcactc	ctttgtacgt	aaattggcac	ctaattgagtt	tcctcacaaa	ctctacattc	360
agaattatac	atcarctgtg	ccaggcacct	gcttgaccat	tcgaaagtgg	ctttttacaa	420
cagaagaaga	aattctctta	aatgacaatg	accttgctgt	tacctacttc	tttcatcagg	480
cagtcgatga	tgtgaagaaa	ggttacatca	aagcagaaga	aaagtcctat	caattacaga	540
agctatacga	acaaagaaaa	atgggtcatgt	acctcaacat	gctaaggact	tgtgagggct	600
acaatgaaat	catctttccc	cactgtgcct	gtgactccag	gaggaagggg	cacgttatca	660
cagccatcag	catcacgcac	tttaaaactkc	atgcctgcac	tgaagaagga	cagctggaga	720
accaggtaat	tgcatttgaa	tgggatgaga	tgcagcgatg	ggacacagat	gaagaaggga	780
tggccttctg	tttcgaatat	gcacgaggag	agaagaagcc	ccgatggggt	aaaatcttca	840
cgccatattt	caattacatg	catgagtgtc	tcgagagggt	gttctgcgag	ctcaagtggga	900
gaaaagagaa	cattttccag	atggcgagggt	cacagcagag	agatgtggcc	acctagcctt	960
tccttatccc	cttccttccc	cttcaccccc	atcctcttac	tcctttcatg	tcccatttca	1020
gacagagtaa	ccattaacaa	aa				1042

<210> 1000

<211> 382

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(382)

<223> n = A,T,C or G

<400> 1000

gggaggctcct ccatgcgcag tcatgagtcg cttcaagttt atcgatattg gtatcaactt	60
gactgaccct atgttcagag gaatttatag gggggttcaa aagcatcaag tttatgatta	120
cagggtggaaa tctacaagac agtaaagatg cactgcattt ggcacaaaca aatggatatcc	180
tcatatttct tttacaaaa aaaaaatgaa ttaagtaatt ttgaagaagt ctttctgaaa	240
actgcttcag gtatgttttt cagtacagtt ggatgtcatc ctacaagatg tggatgaattt	300
gaaaagaata accctgatct ttacttaaag gaggttgctaa atcttgctga aaacaataaa	360
gggaaagtgt nggcaatagg aa	382

<210> 1001

<211> 409

<212> DNA

<213> Homo sapiens

<400> 1001

ccggactggg aagatggacg cagctactct gacctacgac actctccggt ttgctgagtt	60
tgaagatttt cctgagacct cagagcccgt ttggatactg ggtagaaaat acagcatttt	120
cacagaaaag gacgagatct tgtctgatgt ggcactctaga ctttggttta catcacaggaa	180
aaactttcca gccattgggg ggacaggccc cacctcggac acaggctggg gctgcatgct	240
gcggtgtgga cagatgatct ttgcccaagc cctgggtgtgc ggcacctagg ccgagattgg	300
aggtggacac aaaggaagag gcagccagac agctacttca gcgtcctcaa cgcattcatc	360
gacaggaagg acagttacta ctccattcac cagatagcgc aaatgggag	409

<210> 1002

<211> 441

<212> DNA

<213> Homo sapiens

<400> 1002

ccaggctggc tgtttttctt ggtgaatggt ctccaggctg gttatttttc ttggtgaatg	60
taatgtactg tctttttaga gtaagttact aagctgggta ctaaatcagg aatatttttag	120
ttataaaact tttagatttt aagaatattg gcsaggcacg gtggctcaca cctgtaatcc	180
cagcacgttg ggaggccaag gcgggtggat cacctgagat cgggagttca agaccagcct	240
ggcyaacatg gtgaaacccy gtctctacaa awgaaaaaaa taaaaaaatt agcygggtgt	300
kgtggygyat gcstgtaatc ccarytaytt gggwggctga rrcasgagaa tygcttgarc	360
ytggarggcg gaggttgcmg tgagcyraga tckygccayt gcactccagc ctaggcaaca	420
agagcaaaac tccatctcaa a	441

<210> 1003

<211> 422

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(422)

<223> n = A,T,C or G

<400> 1003

```

gcattgttcgc aatgtatgag gaaggtgggg ctctggggct tccagcagat tgaatcgccc      60
atgactgacc tggatgcatc ctttggectg accagctccc caatcccagg ccttgagggg      120
cgaccagagc gcttacctct ggtgcctgaa tctcctcgga ggatgatgac ccggagccag      180
gatgccactt tctccccagg ctccagagcag gctgaaaaga gccctgggtcc cattgtctct      240
cgaactcgga gctgggactc ttccagtcct gttgaccatc ctgagccaga ggctgctagc      300
cccaccacca gaactcgccc agtgaccgga agcatgggaa caggagacac ccctggcctg      360
gaggtaccat ctagccctct gcggaaagcc aagcgagcng cctctgttct tcacaattcg      420
ga                                                                    422

```

<210> 1004

<211> 805

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(805)

<223> n = A,T,C or G

<400> 1004

```

aattcggcac gaggaagtac tgtggctgta tacagaacct gtatgctggt tgttcttttg      60
cgggtccaga taaacataat tgggtggatat atttacctgg ataatgcagc agttggcaaa      120
aatggcacta caattcttgc tccccagat gtccaacagc agtatttata aagtattcag      180
cacctacttg gagatggcct gacagaattg atcactgtca ttaaacaagc tgtgcagaag      240
gttttaggaa gtgtttctct taaacattct ttgtcccttt tggacttgga gcaaaaacta      300
aaagaaatca gaaatctcgt tgagcagcat ccagatgaag aaactccatt agcagtgcag      360
tccaaacctt tattatgcc aattatgatg ccagatgaag aaactccatt agcagtgcag      420
gcctgtggac tttctcctcg agacattacc actattaaac ttctcaatga aactagagac      480
atgttggaag gccagattt tagtacagtt ttgaatacct gtttaaaccg aggttttagt      540
agacttctag acaatatggc tgagttcttt cgacctactg aacaggacct gcaacatggt      600
aactctatga atagtctttc cagtgtcagc ctgccttttag ctaagataat tccaatagta      660
aacggacaga tccattcagt ttgcagtga acacctagtc attttgtttc aggatctgtt      720
ggacatggga gcaagtgaag gganttgctg ctaatgtgta tggaggcttt taggtacccc      780
tcaggcaatc gggagaattg gntttt                                                                    805

```

<210> 1005

<211> 423

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(423)

<223> n = A,T,C or G

<400> 1005

```

ctcctctgtc cagaggtctt caacaggaag atgccagctg gcaccactgc actgtgatgg      60
gggccccttc ctctgctgac tctgccgttt ctccaggcct ccgctcagtg atgagaccaa      120
gagatcggag acaagcatgg tgctgctgct tctgctgctt ctccagaaaa tccctgggac      180
acctttgttc cagcctgggt tcttgggctg ggctcaggaa agctgccaaa ttcagtccta      240
tggtgggtcc aagctgcccc tgtgctgttt ctgtcaagcc aggtgtggac attccaagtt      300
catatgcgtg aacaaaagaa aagaggaacc cagtggatgt aacagaaccg actccagttg      360
aatgtttaga tttttgctaa actgttttct ttttcccttt ttngctgtng tttgcattca      420
cgg                                                                    423

```

<210> 1006

<211> 813
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(813)
 <223> n = A,T,C or G

<400> 1006
 accctttgac tttctgcagg aacccatcga ttcgctggtc agttcagtc ctatgaatgt 60
 ctctttctaca ggaggctacc ctgcccctgc taccctggga gaagcctcag ctttctgggc 120
 agagtgtgtc tcctgtcat ttatactctc aggcctttata catttacasa gtaagtcttc 180
 cctcctggag gkttaaaagg aataatttca acagggtgaa ggcctggcac ggtggctcac 240
 aactgtaatc caaggacttt rggaggctga ggtgggtgga tcacctgagg tcaggaattw 300
 gagaccagcc tggccaactt ggtgaaaccc tgtctctact aaaaacaaa attagccagg 360
 tgaggtggca cacacctata gccccagcta ctgggggagg ctgaggcagg agaattgctt 420
 gaacctggga ggcagagggt acagtgagct gagatggcac cactgcactc cagcctaggt 480
 gacaaagcag caagacgcag nctccaaaac anaacaacaa caacaaaaaa naaccgggaa 540
 aacaggtaca gacaatagct gcctggagtt gtacagaaac ttgattgggt aacctgggga 600
 cctttccagg ctgtggccag cagttgaccc tgctgcctt tcttccattg ttttcccatg 660
 tctgaccttc cctgtttgca aagcagtggt cctacttaca ngggtctctc tggaaggagg 720
 caaggaggct cagtggcccc attcagcaat ttcgaagtcc cctttaattg ttttgtgctt 780
 ccaacctgtt ttgttccccg ttcagatttc tcc 813

<210> 1007
 <211> 844
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(844)
 <223> n = A,T,C or G

<400> 1007
 gctctgcggc gccgcgggtcc cggcaccccc ggccctgtgg ctccggccatc gtatttctcc 60
 ttactcagg gggacagctg ggggtgaaggc gaagtcgacg aggaggagg atgcgaccaa 120
 gtggcccgcg acctgcgggc ggagttctcg gctggggcgt ggtcagagcc cagaaagcgc 180
 tcggtgctcc cgccggacgg gaacgggtcg cccgttctgc ccgataagcg caatggatc 240
 tttcccggcg ccgcgggcag cagagcccag cctcggcggg ggcgggtcca ggtcctctct 300
 attctctgct cgctgctctt cgccattctt ctgcgcttcc tctcggccat cgcctacttg 360
 atcgttaaag agttgcatgc tkagaawttg aaaaatgaag atgatgtaga cactggacta 420
 ttaggattct ggactctact tataatatcc ctaactgctg gattctcctg ttgcagcttt 480
 tcttggacag tgacttactt tgattctttt gaaccaggaa tgtttctctc tactcctctt 540
 tcacctgcca ggttcaagaa actgactgga cattctttcc acatgggcta tagcatggcg 600
 attttgaatg gcatcgtagc tgetcttact gtagcatggg gcctcatgta aaccacact 660
 ggagcgatat tgttggcaaa acttaatcat gattgttttg taataacmag aaggagcatc 720
 actgtcttac tcaggaagga ctgaggaaac ctggctkggt cattatgtag tttcaggata 780
 ttttatccac caatccatcc ctccatttat ggggnaggac cnttttttaa aggn cattgt 840
 tttt 844

<210> 1008
 <211> 401
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 1008

```

gggagccaag gcctgccagg gagaggctct tggagtggcc cgaccgggaa ctggatcggg      60
tcaacagctt cctgagcagc cgtctgcagg agatcaaaaa cactgtcaaa gactccatcc      120
gtgccagctt cagtgtgtgt gagctcagca tggacagcaa tggcttctct aaggaggggg      180
ctgctgagcc tgagcctcag agtctacccc cctcaaacct cagtggctcc tcagagcagc      240
agcctgacat caaccttgac ctgtccccct tgactttggg ctcccctcag aaccacacgt      300
tacaagctcc aggcgagcca gcccaccat gggcagaaat gagaggcccn nncccnccat      360
ngnccgaggt gagggggccc ctccggtatc gcccagagaa c                        401

```

<210> 1009

<211> 576

<212> DNA

<213> Homo sapiens

<400> 1009

```

gaccgcgggg tggttggttc tagctattgc catggtacgt ttttatatgg aaaaaggaac      60
acacagaggt ttatataaaa gtattcagaa gacacttaaa tttttccaga catttgcctt      120
gcttgagata gttcactgtt taattggaat tgtacctact tctgtgattg tgactggggt      180
ccaagtgagt tcaagaatct ttatgggtgt gtcattact cacagtataa aaccaatcca      240
gaatgaagag agtgtggtgc tttttctggt cgcgtggact gtgacagaga tcaactcgta      300
ttccttctac acattcagcc ttcttgacca cttgccatac ttcattaaat gggccagrtg      360
gcgatawytt gcaktttky wtctcywtrt cctgtgcatg ctkakttkst ggtgtaacky      420
cwksaatta aaatwgcgtg tttcagcccc acgatgccag aatgctgta taggaggtat      480
aactggtata actaataatt atacaagtta tgatttgtat tctaaaagct taatgatgag      540
agaggaatcg tattaataaa tattttgagt gaaatc                        576

```

<210> 1010

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(429)

<223> n = A,T,C or G

<400> 1010

```

aattcggcac gagatcttgt tgagcttgta aaatgccagc aattttaaac taggactttt      60
ccccccataa gccaaggagg tagaattact aatacaaggg ttaaagaagg tagattttgt      120
tttcaatatt tgggtaatat tagaaagatt cttcccacag ggaagaacta gcaagtgtcc      180
caattttttc caaacgttgg ggaggggaaa attcactgta tcatgaaacc ctaaggggtt      240
gttgacttcc ctgcttttta ggcctggata acagtatcac catccttatt tacagaaggg      300
taaaaactgac tcttaatgag aaaagcttta taagttcaag ggctgtaaaa tatgaactac      360
ttaaggtcgt ttgccttcca tgggaacttg gctagactta naaaaagctg ttgttgnct      420
aatgtaaaa

```

<210> 1011

<211> 755

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(755)

<223> n = A,T,C or G

<400> 1011

```

acgctctcgg gagcagttct gttaatccct gctgggagca gagactgcga aaagctgagt      60
ccgccgatcg tgcccgggac aaggctgcct tccactcgcc gcatctacct ggtaggcggc      120
atgcgcacgg gcttagaggc ttgagagcct ctggaagaga aagggtccca ggaaggaaac      180
ctgcccccg cctaagtgtc ggcccccaga tcaccacgaa ccccgcacct aggcgccgcc      240
caccaagttc caaagaagtc cgaggcgacc tgggagtcgg tcggatccca gccgagaaaa      300
gaaacaagca ggatagcaat tcttakggga gccaccctgg gagttttagg cagcgtttgc      360
ctttccctgg ttttcttcac caagccccat cttccccccg cataccaccc ccagtcaaaa      420
gagtggggaga aaatgcacag ttcgaagtcg gtgagagcaa aaatgggtct agtaaataca      480
cccgtggtgg tagctaaaag gtttggggct gcaaagaaac aaactgtaag ttttgagcaa      540
caaacttttt cttcaatctg taatatgtcg aacatgggag aaatgggaag ggggtgttgc      600
ttaccactgt tcaaacttag gcccgtttac aacatggggg aaagggcgta tttctttact      660
tattatcttc aacaacggtt aacatggntg ttttcttnc tttaccctng atgtttggaa      720
ctgncgatcc ntccctccgn tccattgttc cggggg                                     755

```

<210> 1012

<211> 871

<212> DNA

<213> Homo sapiens

<400> 1012

```

gggtgttttg ctggagatca gtcaacagtt ctctgaagca gtgtcgatgg gcctatccac      60
gtcagggtctt ctttctgat attgctttaa atagaaatga aattctatct gttacgcaag      120
atggagaagg atttagaggg agatgggttg aagagaaaag aaagagttct gaaaagaaaag      180
agattttatc aaaccttcac aattcctcat cagatgtgtc ttatgtctct gatataaata      240
gtgtgtatga aagaattcga cttgagaaac ttacctttgc acatagagct gttagtgtca      300
gcacagatcc aagtggatgc aactttgcaa tcctgcagtc agatcctaaa acaagccttt      360
atgaaattcc agctgtgtcc tcatcatcct tttttgaaga gtttgccaaa ctgttgaggg      420
aagcagatta aatgtacagc attcatgatg tgacatttca agttggcaat agatctcttc      480
cctgcacata aatatatttt ggccagtgcg ttctgatatt tttcagaaat tgtttctctc      540
agatggtaat acttcagaat ttacagatat ttaccagaaa gatgaagatt ctgcagggtg      600
ccatctcttt gtggtagaga aggttcatcc tgacatgttt gaataccttt tacaatttat      660
atacacagat acttgtgact ttttaactca tggcttcaaa ccaagaatac acttaaacaa      720
aaaccagaaa gaatatcagg gaactctgaa ttctcatttg aataaagtga atttccatga      780
agatgataac cagaagtctg catttgaagt ttacaaaagt aatcaagctc aaacagttag      840
tgagaggcag aagagcaaac ctaaatcttg t                                     871

```

<210> 1013

<211> 498

<212> DNA

<213> Homo sapiens

<400> 1013

```

acagcactga gctagaggac gacgccatct attcagtgcg cgctccctgct ggcctttacc      60
ggatccggaa aggggtgtct gctcagctg tgcccttcac tccctcctcc ccgctgctgt      120
cctgctccca ggagggaagc cgccacacga gcaagcttcc ccgccacggc agtggagccg      180
acagtgacta tgagaacacg caaagtgggg acccactgct ggggctggaa ggggaagaggt      240
ttctagagct gggcaaagag gaagacttcc acccagagct ggaaagcctg gatggagacc      300
tagatcctgg gcttcccagc acagaggatg tcatcttgaa gacagagcag gtcaccaaga      360
acattcagga actgttgcgg gcasccmaga grwtswatc ttgaagacag agcaggtcac      420
caagaacatt caggaactgt tgcgggcagc ccaggagtcc aagcatgaca gcttcgtgcc      480

```


ctgctcagag aagatcca

498

<210> 1014

<211> 575

<212> DNA

<213> Homo sapiens

<400> 1014

gaccgcgggg	tgggtgggtc	tagctattgc	catggtacgt	ttttatatgg	aaaaaggaac	60
acacagaggt	ttatataaaa	gtattcagaa	gacacttaaa	ttttccaga	catttgcctt	120
gcttgagata	gttactgtt	taattggaat	tgtacctact	tctgtgattg	tgactgggggt	180
ccaagtgagt	tcaagaatct	ttatgggtgtg	gctcattact	cacagtataa	aaccaatcca	240
gaatgaagag	agtgtgggtc	tttttctggg	cgcgtggact	gtgacagaga	tcactcgcta	300
ttccttctac	acattcagcc	ttcttgacca	cttgccatac	ttcattaaat	gggccagrtg	360
gcgatawytt	gcaktttak	wtctcywtrt	cctgtgcatg	ctkakttkst	ggkgkaacky	420
cagagaatta	maattcgtgt	ttcagcccca	cgatgccaga	atgctgttat	aggagggtata	480
actggtataa	ctaataatta	tacaagttat	gatttgtatt	ctaaaagctt	aatgatgaga	540
gaggaatcgt	attaataaat	attttgagtg	aaatc			575

<210> 1015

<211> 383

<212> DNA

<213> Homo sapiens

<400> 1015

gcaggcctca	tgggaggatt	tgatgaagat	gttaaagcga	aagtggagaa	ccttctcggg	60
atttcagacc	tggaaaaaac	ggaccctgtt	aggcaagcac	cctgcagccc	tccctgtccc	120
cttcttcccc	tccccctccc	cgcctcgtgg	agacagctgt	tctcagcagg	gctctccgca	180
gggagggggc	cggctccttc	cctggcagca	acatccttgc	ccttgtcaca	caagtcagcc	240
tccatctgcg	cagctctgtg	gatgcgctgc	tggagggcaa	cagggtatgtc	actggctggg	300
tcagccccta	ccaccgccag	cggaagctca	tccaccgggt	catgggttcag	cacatccagc	360
ccgcagcgct	cagcctcctg	gca				383

<210> 1016

<211> 545

<212> DNA

<213> Homo sapiens

<400> 1016

cagcctcctg	catcatcctc	gtcttcatct	tcctgcggta	ccccctcacc	gactactaag	60
gcccgcaggg	cacggctgct	ggcggagaca	agcactgaga	catgtttatt	ctcatgggtcc	120
ctgaaacgca	ggatcccatg	aggttggggc	agggcagggc	ttcttgtcct	ggggccccct	180
tgagctgtga	actgggcagc	aaggccatca	gaagctgagt	acagcarggg	gcagtgagct	240
tggccctcag	tccacccccct	ccgcctcctg	gcctccrccc	tgcctgtgtc	tggggcctgg	300
gggcttctcc	cctcgtgtgt	gcaccctggc	ttccagcgtc	tgtgtccctg	ccctcacgtg	360
ccccctccca	ggctcctggg	gccccttgga	cctgacacct	agcaggaagg	gcttatgcaa	420
aattgtccca	ggttgggagg	actcactctg	tgctccccga	ccctgcctcc	tccacgatgt	480
gaccccgctc	agagcccttg	tgtctgtgaa	ctttcaatga	aatacccatg	cagctccaaa	540
aaatc						545

<210> 1017

<211> 530

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (530)

<223> n = A,T,C or G

<400> 1017

aattcggcac	gaggtggaag	gacagcatcg	atgaactctc	ctggagggtca	ctgcaaaggg	60
tggcagaccc	tgctgaggtc	cctgaatctg	cagcctccag	acaataaact	gaaccttacc	120
cagaaggctg	gcacaaagcc	cccagctctg	tgggtaggat	ctccccctca	ctgccctctc	180
tctgagaaag	gacagcacac	ccttgggaaa	agggggagga	gagagactga	gccacaaatc	240
ccactgctgg	aaattacctt	ttcagcagag	aagctgggtc	ttgggctgtg	aatcactgca	300
ggcctcctga	taagctgctg	cctccagccc	tgcacagctg	tctgttgaga	gataacagcc	360
tcataagctt	ctctgcccac	ctccaagcca	gctggggggg	gggggtgctg	ctgtgtgctg	420
gaagarctct	ggtgagttgg	gggtggcata	cagccccagg	atctcagaag	cagatctcat	480
cccatgcaac	tcagcagcnc	ccctggaaag	ggggagatgc	ggnagnatgt		530

<210> 1018

<211> 610

<212> DNA

<213> Homo sapiens

<400> 1018

cagaaattcc	tggtctccct	gagccagcat	atcaactggg	tccgctgtgc	caagttctcc	60
cccagcgggc	ggctcatcgt	gtctgccagt	gatgacaaga	ctgttaagct	gtgggacaag	120
agcagccggg	aatgtgtcca	ctcgtattgt	gagcatggcg	gctttgtcac	ctatgtggac	180
ttccacccca	gtgggacgtg	cattgccgct	gccggcatgg	acaacacagt	gaaggtgtgg	240
gacgtgcgga	ctcaccggct	gctgcagcat	tatcagttgc	acagtgcagc	agtgaacggg	300
ctctctttcc	acccgtcggg	aaactacctg	atcacagcct	ycagtgactc	aaccctgaag	360
atcctggacc	tgatggaggg	ccggctgctc	tacacactcc	acgggcatca	gggaccagcc	420
accactgttg	ccttttcaag	aacgggggag	tattttgctt	ctggaggctc	tgatgaacaa	480
gtgatggttt	ggaagagtaa	ctttgatatt	gttgatcatg	gagaagtcac	gaaagtgcgc	540
aggccccccag	ccacactkgc	cagctccatg	gggaatctgc	cagaagtgga	cttccctgtc	600
ccccccaggca						610

<210> 1019

<211> 843

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (843)

<223> n = A,T,C or G

<400> 1019

gcactcccag	gatcgggtca	tcggcacaaa	aggagacatt	gcccacattt	atgatattca	60
gactggcaac	aagctgttga	ctctgtttaa	cccagatctt	gccaacaact	acaagaggaa	120
ctgtgccacc	tttaatccta	cagatgatct	tgtcttaaat	gatggcgctc	tctgggatgt	180
ccgctctgca	caggccatcc	acaagtgtga	caagttcaat	atgaacatca	gtggtgtttt	240
ccatccaaat	ggactggagg	tgatcattaa	tactgagaat	ttgggacctt	cgaacttttc	300
atcttttgca	tactgttccc	gctctggatc	agtgtcgcgt	ggtgttcaat	cacacgggaa	360
cagtgatgta	tggagctatg	ttgcaggcag	atgatgaaga	tgacttaatg	gaagagagga	420
tgaaaagccc	ctttgggtca	atccttccga	acattttaat	caacntgact	acaaacctat	480
agcaaccatt	gatgtgaacg	gaacatyttt	gacctgtgta	cagacaccaa	agactgctat	540
cttgctgtca	ttgagaatca	aggcagcatg	gatgccctga	acatggacac	agtatgcagg	600
ctgtatgaag	tgggcaggca	gcgtctggca	gaggatgagg	atgaagagga	ggaccaggaa	660
gaggaagaac	aggaggaaga	agatgatgat	gaagatgatg	atgacmccga	tgatttagat	720

gagcttgaca ctgaccagtt gctggaggcg gagttggagg aggacgncaa taatgagaac 780
 gcagggggaag atgggggncaa tgaacttctc tcccttctga tgtaggagct agcaaacctt 840
 tct 843

<210> 1020
 <211> 458
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(458)
 <223> n = A,T,C or G

<400> 1020
 gggggccacca atctggccga cctcaggctc tgggaaacag gctgccctcg tccctctgcc 60
 tgtgggtggc tgaggcttct cagcccatct ccagttctct gcagcaaagg cccctctgtt 120
 ctgtcctgca gtggggggccc ttctgtggtt aaacatgtcc cccccctct cacagaactg 180
 agtacctatt gcggctgggc ccgccaacc ctgtgtccct gcacccatgg gttctaccac 240
 ctgattcggc tgcagctgtc actgtcccgt gtctgtcttc tgtcaggcct ctgagtgtg 300
 cagacgtatt aacatatcac cgctagtga tggaaagtct tgtttcttat tagaatattt 360
 tgtgtaggca cagggtkscc cagcacctgt ctatagcaac cccagtgtcc tcacagtga 420
 cgtgagccgt gaccgcagnc aacgttgagt cgcgcctg 458

<210> 1021
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 1021
 ctctctccca ttctgttttg ccagatagct gatctggcca atgaagatac tccacagttg 60
 tatgtggcct gtggtagggg accccgatca tctctgagag tcctaagaca tggacttgag 120
 gtgtcagaaa tggctgtttc tgagctacct ggtaacccca acgctgtctg gacagtgcgt 180
 cgacacattg aagatgagtt tgatgcctac atcattgtgt ctttcgtgaa tgccacccta 240
 gtgtgtgcca ttggagaaac tgtagaagaa gtgactgact ctgggttccct ggggaccacc 300
 ccgaccttgt cctgtctcctt attaggagat gatgccttgg tgcagggtcta tccagatggc 360
 attcggcaca tacgagcaga caagagagt 389

<210> 1022
 <211> 869
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(869)
 <223> n = A,T,C or G

<400> 1022
 gcacctccag agcatgaggc tctaagggga catgagtaaa gcatgtctgt gaccagtgga 60
 ggaaggggaga ggccagctgc actcctgcac ggggttcccta gctgcagaag ggtcccgcct 120
 aggccgaggg gaaacacctg atagcagaag aggcctggat gcacacctgg cacgccgagg 180
 ctctccgccc agacacagtg ctccatgtca gcccctgcac ctggggtgtg tgattcacgt 240
 gcacagatgc cacaatcctg caccaatatc ccacagatgg ggggaagggtg agaggaaggg 300
 gsaagtgatg tgtaactgct caagagatgc ttaaacctcc atagagagga gccgggcgca 360
 ggggcatctg tgtgtcccgt cacacactgc agcaggggaag ggtggctggc tggctccctg 420

gcatcagtg	tttggtttaa	gctccagagg	ktcttattgc	cattgtcttt	tcctctgccc	480
cttgagccag	cctaaggcct	ggangtctgt	ttctttaagg	cggatgaact	gacatgctcc	540
taccaatgac	caaggctctg	ggcaaaggct	cctcacagta	tccttgagaa	gggggcatg	600
gaagtgccaa	tttctcaggt	acagaaacct	tcagagagga	taaatagctt	tgccctgtag	660
aagcaggact	gaaacccttg	tccgcctgac	ccccccagct	actctgccc	ctgtagcccc	720
ctgccttact	tgtcctggca	aaccctcaac	atcctgtata	ccttaaatat	ccaagagggc	780
aagagagaaa	ggcttaaaga	taagtaattt	ttaaggacct	tataatattt	ttaagaagta	840
cccaatagtg	gcgtgnaatg	ccaaaaaa				869

<210> 1023

<211> 706

<212> DNA

<213> Homo sapiens

<400> 1023

gcaaaataca	ctttcaaatt	aagaatgggt	ctgtgatgtc	acatctagga	gcacctaccc	60
atggacagac	atgtcttccc	atggaggagg	ctttcgagct	acccttgga	gattgtgaag	120
tgattgaaac	tgcagcagcg	tccgaagtga	ttaaataatga	gyatcwtgtc	ttatgcagay	180
tsctstagct	ascawgtgcs	tgtwcttwwc	ttyagrctc	tgmagmtkyt	tagatgggag	240
acctttaact	ctgaaggaca	tatgggaagg	agttcatgag	tgctataaga	tgcgactgct	300
acagggacca	tgggacacta	ttacgcaaca	ggaacatcca	atacttgggc	aacccttttt	360
tgtacttcat	ccctgcaaga	cgaatgaatt	catgactcct	gtattaaaga	attctcagaa	420
aatcaataag	gccaaaagag	aaacattggc	tactttgaca	accttaaagc	ggactccagg	480
aatatcacca	acagcatgac	ctttgcgacc	aaatccagca	accagaactt	catcattttc	540
ctggaataaa	ataagaagtt	tatttctggg	gttgggtggc	atcacaaaaa	tactttcatg	600
tgagaaaact	cccttgcatc	agataaaaat	gtgagggagg	ccaccccaac	aacagaaggt	660
acgatagagt	tgaaatactc	acctcaataa	agttcaagca	accgtc		706

<210> 1024

<211> 403

<212> DNA

<213> Homo sapiens

<400> 1024

ctggcccacc	ccctcctgga	cccacccctc	ggccccagaa	ccctggggcc	aaccctcagc	60
tgcgaagcct	cctcctcaac	ccaccaccgc	cgcagactgg	ggtgccccca	ccccaggcct	120
ccctccacca	cctccagcca	ccaggggctc	ctgcgctgct	gcctccgccg	caccagggcc	180
tggggcagcc	ccagttgggg	ccccactcc	tgcatccacc	acctgcccag	tcctggccc	240
cacaacttcc	ccctcgggct	ccactgccag	gtcagatgct	gctgagcggg	ggtccccggg	300
gcccggctcc	ccagccgggc	ctgcagccca	gcgtcatgga	ggacgacatc	ctcatggatc	360
tcatttgaat	ccccaacacc	caataaagtt	cctttttaac	acc		403

<210> 1025

<211> 405

<212> DNA

<213> Homo sapiens

<400> 1025

ggccccgcgg	ggcagccatg	cctggccgtc	tgctgcgggg	cctgtggcag	cgatggcgcc	60
gttacaagta	ccgcttcggt	ccctggatcg	cactgaacct	aagccacaac	ccgaggtaga	120
gtatatcaga	agtatgagcc	gatctttttc	cagtccattg	gaaatccggt	tatttttaga	180
tgcttgatg	gggtactcat	tgatgggaat	gacaaaggga	tatcaaaagt	tgtgtacaga	240
tcttgcaatg	ggagggatcg	actcggccct	ttaaaaatga	gtgatagtac	atggctaacy	300
tcagaaattc	ataaccctct	ggctgtggga	cagtatgtca	acaattgttc	caatgacaga	360
gcagctaagt	tctgttatca	ggaatttgat	gtgcctgcag	tttcc		405

<210> 1026
 <211> 582
 <212> DNA
 <213> Homo sapiens

<400> 1026
 cttctgctgg gactggccat tatctcaggg cttctgttgc attatagccc tgtgttctgc 60
 tggaaagtag gaaacacttc caggggacaa aacatggatg atgtcatggt tttgggtggat 120
 tcagaagagg aagaggagga ggaggaggag gaagatgctg cagtagggga acaggaggga 180
 gcacgtgaga gagaggagtt gccaaaagaa atacctaagc aggaccacat tsacagagtg 240
 accgccttgg tgaatgggaa catagaacag atgggaaatg gattccagga tctwcaagat 300
 gacagcagts aggagcaaag tgacattgtt caagaagaag acaggccagt ctgaagaaga 360
 ggatggtcca tggttgtctt gctctgaaag cttggagagc tacattgaag acgagctctt 420
 cattcagctt tgactccact ctgccacctg gcgggggctt gcactaacaa tgtttgggtc 480
 tcagcaaaaa acaaaaaccaa gcacacacat ctttccttcc atgtattgaa aaacattggt 540
 ttgatttgct ctaagttttc ccaatgatgt ttaaaagctt tg 582

<210> 1027
 <211> 1101
 <212> DNA
 <213> Homo sapiens

<400> 1027
 caagacaatt ataggagatt ttcagaagga acagaaaaaa tttgttgaag agcaacatac 60
 aaagaagtca gaagcagctg tgcccccatg ggttgacact aacgatgaag aaacaattca 120
 acaacaaatt ttggccttat cagctgacaa gaggaatttc cttcgtgacc ctccggctgg 180
 cgtgcaatth aatttcgact ttgatcagat gtaccccggt gccctgggtca tgctccagga 240
 ggatgagctg ctaagcaaga tgagatttgc ctcggttctt aaacttgtga aggaagaagt 300
 gttctggagg aactactttt accgcgtctc cctgattaag cagtcagccc asctcacggs 360
 cctggctgcc caacagcagg ccgcaggga gggaggagaa gagcaatggc agagagcaag 420
 atttgccgct gccagaggca gtacggccca aaacgccacc cgttgtaatc aaatctcagc 480
 ttaaaactca agaggatgag gaagaaatth ctactagccc aggtgtttct gagtttgtca 540
 gtgatgcctt cgatgcctgt aacctaaatc aggaagatct aaggaaagaa atggagcaac 600
 tagtgcttga caaaaagcaa gaggagacag ccgtactgga agaggattct gcagattggg 660
 aaaaagaact gcagcaggaa cttcaagaat atgaagtggg gacagaatct gaaaaacgag 720
 atgaaaactg ggataaggaa atagagaaaa tgcttcaaga ggaaaattag ctgttcctga 780
 aatagaagaa taatccttaa cagtctgcaa actgacatta aattctagat gttgacaatt 840
 actgaatcag aaggcatgaa agagtataat tttatgaaat tcaaaaattat tcttttttca 900
 agttgaaaact tgcctcttct actttaaaaa agtatataga acagttactt ctaataatca 960
 gaaagagatg ttttatagaa catttcttta atataaagtt agagatgtct tcataggcag 1020
 tatggctatc tttgccacag aaacataagt aaaattttag agttctgttt tccatgaggt 1080
 caaaaatata atttattcct c 1101

<210> 1028
 <211> 1471
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1471)
 <223> n = A,T,C or G

<400> 1028
 gtctttcact cttctggcat cgggtggtttt actttcttca ttgaaccctg cttcctcgac 60
 cccctggga ggccgccttc ttcaggcgcc tcccttctct ccacgagctc gctctgacag 120

```

ctgaggaact ggcaagatcc tgctacccag aggggtgaatg ggtatctttc ccggartrry      180
sytwmykwy tstrrgagsyk magyttscma cgkcgkccga tgatysyrac crgacaccag      240
aaaagtacca ctgtaagtca tgagatgtct ggtctgaatt ggaaaccctt tgtatatggc      300
ggccttgcc tctatctggc tgagtttggg actttccctg tggaccttac caaaacacga      360
cttcaggttc aaggccmaag cattgatgcc cgtttcaaag agataaaata tagagggatg      420
ttccatgcgc tgtttcgcat ctgtaaagag gaaggtgtat tggctctcta ttcaggaatt      480
gctcctgcgt tgctaagaca agcatcatat ggcaccatta aaattgggat ttaccaaagc      540
ttgaagcgct tatttcgtag aacgtttaga agattcgaat gcaggctcaa ggaagcttgt      600
tccaagggag catgattggn agctttatcg atatatacn aacnagaagg caccaggggt      660
ctgtggagggt gtgtgggtcc cactgctcag cgtgctgcca tccgttgtag gtagtagact      720
accagtctat gatattacta agaagcattt aatattgtca ggaatgatgg gcgatacaat      780
tttaactcac ttcgtttcca gctttacatg tggtttggct ggggctctgg cctccaaccc      840
ggttgatgtg gttcgaactc gcatgatgaa ccagagggca atcgtgggac atgtggatct      900
ctataagggc actgttgatg gtattttaaa gatgtggaaa catgagggct tttttgcact      960
ctataaagga ttttggccaa actggcttcg gcttggaacc tggaaacatca ttttttttat      1020
tacatacgag cagctaaaga ggcttcaa atagaactg aattatatgt gagcccagcc      1080
ctgccagcct ttctactcct ttgccctttt cccgtgttct aatgtatttt gacaatgttg      1140
taagtgttta ccaagccgtt ggtctcctaa gggcctcctg atggaagaac agtgggggtg      1200
ttcaaagtta tttctatgtt tgtgttacca tgtaacttt tccccgagag aaagtgttaa      1260
cattgagact ctggccccag attggtatct tctatgaaga tggatactga tgggtgacat      1320
tgaaaacggc ctgctttcca aatgtgggta aatgtaattg gttagcccca gacttgggct      1380
agagcagaag gcataggcca ggggtgggtat tgctatatgt gttacagacc tcggttctca      1440
ttaaagtatt tattggcaga atcacaaaaa a
                                                    1471

```

<210> 1029

<211> 912

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(912)

<223> n = A,T,C or G

<400> 1029

```

tatgaggnat gnnaccttca aacaagctac ttgttctttt tgcaggatcc catcgattcg      60
ccagctcata ctttccttcg ctgtccctcc cgcactcctt aggcaagatt tcccagtaaa      120
gattttctgt gcgtatttta aaagtcgtgt taatactcat gataattatt agggacctgg      180
cagcgtgatt ggagtatgga tgtttccgta aaagctggaa ttccgtaaaa gcattgacgc      240
agccctaca ctccatccca accaagaaac tgcatttcc tggggccagggt gggagctgcc      300
tttggccccc tgcctccctt gttctgctct ctacgtcaac atgtggaaa ccaaggagga      360
caaagactcc agccacgctg cttaaatagg gctcctctct cctctctctc tctctagggtg      420
gtaaggttgg ggattaagtc caggtacaga agcaaaactt tttttctaag gataaacatc      480
tcttccaagg ggatggagag tgggtccctc aacaaagtcc ctgtccagtc acctttccat      540
cagggcacta gccanggaat gactcctcac actttcacct ttactgattt ccagaggaaa      600
gctagaggat ctagtccaag aggcaagaag atctggccct caattagcta aatgtagayg      660
ctgcctaaca gttccctcct caaaggccac cttgggtgctg tgggggcccc ttgcctcttc      720
ccttcccact ggtgcattac aaaacagtgt tcttttgaaa tgttcatcag gaataggctt      780
ttttaaaaaa tgttggtgat ctgtatatag tattgtgatg tctgaatgac aatgtactga      840
atgcaaaaag gaaaaaaacc cacaaacatg tttttaaaat aaaatatctt tttttgcctt      900
gaaaaaaa aa
                                                    912

```

<210> 1030

<211> 765

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(765)
 <223> n = A,T,C or G

<400> 1030
 ggaaggggaag gcaggacatg ggccggggccc tggcccagga cggcccaaat ccaaaaacct 60
 tcagcccaag atccaggaat atgaattcac tgatgaccct atcgacgtgc cacggatccc 120
 caaaaatgat gcccacaaca ggttctgggc ttcatgtggag ccctactgtg ctgacatcac 180
 cagcgaggag gtccgcacac ttgaggagtt actgaagccc ccagaagatg aggctgagca 240
 ttacaagatc ccaccctggg ggaagcacta ctcccagcgc tggggcccagg aggacctgct 300
 ggaggagcag aaggatgggg cccgggcagc ggctgtggct gacaagaaga aaggcctcat 360
 ggggcactga ccgaactgga cactaaagat gtggatgccc tgctgaagaa gtctgaggcc 420
 cagcatgaac agccggaaga tggatgcccc ttgtgtgccc tgacgcagcg cctcctgcag 480
 gccctgggtgg aggaaaatat tatttcccct atggaggatt ctccattatcc tgacatgtct 540
 gggaaagaat caggggctga cggggcaagc acctcccctc gcaatcagaa caagcccttc 600
 agtgtgccgc atactaagtc cctggagagc cgcatcaagg atggagctaa ttgcccaggg 660
 ccttttttggg gtctgaggac cgccccgcag aggactccga ggatgagggt ccttgcttga 720
 gctttcngca aacgggcaag gctnaagctg gaaggcactt tagtt 765

<210> 1031
 <211> 1033
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1033)
 <223> n = A,T,C or G

<400> 1031
 ccttnnnnnn nnnnttggna ctctanaata caagctactt gttctttttg caggatccca 60
 tcgattcggt cagcctagca gccatgatgc cctcggaacc tggccctatg gtatggatgt 120
 gaggactacg cactggctgc cctgagcccc gggctggaaa tcatcttttg ctgccaagga 180
 tctggacctt ttttggagtg gagagtcatt gttaaaattc ccagcccggc ccaggtagcg 240
 gaatcccagc attttgtgag gccgaggcag ggggatcacc tgaggtcagg agtctctact 300
 aaaaaataca aaattagaca ggyrygswgg tgggcgcccac tcaggaggct gaggcaggag 360
 aatcacttga acccgggagg cagaggttgc agtgagccag atcatgctgc tgactccag 420
 cccggccgct caccgtgtgt gttgctgggt gctggggctg tgacttatcc cctctccttt 480
 agccttgcca taagtgtagt atcctatgag gctgagattg ggaaagggtt catgcaggta 540
 agccagtgga cgtggccgat gcttcaggct ccttcagacc aggtccagca gtgttaccat 600
 ctgcttctcc tgggaggaca aaccaggcac cccaccatg aaggggctgc aggcaccatg 660
 aactatgtta acaaccccag tctgtactac agaaarggct gcagccacat gagaattcag 720
 tccacacaag ccccatggcc gtgttcccca ctccagccac ngrgctcagg gagccmatct 780
 ggcgctaagg ggaactgctg ggggtgtgggt gacacctgcc tttggcgctc tgccttgggg 840
 aggtttcttg ttttgttacg ggggtggaaga ataggacctg ggggtctcgg atgcaacctg 900
 cagaccccggt ggctcaccca accccagggt ctgcctccca gaccagaanc ggcattggcct 960
 ggtcntctn cgagggtgcct gctctgtaaa tatcaaggga ttacaacttt aataataaag 1020
 cagaacttga aaa 1033

<210> 1032
 <211> 517
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)... (517)
 <223> n = A,T,C or G

<400> 1032
 aattcggcac gagacagctt tagaaataga taatgcgggt gtggcaaata gcctaattga 60
 catgagagggc atagagacag tgctactaat caaaaataat tctgtagctc gtgcagtaat 120
 gcagtcccaa aagccaccca aaaattgtag agaagctttt actgctgatg gtgatcaagt 180
 ttttgagga cggtattatt catctgaaaa tacaagacct aagttcctaa gcagagatgt 240
 ggattctgaa ataagtgact tggagaatga ggttgaaaat aagacggccc agatattaaa 300
 tcttcagcaa catttatctr cccttgaaaa agatattaaa cacaatgagg aacttcttaa 360
 aagggtgcaa ctacattatw aagaactaaa gatgaaaata agaaaaata tttctgaaat 420
 tcgggaactt gagaacatag aagaacacca gtctgtagat attgcaactt tggaagatga 480
 agctcaggaa aataaaagcc aaatgnaaat ggttgag 517

<210> 1033
 <211> 968
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (968)
 <223> n = A,T,C or G

<400> 1033
 gagactttca attttgggaag caaactgagc tattcttacc agccaaagtt atactaaata 60
 agagacttgg gggagcaaat gtttttcagc cttcagaaat gaaagttaag gatttttagca 120
 ctaggtaaaa ttcagtataa taggctgaag tggagtaagt gaaaacctgc cttttgccac 180
 tcttaaaaaat tgtgcccaca atataaaagt gtggaacttt agaacttggga ataattttat 240
 tgcagtcttc cattacatgg aaatagcata tctaatactt aggttacttg agagaccagc 300
 taatcatctc tgttgacat gtttaattgg caaaaagcaa ttcattgataa ataaaattac 360
 tgctttccat ctactgggta aaatgactat tgaaataagt atgaatgtgg tcagaggatt 420
 atagttgaga gtgaagtact atgtgtgagt tatagatctc tcgaattata tttatagatg 480
 cagtgtcctg cccagttttg tttgcctcct acattttact gtaaaatatt tattgtcttc 540
 tagccttgag cctctgaggg tcagtaagtg aagtacagat agcaaaattt tactaccycg 600
 ttaacccttt tcttaaaata ttctctatct tncatgtct ctytctgaca tagtaatccc 660
 aaaggattgt gttactcccc gtgaaagtta ttacttttcc tttaaaaatg gttttataat 720
 aagactgttt aaaacctttc cagtattggg acatcttggc ttctggccca aacccaagc 780
 agaaaagaaa atggaataat ggagcattgt tttccacat tagtattagg gcactagatt 840
 cttagtgaat cactataatt aagtagttat aattaaataa ctgttcttca tactnaggac 900
 tcttaataca tttctttaag acttgtaagt ntaattgtaa agcttggtta ctgttttata 960
 tactaaag 968

<210> 1034
 <211> 841
 <212> DNA
 <213> Homo sapiens

<400> 1034
 ggatgaggcg ctgcagtctc tgcgctttcg acgccgcccc gggggcccagg cggtgatgc 60
 gtgtgggctt cgcgctgac ttggtgggccc acgtgaacct gctgctgggg gccgtgctgc 120
 atggcaccgt cctgcggcac gtggccaatc ccgcggcgcc tgcacgccc gactacaccg 180
 tagccaatgt catctctgtc ggctcggggc tgcgtgagcg ttccgtggga cttgtggccc 240
 tcctggcgct caggaacctt ctgcgccc cactgcactg ggtcctgctg gcaactagctc 300
 tggatgaacct gctcttgctc gttgcctgct ccctgggctt ccttcttgct gtgtcactca 360


```

ctgtggccca acggtggccg ccgccttatt gctgactgcc accccaggac tgctggatcc 420
tctggtacca ctggatgagg ggccgggaca tactgactgc ccctttgacc ccacaagaat 480
ctatgataca gccttggctc tctggatccc ttctttgctc atgtctgcag gggaggctgc 540
tctatctggt tactgctgtg tggctgcact cactctacgt ggagttgggc cctgcaggaa 600
ggacggactt caggggcagc tagaggaaat gacagagctt gaatctccta aatgtaaaaag 660
gcaggaaaat gagcagctac tggatcaaaa tcaagaaatc cgggcacac agagaagttg 720
ggtttaggac aggtgctgtt ccgagactca gtccataagg gtttttttcc cactaagca 780
agggggccctg acctcgggat gagataacaa attgtaataa agtaacttct cttttcttct 840
a 841

```

<210> 1035

<211> 662

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(662)

<223> n = A,T,C or G

<400> 1035

```

ctgtttttcc cagcccggtta ctctgttagc tctgaatgga aacagcagct cacatgtcac 60
ctctgtgtga cggactcggc cccaccaga cacacaggtg tggttgtcag cgagcacctc 120
aggagaactg agaagctctt tttcaccatt ctttcccaa atcagtcaaa acctttttaa 180
aaccattatg agttgtgaga aggtttcaac agctatgttt tcaaagtgtg tgtatgatgat 240
ggcactgtgg tcagttcacc aagagcagca ctgagatggg tggatccagg tgcaccttga 300
aaagttaatt gcacaaacct ttgctttgac cccaaatacg cttgctagtg cccttccctg 360
cagcttccca gacaatcacc aggggtccatg ggggcagggc ykggcacagc aatgccctgc 420
ttcctgtctg catccataag agggccctcc acaccgaggg tgctttagggt tagccaacca 480
gggtcagggg agggcccatg caggtgccat tataccaaca gtgaggcaag aaatcagana 540
aaagagggat tgcctttatt gtttgaggaa ntgaccagag attgttgttg gggccagtgt 600
tcattagggg ggggagaaac aggttgatgn caggttcggg gatgagggcc cttcccaggg 660
tt 662

```

<210> 1036

<211> 724

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(724)

<223> n = A,T,C or G

<400> 1036

```

ttggtttcta tacacaagct cttgttcttt ttgcaggatc ccatcgattc gaaaaagctt 60
ttagtgggaa atcagatctt attagccacc agagaactca cactggggaa aggccttaca 120
aatgtaataa gtgtgagaaa agttaccgac accgttcagc cttcattgta cataaaagag 180
ttcatactgg ggagaagccc tataagtgtg gtgcctgtga aaaatgcttt ggccagaaat 240
cagaccttat cgtgcaccag agagtccaca caggtgagaa gccgtataaa tgcctggaat 300
gtatgagaag ttttactcgg agtgccaacc taattaggca ccaggcaact cacactcaca 360
cttttaaatg ccttgaatat gaaaaaagct ttaactgtag ctcagatctt attgtacatc 420
agagaattca catggaagag aaaccacatc agtgkctgcg tgtgagagtg gcttcctcct 480
aggaatggac tttgttgccc aacagaaaat gagaactcaa acagaggagc tacacttata 540
aatacactgt atgtgataaa agcttccacc agagttcagc ccttcttcaa catcagacag 600
tacacattgg tgaaaaaccg tttgtctgta atgtgagtga aaaaggtctt gagcttagcc 660

```

ctccccatgc gtcagaagcc tcacagatgt cttgaccagg cgangaagct gtaataccaa 720
tatt 724

<210> 1037
<211> 385
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(385)
<223> n = A,T,C or G

<400> 1037
ctgcgaagat ggccgctgcg tcctcatcgg attccgacgc ctgcggagct gagagcaatg 60
aggccaattc gaagtgggtg gatgcgcact acgacccaat ggccaatata cacacctttt 120
ctgcctgcct agcgcctggca gatttacatg gggatgggga atacaagtgt ctctctagaa 180
gtgcctgggtg tggaagaaat gtttctgtaa tgaataataa aaacatcaac tgccacttat 240
tcctcagtag cacttacagg ttctgtaact cattatctca cttgattttc accacatacc 300
atgaaagtat caccattctg caagcgggaa acctgagatt cagaaagntg gtggtagggg 360
accttgggcc tggtgggcag caagc 385

<210> 1038
<211> 393
<212> DNA
<213> Homo sapiens

<400> 1038
gcggcttcct tccggtctct cgctcctggc tggggctgct gggcggtctg ggccgggtcc 60
ccgcaccccg ctctcaagtc cgggattacc cgcagggcct gagaagcgct ttgcccccta 120
cagcctctctg agccagccct tggctcggaa ttggagaatg gtcctcattc ttaccagat 180
ctcacacgcc gtccccgctc ccgatcccag ggggtgacag gcgcgcacgc ctttcaaca 240
cgtgttaaaa tccaagacgt cgtctcaaat gccagagatt tgcgggaatg ctcttggaag 300
gcctcaaaat cgccgcaaga acagtcact ttggaaagtg aagaatggaa tccttgggaa 360
ggagatgaaa aaaatgagca acaacacaga ttt 393

<210> 1039
<211> 900
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(900)
<223> n = A,T,C or G

<400> 1039
gagatgatgg ctgatgaaga ggaagaagtc aagccgatct tgcagaaatt gcaggaactc 60
gtggatcagc tctactcatt tcgagactgc tatttcgaga cacatagtgt tgaggatgca 120
tgggaggaag caacaggatg tgcggaagga gatggagaaa accctacagc agatggaaga 180
agttagtgggt tctgtccagg gcaaggcaca agttctaatt ctaactggga aagcactaaa 240
tgtgactcct gactatagcc ctaaggctga ggagcttctg tcaaaggctg tgaagctgga 300
gcccagagctg gtggaagcct ggaaccagct gggtagggtg tactggaaaa aaggggatgt 360
tgcagctgcc cacacctgct tctcaggagc cctcacccat tgcaggaaca aagtctcctt 420
gcaaaacctg tcaatgggtg ttcgtcagct gcggactgac actgaagatg aacattctca 480
ccatgtcatg gacagtgtcg acagctaagt tggctgttca gatggatgtc catgatggcc 540

```

gctcctggta tattcttggg aattcatatc tttcccttta cttctctact ggccagaacc      600
ctaagatctc ccagcaagcc ctcagtgcct atgcccaagc agagaaagtt gacagaaaag      660
cgtctagcaa tcctgacctt catctgaaca gggcgacgtt gcataaatat gaagagagtt      720
atggggaggc cctgggaggn tttctctcgg gctgcagctg nggacctgc ctggggccaga      780
gccccggcaa cgagagcaac aacttctcgg attcctggga tagattaacc agcctccttg      840
agagtaaggg gaaaggtgaa gacaaaaaag ctgcagagct gntggggaag tttgcgcna      900

```

<210> 1040

<211> 379

<212> DNA

<213> Homo sapiens

<400> 1040

```

ccagtcagcg ggggtggtctc ctgggtcccc agcctcgcca ttctgtgggg ggtggtgact      60
gggcgaactc tcagatgcct cagcaccctc ccacccttc ctcaggcaga acgagatctt      120
gtggcgggag gtggtgacac ttcggcagag ccacggcggg gccgagcaat gcaggaggca      180
agagaaagct gtccctgatg ctggatgagg ggagctcatg cccaacacct gccaaagttca      240
acacctgccc tctacctggt gcccttctgc aggacccta cttcatccag tcgccctcac      300
agggccaggg gcccacatcat ctctgacatc ccagaagact ctccatcccc tgaggggacc      360
aggctttctc cctccagtg                                     379

```

<210> 1041

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 1041

```

ccagtcagcg ggggtggtctc ctgggtcccc agcctcgcca ttctgtgggg ggtggtgact      60
gggcgaactc tcagatgcct cagcaccctc ccacccttc ctcaggcaga acgagatctt      120
gtggcgggag gtggtgacac ttcggcagag ccacggcggg gccgagcaat gcaggaggca      180
agagaaagct gtccctgatg ctggatgagg ggagctcatg cccaacacct gccaaagttca      240
acacctgccc tctacctggt gcccttctgc aggacccta cttcatccag tcgccctcac      300
agggccaggg gcccacatcat ctctgacatc ccagaagact ctccatcccc tgaggggacc      360
aggctttctc cctncagtga tggcaggaa                                     389

```

<210> 1042

<211> 1220

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1220)

<223> n = A,T,C or G

<400> 1042

```

gtgggacgcg ccgagccgga ggctgcagga tgatgcggtt catgctatta ttcagccggc      60
agggaaaact gcggctgcaa aaatgggtacc tggccacttc ggacaaggaa cggaagaaga      120
tggtgcgcga gtcctatgcag gttgtccttg ctcgaaagcc caagatgtgc agcttctctg      180
agtggaggga yctcaaagtt gtctataaga gatatgccag cctctacttc tgctgcgcca      240
tcgaggggcca agacaatgag ctcctcacac tggagctgat ccaccgatac gtggagctct      300

```

```

tagacaaata ctttggcagt gtgtgcgagc tggacatcat cttcaacttt gagaaggcct 360
acttcatcct ggatgagttt ttgatggggg gggatgtcca ggacacctcc aagaagagtg 420
tgctgaaasc atcgagcagg ctgacctact gcaagaggag gatgagtcgc cacggagttg 480
ctggaggaga tgggtttggc atagccctgc tggccggggg gtggcgatgg ggtcctggca 540
gcgtggcggg aacggctgct tctcctctgc ccagggccct gttcttgggt ggactcggct 600
gccccctctc tgctgcctca cctttcggag tgagctgtgg gctcaggccc ttcaaactt 660
ccctccctcc accccctacc tccactttcc ccttttccca ctgaaggttt tagaagctag 720
gaggcaggaa aatgtgaccc agatgggggt gctatttggc ttttattccc tgcctttgca 780
gaactgatgt caccycagat gtccttccct ccctaataac tgtaaataa taaatatgtc 840
agggttaaagg gaaaagggtg tcagggcact tcttgtcctc tctgtcccat aacctanctc 900
cacctccacc ctccccctag ccagccangc agcttctctg cctgggaggg gagcctggac 960
ccccctcttt ctccctggct gcagtggggc ctttatccag tggcaggagg gaacaacata 1020
gttaattttt ttctaacctt gccactttga ggggaaggag ggttggggga agggcaagct 1080
ttatgggacc ctggctctgc cctggccttt cactccagtt ctgggtgagg caggagctgg 1140
gaggggtggn gangsgggag ggggaagtgt ctgcctttat gtcctttctt ctgaaataaa 1200
aggaaaagca tttctggaaa 1220

```

<210> 1043

<211> 410

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(410)

<223> n = A,T,C or G

<400> 1043

```

gtctttccct ctctcctgtg tttgcctctc tgtcctgccc ctgcgcaccc ctccctgtgc 60
ccaccctgtt tctgtcgctt gcggctcttg ggggtgctcc attctcccgc cttcccttct 120
cctgcacctg gtctcgcttg ctttctcgct gtctgcccc aaggagtaggt acacgacctg 180
tttttgtctc ccactactag acgaggggag ggggctgccc tggcgccctg gcgcctggc 240
ctcctgcccc caggaggagg gggctggggg ctcaggctcc tgggctggga ctgacagact 300
cagaaaatgt ggagcccaa gctgggggtg gacgattctg gaccccaaca tgccctggcct 360
gcttgtctgt ctccccaacg caacggcttt gtctaagccc caagancccc 410

```

<210> 1044

<211> 591

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(591)

<223> n = A,T,C or G

<400> 1044

```

atcagaagag gtcagttaaa tattcaccca ggcctgggg gctctcttac agctgttctg 60
gcagatatat aagtaatatg gtctcatgcg atacaaaaat acttggaat cccactgaaa 120
gattttaaagt attatagatg tatcttggtt attcctgata tctataataa gcagcatgtg 180
aaagaactag tgaatatgat actaatgaag atgggttttt cagggattgt ggtccatcag 240
gagtctgtgt gtgccacctt tggaagtggc ttaagcagca cgtgtattgt agacgttggg 300
gaccagaaga caagtgtatg ctgtgtggag gatgggggtg ctcacgggaa tactcggctt 360
tgtctggcat acggaggatc tgatgtgtca agatgttttt actggctaata gcagcgagcn 420
tggttccct tacagagaat gccagttaac aaataaaatg gattgtcttc ttctgcaaca 480
ccttaaagaa actttttgtc atttagatca aggacatctc tgggcttcag gaccatgagt 540

```

ttcagattcc gacatcctga ttctcctgcc ctgctttacc agtttccgaa a 591

<210> 1045

<211> 400

<212> DNA

<213> Homo sapiens

<400> 1045

attcaagacg	caagagagcc	tgggtgtgtga	agcgttggca	gtagttcagc	ctggctagag	60
agtacaagg	gagaggggat	gtactgggaa	tggtaaacag	aggccagata	ataaagggyc	120
tgyccttct	gtctcaarga	taggaacctc	ctccyctgaa	tgtattaata	agtagtgaac	180
ccccctwtt	twagtagagg	gccagcgatg	tccatccgta	ttggccggtt	ccagaaagt	240
tgccttaggc	tgtgatgtgg	aaaatggatt	tggggagagc	aaaactaaag	tcaggaaact	300
gctaagataa	tccaattcag	tggattcagt	aatatattaa	tattgcattc	aaatattcag	360
tgagtatctt	ctgtatgcca	gacacttttc	taggccctgg			400

<210> 1046

<211> 645

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(645)

<223> n = A,T,C or G

<400> 1046

gaaaaaaaa	nttttgaaac	ccctttggna	cnenttaata	caagctactt	ggtctttttg	60
caggatccca	tcgattcgca	acaaatcatc	ctggagctag	cattgcactc	tcgagaccct	120
ctcttaataa	ggacttccgg	gatcacgctg	agcagcagca	tattgcagcc	caacagaagg	180
cagctttgca	gcatgctcat	gcacattcat	ctggatactt	catcactcaa	gactctgcat	240
ttgggaaact	tattcttcct	gttttacctc	gccttgaccc	agaatgaaga	aaacatttgc	300
gatggaaaag	tgactttgta	atatcaaata	ccaaagctac	tatcattcag	tgctacatga	360
actgtgactt	taagaatttt	ggtgaacttt	gatatttttt	gtttgtctga	aagaaaggaa	420
tgtgtaagtg	aaagctgaaa	gaagaataac	caggatgatg	agagctgtgg	aagctgtatc	480
gtccaaggaa	ttgattatgt	accgtgactg	taactttttt	gtaatgctgt	ttaactctca	540
atcagactgt	gaactggatg	gtcacggaag	tcattcccca	actcctagca	agtttgactg	600
gaatatatnc	atgtccacag	taganttttc	aaggaattca	tttga		645

<210> 1047

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(418)

<223> n = A,T,C or G

<400> 1047

gggggacggg	tcgggacacc	agtgaaactt	gaaccgggaa	gtgggaggac	gtagagcaga	60
gaagagaaca	tttttaaaag	gaagggatta	aagaggggtg	gaaatctatg	gtttttattt	120
taaaaaagaa	aaaggaaaaa	aaaaaagtca	ntancaaaaa	ncccagctca	anaaccntt	180
ntacnccaaa	ctggaangga	naananagca	ccaggaanat	tccanaancg	gggggcccc	240
gtttttgaaa	aacttttatg	acttttcaaa	nattattttc	ntatggcanc	aagtgtatcg	300
gaaaactgct	gtcaggggacn	cctgatntgg	aaatcaaata	natttttant	taattganca	360

taanatttag ggatttttcc ananctcgaa aggggtcaaca gccctccana atgtcggc

418

<210> 1048

<211> 820

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(820)

<223> n = A,T,C or G

<400> 1048

tctagaatac	aaagctacttg	ttctttttgc	aggatcccat	cgattcgcac	atttcaagtg	60
cttaacagcc	tcatgtggct	agtgactgct	gtattggacg	gtacagatat	ggaacatttt	120
catcatcgaa	gaaagtccta	ttggacaaca	cttctataaa	aagtttgaga	gcaggaattc	180
tcattttccat	tcgtctgtag	cttctatccc	caaaggcaaa	gaaactaaaa	gagaaatgac	240
tcattgaaga	ttggcctctt	tcctttctct	aagacaaacc	taagtataag	cctgagcttt	300
gagtcctatg	ctcagcacac	gggaaggaga	tgtaataat	tataataaag	ttgatatcct	360
gtcttttagg	agttcccttg	atctcttgaa	agagacacag	ccccatttac	attatttcgt	420
ggatttcacc	agcataagta	tarktttttt	ctgtaagtcc	ctcattctta	tgtaataaca	480
ggtggaactg	aggtttgaag	aacctcagtg	gcccacctcg	atgacattgg	agactcaaag	540
agacaagaga	gagtaggggt	taaaacctga	gctttaagac	tcccactagc	ttcgtgtcct	600
ttggcatgtt	aacgtgcctc	agtttcctca	tctgtataat	gggatatat	gaaaggcacc	660
agtcctaagg	tgaacattaa	gtgagatgat	tctagttaga	gacttaggaa	caatttccag	720
cacatagttn	aatatccggg	ggattctggg	tactgttatg	tgtaggggtga	gctgacctgg	780
gagtgtggnt	gtttttcttc	tcttcttngc	tggaaccttc			820

<210> 1049

<211> 600

<212> DNA

<213> Homo sapiens

<400> 1049

gaccacctga	ttgcctcttc	gtgctagacc	ttgaaccaga	ggcactccgc	taagctttct	60
gaccacaga	aactatgaga	tcataaatgg	attgttttaa	gccactaaa	atttgaagta	120
atttgtcatg	cagcataggt	aactaatata	gtagtgtact	tatttgcaa	agtaataatt	180
tttaaggaa	tacagcaaaa	tataagactc	catcataatc	tggtatgcaa	tamwaaattc	240
gcgrcyrgwc	gamtgaagaa	gcaggaaaat	gtcacctata	accaggggaa	aaatcagtc	300
atagatgcag	acctagaacg	gatagaaatg	ataggattag	catgcagcaa	tgtaaatatg	360
atctctgctt	aaagtatgtg	aagggaagca	tgcmcatgat	aagaragaar	tgaaagatat	420
gaaaaagaat	agaggaggcc	aggtatgggt	actcacgcct	gtaatcccag	cactttggga	480
ggccgaggca	ggtggatcac	ctgaggtcag	gagttcgaga	ccagcctggc	cagcatgcga	540
acgccatctc	tactaaaact	acaaaaaaat	tggccaggca	cggtgggtgtg	tgccctgtagt	600

<210> 1050

<211> 694

<212> DNA

<213> Homo sapiens

<400> 1050

agaaatatag	taaacataaa	tttgcaacaa	ttttaaagct	ccagttttta	ggtgactcaa	60
agaaagtc	tatgcctatt	aatagttatt	tgatgccatc	acaaaaagtc	tatgtgaaaa	120
tctcctaaag	tcaaaaaccc	tgcccttgggt	tttacagacg	gttattacca	ttgggtggag	180
ctgcaaggtc	aaatttctcc	taagttcccc	tatttagagg	aaaagtcact	ggttattgta	240
ataaaccacc	catggttctt	tatgtacatt	ttgataacac	attattatag	cttsattttta	300

```

attttttgca ttaatttttg aaatccacat acatctcatt tgttttaaatt aaggccatgc      360
acaaatattt ttttttagttc agtgctgacc attaaaaact atcatgcttg atacggtgca      420
aaagttaaaa tgagtatcac taaaaatgcc ttctttttat gtggtgcaat atgaaataca      480
ccaagactgt gtcttgacat tctgatggac ccaggtaaag ttgttaaaag aacgaataaa      540
actttattaa aataatttag acacctgtgt accagcaaca attgatttaa tagacctata      600
gtgtctatac tatcccttag aataaagggt tatgattttc ctgatactaa gatgcagtca      660
cataatcttt tgtgcatatt cctatacaaa ttat                                     694

```

<210> 1051

<211> 672

<212> DNA

<213> Homo sapiens

<400> 1051

```

gaaaaatgag taggagatga ctgagagctt aaagtttggg agtgtcaatt aactcagcat      60
tcttttataa aacgtgtcat atattacagc attttctttt atttgaagtg agtaaatgta      120
tcttttataa ttccttagta atttttgagc actccatatg tataaagcat gtgaatattt      180
ggtagcattt tacaaatktc cagagatttk tgagarttcc tgagatcttc ataggggscs      240
cacaaagttt agtattactt ttcacggtaa ttactaaagt gtattttgcc tctttttact      300
ttttctctta atagcataca gtggtactg aaggctaata gtatgtgtgk ttatgtgctt      360
taaaaagttc gtggtyttgg ccaggcgagc tggctcagac ctgtaatccc agcactttgg      420
gaggctgagg caggtggatc acctgagggtc aggagttcaa gaccaaacc agcctggcca      480
acatggtgaa accccatctc tactaaaaat acaaaaatta gccaggcatg gtagtgggtg      540
cctgtagtct cagctactcg agatgctgag gcaggagaat cacttgaagc tgggaggtgg      600
aggttgcagt gagccaaaat ctcgccatta cactccagcc tggggggacaa gagcaagact      660
ccatctcaaa aa                                                         672

```

<210> 1052

<211> 396

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(396)

<223> n = A,T,C or G

<400> 1052

```

gcgaggaaga aatggaggat gagcaagaaa gcgaggccga agaagacaac caagaagaag      60
gggaatccga ggcggaggga gaaactgagg cagaaagtga atttgaccca gaaatagaaa      120
tggaagcaga gagagtggcc aagaggaagt gtccggacca tgggcttgat ttgagtacct      180
attgccagga agataggcag ctcatctgtg tctgtgtcc agtcattggg gctcaccagg      240
gccaccaact ctccacccta gacgaagcct ttgaagaatt aagaagcaaa gactcagggtg      300
gactgaaggc cgctatgatc gaattggtgg aaagggttgaa gttcaagagc tcagacccta      360
nagtaactcg ggaccaaatt aagatgttta tacagg                                     396

```

<210> 1053

<211> 782

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(782)

<223> n = A,T,C or G

<400> 1053

actccttnna	caagccactt	gctctctntg	cnggatecca	tcgnntcnaa	ttcggcacga	60
ggtgacatgc	tgtattggct	actccataaa	gtaggagtat	agatggaatg	gagaaagaag	120
caacctctga	gattccagt	gkgyrygrgg	gcaagatctg	atggaaactg	amaaagagaa	180
cgaagactam	acaaagagaa	aggaaagaga	agaaacccta	aatgggcaaa	ggaaagcaca	240
tctgtttgc	ggagctttga	aatattggaa	ccatttctaa	ttgctcctgt	tttctgggt	300
aacaccagt	ttctgtagt	gccactaaag	cagtagactc	ttgagtctca	cttgtctctg	360
agagagacag	aagttagaaa	gttttgactt	ggcgattccg	aaagtatgcc	tttgttgga	420
cttaaatg	cagttagact	tcttgacc	ttagagccct	ctgagatact	grttatttta	480
ggttctctc	cctactttca	gatgttttca	gccaacact	gggtgctctc	ttccactaca	540
gagaatcctg	aagaaaagg	aaggtgttcc	ccatgatgg	gaatgtcact	gccatgaatt	600
cctgaatcta	cctgctgctg	ggagtcagag	tccaagcata	acccgtgtag	cataaaagca	660
gcgctgtagc	cctattccag	tcttttctgt	taatgtccag	agtgaacaac	aagagttagt	720
caatcattaa	ctgttgactg	ttgattctca	taataaatgc	agcataacga	caaaaaaaaa	780
aa						782

<210> 1054

<211> 688

<212> DNA

<213> Homo sapiens

<400> 1054

aattcggcac	gaggtggaat	cagctgtgaa	tgcagaaaga	ggaggtgctg	atcggattga	60
attatgttct	ggtttatcag	aggggggaac	tacaccagc	atgggtgtcc	ttcaagtagt	120
gaagcagagt	gttcagatcc	cagtttttgt	gatgattcgg	ccacggggag	gtgatttttt	180
gtattcagat	cgtgaaattg	aggtgatgaa	ggctgacatt	cgtcttgcca	agctttatgg	240
tgtgaatgg	tttggttttt	ggggcattga	ctgaagatgg	acacattgac	aaagagctgt	300
gtatgtccct	tatggctatt	tgccgccctc	tgccagtcac	tttccaccga	gcctttgaca	360
tggttcatga	tccaatggca	gctctggaga	ccctcttaac	cttgggattt	gaacgcgtgt	420
tgaccagtgg	atgtgacagt	tcagcattag	aagggctacc	cctaataaag	cgactcattg	480
agcaggcaaa	aggcaggatt	gtggtaatgc	cagggaggtg	gtataacaga	cagaaatcta	540
caaaggrtcc	ttgagggttc	aggtgctaca	gaattccact	tgttctgctc	ggctacttag	600
gagactcsgg	gaattgaagt	ttycgaaatt	catcttggtt	gccmtgggga	gccycacttt	660
tctttgctyc	aggaatwtcc	cccttatt				688

<210> 1055

<211> 457

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(457)

<223> n = A,T,C or G

<400> 1055

gagagacttc	ttcctgcatc	cttacatggt	ggaagacaaa	agagtggcag	agaatgaata	60
tactcccagt	ccattcgaga	gggaagagcc	ctcacctcat	cacttccctg	aggcctcacc	120
ttctaatact	atcaccttgg	tgataagatt	tcaacatagg	aattagaggg	gaatacatat	180
atccagacta	ttgcagatgg	gattatgtaa	tactttgttc	ctgtttggct	tatttcttag	240
cacaatatct	ttctggatg	tgcatgtttc	tgcaaatggc	aagattttct	tcctttttaa	300
ggctgagtaa	taattcattg	catgtataga	ccacattttc	tttatgcatt	cattatttagt	360
gagagttctt	attacaaatg	ggcgaagtgg	tttttaatat	tgatttaatt	tttgttatta	420
aaaacgtttt	tngagtgggt	nggttccctt	tttngga			457

<210> 1056

<211> 664
 <212> DNA
 <213> Homo sapiens

<400> 1056

tttagtaata agactttcag tatttttaaat gttgacattt ccagatgttt catttagtat	60
ccaggggtct gtctggagac ttctagagag ggacagctca gaagtggagac ccttgagctc	120
tggtgtctgta agcttgtgca attaatgtga acagagcctg ggaatttctt tctctgcac	180
agtccttga tatttggaaat ccagggttctg cccccaaccc ctaccacccc agtgggtctgt	240
taagatgtct cagatggggc tgggcttggg ggctcatgcc tgtactctca acactttggg	300
aagcaaaggc aggcagatca caaggtcagg agttcagcct aaccaacatg gtgaaaccgt	360
gtctctacta aaaatacaaa aattagccag gcgtgggtgg gcacacctgt aatcccagca	420
ctttgggagg ccgaggcaga cgggtcactt gaggccagga gtctgagacc agcctgggca	480
atactggcgg actccgtctc tactacaaat acaaaaagta gcctggcatg gtggcgcatg	540
cctgtaatct cagttactca ggaggctgag gcaggagcat cacttcaacc caggaggcag	600
aagctgcagt cagccgaggg ggcaccactg cacttcagcc tgggcaagac tggagactgc	660
ctca	664

<210> 1057
 <211> 443
 <212> DNA
 <213> Homo sapiens

<400> 1057

gtaccttcaa aaggacacaa tgtaacaggg ttagggaaac agaagtccgc agggcctccc	60
taatgtcttt ggagcttaaa ccccttgat atttgccct tttcaataaa cgcaccaagc	120
tgatagcaca gaggagcccg gcatgcactg tatgggaaag cagtcacact tgttacagtt	180
ttaaatttct tgctatctta gcattcagat accaatggct tgctaaaaga aaaaaagaaa	240
tgtaatgtct ttttattctc aggtcaatcg ctacacactt gttttcagaa tcattgkttt	300
atatattatt gttttttcag tttttttttt tttttttgtt ccagaaagat tttttgttt	360
gttaacttaa aaatgggcag aaagtattca agaaaaacaa tgtgaactgc ttttagctttc	420
tggggatttt taaggatagc ttt	443

<210> 1058
 <211> 607
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(607)
 <223> n = A,T,C or G

<400> 1058

gagctatggc ggctttggct cgcaggatcc tcagtaaacc tattgaagta caagttggag	60
gcaggagtgt ggtttgctca gatgtggagc aacaagtgat tgtgattgaa gaagaaaaga	120
aattcttgaa gttacttgag cttctaggcc attatcaaga gtcaggatct gtcattatat	180
ttgtggataa gcaggaacat gctgatggtc ttcttaagga tttaatgaga gcattctatc	240
cttgcatgtc tcttcatgga ggcattgatc aatatgacag agatagcatc ataaatgact	300
ttaagaatgg gacctgcaaa cttcttggtg ctacctctgt tgctgccga ggtctagatg	360
tgaacatct gattcttgta gttaaattata gctkscccaa ccattatgag gattatgtac	420
acagagcagg gcggactgga agagcaggaa acaagggtta tgcttatact tttatcacag	480
aggatcaagc tcgctatgct ggtgacataa ttaargctct tgaattgtca gggrrtcag	540
tacctctga tttagagaaa ctgtggngtg atttcaaagt tccagcagaa agcttagggg	600
gaaataa	607

<210> 1059
 <211> 1139
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1139)
 <223> n = A,T,C or G

<400> 1059
 gtgaatcatt acctagcatt tcagtttttt gcagaagaat attatccctt ctcagaggctc 60
 ctggcctatt tcactttctg cctgtggata attccgtttg cgttttttgt gtcactttcg 120
 gccggggaga acgtcctgcc ctctaccatg cagccaggag atgatgtcgt ctccaattat 180
 ttcaccaaag gcaagcgggg caaacgctta gggatcctgg ttgtyttctc cttcatcaaa 240
 gaggccattc taccagtcg tcagaagata tactgacccc catgcaggca ggatgtgggg 300
 ggcaagatca ggagagtcag gcccttgggc ctctatgcca ggtggggacc agaagtcggg 360
 aaggcaccta ccacctgccc tggctttttt cccctcaact ctggagcccc atccccaccc 420
 tccttggggg gctcagcttg gctcagatct gatgcttcaa gaggtgttaa cctcagaggg 480
 caccaaggag ggtggcagag cctgytttag caggaggcgg aggtccctca gtcctccctc 540
 gtcccttcca aggtgggtca ggaggttctg gccccgctgg ggcaggcagg gcagggtctg 600
 tnaagcttaa gagcagatgg tgacaagtcc tctgggcagg tggccatggg gaggggcat 660
 ggcttggcat gtccaacaga aatagttttt nctgttgaa ggtgatttct gtccaagtgc 720
 agatttccgt ttgaataaag cttcgcttct aggtggcact gtttgcctta atacctgac 780
 agttcatctt ctttcttccc tgctaacctt ctgctctgga ctggactcac ttttctgctc 840
 cagggactcc ttttctgggt ttgggtcttg cccttcccaa gggactgttc ttgtggccct 900
 taatgggaag ggggcagggg tgaggagctg agcctgctca aggagtggga agtggggcta 960
 taggcagcct ctctgatgca ctctcttcca tctctttccc caaggctccg tgactgtcaa 1020
 actgggagta ggagagggga caatttagga ctgggctaga ttttcagaag aacatctaca 1080
 atatcctatt tataaatctt cctctgggaa aaggagtggg ttctggctga atactatct 1139

<210> 1060
 <211> 419
 <212> DNA
 <213> Homo sapiens

<400> 1060
 attccagata aaggagtag ccagtgtaaa ggtcttaagt taggaacaag cttggtatat 60
 taaagaataa gcaaggaagc cagtgtgggt gaggagagag caacagaaga tgaggctcag 120
 taagtaatat tgggtgccttg taggctctaa ttaggaattg ggcggctgga agtgggtggt 180
 caggcctgta atcccagcac ttctgggagg ccgaggtggg cggwtcacga ggtcaagagt 240
 tcgagaccag cctgaccaac atagtgaaac gccatctcta ctaaaaatac aaaaattaac 300
 tgggcatagt ggtgcgtgcc tgtaatccca gctacttggg aggctggggc aggagaatcg 360
 cttgaacca ggaggcagat gctgcagtga gccgagawta caccactgca ttccagcct 419

<210> 1061
 <211> 745
 <212> DNA
 <213> Homo sapiens

<400> 1061
 gagagaggcg ggactgggtc aagtgggtgg agctcctcct tgcagtactg caactgtcgg 60
 ggctttccgc cggctcacag cagttggggc cagcggggag aagagaggcg gaactgctgt 120
 gtcctcatgt ggcgcagcct caaamtggca tycargcact gggcccgctg agagaaggca 180
 cctgcagaga gcagggcagc ccgkcgaggg ggcagtcgcc tagawyccca gctactcgra 240
 aggccaaggc aggaggaccg cttgagtcca gggattcaag gccaacctgg gcaatagagc 300

gagaccctgt	ctcttaaaaa	acgatgatga	tgaacacaga	ggacggggca	ctgtgctggg	360
agccaggggg	cctgggagga	gccsagacca	gccttttacc	tcgggggttt	gagkccaaca	420
gggacgacag	agacagtttc	tagttagagc	cttggtccca	tttttgatg	atttagcccc	480
gagttcctga	gtctatttta	ygccccttac	gtactttgat	agaactaagg	aaatagtggg	540
tttragtgaa	gggaaaggaa	acccagaaac	attttacgtt	gcttttactt	ctgtagtgtg	600
gattgccccg	gcccctctct	gagccctgta	gcactctgtg	tagcttctgt	cccttcatcg	660
gttcatgtca	cagggatttt	ctttcccagg	aagcggacac	ggagagtcag	ccctaataaa	720
tgagcacatg	ccctggctgt	aaaaa				745

<210> 1062

<211> 409

<212> DNA

<213> Homo sapiens

<400> 1062

aattcggcac	gagcttacat	gaacaaggta	gagctggagt	ctcgcctgga	agggctgacc	60
gacgagatca	acttcctcat	gtaagcttca	tccacatcct	tcttgatgag	gacaaaattcg	120
ttctccatct	ctgtacgctt	attgatctca	tcttcatact	tggtcttgaa	gtcctccacc	180
agccccctgca	tggtgccaag	ctccgcctcc	agcttcagct	tctcctggcc	cagagtctcc	240
agctgccgcc	taagggtggt	gatgtagctc	tcgaacatgt	tgiccatgtt	gcttcgagcc	300
gtcttctgct	gctgcaggag	gtccacttg	gtctccagca	tcttggtctg	ctgctccagg	360
aaccgtacct	tgtctatgaa	ggaggcaaac	ttgttggtga	gggtcttga		409

<210> 1063

<211> 576

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(576)

<223> n = A,T,C or G

<400> 1063

aattcggcac	gaggcgaggg	cctggacgta	gtgtcttcaa	cagttgtaac	agcagctgcc	60
atttgctgaa	tgacagcatg	tgtcacacac	tctgctgagt	attacaggca	tttttttcta	120
atacaaatgc	cccaagtgcc	aggagagctt	tcggcggcgc	tcagacctca	ccacgcacca	180
gcaagatcac	ctaggcaagc	ggccataccg	ctgtgacatc	tggtggcaaga	gcttcagcca	240
gagtgccacg	ctagctgtgc	atcacccggac	ccacctggag	ccagcaccct	acatctgctg	300
tgagtgtggg	aagagcttca	gcaacagctc	cagctttggc	gtgcatcacc	gcacccacac	360
agggtgagaga	ccttatgagt	gcactgagtg	tggcgggacc	ttcagcgata	tctccaactt	420
tggagcacac	cagcggaccc	acagagggga	gaagccctac	cggtgcactg	tgtgtgggaa	480
acacttctcc	cggagctcga	atctcatccg	ccacnaagaa	aactcacttg	ggcgaacagg	540
ctngnaaaga	ttccagctga	aggagagccc	cattttt			576

<210> 1064

<211> 610

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(610)

<223> n = A,T,C or G

<400> 1064

```

aattcggcac gaggaactat ctagtagctg gttccctccg aagtttccct caggatagct      60
gggacagcag ctgctgctgt ggaaaggcca gctggcaaga tgatggaaga aatctccatt      120
atggtagcct atgacgcca tgtkwkcagm maggmtrcas grwgargamw tscymaswag      180
wctgrtgccc atcagcargc ctgcarkwyt awrgtaccaa ccaagaagct gaagaaatat      240
gagaaagaat atccagacaa tgcgagagag tcagctgcaa caggaagacc caatggatag      300
atacaagttt gtatatttgt aggttaactcc agctgttgca tttatactgg gaatcttcat      360
aagaagctga gagaaagaga ggggaaaaag aaagtggcct tctactttca aaaatgaaac      420
aaaaaggaaa aatggcaaag tactgtttta gctgtgcatg tcatatccac aaagactttt      480
agcaggtgaa ctgttccaag actgacacaa ggatgtttca aacttgctc tgtctgtaga      540
aatgttaaa aataccaact cacttggaag gaaaaataaa aatcacaag gtatattgag      600
cacaaaaaan

```

610

<210> 1065

<211> 837

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(837)

<223> n = A,T,C or G

<400> 1065

```

aaaaaattca tactggagag aaaccctatg agaaccctaa ccctaacgct tcagttgtcc      60
cagttctttc atgagcatga aaggagtcac atagagaaac cccatgaaag taagaaattt      120
gggaaagcct tcagtccttt ctgtttcttt caactacgtg aaaggattca cagtggagaa      180
agaccctgta agataattgg ctttaaatta cgagagactt gtgataggac agtaaaacct      240
agagttggag ttgatctctt ggattgtgtt atgtcagtg tggtaggta ggaactagat      300
ttcccagaat ccattccatt tgtgattcca tgatacaatt caccagtaac ctatcttaca      360
tgagattcgg aagtaagtta aagaaggcat tagtcatggk ttggaagcac catacaggga      420
gacagctgtg tgaatacagg ctgtatggac acttgcttcc atcccatttt cctgcttctt      480
tgggttgcca atcaagagta tcctcaaaac gacttgactt taattttctc ggaggtgata      540
ggcttcacac caggtctcca gaagccctgc attgaatatc catccacact ttggttttcc      600
ttcagacatt attatgtctg tactaggcaa ctaattcaga ctgtcctggg kgggaatatt      660
ctgtgatgct ctgactcccc tagtctgtag acggaattgg catacggctc aatttgtgta      720
gtaagcacct ttgttcatac tagtagtgac tgtattctyg aktcagcctg atagctacca      780
tgctgcctgt caaaanccaa ccaagagggg agccttggtg ccttctctgct ggaagtc      837

```

<210> 1066

<211> 850

<212> DNA

<213> Homo sapiens

<400> 1066

```

gcaagaccca ccaggtgcca gctgcccctg ccccttgccc atgccctgtg tgtgggcggc      60
ccctggccaa ccagggctcc ctgcggaacc atatgaggct ccatacagga gaaaagcctt      120
tcctgtgccc gcaactgtggc cgggcgtttc gtcagcgggg caacctgcgt gggcatttgc      180
ggctccacac cgagggagcg tccttaccgc tgcccacact gtgccgatgc cttccccag      240
ctgcctgaac tgcggcgcca tctcatctca cacaccgggg aggccactt gtgccgggtg      300
tgtggcaagg ccctccgaga ccacacacag ctccgagctc acgagcgcct gcaactccga      360
ragaggccct ttcctgttcc ccartgtggc cgtgcttaca cgctggccac caagctgcgg      420
cgccacctca aatctcactt ggaggacaag ccctaccgct gccccacctg tggcatgggc      480
tacaccctcc cgagagcct caggcggcat cagctcagtc accggcctga ggcacctgc      540
agccaccct ctgtgccttc tgctgcttct gagccactg tgggtgctct gcaggctgag      600
ccacaactgc tggacacaca cagagaggag gaagtctccc ccgccaggga tgtgttgtag      660
gtcaccatth cagaaagcca ggagaagtgc tttgtggtgc cagaggagcc agatgccgcc      720

```

```

cccagcctgg tgctaatacca taaggacatg ggcctcggcg cctgggcaga ggtggtggag 780
gtggagatgg gcacctgaca gctttgcctt ttgctgacac agctccataa agactcgtgc 840
tttctcaaaa 850

```

<210> 1067

<211> 546

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(546)

<223> n = A,T,C or G

<400> 1067

```

gcaggctctt atactatctt gcacaggctg gtctcgaact cctgggctca agcagtcac 60
ctgcctcagc cttccaaagc tcagggatwr cagacrtgag ccacagcacc aggccaacaa 120
tatttcttaa agctcctgga gtgattccaa tatgcagcca aggttgaaaa cyacccttta 180
aaaggctcgg catccagtgt ggaagaccag cacwcwacac tcmggagacc ttaccyggag 240
ccaggmtgcc cctgatcatc tctgataact ttaaaaggaa ggcctcagaa gcagccccag 300
aagcaaaagt ttctctctga ccttctcctg ccctcttgty tctggctttt cattctcccc 360
caaggctacc cataggaaac taggaatccc tcttccccaa gggcagggtca ttcaggaaac 420
caggaaccgg tttttaccca aagccaggcc ataaaaacct aaaattagtt cctnttcatt 480
cccttttccc ttttttgtgt taaaaattgg kttgggaaag gaatggtttt gaacntacct 540
gttttt 546

```

<210> 1068

<211> 432

<212> DNA

<213> Homo sapiens

<400> 1068

```

atcattttaga ggcagaagtt aagttctgca aggaggaact ctctggaatg aaaaataaaa 60
tacaagtagt tgtgcttgaa aacgaagggc tccagcaaca gctaaaaatct caaagacaag 120
aggagacact gagggaaacaa acacttctgg atgcatccgg aaacatgcac aattcttgga 180
ttacaacagg tgaagattct ggggtgggcg aaacctccaa aagaccattt tcccatgaca 240
atgcagattt tggcaaagct gcatctgctg gtgagcagct agaactggag aagctaaaac 300
ttacttatga ggaaaagtgt gaaattgagg aatcccaatt gaagtttttg aggaacgact 360
tagctgaata tcagagaact tgtgaagatc ttaaagagca actaaagcat aaagaatttc 420
ttctggctgc ta 432

```

<210> 1069

<211> 681

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(681)

<223> n = A,T,C or G

<400> 1069

```

ttgaanccct tnnnnntttg aaacccttta atacaagcta cttgttcttt ttgcaggatc 60
ccatcgattc gaattcggca cgaggaaact tctagtagct ggttccctcc gaagtttccc 120
tcaggatagc tgggacagca gctgctgctg tggaaaggcc agctggcaag atgatggaag 180
aaatctccat tatggtagcc tatgacgccc atgtwkwacag mmaggmtrca sgrwgargam 240

```

```

wtscymaswa gwctgrtggc catcagcarg cctgcarkwy tawrgtacca accaagaagc      300
tgaagaaata tgagaaagaa tatccagaca atgcgagaga gtcagctgca acaggaagac      360
ccaatggata gatacaagtt tgtatatattg taggtaactc cagctgttgc atttatactg      420
ggaatcttca taagaagctg agagaaagag aggggaaaaa gaaagtggct ttctactttc      480
aaaaatgaaa caaaaaggaa aaatggcaaa gtactgtttt agctgtgcat gtcatatcca      540
caaagacttt tagcaggtga actgttccaa gactgacaca aggatgtttc aaacttgcct      600
ctgtctgtag aaaatgttaa aaataccaac tcacttggaa ggaaaaataa aaatcacaaa      660
ggtatattga gcacaaaaaa n                                           681

```

<210> 1070
 <211> 414
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(414)
 <223> n = A,T,C or G

```

<400> 1070
agctgcagaa gctgcacagt gagatcaagt ttgccctaaa ggtcgacagc ccggacgtga      60
agaggtgcct gaatgcccta aaggagctgg gaaccctgca ggtgacctct cagatcctcc      120
agaagaacac agacgtgggt gccaccttga agaagattcg ccgttacaaa gcgaacaagg      180
acgtaatgga gaaggcagca gaagtctatn cccggctcnc nngagagcnn nncagacaac      240
tgtggggaac gctgngctgt ntgnanttgg tcccttgggt tttttttnct gcctaattta      300
tgttattncc aaccaacatg anctgactat aancggggtt ttaatnaaaa aaaaananaa      360
aaacnncnnc ccttttnatn tttntgnngg ngnnttcngt ccccgcnntn taaa           414

```

<210> 1071
 <211> 423
 <212> DNA
 <213> Homo sapiens

```

<400> 1071
aattcgccac gagacgacgc agtggccctg aagtctgcag acattgggat cgccatgggg      60
cagacagggg cggacgtcag caaagaggcc gccaacatga tcctggtgga tgatgacttc      120
tcagccatca tgaatgcagt ggaggaaggc aagggtatnt tttacaacat caaaaacttt      180
gtccgattcc agctgagcac gagcatctcc gccctgagtc tcatcactct gtccaccgtg      240
ttcaacctgc ccagccccct caacgccatg cagatcctat ggatcaacat catcatggat      300
gggccaccgg cgcagagctt gggggtagag cccgttgaca aagacgcctt caggcagcca      360
ccacggagtg tgcgggacac catcctcagc agagccctca tcctgaagat cctcatgtcc      420
cgg                                           423

```

<210> 1072
 <211> 1586
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1586)
 <223> n = A,T,C or G

```

<400> 1072
ccgctgtcta cacctttcta ctgaagcatc ctgatgacga aatgatgaag aggaacatgg      60
catattataa gagcctgcct ggtgccgagg actacattaa agacctggaa accaagtcac      120

```

```

atgaaagcct gttcatccga gcagtgcggg catacaacgg tgagaactgg agaacatcca 180
tcacagacat ggagctggcc cttcccgaact tcttcaaagc cttttacgag tgtctcgag 240
cctgcrrggg ttccagggag atcaaggact tcaaggattt ctacctttcc atagcagatc 300
attatgtaga agttctggaa tgcaaaatac agtgtgaaga gaacctcacc ccagttatag 360
gaggctatcc ggktgagaaa tttgtggcta ccatgtatca ttacttgag tttgcctatt 420
ataagttgaa cgacctgaag aatgcagccc cctgtgcagt cagctatctg ctctttgatc 480
agaatgacaa ggtcatgcag cagaacctgg tgtattacca gtaccacagg gacacktggg 540
gcctctcrga tgagcacttc cagcccagac ctgaagcagt tcagttcttt aatgtgacca 600
cactccagaa ggagctgtat gactttgcta aggaaaatat aatggatgat gatgaggag 660
aagttgtgga atatgtggat gacctcttg aactggagga gaccagctag cccacagcaa 720
ccaaagagac ttcctcttg cgttcaggaa acacagattc tttgtccttt tcccaacagc 780
ccaggctgtt gatacctcag agccttctct ttactctcca aagtgaagg gaagccccc 840
tctctctaac tgcattgcat caggggtgag cctgcctttc ctatcttcac acctgccacc 900
tcatgttcac acctatcttt ctacactttt ttttgagatg gactctcgct ctcttgccca 960
ggctggagtg caatggcacg ttctcagctc actgcaacct ccgcctcttg ggttcaagca 1020
attctgctgc atcagcctcc cgagtacctg ggattacagg catgtgccac cagcccggc 1080
taattttgta tttttagtag agacgggggt ttgccatgtt ggccaggctg gtctcgaact 1140
cttgacttca gatgatccat ctgccttggc ctcccacagt gctgggatta caggcgtgag 1200
ccaccatgcc cggcctcttt ctacacttta cacctgtctt cttatcctca catctgtttt 1260
cacaccttca tccctgtctt cctcatgttc acacttgtct tccccatgtt catagctgcc 1320
tttcttacca ttttggtttg aagggcagtc ttctctggct tgtttttttg tttttcccag 1380
aaaatcagta ttatttttta aataagaaaa acattcctag aagatgataa ttgtgaaaac 1440
ctcctttggc ttatttgctt ttccaggatt ttaagtctcc tttctcccca atccgggaaa 1500
agatgggtgg aagacataag gctaaaaatt tctccaggcc ttcacaatgg gtcctttcac 1560
tttgggtctg gactttgtaa ccaatn 1586

```

<210> 1073

<211> 643

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(643)

<223> n = A,T,C or G

<400> 1073

```

aattcggcac gaggccacag ccgggtcacg tggccgggtg ccccccata gttgctggct 60
gcggggcagt cacgggtgacg ttccgtccga cctgccgagt ggccaggcta cctcagtcac 120
ctgtgtgggc cnantgctng catcggacct gggaccatg cgcaagagtt accgcgggga 180
ccgagaggca tttgaggaga ctcatctgac ctcccttgac ccagtgaaac agtttgctgc 240
ctggtttgag gaggctgttc agtgtcctga cataggggaa gccaatgcca tgtgtctggc 300
tacctgcacc aragatggaa aacctctgc tcgcatgttg ctgctgaagg gcttcgggaa 360
agatggcttm cgcttcttca ctaacttcga gagtcgaaaa ggaaaagagc tggactctaa 420
tccctttgct tcccttgct tctactggga gccacttaac cgtcagtgcg gtgtggaagg 480
cctgtgaaga aactgcctga ggaggaggct gaagttgcta ctttccactt ccccgggccc 540
aagaagcaag ccaaganttg ggggcttgtt gggtcaagcc aaccagaagt ttctggtgaa 600
ttccctggat tcggggaagt atctgaagaa aagaaaaaat ggh 643

```

<210> 1074

<211> 675

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (675)

<223> n = A,T,C or G

<400> 1074

```

gcggccggcg ggggtgctggg ttcccgtctg ctgcctctcg gagagtcccc ggtgactgcc      60
gcaggctcca tcgccctgtg gcctgcaggt attgcgagat ttatagggag gacgctggga      120
ccccaaaag ctgggaaatg ggactattgg cattcagga tgggctcta gaattctctc      180
cagaggagtg ggaatgcctg gacccagctc agcggagttt gtatagggat gtgatgttag      240
agaactacag aaacctgac tcccttgggt aggatagctt caatatgcaa ttcctatttc      300
acagtcttgc tatgtctaar ccagaactga tcatctgtct ggaggcaagg raagagccct      360
gggaacgtga acacagagaa gacagccaaa cactcagagt ctgagctctg tcaccaggg      420
ttgggaatgc aatgggtgcg atcttcggct tcaactggca actggcgctc cgggtttcag      480
ggtcattttc cctgncctca gcctcctgag gtagcttgag gattacagtt ttgtcttctt      540
atctttactt gaaggacatt ttgccagag cagggggcct tncaagttt tcattttccc      600
aaaaagtga tgcttttaggn aggggtttng aaagngttt ttcttttang gaattacggc      660
tttagggga ttact

```

675

<210> 1075

<211> 348

<212> DNA

<213> Homo sapiens

<400> 1075

```

gccgcggggc cgggcggctg caatatggcg gaggcggaag gggaaagcct ggagtcctgg      60
ctcaataaag ccaccaatcc ttccaaccgc caggaggact gggaatacat aattggcttc      120
tgtatcaga tcaacaagga gctggaaggg tgagtctcag cactgtgggg gcagctgaga      180
gggagcggac tgggaagggg aacaaccatg gccaaggagg gccagccagg tagccccagg      240
cttagtgac tggagtgtgt tctgcttgct ccccaggcca cagatcgccg tccgactgct      300
ggcccacaag atccagtcct cacaggaatg ggaggcgctc cagccct

```

348

<210> 1076

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (403)

<223> n = A,T,C or G

<400> 1076

```

gttttgttta tttctgcaag attgtgaaaa caaaactttg ggtatttggt tcccattcag      60
gagatctggg agtgacttca tgtatttctt taacagtctt tgatcgtcac ctttcaattt      120
agactctaga gacagggaga ttgatgattt ctgagcaaa aagcttgat ttgagttgaa      180
agttgaaaat gaaggcaagg tcttcattta aactttaaaa tttctacaca tttctttcaa      240
gtattaaatt tttcttttgc agttattcta cctatggaaa tccaggcagc caaggctatg      300
gacaagcatc acaaagctat tctggctatg ggcaaacgac tgattcctct tatggacaga      360
actacagcgg ntactccagt tatggacaaa gttattcaca gtc

```

403

<210> 1077

<211> 421

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (421)

<223> n = A,T,C or G

<400> 1077

catggctgtc cactccttgc ctgtcccccac agctcttcttgc	gcagactctt ttttcccagag	60
gatcctgtta agattgtccg ggcccaaggg cagtacatgt	acgatgaaca gggggcagaa	120
tacatcgatt gcatcagcaa tgtggcgacac gttgggcact	gccaccctct cgtgggtccaa	180
gcagcacatg agcagaacca ggtgctcaac accaacagcc	ggtacctgca tgacaacatc	240
gtggactatg cgcagaggct gtcagagacc ctgccggagc	agctctgtgt gttctatttc	300
ctgaattctg ggtcagaagc caatgacctg gccctgaggc	tggctcgcca ctacacggga	360
caccaggacg tgggtgtatt agatcatgcg tatacgggca	cctgactncc tgattgacat	420
a		421

<210> 1078

<211> 3529

<212> DNA

<213> Homo sapiens

<400> 1078

aagaattcct attggagggtg ttaaatctac aagcaagaca	tatgttataa gtcgaactga	60
accagcgatg gcaactacaa aagcaattga tgactcttcc	gcgtctattt ctctggccca	120
gcttacaaag actgccaatc tggctgaagc caatgcttct	gaagaagata aaattaaagc	180
aatgatgtcg caatctggcc atgaatacga cccaatcaat	krcaygarga aacctctagg	240
tccaccacct ccatcttaca cgtgtttccg ttgtggtaaa	cctggacatt atattaagaa	300
ttgcccacaa aatgggggata aaaactttga atctggtcct	aggattaaaa agagcactgg	360
aattcccaga agttttcatg atggaagtga aagatcctaa	tatgaaaggt gcaatgctta	420
ccaacactgg aaaatatgca ataccaacta tagatgcaga	agcatatgca attgggaaga	480
aagagaaacc tcccttctta ccagaggagc catcttcttc	ctcagaagaa gatgatccta	540
tcccagatga attgttgtgt ctcatctgca aggatattat	gactgatgct gttgtgattc	600
cctgctgtgg aaacagttac tgtgatgaat gtataagaac	agcactcctg gaatcagatg	660
agcacacatg tccgacgtgt catcaaaatg atgtttctcc	tgatgcttta attgccata	720
aatttttacg acaggctgta aataacttca aaaatgaaac	tggctataca aaaagactac	780
gaaaacagtt acctctcca ccaccccaa taccacctcc	gagaccactg attcagagga	840
acctacaacc tctgatgaga tctccgatat caagacaaca	agatcctctt atgattccag	900
tgacatcttc atcaactcac ccagctccgt ctatatcttc	attaacttct aatcagctct	960
ccttggcccc tctgtgtgtt ggaaatccgt cttctgtccc	agctcctgta cctgatataa	1020
ctgcaacagt atccatatca gttcattcag aaaaatcaga	tggacctttt cgggattctg	1080
ataataaaat attgccagct gcagctcttg catcagagca	ctcaaaggga acctcctcaa	1140
ttgcaattac cgtcttatg gaagagaagg gttaccagggt	gcctgttctt ggaaccccat	1200
ctttgcttgg acagtcatta ttgcatggac agttgatccc	cacaactgggt ccagtaagaa	1260
taaatactgc tegtccagggt ggtgggtcgac caggctggga	acattccaac aaacttggt	1320
atctgggttc tccaccacaa caaattagaa gagggggagag	gagctgctac agaagtataa	1380
accgtggggc acaccacagc gaaagatcac agaggactca	aggcccgtca ctaccagcaa	1440
ctccagctct tgtacctgtt ccaccacctc ctttgtatcc	gcctcctccc catacacttc	1500
ctctccctcc ggggtgttct cctccacagt tttctctcca	gtttcctcct ggccagccac	1560
caccgcgtgg gtatagtgtc cctcctccag ggtttcctcc	agctcctgcc aatttatcaa	1620
caccttgggt atcatcagga gtgcagacag ctcattcaaa	taccatccca acaacacaag	1680
caccaccttt gtccaggga gaattctata gagagcagcg	acgactaaaa gaagaggaaa	1740
agaaaaagtc caagctagat gagttttacaa atgattttgc	taagggaattg atggaatata	1800
aaaagattca aaaggagcgt aggcgctcat tttccaggtc	taaatctccc tatagtgggt	1860
cttcgtattc agaagttca tatacttatt ctaaatacaag	atctgggtca acacgttcac	1920
gctcttattc tcatcatc agccgctcac attctcgttc	ctattcacgg tcacctccat	1980
acccagaag aggcagaggc aagagccgca attaccgttc	acgtctagat ctcatggata	2040
tcatcgatct aggtcaaggc caccacctta cagacgctat	cattcacgat caagatctcc	2100
tcaagcgttt aggggacagt ctctaataa acgtaatgta	cctcaagggg aaacagaacg	2160
tgaatatattt aatagatata gagaagttcc accaccatat	gacatgaaag catattatgg	2220

gagaagtgtt	gacttttagag	acccatttga	aaaagaacgc	taccgagaat	gggagagaaa	2280
atatagagag	tggtatgaaa	aatattataa	aggttatgct	gctggagcac	ascctagacc	2340
ctcagcaaat	agagagaact	tttctccaga	gagatttttg	ccacttwaca	tcmggaattc	2400
tcccttcaca	agaggccgca	gagaagacta	tgttggtggg	caaagtcata	gaagtcgaaa	2460
cataggtagc	aactatccag	aaaagctttc	agcaagagat	ggtcacaatc	agaaggataa	2520
tacaaagtca	aaagagaagg	agagtgaata	cgctccagga	gatggtaaa	gaaataagca	2580
taagaaacac	agaaaaagaa	gaaaagggga	ggaaagttag	ggttttctga	accagagtt	2640
attagagact	tctaggaaat	caagagaacc	tacaggtgtt	gaagaaaata	aaacagactc	2700
attgtttgtt	ctcccaagta	gagatgatgc	cacacctgtt	agagatgaac	caatggatgc	2760
agaatcaatc	acttttaaat	cagtgtctga	aaaagacaag	agagaaagg	ataaaccaaa	2820
agcaaagggt	gataaaacca	aacggaagaa	tgatggatct	gctgtgtcca	aaaaagaaaa	2880
tattgtaaaa	cctgctaaag	gacccaaga	aaaagtagat	ggagaacgtg	agagatctcc	2940
tcgatctgaa	cctccaatta	aaaaagccaa	agaggagact	ccgaagactg	acaataactaa	3000
atcatcatct	tctctcaga	aggatgaaaa	aatcactgga	acccccagaa	aagctcactc	3060
taaatcagca	aaagaacacc	aagaacaaa	accagtcaaa	gaggaaaaag	tgaagaagga	3120
ctattccaaa	gatgtcaaat	cagaaaagct	aacaactaag	gaagaaaagg	ccaagaagcc	3180
taatgagaaa	aacaaaccac	ttgataataa	gggagaaaaa	agaaaaagaa	aaactgaaga	3240
aaaaggcgta	gataaagatt	ttgagtcttc	ttcaatgaaa	atctcgaaac	tagaagttag	3300
tgaaatagtg	aaaccatcac	caaagcgcaa	aatggaacct	gatactgaaa	aaatggatag	3360
gacccttgaa	aaggacaaat	ttctttaagt	gcgccaccaa	aaaaatcaaa	ctcaacagag	3420
aaactgggaa	gaaaattgga	agtacagaaa	atatatcaaa	cacaaaagaa	ccctctgaaa	3480
aattggagtc	aacatctagc	aaagttaaaa	aaaaaaaaaa	aagtcgagc		3529

<210> 1079

<211> 401

<212> DNA

<213> Homo sapiens

<400> 1079

gcgggtgttg	cattccagtt	gcgcaatcct	gtccacaatg	gccatgccct	gttgatgcag	60
gacactcgcc	gcaggctcct	agagaggggc	tacaagcacc	cggtcctcct	actacaccct	120
ctgggcggct	ggaccaagga	tgacgatgtg	cctctagact	ggcggatgaa	gcagcacgcg	180
gctgtgctcg	aggagggggg	cctggatccc	aagtcaacca	ttgttgccat	ctttcogtct	240
cccattgtat	atgctggccc	cacagaggtc	cagtggcact	gcagggtccc	gatgattgag	300
ggtgccaatt	tctacattgt	ggggaggacc	ctgcagggaat	gcccctcct	gaaaccaaga	360
aggatctgta	tgaaccact	catggggggc	aaggcttgag	c		401